

UC Irvine

UC Irvine Previously Published Works

Title

Complex adaptive systems-based framework for modeling the health impacts of climate change.

Permalink

<https://escholarship.org/uc/item/32h6c846>

Authors

Talukder, Byomkesh

Schubert, Jochen

Tofighi, Mohammadali

et al.

Publication Date

2024

DOI

10.1016/j.joclim.2023.100292

Peer reviewed



ELSEVIER

Contents lists available at ScienceDirect

The Journal of Climate Change and Health

journal homepage: www.elsevier.com/joclim

Research article

Complex adaptive systems-based framework for modeling the health impacts of climate change



Byomkesh Talukder^{a,b,*}, Jochen E. Schubert^c, Mohammadali Tofighi^{b,d}, Patrick J. Likongwe^e, Eunice Y. Choi^b, Gibson Y. Mphepo^e, Ali Asgary^d, Martin J. Bunch^f, Sosten S. Chiotha^e, Richard Matthew^g, Brett F. Sanders^{c,g}, Keith W. Hipel^h, Gary W. vanLoonⁱ, James Orbinski^{b,j}

^a Department of Global Health, Florida International University, USA^b Dahdah Institute for Global Health Research, York University, Canada^c Department of Civil and Environmental Engineering, University of California, Irvine, USA^d ADERSIM & Disaster & Emergency Management, York University, Canada^e Leadership for Environment and Development Southern and Eastern Africa (LEAD SEA), Malawi^f Faculty of Environmental and Urban Change, York University, Canada^g Department of Urban Planning and Public Policy, University of California, Irvine, USA^h System Engineering Department, Waterloo University, Canadaⁱ School of Environmental Studies, Queen's University, Kingston, Canada^j Faculty of Health, York University, Canada

ARTICLE INFO

Article History:

Received 25 May 2022

Accepted 1 December 2023

Available online 7 December 2023

Keywords:

Climate change

Health

Ecological services

Extreme weather

Infectious disease

Food security

Clinical public health

Disaster risk management

Complex adaptive systems

Agent-based modeling

ABSTRACT

Introduction: Climate change is a global phenomenon with far-reaching consequences, and its impact on human health is a growing concern. The intricate interplay of various factors makes it challenging to accurately predict and understand the implications of climate change on human well-being. Conventional methodologies have limitations in comprehensively addressing the complexity and nonlinearity inherent in the relationships between climate change and health outcomes.

Objectives: The primary objective of this paper is to develop a robust theoretical framework that can effectively analyze and interpret the intricate web of variables influencing the human health impacts of climate change. By doing so, we aim to overcome the limitations of conventional approaches and provide a more nuanced understanding of the complex relationships involved. Furthermore, we seek to explore practical applications of this theoretical framework to enhance our ability to predict, mitigate, and adapt to the diverse health challenges posed by a changing climate.

Methods: Addressing the challenges outlined in the objectives, this study introduces the Complex Adaptive Systems (CAS) framework, acknowledging its significance in capturing the nuanced dynamics of health effects linked to climate change. The research utilizes a blend of field observations, expert interviews, key informant interviews, and an extensive literature review to shape the development of the CAS framework.

Results and discussion: The proposed CAS framework categorizes findings into six key sub-systems: ecological services, extreme weather, infectious diseases, food security, disaster risk management, and clinical public health. The study employs agent-based modeling, using causal loop diagrams (CLDs) tailored for each CAS sub-system. A set of identified variables is incorporated into predictive modeling to enhance the understanding of health outcomes within the CAS framework. Through a combination of theoretical development and practical application, this paper aspires to contribute valuable insights to the interdisciplinary field of climate change and health. Integrating agent-based modeling and CLDs enhances the predictive capabilities required for effective health outcome analysis in the context of climate change.

Conclusion: This paper serves as a valuable resource for policymakers, researchers, and public health professionals by employing a CAS framework to understand and assess the complex network of health impacts associated with climate change. It offers insights into effective strategies for safeguarding human health amidst current and future climate challenges.

© 2023 The Author(s). Published by Elsevier Masson SAS. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>)

* Corresponding author.

E-mail address: btalukde@fiu.edu (B. Talukder).

1. Introduction

Climate change affects virtually all aspects of human life and health [1]. Clear evidence of the human health impacts of climate change has been presented in many research papers [2–9] and international reports. Climate change impacts the health of individuals and populations through multiple pathways. Many independent variables lead to emergent outcomes that are difficult (or impossible) to predict with hypotheses that entail reductionism or linearity based on mechanistic understandings of reality [10]. For instance, floods induced by climate change and population displacement may impact accessibility to safe drinking water and increase infectious diseases [11]. Conversely, risk management actions and climate change adaptation policies can mitigate disaster [12]. The health impacts of climate change here also refer to complex, large-scale, non-linear interactions within which behaviors may evolve along with the potential for powerful feedback loops to rapidly precipitate catastrophe [13].

Complexity theory has evolved to study contemporary problems and investigate the interconnected nature of unpredictable phenomena [14,15]. The Complex Adaptive Systems (CAS) theoretical framework can be used to study complex contemporary problems. CAS are systems involving multiple components that react to other components in the system and the system as a whole, thereby leading to emergent phenomena [16–18]. These components are also referred to as adaptive agents or simply as agents.

The principles of CAS can be used to model the impacts of climate change and understand their human health implications. Human vulnerability to climate change is considered dynamic and depends on a place-based socio-biophysical system, affected by the continuous interaction of multiple stressors (climatic, socioeconomic, political, and cultural), as well as the interactions of components with that system [19–21]. Understanding the interrelations of agents within a CAS allows a pinpointing of areas that are priorities for adaptive learning, that can represent potential maladaptive trajectories, or that could be susceptible to positive and negative feedback [19,20]. The first step in designing a CAS for climate change health vulnerability is to produce a high-level representation of the system, capturing its major sub-systems or dimensions and their linkages [21]. Each sub-system is composed of many variables and interconnections. The second step is to generate a conceptual model of the inner workings of each sub-system [21]. Finally, more specific conceptual models may be generated addressing particular sub-systems of interest.

A collaborative approach among different stakeholders may be adopted at any stage of each system representation, and the complexity of systems representation may depend on data availability to establish relationships between variables [19–21]. For example, Groundstroem and Juhola apply systems thinking to identify climate change impacts on international bioenergy supply systems [19]. They establish an analytical framework laying out the sub-systems and interconnections of a bioenergy supply system. They rely on causal loop diagrams (CLDs) to map out the system's structure and networks to reveal causalities and feedback within the system. The result is a complex and interconnected network of social, environmental, political, and economic sub-systems, and various cascading impacts of climate change affecting the bioenergy supply [22]. Sellberg et al. (2021) analyze how a complexity perspective was used across twelve resilience assessment and planning cases in contexts of development and natural resource management in different parts of the world [23]. They found that several core complex adaptive system strategies were employed, including adapting the systems approach to a local context, identifying external drivers of change and interactions across scales (administrative to biophysical boundaries), conceptualizing social-ecological interactions, and identifying historical trends, regime shifts, and alternative future scenarios. These CAS strategies are mainly concerned with capturing the complexity of the social-

ecological systems and making sense of them through meaningful interrelated simplifications. Actual system complexity is difficult to fully capture in a modeling approach, yet simplifications of system linkages can provide a better understanding of cascading impacts [19,23]. Challenges may also exist with data availability and statistical correlation methods to model aspects of the variable linkages, or shortcomings may exist when using simulated data that may not fully or reliably capture future conditions. It is generally strongly recommended that model weaknesses and limitations be identified and critically assessed, so that results can be appropriately qualified [19].

Agent-Based Modeling (ABM) is an approach capable of modeling complex systems in their disaggregate form [24–26]. Other system methods such as system dynamics [27] and network analysis [28], capture system complexity as an aggregate of its parts and have been used in modeling various aspects of public health [25,29]. However, these are less effective than ABM for capturing the non-linear relationships of a systems' agents or variables. In this paper, we present a novel framework based on CAS and ABM to model some aspects of human population health impacts of climate change. Our model reflects the values and data needs of community, government, and non-government organizations for planning actionable adaptation strategies to the short- and long-term health impacts of climate change [13,30].

We envision this framework to be relevant in a wide range of applications. From a public health perspective, for instance, it may be applied to assess the emergence of particular infectious diseases due to changing climate and environmental conditions at the level of individual health facilities, as well as in predicting which health facilities may be overburdened by increasing healthcare demand. Model outputs can be intersected with social condition data to identify underlying causes that predispose people to health risks associated with climate change, and to design adaptation interventions to climate change that may reduce human health impacts. A holistic assessment of the complex system causing health impacts of climate change can further identify vulnerabilities in disaster risk management and could function as a support tool to target resources to strengthen the resilience of health services. Finally, the proposed CAS based framework is intended to be executed using quantitative methods and models (e.g., ABM), and would identify data gaps that, once addressed, could contribute further to a richer and more accurate understanding of the health impacts of climate change.

The remainder of this paper is organised so that [Section 2](#) describes the methods used for developing the conceptual CAS based framework; [Section 3](#) presents subsystems of the relationship between climate change and human population health, a list of data sources based on a literature review to demonstrating or suggesting the quantifiability of each subsystem, and a methodology for agent-based modeling (ABM) of the subsystem; [Section 4](#) provides a vision for how the CAS based framework may be implemented for scenario simulation and decision support, its limitations, as well as possible entry points for local expert knowledge; and [Section 5](#) presents conclusions.

2. Methods

The motivation for this framework is based on years of accumulated field experience of the authors in Bangladesh, India, Cambodia, Malawi, South Sudan, Rwanda, Paraguay, the USA, Canada, and elsewhere [11,31–43]. A visualization of the full methodological process used to develop this framework is portrayed in [Fig. 1](#) and is based on four steps: (i) authors' observations and knowledge gathered from long-time practical field experience with the health impacts of climate change in developing countries in terms of global, public and clinical health, sustainability of agriculture, ecological degradation, disaster management, and systems thinking about environmental health issues; (ii) narrative literature review; (iii) mobilization of




Fig. 1. Methodological flow chart for developing the framework. First, field observations allowed the authors to link the health impacts of climate change (CC) in terms of six sub-systems: ecological services (ES), extreme weather events (EW), infectious disease (ID), food security (FS), disaster risk management (DM) and clinical public health (CPH). Experts, key informants, and a literature review then verify the field observations. Following the first step, the interactions of the sub-systems are visualized and established as a complex adaptive system (CAS) of health impacts of climate change.

expert opinion by formal interview, and (iv) key informant interviews through informal discussion.

The initial approach was developed based on the field experiences of the authors. This was then augmented collaboratively through consultation with key informants from NGOs, government officials, and educators working on climate change’s health impacts in coastal Bangladesh and the Lake Chilwa Basin of Malawi. Both countries are highly affected by, and have limited capacity to cope with ongoing climate change, and its associated extreme weather events [11,44–46].

Five questions guided our consultations with the experts and key informants: (i) What are the commonly occurring diseases for which climate change is a driver? (ii) How do extreme weather events affect health outcomes? (iii) How does and will climate change impact agricultural production, food security, and health? (iv) Does ecological degradation amplify the impacts of climate change on health? (v) How can disaster management and public health policy help mitigate climate change-related health impacts? Feedback from experts and key informants in Bangladesh and Malawi, as well as author field observations confirmed that climate change, and its associated extreme weather events have human health impacts which are magnified by human behavior, and many socio-ecological variables such as ecological degradation, and agriculture and public health policy.

With the goal of identifying and reviewing probable issues related to developing a CAS based framework, the authors and other experts used brainstorming and deductive (theoretical) and inductive (statistical) based reasoning as described by Rotello and Heit [47]. A targeted narrative literature review was conducted to confirm and reinforce the objectives of the study and expert and key informant inputs by classifying, assessing, and mixing the findings of high-quality studies related to one or more issues relevant to the CAS of health impacts of climate change. This literature review utilized Google

Scholar, PubMed, and Web of Science to identify subsequently reviewed literature related to the topic. Key search terms included: “climate change and health,” “complex adaptive systems and health,” “ecological services and health,” “climate change and infectious disease,” “climate change and extreme weather events,” “climate change, disaster management and health” and “climate change and clinical health.”

3. Results

The authors’ experience, expert knowledge and opinion, key informant interviews, and the literature review provided data and information to identify and link six major sub-systems of a CAS as these relate to the human health impacts of climate change: (i) ecological services [48], (ii) extreme weather events [49], (iii) infectious diseases [49], (iv) food security [49], (v) clinical public health [3], and (vi) disaster risk management [3,48].

A useful visual tool to represent the complex interactions between changing climatic conditions and health outcomes are causal loop diagrams (CLDs) [50,51]. “Cause and effect” indicates that one element must lead to another either in absolute (deterministic) or probable (stochastic) ways [52]. CLDs help identify the circular nature of complex cause-and-effect relationships [53], show the big picture for understanding the interrelationship of the elements, and facilitate recognition of the system structure that generates overall health impacts while providing a descriptive and visual model of the CAS of health impacts of climate change. A high-level CLD of the linkages between the sub-systems is shown in Fig. 2X. The CLD demonstrates the interaction of the six sub-systems in a complex web and the positive and negative relationship(s) to one another. Hence, the health impacts of climate change can be viewed as the outcomes of the




Fig. 2. Schematic of the effects of climate change on health as a complex adaptive system (CAS). Part [X], the causal loop diagram (CLD) or systems thinking diagram [55], captures the interactions of the six sub-systems (i.e., ecological services, extreme weather events, infectious disease, food security, disaster risk management, and clinical public health) and represents the descriptive model of a CAS of the health impacts of climate change. It shows that the sub-systems are connected in a complex way. For example, climate change increases extreme weather events and reduces agricultural production, leading to food insecurity, and food insecurity leads to clinical public health issues such as malnutrition. The impacts of extreme weather events may be countered with the robust design of public health services and policy. In part [Y], A, B, and C represent different variables of each sub-system. These variables interact within the individual system and with the adjacent variables of other sub-systems, and all sub-systems interact with each other as a whole. Thus, the CAS model captures the overall health impacts on agents (individual or population) from climate change.

complex causal inter-relationships, interactions, and interconnectivity of elements within and between these six sub-systems [17,54].

The high-level CLD of the health impacts of climate change can be used as a guide to further break down each sub-system into many lower-level elements, which interact with each other inside and outside the dimensions of the high-level subsystems in non-linear and dynamic relationships [17,23,56–58]. Conceptually, this is shown in Fig. 2Y.

Through an extensive narrative literature review and based on the authors’ field experience in Bangladesh, India, Malawi, and Paraguay, we developed CLDs relative to the six sub-systems that are integral in capturing the interconnectedness between climate change and population health in these countries: ecological services, extreme weather, infectious disease, food security, clinical public health, and disaster management.

3.1. CLDs of the health impacts of climate change

In Sections 3.1.1 to 3.1.6, the CLDs of the health impacts of climate change are illustrated with respect to the six sub-systems. The CLDs below have been developed based on knowledge acquired in Bangladesh and Malawi and therefore, reflect system dynamics pertaining to those regions. Here, they are used to exemplify the proposed framework and will require modification for different geographical areas. In the following CLDs, positive causal links (marked by a plus sign [+]) to mean “same direction”) represent a positive correlation between variables, so that an increase in variable “A” leads to a rise in variable “B,” and a decrease in “A” leads to a reduction in “B.” It is essential to understand that the plus sign at the arrowhead does not necessarily mean that the variables are increasing, only that they are changing in the same direction (i.e., increase or decrease together). Negative causal links (marked by a minus sign [–]) to mean “opposite”) represent a negative or inverse correlation, so that an increase in variable “A” leads to a decrease in variable “B.” [59]

3.1.1. Ecological services

Ecological services are the central pillars of all life [60]. The Millennium Ecosystem Assessment (MA) proposed four ecosystem services categories: regulating, provisioning, supporting, and cultural [61]. *Regulatory services* include flood and disease regulation, water purification, pest control, disease control, disaster mitigation and prevention [62]. *Provisioning services* make available food and essential

nutrients, medicines and medicinal compounds, fuel, energy, livelihoods, and cultural and spiritual enrichment for humans [62]. Provisioning services contribute to cleaning water and air [62,63] and, in this way, have positive health effects [2]. Both regulatory and provisioning services have direct and indirect consequences for human health and well-being, and each is an important component of the epidemiological puzzle that can act to stem the tide of infectious and non-communicable diseases [62].

As shown in Fig. 3., climate change impacts provisioning and regulatory ecological services in several ways [64,65]. Ongoing climate change has a negative effect on habitat and vegetation health, reducing biodiversity and air quality while increasing the spread of pests. Changes to the hydrologic cycle and extreme weather events further affect food production and the availability of clean water, allowing human disease and illness to increase. In particular, ecosystem modifications help spread pathogens into new ecological niches [5]. However, “healthy ecosystems and environments are necessary for the survival of humans and other organisms, and thus constitute the basis of sustainable development” [66]. Ecological degradation has been associated with increased global connectivity, encouraged the intermixing of human and animal habitats, and has amplified climate change impacts on migration, all of which have affected human well-being, as many wildlife species are or have become reservoirs of pathogens that threaten human health [67].

3.1.2. Extreme weather events

Extreme weather events are defined as anomalies denoting a significant departure from long-period average weather observations such as atmospheric temperature, wind speed, and precipitation. Droughts, periods of extreme heat or cold, and floods are examples of extreme weather events [7], and with accelerating climate change, the frequency and magnitude of these events are likely to increase [44,68,69]. Extreme weather events have profound impacts on health [70] and the environment [71], affecting “individual fitness, population dynamics, distribution and abundance of species, and ecosystem structure and function” [72]. For example, extreme heat and cold cause immediate rises in weather-related mortality [73,74]. More broadly, natural hazards, including floods, tsunamis, earthquakes, tropical cyclones (e.g., hurricanes and typhoons), and tornadoes have been secondarily associated with infectious diseases, including diarrheal diseases, acute respiratory infections, malaria, leptospirosis,




Fig. 3. Causal loop diagram of health impacts of climate change in relation to ecological degradation.

measles, dengue fever, viral hepatitis, typhoid fever, meningitis, tetanus and cutaneous mucormycosis [75,76].

Extreme weather events can cause severe crop damage and jeopardize agricultural production and socio-economic development, and directly affect livelihoods and food security [77–79]. One review estimates that, 83 % of the damage and losses caused by droughts are in agriculture, and that by 2050 crop yields are projected to decrease by 25 % if climate change is not mitigated. Extreme weather events damage crops and leave households vulnerable to weather shocks [80]. Damaged crops lead to food insecurity, eventually leading to poor nutrition and clinical public health impacts. Extreme weather events can also cause food safety issues. For example, in some settings, Salmonella has become prevalent in lettuce and green onion products because of drought followed by heavy rainfall [81]. Some examples of how extreme weather may impact health are shown in Fig. 4.

3.1.3. Infectious diseases

CLDs of the health impacts of climate change concerning infectious diseases are presented in Fig. 5. Climate change and other anthropogenic activities (such as agriculture) play a significant role in infectious disease emergence [82–84] and in the spread and re-emergence of infectious diseases in natural and socio-ecological systems [85]. Among infectious diseases, vector-borne (e.g.: mosquito-borne) diseases, including malaria, dengue, viral encephalitis [86], yellow fever [87], and West Nile virus [88] are among those most sensitive to a changing climate [89]. For example, “globally, temperature increases of 2–3 °C would increase the number of people who, in climatic terms, are at risk of malaria by around 35 %, i.e., by several hundred million, as the seasonal duration of malaria would increase in many currently endemic areas” [90]. A changing climate will also influence the incidence of water-borne infectious diseases such as cholera [11,91,92] and diarrheal disease [88]. Climate change has increased the risk of floods, and with these, the spread of multiple infectious diseases such as malaria, dengue, hepatitis A, cholera, schistosomiasis, and diarrhea. Moreover, skin and soft tissue infections, conjunctivitis, and dermatitis are related to flood events [93].

3.1.4. Food security

The CLD in Fig. 6 depicts the causes and effects of climate change on food security (sustainable agriculture), and human health. Climate change will negatively affect food systems [94–96] and thus food security [97–101]. Food security affects individual and population health [96,102], which depends on access to adequate, affordable, good-quality, and nutritious food [103]. However, climate change potentially affects all aspects of food security, including food access, utilization, and price stability [104]. Climate change also increases the occurrence of food safety hazards at various stages of the food chain, from primary production through consumption [105]. Increasing CO₂ threatens human nutrition by reducing zinc and iron in C₃ grains and legumes (e.g., wheat, rice, oats, barley, potatoes, soybeans, cassava, etc.), the primary dietary source of zinc and iron for billions of people and the deficiency of zinc and iron in crops is a substantial global public health problem [106]. Food insecurity leads to undernutrition [107], which has short-term mortality, morbidity, and disability consequences. There are also long-term consequences for adult height, intellectual ability, reproductive performance, and metabolic and cardiovascular disease [108].

Natural disasters jeopardize agricultural production and development [109], and as described above, climate change tends to increase the frequency and intensity of weather-related natural disasters [110]. Natural disasters significantly impact the agricultural sector by directly damaging livestock, crops and the ecosystems that support their supply chain and agriculture, affecting livelihoods, food security, and nutrition [77,111,109].

3.1.5. Disaster risk management

Realistic disaster risk management plans enable societies to prepare for and mitigate the severe effects of extreme weather events. The CLD of health impacts of climate change in relation to disaster management and clinical public health is shown in Fig. 7. Climate change has significantly increased the extent and magnitude of disasters [112]. Appropriate disaster preparedness can maintain food supply and thus food security and individual and population health. Disasters have the greatest impacts on the poor and most vulnerable




Fig. 4. Causal loop diagram of health impacts of climate change in relation to extreme weather events.

people [113]. Effective disaster management is crucial in reducing the risks and effects of climate change on socioecological systems [114]. For example, building resilient infrastructure, deploying early warning systems, implementing well-informed community preparedness plans, and developing sound emergency response procedures can lessen the impacts of natural disasters by reducing loss of life and preventing damage to sanitation, health, and food supply infrastructure.

3.1.6. Clinical public health

Clinical public health systems and their resilience determine the magnitude of a health crisis associated with a disaster, as shown in the CLD in Fig. 7. Effective health care in a disaster critically depends on an appropriate disaster preparedness of a health system, the broader social systems, and how these intersect to promote health and resilience before, during and after a crisis [91,115,116].

Contributing factors to disease transmission after disasters include for example: environmental risk factors; type of endemic organisms; population demographics and characteristics such as crowding; the pre-event structure and functionality of a clinical public health system and its facilities; levels of immunization, and the magnitude of the disaster [117]. Risk factors for disease outbreaks after disasters are associated primarily with poor potable water and or population displacement and the availability of hygienic sanitation facilities. The capacity to rapidly re-establish effective primary healthcare delivery post-disaster is vital to reduce the risk of communicable diseases and death in the affected population [76,118].

3.2. Selection of variables

The CLDs presented in Sections 3.1.1 to 3.1.6 help identify vital representative variables from the six sub-systems that can be used to

model the health impacts of climate change in a CAS based framework. Using the CLDs, literature review, discussion with key informants, and formal interviews with experts, a set of representative variables that affect the health of agents (individual and population) are identified and listed in Table 1 to demonstrate the potential value of this approach. In total, 92 variables are identified that address ecological services (10 variables), extreme weather events (9 variables), infectious diseases (11 variables), food security (18 variables), disaster management (23 variables), and clinical public health (21 variables). Two criteria were considered in selecting variables: (i) the capacity of the variables to represent quantifiable influences of complex relationships and (ii) their significance in capturing maximum impacts on agents. The variables identified here are not comprehensive. Instead, they are an illustrative selection based on an assumed/hypothetical location (informed by the authors' experience, especially in Bangladesh and Malawi) where floods and droughts occur with increasing frequency due to climate change-related extreme weather events. These are causally associated with population displacement, disruption in health services, increases in specific infectious diseases, and acute and chronic undernutrition. The targeted health impacts in this location are (i) infectious diseases: malaria, cholera, schistosomiasis, and acute diarrheal disease; (ii) food security outcomes: protein energy malnutrition and growth stunting in children; and (iii) potable water and sanitation and hygiene.

Variables/indicators play a helpful role in highlighting and quantifying problems, identifying trends, and contributing to the process of priority setting, policy formulation and evaluation, and monitoring of progress. Most importantly, breaking down a system into multiple variables and associated linkages helps simplify its complexity while paradoxically demonstrating complexity by tying together the elements of the six sub-systems [160]. Only well-defined and carefully




Fig. 5. Causal loop diagram of health impacts of climate change in relation to infectious disease.

selected variables provide meaningful insight for a model to be useful in decision-making and policy development [160]. The variables suggested here are within the boundaries of the intended geographic region, and more may be available from further local sources. The variables may be different in other scenarios since the health impacts of climate change vary depending on the specific scenarios and their geography.

3.3. Proposed modeling framework

In this section, a framework of CAS modeling [161] of the health impacts of climate change is presented based on the background discussion in Section 1.0, the methodology in Section 2.0, and the results in Sections 3.1 and 3.2.

To reiterate, the health impacts of climate change are the outcomes of linear and non-linear dynamic relationships with the agents within the six sub-systems that generate macro-level phenomena [162]. The health impacts of climate change depend on the interactions of various components (variables) of the sub-systems in ways that create feedback and cascading effects on the components of the sub-systems. The interactions of the units of each sub-system can lead to a nonlinear transformation to macro-level phenomena (emergent properties) [163]. The health impact of climate change is a complex phenomenon, and modeling it requires a method capable of capturing the linear and non-linear interactions of the agents and the relationships of the sub-systems [164]. In this modeling framework, a system dynamics-integrated ABM is proposed for modeling the complex interactions of the variables in Table 1 with agents (individual and population) within a region of concern.

Using the variables identified in Table 1 for ecological services {10 parameters: ($ES_1 \dots ES_{10}$)}, extreme weather events {09 parameters: ($EW_1 \dots EW_9$)}, infectious disease {11 parameters ($ID_1 \dots ID_{11}$)}, food

security {18 parameters ($FS_1 \dots FS_{18}$)}, disaster management {23 parameters ($DM_1 \dots DM_{23}$)} and clinical public health {21 parameters ($CH_1 \dots CH_{21}$)} and the core concepts of agent-based modeling, the proposed framework is hypothetically illustrated in Fig. 8. These variables and their variations can represent the actions and interactions of autonomous agents at different levels of granularity, as individuals or collective entities, and at different spatial scales, to understand the emerging behavior of a system and what shapes its outcomes. Depending on the level of granularity of agents and the scale of their interaction, different CLDs and sets of variables may need to be defined for each agent for adoption into ABM. Various commercial and open-source software packages offer the ability to perform agent-based modeling (e.g., AnyLogic, AgentScript, GAMA Platform), and the authors recommend model validation to be included in the model setup procedure as a way to quantify the implications of limited data and statistical correlation between sub-system variables [19].

4. Discussion

To determine the health impacts on agents, the presented framework requires consideration of the overall cause-and-effect relationship of the interconnected variables chosen to represent the six sub-systems. More specifically, each set of agents (e.g., industry sectors, population age groups, health center catchments) will require their own set of sub-system variables, and interactions between agents will also have to be considered. Therefore, selecting and parameterizing appropriate variables is essential for this framework.

The success of this CAS based framework depends on the range and quality of the data available to represent system variables. In other words, discovering insights into the dynamics of climate change-driven health impacts depends on the ability to represent




Fig. 6. Causal loop diagram of health impacts of climate change in relation to food security.




Fig. 7. Causal loop diagram of health impacts of climate change in relation to disaster management and clinical public health

Table 1
Potential variables to be considered in complex adaptive system modeling of health impacts of climate change

Sub-Systems	Variables	Unit	SOV	NOV	Reference
Ecological Services	Shannon Biodiversity Index	% year ⁻¹	ES ₁	10	[119,120]
	Rate of land cover fragmentation	% year ⁻¹	ES ₂		[121]
	Water Quality Index (WQI)*	ND	ES ₃		[122]
	Trophic State Index (TSI)	ND	ES ₄		[123]
	Soil Quality Index**	ND	ES ₅		[124]
	Soil moisture	% Water	ES ₆		[125]
	Soil erosion rate	km ² /year	ES ₇		[126]
	Storage of aquifer	m ³	ES ₈		[127]
	Horton–Strahler number***	ND	ES ₉		[128]
	Natural Soil Drainage Index (DI)	ND	ES ₁₀		[129]
Extreme Weather Events	Rainfall Index	mm/year	EW ₁	9	[130]
	Simple daily intensity index (SDII)	mm/day	EW ₂		[131]
	Flood intensity	ND	EW ₃		[132]
	Duration of waterlogging	day	EW ₄		[133]
	Aggregate Drought Index (ADI)	ND	EW ₅		[134]
	Warm spell duration indicator (WSDI)	day	EW ₆		[135]
	Cyclone intensity (Saffir–Simpson scale)	Ordinal	EW ₇		[136,137]
	Accumulated Cyclone Energy (ACE)	knot ²	EW ₈		[138]
	Heat Index	°C	EW ₉		[139]
Infectious Diseases (malaria, cholera, schistosomiasis, diarrhea)	Disease transmission	People/day	ID ₁	11	[140,141]
	People affected by Malaria	People	ID ₂		[142]
	People affected by Diarrhea	People	ID ₃		SA*
	People affected by Schistosomiasis	People	ID ₄		SA*
	People affected by Cholera	People	ID ₅		SA*
	Drinking water quality	Ordinal	ID ₆		[122]
	Sources of household water	% of source	ID ₇		SA*
	Sources of agricultural water	% of source	ID ₈		[143]
	Unique distribution of infectious disease	Global Moran's I statistic	ID ₉		[144]
	Household location (sound vs. degraded land)	People/km ²	ID ₁₀		[145]
	Rural Water Livelihood Index (RWLI)	Ordinal	ID ₁₁		[146]
Food Security (Agriculture)	Yields per hectare for major staple crops	Kg/ha	FS ₁	18	[147,148]
	Productivity (protein)	ton	FS ₂		[149]
	Productivity (energy)/calorie availability	Calorie	FS ₃		
	Food loss	ton	FS ₄		[150]
	Livestock Production Index	ND	FS ₅		[145]
	Irrigated land	ha	FS ₆		[145]
	Caloric intake per capita per household	Cal/person	FS ₇		[151]
	Household level of food insecurity	Ordinal	FS ₈		
	Household dietary diversity	Ordinal	FS ₉		[97]
	Food Security Index	Ordinal	FS ₁₀		[150]
	Intensification of land use	Ordinal	FS ₁₁		[150]
	Farmers affected by flood, drought, and heat protection systems	%	FS ₁₂		[148]
	Diversity of local food system	Ordinal	FS ₁₃		[152]
	Effectiveness of food supply chain	PMS	FS ₁₄		[153]
	Land under rainfed irrigation	%	FS ₁₅		SA*
	Arable land equipped for irrigation	%	FS ₁₆		[97]
	Seed availability	Yes/No#	FS ₁₇		SA*
Nitrogen use efficiency in agricultural systems	%	FS ₁₈		[[148,154]	
Disaster Management	Vulnerable population	%	DM ₁	23	[155]
	Population density	People/sq km	DM ₂		[156]
	Exposure (% agricultural land) / Damaged crop area	%	DM ₃		[156]
	Emergency response - hospital bed per 100,000 residents	%	DM ₄		[156]
	Emergency response - physicians per 100,000 residents	%	DM ₅		[156]
	Healthcare resources available for disaster risk management	Unit	DM ₆		SA*
	Disaster communication	Yes/No	DM ₇		[148,157]
	Coverage by national health emergency and disaster risk management programmes	Yes/No	DM ₈		SA*
	Level of preparedness	Ordinal	DM ₉		SA*
	Direct agricultural loss due to hazardous events	%	DM ₁₀		[113]
	Area covered by community-based disaster risk management	%	DM ₁₁		[158]
	Area covered by early warning system	%	DM ₁₂		[158]
	Population below a particular flood line (100-year flood, 10 years)	%	DM ₁₃		[158]
	Age dependency ratio	%	DM ₁₄		[157]
	Previous disaster experience	Yes/No	DM ₁₅		[159]
	Access to all-weather roads	Yes/No	DM ₁₆		[148]
	Early warning standards and guides developed and disseminated	Yes/No	DM ₁₇		[155]
	Community participation	Yes/No	DM ₁₈		SA*
Community volunteer systems	Yes/No	DM ₁₉		SA*	
Awareness	Ordinal	DM ₂₀		SA*	
Flood forecast systems	Yes/No	DM ₂₁		SA*	
Agriculture planning after the disaster	Yes/No	DM ₂₂		SA*	
Agriculture preparedness systems	Yes/No	DM ₂₃		SA*	
Clinical Public Health	Number of people per household	Number	CH ₁	21	SA*
	Spatial distribution of population	People/sq km	CH ₂		SA*

(continued)

Undernourishment	%	CH ₃	[97,147]
Stunted (< 5 years)	%	CH ₄	[98,149,]
Wasting (< 5 years)	%	CH ₅	[148]
Population with access to potable water	%	CH ₆	[150]
Households under basic sanitation	%	CH ₇	[97,148]
Population maintaining adequate hygiene	%	CH ₈	[148]
Households with healthcare facilities	%	CH ₉	
Disease surveillance system	Ordinal	CH ₁₀	[114]
Status of health sector preparedness plans	Ordinal	CH ₁₁	[114]
Community assessments of risks and vulnerabilities	Ordinal	CH ₁₂	[114]
Administrative and financial support	Ordinal	CH ₁₃	[114]
Training for staff of essential community-level health facilities	Ordinal	CH ₁₄	[114]
Standing order for health emergency management	Number/Population	CH ₁₅	[114]
Community preparedness and response	Yes/No	CH ₁₆	[114]
Spatial distribution of disease outbreaks	People/ sq km	CH ₁₇	[147]
Individual and public health curriculum in education	Yes/No	CH ₁₈	SA*
Effectiveness of health governance	Ordinal	CH ₁₉	SA*
Political stability	Yes/No	CH ₂₀	[150]
Insecticide-treated bed nets (ITNs)	Unit	CH ₂₁	-

Note: S. System = Sub-Systems, SOV = Symbol of Variables, NOV = Number of variables, Ordinal (1-5), ND = Non-dimensional, # Yes/No = 2/1. Note: * WQI should be specified based on the water usage, such as drinking, agricultural, and fishes in the lake will have to be pacified. ** Soil quality for agricultural use and hazardous material must be pacified. *** An index for surface water body distribution. *SA = Suggested by Authors.




Fig. 8. A step-by-step illustration of a hypothetical agent-based model. Ecological services, extreme weather events, infectious diseases, food security, clinical public health, and disaster management influence climate change and health impacts. This hypothetical agent-based climate change and health impacts model incorporates the six sub-systems' static and time-varying causal variables. Part [A] represents the CAS and linkage between each sub-system as an aggregate system modeling approach. In part [B], the interaction of the agents and sub-system variables is used for the model formulation of the disaggregated parts of a system. In part [C], the model's final process and its purpose are presented. This hypothetical model represents potential outcomes of the health impacts of climate change on agents of an area Y_n where X_n of the population is living.

meaningful deterministic or statistical relationships between variables for the agents of interest.

The proposed CAS based framework is not restricted by the particular agent (e.g., governments vs individuals, vs watersheds) of the sub-systems. It can integrate various types or scales of agents and variables and allow users to think about the problems of climate change and health holistically. Physicians, climatologists, biologists, and social scientists can use this CAS based framework to explore different realizations of health outcomes from climate change scenarios by developing "What-If" analysis by adjusting the values of the CLD variables. For example, testing prolonged drought periods could directly inform malnutrition potential by examining the climate change impacts on water supply and farming and agriculture (see Fig. 4). Such a scenario can be further expanded by testing actions

mitigating the effects of droughts. For example, the *Food Security* CLD could be used to simulate a quantification of how much farming and agriculture could vary dependence on local water supply during drought conditions to maintain minimum or maximum positive health outcomes. Thus, the CAS based framework can be an accessible scenario planning tool to explore the health impacts of climate change, with a view to understanding and identifying solutions within this complex system.

The proposed framework is expected to guide the development of a multi-agent-based simulation model. This could be used to support decisions about ecological services or adapt clinical public health interventions that seek to ameliorate the health impacts of climate change. Simulations generated by such an ABM can also be used to formulate multi-sector adaptation policies.

Evidence- and data-based step-by-step definition of the six sub-systems and their identified agents ensure a broadly applicable decision model that various stakeholders, including researchers, government and non-government practitioners, and policy makers, can use. The ABM simulation model could help stakeholders understand and act on factors that shape the health impacts of climate change; facilitate knowledge sharing and mobilization among various organizations and generate new knowledge and information to facilitate practical implementation of adaptation strategies.

Agent-based modeling of the health impacts of climate change is a predictive process for forecasting future climatic influences on infectious diseases, malnutrition, and other aspects of human health [165]. The proposed model highlights the need for a more complex, multi-disciplinary, and operationally focused understanding of the causal dynamics contributing to climate change's health impacts. It can also highlight the multiple sub-system effects of carefully targeted and sequenced treatment, prevention, and ecological adaptation interventions. Modeling the health impacts of climate change can reveal the causal links shaping health outcomes and can also offer a collective narrative of the complex relationship of variables and agents. This model is not a goal in itself, but can help identify the actions needed to reduce impacts using systems thinking for community-based health adaptation.

5. Conclusion

Climate change will continue to affect human health through extreme weather events, changing patterns of infectious diseases, and impacts on food security, livelihoods and population displacement. These impacts are already profoundly inequitable and will accelerate among poor and vulnerable people. Climate, biospheric and ecological factors, as well as disaster management, and clinical public health planning will largely determine the overall health impacts of climate change. For example, changing temperature and precipitation will affect vector-borne disease ecology and related human infectious disease impacts, and will be influenced by human treatment, prevention and adaptation choices and interventions.

Applying transdisciplinary perspectives is vital to identifying and understanding complex causal relationships, and to designing and implementing effective prevention and adaptation interventions (including early warning systems and responses). This is one of the greatest challenges for global health. Considering the complexity of climate change and its health impacts, we used field observations, expert input, key informant interviews, and a comprehensive literature review to capture these dynamics, and propose a CAS based framework with six subsystems. We propose and conceptually develop the use of the framework as a foundation for agent-based modeling of health outcomes, with causal loop diagrams (CLDs) designed for each CAS sub-system and a set of context specific variables identified for use in predictive modeling. The CAS based framework can be a valuable resource for policymakers, researchers, and public health professionals seeking to assess, mitigate and adapt to the multifaceted challenges posed by climate change.

Declaration of competing interest

The authors declare no conflict of interest.

CRedit authorship contribution statement

Byomkesh Talukder: Writing – review & editing, Writing – original draft, Visualization, Validation, Supervision, Software, Resources, Project administration, Methodology, Investigation, Funding acquisition, Formal analysis, Data curation, Conceptualization. **Jochen E. Schubert:** Writing – review & editing, Writing – original draft, Visualization, Software, Methodology, Investigation, Formal analysis, Data

curation. **Mohammadali Tofghi:** Writing – review & editing, Writing – original draft, Visualization, Methodology, Investigation. **Patrick J. Likongwe:** Writing – review & editing, Writing – original draft, Visualization, Methodology, Investigation, Data curation. **Eunice Y. Choi:** Writing – review & editing, Writing – original draft, Visualization, Methodology. **Gibson Y. Mphepo:** Writing – review & editing, Writing – original draft, Visualization, Methodology, Data curation. **Ali Asgari:** Writing – review & editing, Writing – original draft, Visualization, Supervision, Resources, Funding acquisition, Formal analysis. **Martin J. Bunch:** Writing – review & editing, Writing – original draft, Visualization, Investigation, Funding acquisition, Conceptualization. **Sosten S. Chiotha:** Writing – review & editing, Writing – original draft, Visualization, Validation, Methodology, Funding acquisition, Data curation, Conceptualization. **Richard Matthew:** Writing – review & editing, Writing – original draft, Visualization, Supervision, Methodology, Funding acquisition, Conceptualization. **Brett F. Sanders:** Writing – review & editing, Writing – original draft, Supervision, Funding acquisition, Conceptualization. **Keith W. Hipel:** Writing – review & editing, Writing – original draft, Supervision. **Gary W. vanLoon:** Writing – review & editing, Writing – original draft, Validation, Supervision. **James Orbinski:** Writing – review & editing, Writing – original draft, Visualization, Validation, Supervision, Software, Resources, Project administration, Methodology, Investigation, Funding acquisition, Formal analysis, Data curation, Conceptualization.

Acknowledgement

This paper has been funded by the Wellcome Trust, UK, and the Dahdaleh Institute for Dahdaleh Institute for Global Health Research (yorku.ca), York University, Canada.

References

- [1] IPCC. Summary for policymakers editors. In: Pachauri RK, Meyer LA, editors. Core Writing Team. Geneva, Switzerland: IPCC; 2015. editors.
- [2] Costello A, Abbas M, Allen A, Ball S, Bell S, Bellamy R, et al. Managing the health effects of climate change: lancet and University College London Institute for Global Health Commission. *Lancet* 2009;16(373):1693–733 9676. doi: [10.1016/S0140-6736\(09\)60935-1](https://doi.org/10.1016/S0140-6736(09)60935-1).
- [3] Frumkin H, Hess J, Luber G, Malilay J, McGeehin M. Climate change: the public health response. *Am J Public Health* 2008;98(3):435–45. doi: [10.2105/AJPH.2007.119362](https://doi.org/10.2105/AJPH.2007.119362).
- [4] Haines A, Kovats RS, Campbell-Lendrum D, Corvalán C. Climate change and human health: impacts, vulnerability, and mitigation. *Lancet North Am Ed* 2006;367(9528):2101–9. doi: [10.1016/S0140-6736\(06\)68933-2](https://doi.org/10.1016/S0140-6736(06)68933-2).
- [5] Hill J, Polasky S, Nelson E, Tilman D, Huo H, Ludwig L, et al. Climate change and health costs of air emissions from biofuels and gasoline. *Proc Natl Acad Sci* 2009;106(6):2077–82. doi: [10.1073/pnas.0812835106](https://doi.org/10.1073/pnas.0812835106).
- [6] Huang C, Barnett AG, Xu Z, Chu C, Wang X, Turner LR, Tong S. Managing the health effects of temperature in response to climate change: challenges ahead. *Environ Health Perspect* 2013;121(4):415–9. doi: [10.1289/ehp.1206025](https://doi.org/10.1289/ehp.1206025).
- [7] McMichael AJ, Woodruff RE, Hales S. Climate change and human health: present and future risks. *Lancet North Am Ed* 2006;367(9513):859–69. doi: [10.1016/S0140-6736\(06\)68079-3](https://doi.org/10.1016/S0140-6736(06)68079-3).
- [8] Patz JA, Campbell-Lendrum D, Holloway T, Foley JA. Impact of regional climate change on human health. *Nature* 2005;438(7066):310–7. doi: [10.1038/nature04188](https://doi.org/10.1038/nature04188).
- [9] Smith KR, Chafe Z, Woodward A, Campbell-Lendrum D, Chadee DD, Honda Y, Liu Q, Olwoch JM, Revich B, Sauerborn R, Rocklöv J. Human health: impacts, adaptation, and co-benefits. In: *Climate Change 2014 Impacts, Adaptation and Vulnerability: Part A: Global and Sectoral Aspects*; 2015. p. 709–54.
- [10] Jayasinghe S. Conceptualising population health: from mechanistic thinking to complexity science. *Emerg Themes Epidemiol* 2011;8(1):1–7. doi: [10.1186/1742-7622-8-2](https://doi.org/10.1186/1742-7622-8-2).
- [11] Chiotha S, Jamu D, Nagoli J, Likongwe P, Chanyenga T. Socio-ecological resilience to climate change in a fragile ecosystem: The case of the Lake Chilwa Basin. Malawi: Routledge; 2018. p. 13.
- [12] Pollner J, Kryspin-Watson J, Nieuwejaar S. Disaster risk management and climate change adaptation in Europe and central Asia. Washington, DC: World Bank; 2010 World Bank Climate WB Central Asia GFDRR_DRM_and_CCA_ECA. pdf (auca.kg).
- [13] Van Beurden EK, Kia AM, Zask A, Dietrich U, Rose L. Making sense in a complex landscape: how the Cynefin Framework from Complex Adaptive Systems Theory

- can inform health promotion practice. *Health Promot Int* 2013;28(1):73–83. doi: [10.1093/heapro/dar089](https://doi.org/10.1093/heapro/dar089).
- [14] Pearce N, Merletti F. Complexity, simplicity, and epidemiology. *Int J Epidemiol* 2006;35(3):515–9. doi: [10.1093/ije/dyi322](https://doi.org/10.1093/ije/dyi322).
- [15] Gatrell AC. Complexity theory and geographies of health: a critical assessment. *Soc Sci Med* 2005;60(12):2661–71. doi: [10.1016/j.socscimed.2004.11.002](https://doi.org/10.1016/j.socscimed.2004.11.002).
- [16] Carmichael T, Hadzikadić M. The fundamentals of complex adaptive systems. In: Carmichael T, Collins A, Hadzikadić M, editors. *Complex Adaptive Systems: Views from the Physical, Natural, and Social Sciences*. Springer International Publishing; 2019. p. 1–16.
- [17] Holland JH. Studying complex adaptive systems. *J Syst Sci Complex*. 2006;19:1–8. doi: [10.1007/s11424-006-0001-z](https://doi.org/10.1007/s11424-006-0001-z).
- [18] Jones H. Taking responsibility for complexity. Briefing Paper. 2011; 68. Taking responsibility for complexity: how implementation can achieve results in the face of complex problems - ODI Working Papers 330 (usaidealarninglab.org).
- [19] Groundstroem F, Juhola S. Using systems thinking and causal loop diagrams to identify cascading climate change impacts on bioenergy supply systems. *Mitigation Adapt Strat Glob Change* 2021;26(7):29. doi: [10.1007/s11027-021-09967-0](https://doi.org/10.1007/s11027-021-09967-0).
- [20] Naylor A, Ford J, Pearce T, Van Alstine J. Conceptualizing climate vulnerability in complex adaptive systems. *One Earth* 2020;2(5):444–54. doi: [10.1016/j.oneear.2020.04.011](https://doi.org/10.1016/j.oneear.2020.04.011).
- [21] Proust K, Newell B, Brown H, Capon A, Browne C, Burton A, Dixon J, Mu L, Zarafu M. Human health and climate change: leverage points for adaptation in urban environments. *Int J Environ Res Public Health* 2012;9(6):2134–58. doi: [10.3390/ijerph9062134](https://doi.org/10.3390/ijerph9062134).
- [22] Lawrence J, Blackett P, Cradock-Henry NA. Cascading climate change impacts and implications. *Clim Risk Manag* 2020;29:100234. doi: [10.1016/j.crm.2020.100234](https://doi.org/10.1016/j.crm.2020.100234).
- [23] Sellberg M, Quinlan A, Preiser R, Malmborg K, Peterson G. Engaging with complexity in resilience practice. *Ecol Soc* 2021;26(3). doi: [10.5751/ES-12311-260308](https://doi.org/10.5751/ES-12311-260308).
- [24] Hesan R, Ghorbani A, Dignum V. Modelling environments in ABMS: a system dynamics approach. *Multi-Agent-Based Simulation XV: International Workshop, MABS 2014*. Paris, France: Springer International Publishing; 2015. p. 41–52.
- [25] Martin R, Schlüter M. Combining system dynamics and agent-based modeling to analyze social-ecological interactions—an example from modeling restoration of a shallow lake. *Front Environ Sci* 2015;3:66. doi: [10.3389/fenvs.2015.00066](https://doi.org/10.3389/fenvs.2015.00066).
- [26] Glen CM, Kemp ML, Voit EO. Agent-based modeling of morphogenetic systems: advantages and challenges. *PLoS Comput Biol* 2019;15(3):e1006577. doi: [10.1371/journal.pcbi.1006577](https://doi.org/10.1371/journal.pcbi.1006577).
- [27] Forrester JW. *Urban dynamics*. IMR 1970;11(3):67.
- [28] Wasserman S, Faust K. *Social network analysis: Methods and applications*. 1st ed. Cambridge: Cambridge University Press; 1994.
- [29] Luke DA, Stamatakis KA. Systems science methods in public health: dynamics, networks, and agents. *Annu Rev Public Health* 2012;33:357–76. doi: [10.1146/annurev-publhealth-031210-101222](https://doi.org/10.1146/annurev-publhealth-031210-101222).
- [30] Levin S, Xepapadeas T, Crépin AS, Norberg J, De Zeeuw A, Folke C, Hughes T, Arrow K, Barrett S, Daily G, Ehrlich P. Social-ecological systems as complex adaptive systems: modeling and policy implications. *Environ Dev Econ* 2013;18(2):111–32. doi: [10.1017/S1355770x12000460](https://doi.org/10.1017/S1355770x12000460).
- [31] Bunch MJ. Ecosystem approaches to health and well-being: navigating complexity, promoting health in social–ecological systems. *Syst Res Behav Sci* 2016;33(5):614. doi: [10.1002/sres.2429](https://doi.org/10.1002/sres.2429).
- [32] Bunch MJ, Morrison KE, Parkes MW, Venema HD. Promoting health and well-being by managing for social–ecological resilience: the potential of integrating ecoinformation and water resources management approaches. *Ecol Soc* 2011;16(1) <https://www.jstor.org/stable/26268864>.
- [33] Bunch M, Pathan S, Battaglia A, Greer-Wootton B, Mascoll A, Russell T, Folkema J. Quantifying community resilience in South Sudan: the FEED project (fortifying Equity and Economic diversification). *Ecol Soc* 2020;25(2). doi: [10.5751/ES-11450-250212](https://doi.org/10.5751/ES-11450-250212).
- [34] Orbinski J, Beyrer C, Singh S. Violations of human rights: health practitioners as witnesses. *Lancet North Am Ed* 2007;370(9588):698–704. doi: [10.1016/S0140-6736\(07\)61346-4](https://doi.org/10.1016/S0140-6736(07)61346-4).
- [35] Luke A, Sanders BF, Goodrich KA, Feldman DL, Boudreau D, Eguarte A, Serrano K, Reyes A, Schubert JE, Aghakouchak A, Basolo V. Going beyond the flood insurance rate map: insights from flood hazard map co-production. *Nat Hazards Earth Syst Sci* 2018;18(4):1097–120. doi: [10.5194/nhess-18-1097-2018](https://doi.org/10.5194/nhess-18-1097-2018).
- [36] Matthew R. Climate change and water security in the Himalayan region. *Asia Policy* 2013;16(1):39–44. doi: [10.1353/asp.2013.0038](https://doi.org/10.1353/asp.2013.0038).
- [37] Mofkhar HR, Salvadori G, Aghakouchak A, Sanders BF, Matthew RA. Compounding effects of sea level rise and fluvial flooding. *Proc Natl Acad Sci* 2017;114(37):9785–90. doi: [10.1073/pnas.1620325114](https://doi.org/10.1073/pnas.1620325114).
- [38] Pullanikattil D, Kaneka B, Mkanthama C, Pemba D, Chiotha S. Public health and population: Linkages with climate variability. In *Socio-Ecological Resilience to Climate Change in a Fragile Ecosystem*. Routledge; 2018. p. 194–207.
- [39] Sanders BF, Vargas D, Schubert JE, Elizondo N, Aghakouchak A, Allarie M, et al. The case for collaborative flood modeling in Paraguay. In: 38th IAHR World Congress; 2019. doi: [10.3850/38WC092019-1865](https://doi.org/10.3850/38WC092019-1865).
- [40] Sarkar A, Patil S, Hugar LB, Vanloon G. Sustainability of current agriculture practices, community perception, and implications for ecosystem health: an Indian study. *EcoHealth* 2011;8:418–31.
- [41] Talukder B, van Loon GW, Hipel KW, Chiotha S, Orbinski J. Health impacts of climate change on smallholder farmers. *One Health* 2021;13:100258. doi: [10.1016/j.onehlt.2021.100258](https://doi.org/10.1016/j.onehlt.2021.100258).
- [42] Talukder B, Matthew R, Bunch MJ, Hipel KW, Orbinski J. Melting of Himalayan glaciers and planetary health. *Curr Opin Environ Sustain* 2021;50:98–108. doi: [10.1016/j.cosust.2021.02.002](https://doi.org/10.1016/j.cosust.2021.02.002).
- [43] Talukder B, Saifuzzaman M. Sustainability of agricultural systems in the coastal zone of Bangladesh. *Renew Agric Food Syst* 2016;31(2):148–65. doi: [10.1017/S1742170515000095](https://doi.org/10.1017/S1742170515000095).
- [44] Chiotha S. Partnership in climate change adaptation. Rethinking African Partnerships for Global Solutions. Michigan State University's Alliance for African Partnership. 2017. AAP_Thought_Piece.pdf (msu.edu).
- [45] Huq S. Climate change and Bangladesh. *Science* 2001;294(5547):1617. doi: [10.1126/science.294.5547.1617](https://doi.org/10.1126/science.294.5547.1617).
- [46] Joshua MK, Ngongondo C, Monjerezi M, Chipungu F, Liwenga E, Majule AE, Stathers T, Lamboll R. Climate change in semi-arid Malawi: Perceptions, adaptation strategies and water governance. *Jamba* 2016;8(3) 1–0 <https://hdl.handle.net/10520/EJC191808>.
- [47] Rotello CM, Heit E. Modeling the effects of argument length and validity on inductive and deductive reasoning. *J Exp Psychol* 2009;35(5):1317. doi: [10.1037/a0016648](https://doi.org/10.1037/a0016648).
- [48] McMichael AJ, Friel S, Nyong A, Corvalan C. Global environmental change and health: impacts, inequalities, and the health sector. *BMJ* 2008;336(7637):191–4. doi: [10.1136/bmj.39392.473727.AD](https://doi.org/10.1136/bmj.39392.473727.AD).
- [49] Ebi K, Campbell-Lendrum D, Wyns A. The 1.5 health report: synthesis on health and climate science in the IPCC SR1.5. 2018. WHO. The_1.5_health_Report.pdf (mohp.gov.np).
- [50] Haraldsson HV. Introduction to system thinking and causal loop diagrams. Lund, Sweden: Department of chemical engineering, Lund University; 2004 [Introduction-to-system-thinking-and-causal-loop-diagrams.pdf \(researchgate.net\)](https://www.researchgate.net/publication/26268864).
- [51] Rwashana AS, Nakubulwa S, Nakakeeto-Kijambu M, Adam T. Advancing the application of systems thinking in health: understanding the dynamics of neonatal mortality in Uganda. *Health Res Policy Syst* 2014;12:1–4. doi: [10.1186/1478-4505-12-36](https://doi.org/10.1186/1478-4505-12-36).
- [52] Radej B. Social complexity: Operational definition (Working Paper). Ljubljana: Slovenian Evaluation Society; 2015 [sde_DZ_2-14_Social_Complexity_-_Operational_Definition_3jul2015-libre.pdf \(d1wqtxts1xzle7.cloudfront.net\)](https://www.researchgate.net/publication/26268864).
- [53] Payo A, Hall JW, French J, Sutherland J, van Maanen B, Nicholls RJ, Reeve DE. Causal loop analysis of coastal geomorphological systems. *Geomorphology* 2016;256:36–48. doi: [10.1016/j.geomorph.2015.07.048](https://doi.org/10.1016/j.geomorph.2015.07.048).
- [54] Miller JH, Page SE. *Complex adaptive systems: an introduction to computational models of social life*. Princeton, NJ: Princeton University Press; 2007.
- [55] Inam A, Adamowski J, Halbe J, Prasher S. Using causal loop diagrams for the initialization of stakeholder engagement in soil salinity management in agricultural watersheds in developing countries: a case study in the Rechna Doab watershed, Pakistan. *J Environ Manag* 2015;152:251–67. doi: [10.1016/j.jenvman.2015.01.052](https://doi.org/10.1016/j.jenvman.2015.01.052).
- [56] Sivakumar B, Singh VP. Hydrologic system complexity and nonlinear dynamic concepts for a catchment classification framework. *Hydrol Earth Syst Sci* 2012;16(11):4119–31. doi: [10.5194/hess-16-4119-2012](https://doi.org/10.5194/hess-16-4119-2012).
- [57] Sterman JD. All models are wrong: reflections on becoming a systems scientist. *Syst Dyn Rev* 2002;18(4):501–31. doi: [10.1002/sdr.261](https://doi.org/10.1002/sdr.261).
- [58] Guastello SJ, Koopmans M, Pincus D. *Chaos and complexity in psychology: The theory of nonlinear dynamical systems* editors. Cambridge University Press; 2008.
- [59] Bala BK, Arshad FM, Noh KM. *System dynamics*. Model Simul 2017;274.
- [60] Lele S, Springate-Baginski O, Lakerveld R, Deb D, Dash P. Ecosystem services: origins, contributions, pitfalls, and alternatives. *Conserv Soc* 2013;11(4):343–58 <https://www.jstor.org/stable/26393131>.
- [61] Millennium Ecosystem Assessment. *Ecosystems and human well-being: Synthesis*. Washington: Island Press; 2005. 3337 CBD Synthesis.indd <http://millenniumassessment.org/>. [Accessed on August 01, 2023].
- [62] World Health Organization. *Convention on Biological Diversity, Connecting global priorities: Biodiversity and human health: a state of knowledge review*. Geneva: World Health Organization; 2015. untitled (who.int.) [Accessed on August 10, 2023].
- [63] Lindgren E, Elmquist T. Ecosystem services and human health. In *Oxford Research Encyclopedia of Environmental Science*; 2017. doi: [10.1093/acrefore/9780199389414.013.86](https://doi.org/10.1093/acrefore/9780199389414.013.86).
- [64] Raleigh C, Urdal H. Climate change, environmental degradation and armed conflict. *Polit Geogr* 2007;26(6):674–94. doi: [10.1016/j.polgeo.2007.06.005](https://doi.org/10.1016/j.polgeo.2007.06.005).
- [65] Warner K, Hamza M, Oliver-Smith A, Renaud F, Julca A. Climate change, environmental degradation and migration. *Nat Hazards* 2010;55:689–715. doi: [10.1007/s11069-009-9419-7](https://doi.org/10.1007/s11069-009-9419-7).
- [66] Wang Y, Wu N, Kunze C, Long R, Perlik M. Drivers of change to mountain sustainability in the Hindu Kush Himalaya. *Hindu Kush Himalaya Assess* 2019:17–56.
- [67] Daszak P, Cunningham AA, Hyatt AD. Emerging infectious diseases of wildlife – threats to biodiversity and human health. *Science* 2000;287(5452):443–9. doi: [10.1126/science.287.5452.443](https://doi.org/10.1126/science.287.5452.443).
- [68] Greenough G, McGeehin M, Bernard SM, Trtanj J, Riad J, Engelberg D. The potential impacts of climate variability and change on health impacts of extreme weather events in the United States. *Environ Health Perspect* 2001;109:191–8. doi: [10.1289/ehp.109-1240666](https://doi.org/10.1289/ehp.109-1240666).
- [69] IPCC. *Climate Change. Impacts, adaptation, and vulnerability*. Cambridge: Cambridge University Press; 2001. 2001 http://ipcc.ch/site/assets/uploads/2018/03/WGII_TAR_full_report-2.pdf. [Accessed on August 12, 2023].
- [70] Mason LR, Erwin J, Brown A, Ellis KN, Hathaway JM. Health impacts of extreme weather events: exploring protective factors with a capitals framework. *J Evid-informed Soc Work* 2018;15(5):579–93. doi: [10.1080/23761407.2018.1502115](https://doi.org/10.1080/23761407.2018.1502115).
- [71] Easterling DR, Meehl GA, Parmesan C, Changnon SA, Karl TR, Mearns LO. Climate extremes: observations, modeling, and impacts. *Science* 2000;289(5487):2068–74. doi: [10.1126/science.289.5487.2068](https://doi.org/10.1126/science.289.5487.2068).

- [72] Parmesan C, Root TL, Willig MR. Impacts of extreme weather and climate on terrestrial biota. *Bull Am Meteorol Soc* 2000;81(3):443–50. doi: [10.1175/1520-0477\(2000\)081<0443:IOEWAC>2.3.CO;2](https://doi.org/10.1175/1520-0477(2000)081<0443:IOEWAC>2.3.CO;2).
- [73] Deschenes O, Moretti E. Extreme weather events, mortality, and migration. *Rev Econ Stat* 2009;91(4):659–81. doi: [10.1162/rest.91.4.659](https://doi.org/10.1162/rest.91.4.659).
- [74] Luber G, McGeehin M. Climate change and extreme heat events. *Am J Prev Med* 2008;35(5):429–35. doi: [10.1016/j.amepre.2008.08.021](https://doi.org/10.1016/j.amepre.2008.08.021).
- [75] Dunn G, Brown RR, Bos JJ, Bakker K. The role of science-policy interface in sustainable urban water transitions: lessons from Rotterdam. *Environ Sci Policy* 2017;73:71–9. doi: [10.1016/j.envsci.2017.04.013](https://doi.org/10.1016/j.envsci.2017.04.013).
- [76] Kouadio IK, Aljunid S, Kamigaki T, Hammad K, Oshitani H. Infectious diseases following natural disasters: prevention and control measures. *Expert Rev Anti Infect Ther* 2012;10(1):95–104. doi: [10.1586/eri.11.155](https://doi.org/10.1586/eri.11.155).
- [77] FAO; 2023. The Impact of Disasters on Agriculture and Food Security, <https://www.fao.org/home/en>. [Accessed on October 01, 2023].
- [78] Lesk C, Rowhani P, Ramanakuty N. Influence of extreme weather disasters on global crop production. *Nature* 2016;529(7584):84–7. doi: [10.1038/nature16467](https://doi.org/10.1038/nature16467).
- [79] Rosenzweig C, Iglesias A, Yang XB, Epstein PR, Chivian E. Climate change and extreme weather events—Implications for food production, plant diseases, and pests. *Glob Chang Hum Health* 2001;2(2):90–104. <https://www.unl.edu/>. [Accessed on August 15, 2023].
- [80] Devereux S. The impact of droughts and floods on food security and policy options to alleviate negative effects. *Agric Econ* 2007;37:47–58. doi: [10.1111/j.1574-0862.2007.00234.x](https://doi.org/10.1111/j.1574-0862.2007.00234.x).
- [81] Ge C, Lee C, Lee J. The impact of extreme weather events on *Salmonella* internalization in lettuce and green onion. *Food Res Int* 2012;45(2):1118–22. doi: [10.1016/j.foodres.2011.06.054](https://doi.org/10.1016/j.foodres.2011.06.054).
- [82] Jones KE, Patel NG, Levy MA, Storeygard A, Balk D, Gittleman JL, Daszak P. Global trends in emerging infectious diseases. *Nature* 2008;451(7181):990–3. doi: [10.1038/nature06536](https://doi.org/10.1038/nature06536).
- [83] McMichael AJ. Extreme weather events and infectious disease outbreaks. *Virulence* 2015;6(6):543–7. doi: [10.4161/21505594.2014.975022](https://doi.org/10.4161/21505594.2014.975022).
- [84] Schrag SJ, Wiener P. Emerging infectious disease: what are the relative roles of ecology and evolution? *Trends Ecol Evol* 1995;10(8):319–24. doi: [10.1016/S0169-5347\(00\)89118-1](https://doi.org/10.1016/S0169-5347(00)89118-1).
- [85] Altizer S, Ostfeld RS, Johnson PT, Kutz S, Harvell CD. Climate change and infectious diseases: from evidence to a predictive framework. *Science* 2013;341(6145):514–9. doi: [10.1126/science.123940](https://doi.org/10.1126/science.123940).
- [86] Patz JA, Epstein PR, Burke TA, Balbus JM. Global climate change and emerging infectious diseases. *JAMA* 1996;275(3):217–23. doi: [10.1001/jama.1996.03530270057032](https://doi.org/10.1001/jama.1996.03530270057032).
- [87] Reiter P. Climate change and mosquito-borne disease. *Environ Health Perspect* 2001;109(suppl 1):141–61. doi: [10.1289/ehp.01109s114](https://doi.org/10.1289/ehp.01109s114).
- [88] Shuman EK. Global climate change and infectious diseases. *N Engl J Med* 2010;362(12):1061–3. doi: [10.1056/NEJMp0912931](https://doi.org/10.1056/NEJMp0912931).
- [89] Githeko AK, Lindsay SW, Confalonieri UE, Patz JA. Climate change and vector-borne diseases: a regional analysis. *Bull World Health Organ* 2000;78(9):1136–1147. <http://scielosp.org>. [Accessed on August 20, 2023].
- [90] WHO. Key facts. Geneva: World Health Organization; 2019. Fact sheets <https://www.who.int/>. [Accessed on August 09, 2023].
- [91] Ahern M, Kovats RS, Wilkinson P, Few R, Matthies F. Global health impacts of floods: epidemiologic evidence. *Epidemiol Rev* 2005;27(1):36–46. doi: [10.1093/epirev/mxi004](https://doi.org/10.1093/epirev/mxi004).
- [92] Colwell RR. Global climate and infectious disease: the cholera paradigm. *Science* 1996;274(5295):2025–31. doi: [10.1126/science.274.5295.2025](https://doi.org/10.1126/science.274.5295.2025).
- [93] Brown L, Murray V. Examining the relationship between infectious diseases and flooding in Europe: a systematic literature review and summary of possible public health interventions. *Disaster Health* 2013;1(2):117–27. doi: [10.4161/dish.25216](https://doi.org/10.4161/dish.25216).
- [94] Beddington JR, Asaduzzaman M, Fernandez A, Clark ME, Guillou M, Jahn MM, et al. Achieving food security in the face of climate change: final report from the Commission on Sustainable Agriculture and Climate Change. 2012. <https://www.cgiar.org/>. [Accessed on September 07, 2023].
- [95] Gregory PJ, Ingram JS, Brklacich M. Climate change and food security. *Philos Trans R Soc B* 2005;360(1463):2139–48. doi: [10.1098/rstb.2005.1745](https://doi.org/10.1098/rstb.2005.1745).
- [96] Springmann M, Mason-D'Croz D, Robinson S, Garnett T, Godfray HC, Gollin D, Rayner M, Ballon P, Scarborough P. Global and regional health effects of future food production under climate change: a modelling study. *Lancet North Am Ed* 2016;387(10031):1937–46. doi: [10.1016/S0140-6736\(15\)01156-3](https://doi.org/10.1016/S0140-6736(15)01156-3).
- [97] FAO. The State of food and agriculture 2021: Making agrifood systems more resilient to shocks and stresses. Rome, 2021. <https://www.fao.org/home/en>. [Accessed on October 05, 2023].
- [98] FAO. 2021 The impact of disasters and crises on agriculture and food security. Rome, <http://fao.org>. [Accessed on September 03, 2023].
- [99] Haile M. Weather patterns, food security and humanitarian response in sub-Saharan Africa. *Philos Trans R Soc B* 2005;360(1463):2169–82. doi: [10.1098/rstb.2005.1746](https://doi.org/10.1098/rstb.2005.1746).
- [100] Schmidhuber J, Tubiello FN. Global food security under climate change. *Proc Natl Acad Sci* 2007;104(50):19703–8. doi: [10.1073/pnas.0701976104](https://doi.org/10.1073/pnas.0701976104).
- [101] Wheeler T, Von Braun J. Climate change impacts on global food security. *Science* 2013;341(6145):508–13. doi: [10.1126/science.1239402](https://doi.org/10.1126/science.1239402).
- [102] Jaron D, Galal O. Food security and population health and well being. *Asia Pac J Clin Nutr* 2009;18(4):684–7 <https://search.informit.org/doi/10.3316/informit.714394785377881>.
- [103] Poppy GM, Chiotha S, Eigenbrod F, Harvey CA, Honzák M, Hudson MD, Jarvis A, Madise NJ, Schreckenberk K, Shackleton CM, Villa F. Food security in a perfect storm: using the ecosystem services framework to increase understanding. *Philos Trans R Soc B* 2014;369(1639):20120288. doi: [10.1098/rstb.2012.0288](https://doi.org/10.1098/rstb.2012.0288).
- [104] Porter JR, Xie L, Challinor AJ, Cochrane K, Howden SM, Iqbal MM, Lobell DB, et al. Food security and food production systems. (2014); 485–533. <https://www.ipcc.ch/> [Accessed on September 04, 2023].
- [105] Tirado MC, Clarke R, Jaykus LA, McQuatters-Gollop A, Frank JM. Climate change and food safety: a review. *Food Res Int* 2010;43(7):1745–65. doi: [10.1016/j.foodres.2010.07.003](https://doi.org/10.1016/j.foodres.2010.07.003).
- [106] Myers SS, Zanobetti A, Kloog I, Huybers P, Leakey AD, Bloom AJ, Carlisle E, Dieterich LH, Fitzgerald G, Hasegawa T, Holbrook NM. Increasing CO2 threatens human nutrition. *Nature* 2014;510(7503):139–42. doi: [10.1038/nature13179](https://doi.org/10.1038/nature13179).
- [107] Myers SS, Smith MR, Guth S, Golden CD, Vaitla B, Mueller ND, Dangour AD, Huybers P. Climate change and global food systems: potential impacts on food security and undernutrition. *Annu Rev Public Health* 2017;38:259–77. doi: [10.1146/annurev-publhealth-031816-044356](https://doi.org/10.1146/annurev-publhealth-031816-044356).
- [108] Black RE, Allen LH, Bhutta ZA, Caulfield LE, De Onis M, Ezziati M, Mathers C, Rivera J. Maternal and child undernutrition: global and regional exposures and health consequences. *Lancet North Am Ed* 2008;371(9608):243–60. doi: [10.1016/S0140-6736\(07\)61690-0](https://doi.org/10.1016/S0140-6736(07)61690-0).
- [109] FAO. 2017 The impact of disasters and crises on agriculture and food security. Rome, <https://www.fao.org/home/en>. [Accessed on September 27, 2023].
- [110] Ibarra ME, Ruth M, Ahmad S, London M. Climate change and natural disasters: macroeconomic performance and distributional impacts. *Environ, Dev Sustain* 2009;11:549–69. doi: [10.1007/s10668-007-9129-9](https://doi.org/10.1007/s10668-007-9129-9).
- [111] Ulrichs M, Cannon T, Newsham A, Naess LO, Marshall M. Climate change & food security vulnerability assessment. Toolkit for assessing community-level potential for adaptation to climate change. CCAPS Working Paper. 2015 <https://www.cgiar.org/>. [Accessed on August 17, 2023].
- [112] Bouwer LM. Have disaster losses increased due to anthropogenic climate change? *Bull Am Meteorol Soc* 2011;92(1):39–46. doi: [10.1175/2010BAMS3092.1](https://doi.org/10.1175/2010BAMS3092.1).
- [113] UNISDR. Disaster risk reduction and resilience in the 2030 agenda for sustainable development. Geneva: United Nations Office for Disaster Risk Reduction; 2015. UNDRR. [Accessed on July 10, 2023].
- [114] WHO. Risk reduction and emergency preparedness: WHO six-year strategy for the health sector and community capacity development. Geneva: World Health Organization; 2007. Microsoft Word - EP_Strategy_Aug07.doc (preventionweb.net). [Accessed on July 16, 2023].
- [115] Khan Y, O'Sullivan T, Brown A, Tracey S, Gibson J, Généreux M, Henry B, Schwartz B. Public health emergency preparedness: a framework to promote resilience. *BMC Public Health* 2018;18:1–6. doi: [10.1186/s12889-018-6250-7](https://doi.org/10.1186/s12889-018-6250-7).
- [116] O'Sullivan TL, Kuziemycki CE, Toal-Sullivan D, Corneil W. Unraveling the complexities of disaster management: a framework for critical social infrastructure to promote population health and resilience. *Soc Sci Med* 2013;93:238–46. doi: [10.1016/j.socscimed.2012.07.040](https://doi.org/10.1016/j.socscimed.2012.07.040).
- [117] Lemonick DM. Epidemics after natural disasters. *Am J Clin Med* 2011;8(3):144–52 [ajcm.six.pdf\(aapsus.org\)](https://ajcm.six.pdf(aapsus.org)). [Accessed on June 01, 2023].
- [118] Watson JT, Gayer M, Connolly MA. Epidemics after natural disasters. *Emerg Infect Dis* 2007;13(1):1. doi: [10.3201/eid1301.060779](https://doi.org/10.3201/eid1301.060779).
- [119] Addison PF, Carbone G, McCormick N. The development and use of biodiversity indicators. Gland, Switzerland: IUCN; 2018 1043_2018-049-En.pdf (unccd.int). [Accessed on October 17, 2023].
- [120] Sala OE, Meyerson LA, Parmesan C. Biodiversity change and human health: from ecosystem services to spread of disease editors. Island Press; 2012.
- [121] Mastel M, Bussalleu A, Paz-Soldán VA, Salmón-Mulanovich G, Valdés-Velásquez A, Hartinger SM. Critical linkages between land use change and human health in the Amazon region: a scoping review. *PLoS One* 2018;13(6):e0196414. doi: [10.1371/journal.pone.0196414](https://doi.org/10.1371/journal.pone.0196414).
- [122] WHO. Guidelines for drinking-water quality. Geneva: World Health Organization; 1993. 2nd edition: Volume 1 - Recommendations <https://www.who.int/>. [Accessed on September 12, 2023].
- [123] Chalar G, Arocena R, Pacheco JP, Fabián D. Trophic assessment of streams in Uruguay: a trophic State Index for Benthic Invertebrates (TSI-BI). *Ecol Indic* 2011;11(2):362–9. doi: [10.1016/j.ecolind.2010.06.004](https://doi.org/10.1016/j.ecolind.2010.06.004).
- [124] Brevik EC, Burgess LC. The influence of soils on human health. *Nat Educ Knowl* 2014;5(12):1.
- [125] Beck LR, Lobitz BM, Wood BL. Remote sensing and human health: new sensors and new opportunities. *Emerg Infect Dis* 2000;6(3):217. doi: [10.3201/eid0603.000301](https://doi.org/10.3201/eid0603.000301).
- [126] Pimentel D. Soil erosion: a food and environmental threat. *Environ, Dev Sustain* 2006;8:119–37. doi: [10.1007/s10668-005-1262-8](https://doi.org/10.1007/s10668-005-1262-8).
- [127] Vrba J, Girman J, van der Gun J, Haie N, Hirata R, Lopez-Gunn E, et al. Groundwater resources sustainability indicators. In: Lipponen A, editor. *Groundwater resources sustainability indicators - UNESCO Digital Library*. Paris: UNESCO; 2007.
- [128] Devroye L, Kruszewski P. A note on the Horton-Strahler number for random trees. *Inf Process Lett* 1994;52(3):155–9. doi: [10.1016/0020-0190\(94\)00135-9](https://doi.org/10.1016/0020-0190(94)00135-9).
- [129] Schaetzl RJ, Krist FJ, Stanley K, Hupy CM. The natural soil drainage index: an ordinal estimate of long-term soil wetness. *Phys Geogr* 2009;30(5):383–409. doi: [10.2747/0272-3646.30.5.383](https://doi.org/10.2747/0272-3646.30.5.383).
- [130] Hales S, Edwards S, Kovats RS. Impacts on health of climate extremes. In: McMichael A, Campbell-Lendrum D, Corvalan C, Ebi K, Githeko A, Scheraga J, editors, et al. *Climate Change and Human Health: Risks and Responses*. Geneva: World Health Organization; 2003. p. 79–96. [who.int](http://www.who.int). [Accessed on October 03, 2023].
- [131] Costa AC, Soares A. Trends in extreme precipitation indices derived from a daily rainfall database for the South of Portugal. *Int J Climatol* 2009;29(13):1956–75. doi: [10.1002/joc.1834](https://doi.org/10.1002/joc.1834).
- [132] WHO. Floods in the WHO European region: Health effects and their prevention. Copenhagen: World Health Organization. Regional Office for Europe; 2013. [Accessed on June 02, 2023].

- [133] De Bruijn KM. Resilience indicators for flood risk management systems of lowland rivers. *Int J River Basin Manag* 2004;2(3):199–210. doi: [10.1080/15715124.2004.9635232](https://doi.org/10.1080/15715124.2004.9635232).
- [134] Keyantash JA, Dracup JA. An aggregate drought index: Assessing drought severity based on fluctuations in the hydrologic cycle and surface water storage. *Water Resour Res* 2004;40(9). doi: [10.1029/2003WR002610](https://doi.org/10.1029/2003WR002610).
- [135] Shi J, Cui L, Wen K, Tian Z, Wei P, Zhang B. Trends in the consecutive days of temperature and precipitation extremes in China during 1961–2015. *Environ Res* 2018;161:381–91. doi: [10.1016/j.envres.2017.11.037](https://doi.org/10.1016/j.envres.2017.11.037).
- [136] Doocy S, Dick A, Daniels A, Kirsch TD. The human impact of tropical cyclones: a historical review of events 1980–2009 and systematic literature review. *PLoS Currents* 2013;5. doi: [10.1371/currents.dis.2664354a5571512063ed29d25ffbc74](https://doi.org/10.1371/currents.dis.2664354a5571512063ed29d25ffbc74).
- [137] Webster JP, Gower CM, Knowles SC, Molyneux DH, Fenton A. One health—an ecological and evolutionary framework for tackling Neglected Zoonotic Diseases. *Evolut Appl* 2016;9(2):313–33. doi: [10.1111/eva.12341](https://doi.org/10.1111/eva.12341).
- [138] Kossin JP, Knapp KR, Olander TL, Velden CS. Global increase in major tropical cyclone exceedance probability over the past four decades. *Proc Natl Acad Sci* 2020;117(22):11975–80. doi: [10.1073/pnas.1920849117](https://doi.org/10.1073/pnas.1920849117).
- [139] Anderson GB, Bell ML, Peng RD. Methods to calculate the heat index as an exposure metric in environmental health research. *Environ Health Perspect* 2013;121(10):1111–9. doi: [10.1289/ehp.1206273](https://doi.org/10.1289/ehp.1206273).
- [140] Garchitorena A, Sokolow SH, Roche B, Ngonghala CN, Jocque M, Lund A, Barry M, Mordecai EA, Daily GC, Jones JH, Andrews JR. Disease ecology, health and the environment: a framework to account for ecological and socio-economic drivers in the control of neglected tropical diseases. *Philos Trans R Soc B* 2017;372(1722):20160128. doi: [10.1098/rstb.2016.0128](https://doi.org/10.1098/rstb.2016.0128).
- [141] Kirkeby C, Halasa T, Gussmann M, Toft N, Græsboell K. Methods for estimating disease transmission rates: evaluating the precision of Poisson regression and two novel methods. *Sci Rep* 2017;7(1):9496. doi: [10.1038/s41598-017-09209-x](https://doi.org/10.1038/s41598-017-09209-x).
- [142] Awolala DO, Ajibefun IA. Rice farmers' vulnerability to extreme climate: Deploying local adaptation finance in Ekiti State, Nigeria. *World Environ* 2015;5:91–100. doi: [10.5923/j.env.20150503.01](https://doi.org/10.5923/j.env.20150503.01).
- [143] Murphy E, Glaeser L, Maalouf-Manasseh Z, Collison DK, Sethuraman K. *Food for Peace Food Security Desk Review For Katanga, North Kivu, and South Kivu*. Democratic Republic of Congo | Archive - U.S. Agency for International Development (usaid.gov); 2015.
- [144] Moran PA. Notes on continuous stochastic phenomena. *Biometrika* 1950;37(1/2):17–23. doi: [10.2307/2332142](https://doi.org/10.2307/2332142).
- [145] Pangaribowo EH, Gerber N, Torero M. *Food and nutrition security indicators: a review*. Bonn: Center for Development and Research; 2013. econstor.eu. [Accessed on June 05, 2023].
- [146] Sullivan CA, Cohen A, Faurès JM, Santini G. *The rural water livelihoods index*. FAO-WATER working paper, 307. Roma: FAO; 2010. Rural Water Livelihoods Index (RWLI). fao.org. [Accessed on July 08, 2023].
- [147] Aurino E. *Selecting a core set of indicators for monitoring global food security: A methodological proposal*. Rome: FAO; 2014 i4095e.pdf (fao.org). [Accessed on May 10, 2023].
- [148] Sustainable Development Solutions Network. *SDSN TG7 issue brief: Goals, targets, and indicators for sustainable agriculture*. New York, 2013. Microsoft Word - 131209 SDSN TG7 Ag Issue Brief 2.docx (multiscreensite.com). [Accessed on July 21, 2023].
- [149] vanLoon WG, Hugar BL, Patil GS. *Agricultural sustainability: Strategies for assessment*. 1st ed. Newbury Park: Sage Publications India Pvt. Ltd.; 2009.
- [150] The Economist. *Food security index*. The Economist, (2016). Global Food Security Index June 2016 - The Economist Intelligence Unit - Thank you (eiu.com). [Accessed on May 17, 2023].
- [151] Pérez-Escamilla R, Segall-Corrêa AM. Food insecurity measurement and indicators. *Revista de Nutrição* 2008;21:15s–26s. untitled (scielo.br). [Accessed on May 18, 2023].
- [152] Gaitán-Cremaschi D, Klerkx L, Duncan J, Trienekens JH, Huenchuleo C, Dogliotti S, Contesse ME, Rossing WA. Characterizing diversity of food systems in view of sustainability transitions. A review. *Agron Sustain Dev* 2019;39:1–22. doi: [10.1007/s13593-018-0550-2](https://doi.org/10.1007/s13593-018-0550-2).
- [153] Aramyan LH, Lansink AG, Van Der Vorst JG, Van Kooten O. Performance measurement in agri-food supply chains: a case study. *Supply Chain Manag* 2007;12(4):304–315. 93128 304.315. emerald.com. [Accessed on June 16, 2023].
- [154] Sharma LK, Bali SK. A review of methods to improve nitrogen use efficiency in agriculture. *Sustainability* 2017;10(1):51. doi: [10.3390/su10010051](https://doi.org/10.3390/su10010051).
- [155] UN/ISDR, UN/OCHA. *Disaster preparedness for effective response: Guidance and indicator package for implementing priority five of the Hyogo framework*. New York and Geneva. Disaster preparedness for effective response: guidance and indicator package for implementing priority five of the Hyogo Framework | UNDRR; 2008.
- [156] Simpson DM, Katirai M. *Indicator issues and proposed framework for a disaster preparedness index (DPI)*. University of Louisville; 2006. p. 49.
- [157] Winderl T. *Disaster resilience measurements: stocktaking of ongoing efforts in developing systems for measuring resilience*. New York: United Nations Development Programme; 2014. 37916_disasterresiliencemeasurementsundpt.pdf. preventionweb.net. [Accessed on September 22, 2023].
- [158] Rahman M, Khan T, Sadique Z, Sabbih MA. *Measuring for monitoring: the state of data for SDGs in Bangladesh*, Southern Voice, Dhaka. Bangladesh-Country-Report-Final.pdf; 2015.
- [159] Cutter SL, Burton CG, Emrich CT. Disaster resilience indicators for benchmarking baseline conditions. *J Homeland Secur Emerg Manag* 2010;7(1). doi: [10.2202/1547-7355.1732](https://doi.org/10.2202/1547-7355.1732).
- [160] Von Schirnding Y. *Health in sustainable development planning: the role of indicators*. Geneva: World Health Organization; 2002. who.int. [Accessed on August 25, 2023].
- [161] Holden LM. *Complex adaptive systems: concept analysis*. *J Adv Nurs* 2005;52(6):651–7. Complex adaptive systems: concept analysis - Holden - 2005 - Journal of Advanced Nursing - Wiley Online Library.
- [162] Frankish K, Ramsey WM. *The Cambridge handbook of artificial intelligence editors*. Cambridge University Press; 2014.
- [163] Zaitchik BF. *Climate and health across Africa*. Oxford Research Encyclopedia of Climate Science; 2017.
- [164] Wooley JC, Lin HS. *Computational modeling and simulation as enablers for biological discovery. Catalyzing inquiry at the interface of computing and biology*. National Academies Press (US); 2005. NCBI Bookshelf. nih.gov. [Accessed on July 18, 2023].
- [165] Ranapurwala SI, Cavanaugh JE, Young T, Wu H, Peek-Asa C, Ramirez MR. Public health application of predictive modeling: an example from farm vehicle crashes. *Injury Epidemiol* 2019;6:1. doi: [10.1186/s40621-019-0208-9](https://doi.org/10.1186/s40621-019-0208-9).