

UC Merced

Proceedings of the Annual Meeting of the Cognitive Science Society

Title

Typicality gradients in the category fluency task

Permalink

<https://escholarship.org/uc/item/3bz5d8d2>

Journal

Proceedings of the Annual Meeting of the Cognitive Science Society, 44(44)

Authors

Koenen, Reba
Hayden, Benjamin Y
Herman, Alexander B.
et al.

Publication Date

2022

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

Typicality gradients in the category fluency task

Reba Koenen

Georgia Institute of Technology, Atlanta, Georgia, United States

Benjamin Hayden

University of Minnesota, Saint Paul, Minnesota, United States

Alexander Herman

University of Minnesota, Minneapolis, Minnesota, United States

Sashank Varma

Georgia Tech, Atlanta, Georgia, United States

Abstract

In the category fluency task, participants are given a superordinate category (e.g., ANIMALS) and generate exemplars (e.g., dog, cat, lion, tiger, monkey, ...). Cognitive neuropsychologists have shown that people with frontal lobe lesions are less flexible in switching between categories (e.g., Pets, Felines, Jungle Animals). Recently, cognitive scientists have developed formal models of the switching process. Our research builds a second bridge between the cognitive neuropsychology and cognitive science literatures. We utilize machine learning models of word meaning (GloVe, word2vec) to investigate typicality gradients of category exemplars over time. Within a category run, people produce more typical exemplars earlier, and across runs, they sample more frequent categories before less frequent categories. We also propose a novel ANIMALS category scheme that improves the classic one (Troyer et al., 1997). These findings expose the temporal structure of the category fluency task, and are relevant for theories of cognitive flexibility and cognitive control.