Lawrence Berkeley National Laboratory

LBL Publications

Title

Estimating the value of offshore wind along the United States' Eastern Coast

Permalink

https://escholarship.org/uc/item/48k4s39p

Journal

Environmental Research Letters, 13(9)

ISSN

1748-9318

Authors

Mills, Andrew D Millstein, Dev Jeong, Seongeun <u>et al.</u>

Publication Date

2018

DOI

10.1088/1748-9326/aada62

Peer reviewed

LETTER • OPEN ACCESS

Estimating the value of offshore wind along the United States' Eastern Coast

To cite this article: Andrew D Mills et al 2018 Environ. Res. Lett. 13 094013

View the article online for updates and enhancements.

Environmental Research Letters

LETTER

OPEN ACCESS

CrossMark

RECEIVED 4 April 2018

REVISED 14 August 2018

ACCEPTED FOR PUBLICATION 15 August 2018

PUBLISHED 4 September 2018

Original content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence.

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



Estimating the value of offshore wind along the United States' Eastern Coast

Andrew D Mills ⁽¹⁾, Dev Millstein ⁽¹⁾, Seongeun Jeong, Luke Lavin, Ryan Wiser and Mark Bolinger Lawrence Berkeley National Laboratory, 1 Cyclotron Road, Berkeley, CA 94720, United States of America E-mail: ADMills@lbl.gov

Keywords: offshore wind energy, wholesale electricity market, renewable energy certificate

Abstract

Offshore wind power deployment has been concentrated in Europe, and remains limited in other areas of the world. Among the many challenges to deployment is the need to understand the value that offshore wind provides within electricity markets. This article develops a rigorous method to assess the economic value of offshore wind along the eastern coastline of the United States, seeking improved understanding of how the value of offshore wind varies both geographically and over time, and what has driven that variation. The article uses historical (2007-2016) weather data at thousands of potential offshore wind sites, combined with historical wholesale electricity market outcomes and renewable energy certificate (REC) prices at hundreds of possible transmission interconnection points. We find that the average historical market value of offshore wind from 2007 to 2016considering energy, capacity, and RECs-varies significantly by project location, from \$40/MWh to more than \$110/MWh, and is highest for sites off of New York, Connecticut, Rhode Island, and Massachusetts. As energy and REC prices have fallen in recent years, so too has the market value of offshore wind. The historical value of offshore wind is found to exceed that of onshore wind, due to offshore wind sites being located more favorably in terms of constrained pricing points, and also due to a more-favorable temporal profile of electricity production. Cost reductions that approximate those witnessed recently in Europe may be needed for offshore wind to offer a credible economic value proposition on a widespread basis in the United States.

1. Introduction

On a global basis, wind power has experienced rapid deployment in recent years, reaching 487 GW of capacity (GWEC 2017) and nearly 5% of global electricity supply (Wiser and Bolinger 2017) by the end of 2016. Most of this development has occurred on land, but offshore wind power installations have accelerated in recent years—especially in Europe and, more recently, in China (GWEC 2017).

The United States, meanwhile, hosts only a single, small (30 MW) offshore wind project. Commonly noted barriers to the offshore wind industry in the US include high costs and stiff competition from other lower-cost resources (including natural gas, onshore wind, and solar photovoltaics), a complex and lengthy regulatory process for planning and siting, and a lack of pre-existing infrastructure to manage construction at low cost (DOE and DOI 2016, Grace et al 2017, Musial et al 2017). Despite these barriers, offshore wind remains of interest (DOE 2015, Firestone et al 2015, DOE and DOI 2016, Grace et al 2017, Musial et al 2017), given that the offshore wind resource is vast (Musial et al 2016) and that site conditions along the US eastern coast are generally favorable, with relatively strong winds and shallow waters (Beiter et al 2016). Moreover, the offshore wind resource is located near major population centers, and so does not require investment in long-distance transmission (DOE 2015). And large project sizes are possible, a luxury relative to the much smaller land-based renewable energy projects that can be developed in the populous eastern United States (DOE and DOI 2016). Finally, at least on the east coast, offshore wind competes with somewhat higher-cost alternative resources than in other parts of the country.



Notwithstanding the arguments in favor of or against aggressive offshore wind deployment in the United States, the economic value that offshore wind provides within local or regional electricity markets remains unclear. This lack of clarity is due, in part, to the fact that offshore projects can be developed in many different locations, and that diurnal and seasonal wind resource profiles vary by project location. Differences in location and generation profiles can affect the value of wind power in terms of which other generators wind displaces (and hence both the type and quantity of fuels and emissions that wind power reduces), wind's contribution to meeting peak demand, and the local price of electricity and renewable energy credits (RECs).

With these and other value components in mind, this article seeks to provide insight into the economic and environmental value that offshore wind offers along the eastern coast of the United States. Specifically, this work explores the question: What would the marginal value of offshore wind projects along the east coast of the United States have been from 2007 to 2016, had any such projects been operating during that time period? Using historical weather data at thousands of potential offshore wind sites, combined with historical wholesale electricity market outcomes and REC prices at hundreds of possible transmission interconnection points, we develop a rigorous method to answer this question, focusing mostly on marginal economic value but also including environmental impacts.

We consider three categories of value: (1) value available to offshore wind producers or offtakers, through energy sales, capacity payments and RECs, (2) avoided air emissions, calculated in mass per energy terms but not monetary terms, and (3) transfers to consumers through the wholesale electricity price 'merit-order' effect and natural gas price suppression. We estimate marginal values based on recorded market conditions, meaning these values are applicable to low, but not high, offshore wind penetration. In addition, we evaluate value differences between offshore and onshore wind and the capacity credit of offshore wind. We contrast these historical value estimates with the possible cost of current and future offshore wind projects. Finally, we conclude by discussing, at a high level, various factors that might drive each value component higher or lower in the future.

Although the historical nature of this analysis should be noted, knowing how the historical value of offshore wind has varied both geographically and over time, and what has driven that variation, provides important insights to a variety of stakeholders. These include, perhaps most prominently, energy policymakers considering offshore-specific incentive programs and mandates as well as those in the energy industry exploring offshore wind. Focusing on market value may also help to inform public and private R&D efforts by highlighting the cost targets that need to be achieved if offshore wind deployment is to accelerate.

2. Background

Previous research has focused on both the cost and value of offshore wind. Historical cost trends have been mixed. An initial reduction in costs among the early fixedbottom offshore wind projects in the 1990s was followed by *increasing* costs in the 2000s (e.g. as projects moved further from shore) and, most recently, indications of steep cost reductions in European tenders (Heptonstall *et al* 2012, Dismukes and Upton Jr 2015, Voormolen *et al* 2016, Musial *et al* 2017). While some question the likelihood of significant future cost reductions (Schwanitz and Wierling 2016), wind experts (Wiser *et al* 2016) and recent tenders (Musial *et al* 2017) alike suggest ongoing expectations for sizable cost reductions in the coming years and decades.

Research on the value of wind has emphasized the favorable output profile and/or location of offshore wind along the eastern seaboard, sometimes in comparison to the output profile and need for transmission associated with onshore wind (GE Energy 2005, 2010, 2014, NY-ISO 2010, Dvorak et al 2012, 2013, Mai et al 2012, SACE 2013, Bailey and Wilson 2014, Wilson 2014, Lin 2016, ISO-NE 2016b, 2017). This body of work has found that offshore wind has greater 'market value' than onshore wind (considering energy and capacity), consistent with wind deployment experience in Germany (Ederer 2015). Others have highlighted the possible role of offshore wind in reducing wholesale electricity prices via the 'merit-order' effect and/or in suppressing natural gas prices (Pfeifenberger and Newell 2010, Ener-Nex 2011, CRA 2012, ABB 2014, GE Energy 2010, 2014, Tabors et al 2014, Tabors et al 2015, ISO-NE 2016a, Simão et al 2017). Research has also assessed the climate and health benefits associated with offshore wind deployment (Kempton et al 2007, Buonocore et al 2016, Chiang et al 2016, ISO-NE 2016a, Simão et al 2017), and the local economic development impacts associated with building and servicing offshore wind installations (Tegen et al 2015, BVG 2017).

Still other work has sought to bring these two strands together, comparing the cost and value of offshore wind (Levitt *et al* 2011, Beiter *et al* 2017) and estimating the role and value of offshore wind in future electricity portfolios in the US (DOE 2015) and globally (Gernaat *et al* 2014).

This study builds on this previous work in several respects. First, we assess the value of offshore wind along the entire eastern seaboard of the United States, enabling a comprehensive assessment of the relative value of offshore wind across many different locations and in comparison to onshore wind. Second, we assess many value components, reflecting both economic and environmental considerations. Third, we capture the full range of spatial and temporal variation observed in both wind resource conditions and electric system characteristics. Fourth, we compare the value of offshore wind to its current and potential future cost. Finally, by applying unique datasets over a lengthy historical period, we are able to explore how the value of offshore wind has varied both geographically and over time, and what has driven that variation.

3. Methods

3.1. Wind energy sites, speeds, and output profiles

We used NREL's Wind Toolkit (Draxl et al 2015) to identify potential offshore wind sites along the US eastern seaboard (considering sites suitable for both fixed-bottom and floating-platform installations), screening out those sites that are insufficiently windy $(<7 \text{ m s}^{-1} \text{ average at } 100 \text{ m})$ or are in especially deep (>1000 m) or non-US waters. The Wind Toolkit provides simulated hourly wind speeds at each of the 6693 sites contained in our analysis, from 2007 to 2013. To extend each site's hourly time series through 2016, we relied upon coarser reanalysis data from MERRA (Gelaro et al 2017). At each site, a separate regression, between the Wind Toolkit wind speed and corresponding MERRA wind speed, was developed for each hour of the day and for four seasons, leading to $4 \times 24 = 96$ regression equations for each site. Our method is broadly classed as a 'measure-correlatepredict' approach, similar to that described in Carta et al (2013), although sectioned by time and season rather than wind direction. Cross validation demonstrated that the method reasonably approximated the more-detailed Wind Toolkit data, and led to low errors (<3% MAE) in wholesale value estimates on an annual basis.

Wind speed is then converted to wind power using a representative power curve for a 6 MW wind turbine with a 155 m rotor and a hub height of 100 m (Musial *et al* 2016). Net output assumes 96% availability and includes assumptions for wake, electrical, and other losses that can vary by site and hourly wind speed. Further details on this and other aspects of the methodology can be found in Mills *et al* (2018).

3.2. Value quantification

Each offshore wind site that falls within one of the three organized Independent System Operator (ISO) markets along the coast—i.e., ISO New England (ISO-NE), the New York ISO (NYISO), or the PJM Interconnection (PJM)—is then paired with the nearest wholesale market pricing point with substantial capacity (defined as any pricing point with a substation having a voltage of more than 138 kV or associated with more than 200 MW of generation). Each of these pricing points, in turn, is mapped to a specific ISO, ISO capacity zone, and state (to estimate REC value, as well as reductions of both emissions and natural gas prices).

Energy value is based on the wind plant's hourly net output multiplied by hourly nodal real-time energy prices at the interconnection point (i.e., locational marginal prices, or LMPs). The hourly LMP



accounts for the timing of when energy is cheap or expensive and it embeds the cost of congestion, transmission-level losses and, depending on the region, the compliance cost of various emissions regulations. Capacity value is based on the wind plant's capacity credit (estimated using each ISO's rules-see Mills et al (2018)) multiplied by the ISO capacity zone's prices. REC value is based on monthly pricing¹ for compliance-based RECs in each state with a renewable portfolio standard (RPS), multiplied by monthly net generation. Offshore projects are assumed to sell RECs into the RPS compliance market of the same state where the project interconnects, except that if no RPS exists in the year in question, the project is assumed to sell into the highest-priced REC market in the ISOdefined region. We conduct a 'marginal' analysis, in effect assessing the value associated with the first offshore wind plants; some of the values estimated here would be expected to decline as offshore wind penetrations increase.

Wind sites that fall outside of the three organized ISO markets (i.e., those south of PJM) are mapped to utility balancing areas (based on state boundaries) rather than to specific wholesale market pricing points. In these instances, energy value is based on published 'system lambdas' (i.e., each balancing authority's estimate of marginal generating costs within its balancing area) rather than nodal pricing; capacity value is approximated based on capacity prices from the southernmost capacity zone in PJM and the capacity credit rules for PJM; and REC value is based on monthly RPS-based REC prices where they exist, or national voluntary REC prices in those states without an RPS (South Carolina, Georgia, Florida).

In addition to energy, capacity, and REC value (which, collectively, reflect the potential total market revenue of a merchant offshore plant, or the avoided costs for a purchaser of offshore wind), we also estimate the air emissions reductions associated with offshore wind, as well as the reduction in natural gas prices resulting from displaced gas-fired generation suppressing natural gas demand. For both purposes, we use the Environmental Protection Agency's AVoided Emissions and geneRation Tool (AVERT). Other research that has used AVERT for similar purposes includes Barbose et al (2016), Millstein et al (2017), and Chiang et al (2016). AVERT assesses-on a statistical basis-electricity system dispatch regionally (including for the three broad regions that encompass the US east coast) and, among other things, tracks both the emissions rate and natural gas consumption of generators estimated to be on the margin-and hence able to be displaced by offshore wind-in each hour. Following previous work by Barbose et al (2016) and Wiser and Bolinger (2007) to estimate the natural

¹ Monthly REC spot market prices reflect changes in the supply and demand, and hence value, of RECs over the historical period of 2007–2016. The spot market prices also reflect changes in the avoided costs for an offtaker who procures RECs from offshore wind instead of purchasing from the spot market.

gas price suppression effect, we take the volume of gas displacement estimated by AVERT and apply an inverse elasticity of supply consistent with that used by the Energy Information Administration (EIA 2017) to estimate the level of price reduction nationally. Total dollar savings nationally and regionally are then the product of the price reduction and national or regional gas demand.

Finally, we estimate reductions in wholesale electricity prices resulting from the 'merit order' effect (i.e., low marginal cost offshore wind displacing higher-cost generation from the bid stack). Specifically, following Navigant (2011), for each ISO and each year, we estimate the historical change in prices with a change in supply for each hour using statistical relationships between wholesale prices and demand and natural gas prices, and then apply those relationships when assessing the impact of offshore wind. In the non-ISO region south of PJM we use the system lambdas instead of the energy component of the LMP to develop this relationship. Following Chernick and Neme (2015) we assume that loads in the ISO regions use contracts to hedge 60% of their load and that vertically integrated utilities in the non-ISO region hedge 80% of their load.

It is important to recognize that these latter two effects—i.e., natural gas and wholesale electricity price suppression—are technically wealth transfers from gas producers and electricity generators to consumers. While some decision-makers consider these effects, others do not treat these as net societal 'benefits' that create true economic value per se (Felder 2011, Barbose *et al* 2016).

3.3. Factors not considered

Several factors that may influence the perceived or actual value of offshore wind are not assessed in this analysis. First, we do not account for any costs associated with the short-term (i.e., sub-hourly) variability and forecast error of offshore wind. The additional variability and forecast errors could lead to system operators increasing reserves or other ancillary service requirements, leading to costs that are not otherwise reflected in the LMP prices. These costs are generally found to be modest, at \$1-7/MWh (Ener-Nex Corp. 2010, Wiser et al 2011, UKERC 2017). Second, we calculate the value of offshore wind 'on the margin' assuming that the addition of offshore wind does not impact the revenues of wind. In contrast, we do account for the impact of wind on consumer costs through the wholesale price 'merit order' effect since even small effects on prices can have large impacts on overall consumer costs. Third, the wholesale price 'merit order' effect does not account for any local price suppression associated with congestion and losses, but instead focuses on region-wide effects. It also does not account for any potential reduction in forward capacity market prices. Fourth, avoided air emissions are



quantified in physical terms, but are not assessed in terms of health outcomes (for research that has focused on the health outcomes of offshore wind, see Buonocore et al 2016, and Chiang et al 2016). Instead, these emissions reductions are valued to some extent through pollution permit prices embedded in LMPs, and through RECs. Fifth, avoided transmission costs are only addressed through the congestion component of the LMP prices. Finally, the analysis does not estimate the economic value or cost of other community, economic development, and environmental effects (e.g., water use, employment, tourism, property values, fishing impacts, etc). This analysis is not a full social cost-benefit analysis of different whole-system options, and so the results do not provide direct information about the quantity, location, and operation of offshore wind in a whole new energy system.

4. Results

4.1. Value available to offshore wind producers or offtakers

We start with a focus on those market values that directly influence the revenue earned by an offshore wind project (or the avoided costs for a purchaser of offshore wind, which we refer to as offtakers): energy value, capacity value, and REC sales. With that focus, we find that the marginal market value of offshore wind varies significantly by project location.

In particular, figure 1 shows that the total market value (i.e., energy, capacity, and REC value combined) of offshore wind is highest for sites between New York and Massachusetts; lower for projects off of Maine; and lowest elsewhere along the coast. When averaged over the entire 2007–2016 period (left half of figure 1), the marginal median value for sites interconnecting to ISO-NE is roughly \$110/MWh, compared to \$100/ MWh for sites interconnecting to NYISO, \$70/MWh for sites in PJM, and closer to \$55/MWh for sites in the non-ISO region south of PJM. When focusing on just 2016 (right half of figure 1), the corresponding marginal values are much lower (for reasons explained later), but the relative differences across states and regions is still similar. The median value for sites in ISO-NE is \$70/MWh in 2016, and for NYISO is nearly \$65/MWh. The median value of sites in PJM is \$45/ MWh, while it is less than \$40/MWh for sites south of PJM.

Further investigation finds the locational variation in the market value has been driven primarily by differences in average energy (and REC) prices across regions rather than by differences in diurnal and seasonal wind generation profiles across project sites. The evidence for this statement is that the marginal revenue earned by each offshore wind project is similar to the amount of revenue it would have earned if generating the same total amount of annual energy but with no temporal variation in output. For example, figure 2





Figure 1. Total market value at each site, averaged over 2007–2016 (left) and for 2016 only (right), considering the combined value of energy, capacity, and RECs.



shows the ratio, at each site, of the average annual value based on varying wind speed to the average annual value based on constant wind speed (a 'flat block' of power). The resulting 'normalized' market value (total, energy, and capacity, respectively, from left to right) of offshore wind shown in figure 2 indicates whether offshore wind is more or less valuable than a flat block of power; variation in this metric across sites solely reflects differences in diurnal and seasonal generation profiles.

The normalized total market value of offshore wind (figure 2, left pane) ranges from 95% to 105%, with the largest ratios found in NYISO, ISO-NE, and off the coast of North Carolina. The energy value component (figure 2, middle pane) tells a similar story, and with a similarly modest range (98%–108%). In contrast, the normalized capacity value component (figure 2, right pane) varies more significantly, from 50% to 120% (capacity value is explored in more depth below). The rather modest ranges for both total





and energy value indicate that variability in wind generation profiles across sites is not a strong determinant of marginal offshore wind market value along the East Coast; instead, the significant variation in market value seen in figure 1 is driven much more by local energy (and REC) prices. In other words, the market value of offshore wind is roughly similar to that of a similarly located flat block of power, at least on a marginal basis for the first offshore wind plants.

To be clear, diurnal and seasonal generation profiles do distinguish among offshore sites, but mostly for capacity value, which is a small component of overall value. The relatively wide range (50%-120%) in normalized capacity value shown in the right pane of figure 2 solely reflects differences in wind generation profiles across sites (as well as the rules by which wind plants earn capacity payments), with sites off of Rhode Island and Massachusetts having the most advantageous profiles in terms of aligning with capacity measurement periods. Similarly, winter capacity credits are highest for the areas off of Rhode Island and Massachusetts (see figure 3). Figure 3 also shows the distribution of summer capacity credit along the entire east coast. Note that winter capacity credits are shown for NYISO and ISO-NE sites only, as PJM does not assess capacity credits in the winter. The capacity credit of offshore wind in the NYISO and ISO-NE markets is significantly higher in winter than in summer; offshore wind in these regions benefits from having capacity credit assessed in both seasons. Despite the significant variation in capacity credit (figure 3) and normalized capacity value (figure 2) across sites, however, capacity value is a relatively minor component of the total market value, as shown later in figure 4.

In addition to varying geographically, the market value of offshore wind also varies significantly from year to year, driven primarily by changes to energy and REC prices. The market value of offshore wind is lowest in 2016, the most recent year evaluated. Figure 4 shows that this significant decline in total market value is attributable primarily to lower electricity prices in 2016, which reduced the median energy value of offshore wind to \sim \$30/MWh across all four regions. Figure 4 also confirms that the capacity value of offshore wind is only a small component of total value. Variability in total market value over time has been driven by both electricity and REC prices (with the former heavily influenced by natural gas prices). The total market value is highest in ISO-NE, in part due to higher REC prices, while energy and capacity value is highest for NYISO, particularly for the Long Island region.

Confirming earlier work, the historical energy and capacity value of offshore wind in all three ISOs is found to have exceeded the value of onshore wind. Specifically, we use the actual historical, ISO-wide hourly output of onshore wind to estimate the energy and capacity value of onshore wind in each ISO, and compare those figures to the value of the median offshore wind site in each ISO. In 2016, the total energy and capacity value of offshore wind would have exceeded the value of existing onshore wind by \$6/MWh (or 21%) in ISO-NE, \$6/MWh (or 24%) in PJM, and by more than \$20/MWh (112%) in NYISO (figure 5). The differences in energy and capacity value between onshore and offshore wind are due both to differences in location and differences in hourly output profiles: location appears to play a somewhat larger role than





Figure 4. Median energy, capacity, and REC value by year for sites within each region. The lines show the 10th (dashed) and 90th (solid) percentile of the total market value across all sites within each region.



output profile, in most cases. The estimated summer and winter capacity credit for offshore wind in the three ISOs is roughly double that for onshore wind.

4.2. Avoided air emissions from offshore wind

In addition to its market value, offshore wind reduces air emissions. Figure 6 shows that avoided emissions attributable to offshore wind vary by region, based on the degree to which coal or natural gas is displaced highest in the Mid-Atlantic, lower in the Southeast, and lowest in the Northeast—and have generally declined over time, as the emissions rate of the marginal generator has improved. The decline over time has been particularly steep for SO_2 (top left graph), as coal plants have either retired or installed pollution control equipment.

4.3. Transfers to consumers through price suppression effects

When the marginal generation unit displaced by offshore wind is a gas-fired generator, offshore wind not only avoids emissions but also reduces the consumption of natural gas. Because natural gas supply is relatively inelastic in the short term, reductions in natural gas demand can lead to price reductions, resulting in flow-through consumer





benefits in the form of lower natural gas expenditures throughout the economy². Even a very small reduction in the price of natural gas can result in a significant change in expenditure, due to the large volume of gas purchased at the spot market price. For example, we estimate that natural gas price savings nationwide could have an equivalent value of \$30–\$80/MWh of offshore wind when averaged over 2007–2016, depending on in which region the offshore wind is located. Local regional price savings within the region in which the offshore wind plant interconnects are much lower, but still significant, at less than \$6/MWh of offshore wind (figure 7).

Separately but similarly, low-marginal-cost offshore wind also reduces wholesale electricity prices by displacing the highest-cost marginal generating units from the bid stack. When translated to an equivalent consumer benefit per-MWh of offshore wind, we estimate this 'merit order effect' to be more than \$25/ MWh averaged over 2007–2016 in all three ISO regions, and significantly lower in the states south of the PJM region. Both the natural gas and wholesale electricity price suppression effects are lowest in 2016.

As mentioned earlier, these natural gas and wholesale price reductions represent a transfer of wealth from natural gas producers and electricity generators to gas and electricity consumers, respectively. Thus, the benefits from the price suppression effects accrue to different entities than do the values described in figure 4. Moreover, these price suppression effects are anticipated to decline over time, as supply adjusts to the new demand conditions (Barbose et al 2016). Finally, note that neither the natural gas nor wholesale price suppression effect was included in the calculation of the energy values in section 4.1. However, the relatively large dollar-per-MWh of offshore wind price suppression effects are based on small reductions to natural gas and wholesale electricity prices aggregated over many consumers, and thus should have a negligible impact on the energy values calculated in section 4.1 for at least the first increments of offshore wind.

4.4. Comparing value to cost

With little offshore wind deployment in the United States, cost estimates are—to a degree—speculative. The National Renewable Energy Laboratory estimates the levelized cost of energy (LCOE) of a reference offshore wind project installed in the US in 2015 at \$180/MWh (Mone *et al* 2017), comparable to early cost signals from US projects (Musial *et al* 2017). The historical market value estimates presented earlier—if

² The same effect could occur with coal and other fuels displaced by offshore wind generation, but likely at a much smaller magnitude given prices that are generally less-responsive than natural gas prices to changes in demand, coupled with the fact that coal and other fuels (e.g., nuclear) are not as widely used as natural gas in other sectors of the economy outside of the power sector.





restricted to energy, capacity and RECs, and excluding natural gas and wholesale electricity price suppression —are below this level. Recent tenders in Europe, however, suggest rapid and steep cost reductions for projects planned for installation in the 2020–2025 timeframe, with prices at roughly \$70/MWh inclusive of needed transmission expenditure (Musial *et al* 2017). The historical market value estimates presented earlier, depending on the location and timeframe, span this figure.

Beiter et al (2016, 2017) estimate the LCOE of potential offshore wind projects along the eastern seaboard, taking wind speed, ocean depth, and distance from shore into account and projecting future costs. Figure 8 compares these LCOE estimates for 2022 with the historical market value estimates presented earlier to help identify project locations that best-balance cost and market value. Since we restrict the historical market value to the energy, capacity and REC value components, the balance between cost and value most reflects the tradeoffs faced by an offshore wind producer or offtaker. We find that the most attractive sites from this perspective are located near southeastern Massachusetts and Rhode Island, while the least attractive are far offshore of Florida and Georgia (figure 8).

5. Conclusions and future outlook

We find that the historical, marginal market value of offshore wind varies significantly by project location, and is highest for sites between New York and Massachusetts. The historical market value of offshore wind can be approximated by the value of a flat block of power: locational variations are driven primarily by differences in average energy (and REC) prices. Diurnal and seasonal generation profiles do matter, but mostly differentiate offshore sites based on their capacity value, which is, at least historically, a small component of overall value. The market value of offshore wind also varies significantly from year to year, driven primarily by changes to energy and REC prices, and is lowest in the most recent year analyzed, 2016. Offshore wind reduces air emissions that are harmful to human health and the environment; emissions reductions vary by region, and have declined over time. Wholesale electricity and natural gas price reductions attributable to offshore wind can be substantial, though these price reductions represent a transfer from producers to consumers and are generally expected to decline over time, as supply adjusts to the new demand conditions.

The energy and capacity value of offshore wind in all three ISOs exceeds that of onshore wind, confirming previous research. These value differences are due to offshore wind being located more favorably in terms of pricing points, and also to a more-favorable temporal profile of electricity production. Yet the cost of offshore wind is also higher than onshore wind, requiring important tradeoffs. Cost reductions that approximate those witnessed recently in Europe may be needed for offshore wind to offer a credible economic value proposition on a widespread basis. We note that our analysis did not quantify various aspects that could increase or decrease the value of offshore wind, including the costs imposed by sub-hourly variability and forecast errors associated with offshore wind. These costs or values would not necessarily directly impact the offshore wind producer or offtaker, but would impact an overall social cost-benefit analysis.





Though the historical perspective taken in this study is instructive in identifying key value drivers for offshore wind, the decision to build offshore wind will depend on expectations of future benefits, which may differ from recent historical experience. Additional research to explore how various value factors may change in the future is warranted, yet any such findings would be highly uncertain. Energy value-the largest value component within our analysis-will partly depend on the future direction of natural gas prices, which is uncertain: EIA projects gas prices to drift higher out to 2050 (EIA 2017), while NYMEX natural gas futures suggest flat prices out to 2030. Increasing wind penetration over time could drive down wind's energy value, as the market becomes saturated with low marginal-cost generation during windy times; such a value decline has been observed in highpenetration wind markets and studies internationally (Hirth 2013, Mills and Wiser 2014, Ederer 2015). REC prices-another significant contributor to offshore wind's value-will depend in part on the cost and value of alternative means of complying with RPS requirements, as well as on any specific offshore wind policy obligations. Offshore wind's capacity value depends on capacity prices, the rules for how capacity credit is determined, and whether offshore wind is eligible to participate. Capacity prices are generally expected to increase in the future (Exeter 2014, Frayer and Roumy 2015, Hibbard et al 2015, Hornby *et al* 2015, Exeter 2016, NY DPS 2016, PJM 2016, Dominion 2017, Schatzki and Llop 2017), but several proposed wholesale market reforms may make it more difficult for offshore wind to participate in capacity markets (Grace *et al* 2017). Finally, avoided emissions may vary based on future fossil fuel prices and changes to emissions regulations.

Given these uncertainties, future research should target improved understanding of the factors driving value differences, with relatively less focus on the exact magnitude of any particular result. Ultimately, energy markets are uncertain. Research can inform market and policy decisions, but cannot eliminate fundamental uncertainties on how the future will unfold.

Acknowledgments

The authors thank the US Department of Energy's Wind Energy Technologies Office for supporting and funding this work, under Contract No. DE-AC02-05CH11231. We also thank the many reviewers of earlier versions of this manuscript.

ORCID iDs

Andrew D Mills https://orcid.org/0000-0002-9065-0458 Dev Millstein https://orcid.org/0000-0002-8091-0535



References

- ABB 2014 National Offshore Wind Energy Grid Interconnection Study (Cary, NC: ABB, Inc)
- Bailey B and Wilson W 2014 The Value Proposition of Load Coincidence and Offshore Wind *North American Windpower* (Southbury, CT: Zackin)
- Barbose G *et al* 2016 A retrospective analysis of benefits and impacts of US renewable portfolio standards *Energy Policy* **96** (Suppl. C) 645–60
- Beiter P, Musial W, Kilcher L, Maness M and Smith A 2017 An Assessment of The Economic Potential of Offshore Wind in The United States From 2015 to 2030 (Golden, CO: National Renewable Energy Laboratory)
- Beiter P et al 2016 A Spatial-Economic Cost-Reduction Pathway Analysis for US Offshore Wind Energy Development from 2015–2030 (Golden, CO: National Renewable Energy Laboratory)
- Buonocore J J, Luckow P, Fisher J, Kempton W and Levy J I 2016 Health and climate benefits of offshore wind facilities in the mid-Atlantic United States *Environ. Res. Lett.* **11** 074019
- BVG 2017 US Job Creation in Offshore Wind: A Report for the Roadmap Project for Multi-State Cooperation on Offshore Wind New York State Energy Research and Development Authority https://www.nyserda.ny.gov/-/media/Files/ Publications/Research/Biomass-Solar-Wind/Master-Plan/ US-job-creation-in-offshore-wind.pdf
- Carta J A, Velázquez S and Cabrera P 2013 A review of measurecorrelate-predict (MCP) methods used to estimate long-term wind characteristics at a target site *Renew. Sustain. Energy Rev.* 27 362–400
- Chernick P and Neme C 2015 Value of Demand Reduction Induced Price Effects (DRIPE)The Regulatory Assistance Project, March 18 http://raponline.org/wp-content/uploads/2016/ 05/efg-ri-dripewebinarslidedeck-2015-mar-18-revised.pdf
- Chiang A C, Michael R M, Jeremiah X, Johnson and Keoleian G A 2016 Emissions reduction benefits of siting an offshore wind farm: a temporal and spatial analysis of Lake Michigan *Ecol. Econ.* 130 (Suppl. C) 263–76
- CRA 2012 Update to the Analysis of the Impact of Cape Wind on Lowering New England Energy Prices (Boston, MA: Charles River Associates)
- Dismukes D E and Upton G B Jr 2015 Economies of scale, learning effects and offshore wind development costs *Ren. Energy* 83 61–6
- DOE 2015 Wind Vision: A New Era for Wind Power in The United States (Washington, DC: US Department of Energy)
- DOE and DOI 2016 National Offshore Wind Strategy (Washington, DC: US Department of Energy, US Department of the Interior)
- Dominion 2017 Virginia Electric and Power Company's Report of Its Integrated Resource Plan Virginia State Corporation Commission http://www.scc.virginia.gov/docketsearch
- Draxl C, Clifton A, Hodge B-M and McCaa J 2015 The Wind Integration National Dataset (WIND) toolkit *Appl. Energy* **151** (Suppl. C) 355–66
- Dvorak M J, Corcoran B A, Ten Hoeve J E, McIntyre N G and Jacobson M Z 2013 US East coast offshore wind energy resources and their relationship to peak-time electricity demand *Wind Energy* 16 977–97
- Dvorak M J, Eric D S, Archer C L, Kempton W and Jacobson M Z 2012 Where is the ideal location for a US East coast offshore grid? *Geophys. Res. Lett.* **39** L06804
- Ederer N 2015 The market value and impact of offshore wind on the electricity spot market: evidence from Germany *Appl. Energy* 154 805–14
- EIA 2017 Annual Energy Outlook vol 2017 (Washington, DC: US Department of Energy, Energy Information Administration)
- EnerNex 2011 Building an Infrastructure for Ocean Based Renewable Energy in the Southeast US: Phase 2C—Offshore Wind Energy Transmission Study (Knoxville, TN: EnerNex)
- EnerNex Corp 2010 Eastern Wind Integration and Transmission Study (EWITS) (Golden, CO: National Renewable Energy

Laboratory) http://nrel.gov/electricity/transmission/ eastern_wind_methodology.html

Exeter 2014 Avoided Energy Costs in Maryland: Assessment of the Costs Avoided through Energy Efficiency and Conservation Measures in Maryland (Annapolis, MD: Maryland Department of Natural Resources) http://webapp.psc.state.md.us/ newIntranet/Casenum/NewIndex3_VOpenFile.cfm? filepath=C:/Casenum/9100-9199/9155/Item_606// AvoidedEnergyCostsinMaryland.pdf

Exeter 2016 Long-Term Electricity Report for Maryland (Annapolis, MD: Maryland Department of Natural Resources)

- Felder F A 2011 Examining electricity price suppression due to renewable resources and other grid investments the electricity *Electr. J.* 24 34–46
- Firestone J, Cristina L A, Gardner M P, Madsen J A, Prasad A K and Veron D E 2015 Opinion: the time has come for offshore wind power in the United States *Proc. Natl Acad. Sci. USA* **112** 11985–8
- Frayer J and Roumy G 2015 *Outlook for The New York Wholesale Power Market and Analysis of the Drivers of Transmission Congestion within the New York Markets* (Boston, MA: London Economics International)
- GE Energy 2005 The Effects of Integrating Wind Power on Transmission System Planning, Reliability, and Operations (Albany, NY: NYSERDA)
- GE Energy 2010 New England Wind Integration Study (Holyoke, MA: ISO New England)
- GE Energy 2014 *PJM Renewable Integration Study* (Schenectady, NY: PJM Interconnection, LLC)
- Gelaro R *et al* 2017 The modern-era retrospective analysis for research and applications, version 2 (MERRA-2) *J. Clim.* **30** 5419–54
- Gernaat D E H J, van Vuuren D P, van Vliet J, Sullivan P and Arent D J 2014 Global long-term cost dynamics of offshore wind electricity generation *Energy* **76** 663–72
- Grace R C, Shoesmith J R P, Donovan D, Goodman C, Hamilton N, Biewald B, Gilbert C and Rickerson. W 2017 Northeast Offshore Wind Regional Market Characterization: A Report for the Roadmap Project for Multi-State Cooperation on Offshore Wind (Framington, MA: Sustainable Energy Advantage, LLC)
- GWEC 2017 Global Wind Report: Annual Market Update vol 2016 (Brussels: Global Wind Energy Council)
- Heptonstall P, Gross R, Greenacre P and Cockerill T 2012 The cost of offshore wind: understanding the past and projecting the future *Energy Policy* **41** 815–21
- Hibbard P, Schatzki T, Aubuchon C and Wu C 2015 NYISO Capacity Market: Evaluation of Options (Boston, MA: Analysis Group) http://www.analysisgroup.com/uploadedfiles/ content/insights/publishing/nyiso_capacity_market_ evaluation_of_options.pdf
- Hirth L 2013 The market value of variable renewables *Energy Econ.* **38** 218–36
- Hirth L and Müller S 2016 System-friendly wind power: how advanced wind turbine design can increase the economic value of electricity generated through wind power *Energy Econ.* **56** 51–63
- Hornby R, Rudkevich A, Schlesinger B, Englander S, Neri J, Goldis J, Amoako-Gyan K, He H, Rivas A and Tabors R 2015 Avoided Energy Supply Costs in New England: 2015 Report Tabors Caramanis Rudkevich
- ISO-NE 2016a 2015 Economic Study Evaluation of Offshore Wind Deployment (Holyoke, MA: ISO New England) https://www. iso-ne.com/static-assets/documents/2016/09/2015_ economic_study_offshore_wind_development_final.docx
- ISO-NE 2016b 2016 Economic Studies: S2 Sensitivity Study Draft Results (Westborough, MA: ISO New England)
- ISO-NE 2017 2016 Economic Studies: Preliminary High-Level Order of Magnitude Transmission Development Costs, Scenario 6 Update (Westborough, MA: ISO New England Inc)
- Kempton W, Cristina L A, Dhanju A, Garvine R W and Jacobson M Z 2007 Large CO₂ reductions via offshore wind power matched to inherent storage in energy end-uses *Geophys. Res. Lett.* 34 L02817



- Levitt A C, Kempton W, Smith A P, Musial W and Firestone J 2011 Pricing offshore wind power *Energy Policy* 39 6408–21
- Lin J 2016 Integrating the First HVDC-based offshore wind power into PJM system—a real project case study *IEEE Trans. Ind. Appl.* **52** 1970–8
- Mai T, Wiser R, Sandor D, Brinkman G, Heath G, Denholm P, Hostick D, Darghouth N, Schlosser A and Strzepek K 2012 Exploration of High Penetration Renewable Electricity Futures: Vol. 1 of Renewable Electricity Futures Study NREL/TP-6A20-52409-1 Golden, CO: National Renewable Energy Laboratory
- Mills A, Millstein D, Jeong S, Levin L, Wiser R and Bolinger M 2018 Estimating the Value of Offshore Wind on the United States' Eastern Coast (Berkeley, CA: Lawrence Berkeley National Laboratory)
- Mills A and Wiser R 2014 Changes in the economic value of wind energy and flexible resources at increasing penetration levels in the Rocky mountain power area *Wind Energy* 17 1711–26
- Millstein D, Barbose G, Bolinger M and Wiser R 2017 The climate and air-quality benefits of wind and solar power in the United States *Nat. Energy* 2 17134
- Mone C, Hand M, Bolinger M, Rand J, Heimiller D and Ho J 2017 2015 Cost of Wind Energy Review (Golden, CO: National Renewable Energy Laboratory)
- Musial W, Beiter P, Schwabe P, Tian T, Stehly T and Spitsen P 2017 2016 Offshore *Wind Technologies Market Report* (Washington, DC: US Department of Energy)
- Musial W, Heimiller D, Beiter P, Scott G and Draxl C 2016 2016 Offshore Wind Energy Resource Assessment for the United States (Golden, CO: National Renewable Energy Laboratory)
- Navigant 2011 Evaluation of the Residential Real-Time Pricing Program, 2007–2010 (Chicago, IL: Illinois Commerce Commission) https://icc.illinois.gov/downloads/public/ edocket/298700.pdf
- NY DPS 2016 Clean Energy Standard Cost Study (Albany, NY: New York Department of Public Service) http://www3.dps.ny. gov/W/PSCWeb.nsf/a8333dcc1f8dfec0852579bf005600b1/ 2654334b210cff95852579e4005f837d/\$FILE/CES%20Cost %20Study%20Slides.pdf
- NY-ISO 2010 Growing Wind: Final Report of the NYISO 2010 Wind Generation Study (Rensselaer, NY: New York Independent System Operator)
- Pfeifenberger J and Newell S 2010 An Assessment of the Public Policy, Reliability, Congestion Relief, and Economic Benefits of the Atlantic Wind Connection Project (Boston, MA: Brattle Group) http:// files.brattle.com/files/8015_an_assessment...wind_connection_ project_exec_summary_pfeifenberger_newell_dec_21_2010.pdf
- PJM 2016 EPA's Final Clean Power Plan Compliance Pathways Economic and Reliability Analysis (Audubon, PA: PJM Interconnection, LLC)
- SACE 2013 SEA POWER: Georgia's Offshore and Nearshore Wind Resource Coincidence with Electrical Demand Load (Knoxville, TN: Southern Alliance for Clean Energy) http://www.

cleanenergy.org/wp-content/uploads/F-SC-Sea-Power-Report-8.7.13.pdf

Schatzki T and Llop C 2017 Capacity Market Impacts and Implications of Alternative Resource Expansion Scenarios Analysis Group https://iso-ne.com/static-assets/ documents/2017/07/final_analysis_group_2016_ economic_analysis_capacity_market_impacts.pdf

Schwanitz V J and Wierling A 2016 Offshore wind investments realism about cost developments is necessary *Energy* **106** (Suppl. C) 170–81

- Simão H P, Powell W B, Archer C L and Kempton W 2017 The challenge of integrating offshore wind power in the US electric grid: II. Simulation of electricity market operations *Renew. Energy* **103** (Suppl. C) 418–31
- Tabors R, Omondi L, Rudkevich A, Goldis E and Amoako-Gyan K 2015 Price suppression and emissions reductions with offshore wind: an analysis of the impact of increased capacity in New England HICSS '15 Proc. 2015 48th Hawaii Int. Conf. on System Sciences
- Tabors R, Rudkevich A and Hornby J R 2014 Rate Impact on LIPA Resident and Commercial Customers Of 250MW Offshore Wind Development on Eastern Long Island (Uniondale, NY: Long Island Power Authority) http://tcr-us.com/uploads/ 3/9/7/2/3972068/offshore_wind_rate_impact_lipa.pdf
- Tegen S, Keyser D, Flores-Espino F, Miles J, Zammit D and Loomis D 2015 *Offshore Wind Jobs and Economic Development Impacts in the United States: Four Regional Scenarios* (Golden, CO: National Renewable Energy Laboratory)
- UKERC 2017 The Costs and Impacts of Intermittency—2016 Update (London: UK Energy Research Centre) http://www.ukerc.ac. uk/publications/the-costs-and-impacts-of-intermittency-2016-update.html
- Voormolen J A, Junginger H M and van Sark W G J H M 2016 Unravelling historical cost developments of offshore wind energy in Europe *Energy Policy* 88 435–44
- Wilson W J 2014 Offshore wind: mitigation of natural gas based market price spikes during extreme cold weather conditions Poster presentation for AWEA Offshore WINDPOWER Conf.
- Wiser R, Yang Z, Hand M, Hohmeyer O, Infield D, Jensen P H, Nikolaev V, O'Malley M, Sinden G and Zervos A 2011 Wind Energy In IPCC Special Report on Renewable Energy Sources and Climate Change Mitigation ed O Edenhofer et al (Cambridge, New York: Cambridge University Press)
- Wiser R and Bolinger M 2007 Can deployment of renewable energy put downward pressure on natural gas prices? *Energy Policy* 35 295–306
- Wiser R and Bolinger M 2017 2016 Wind Technologies Market Report (Berkeley, CA: Lawrence Berkeley National Laboratory)
- Wiser R, Jenni K, Seel J, Baker E, Hand M, Lantz E and Smith A 2016 Expert elicitation survey on future wind energy costs *Nat. Energy* 1 16135