

Lawrence Berkeley National Laboratory

LBL Publications

Title

1995 Site Environmental Report Volume II - Data Appendix

Permalink

<https://escholarship.org/uc/item/4k18c063>

Author

Lawrence Berkeley National Laboratory

Publication Date

1996-07-01




ERNEST ORLANDO LAWRENCE BERKELEY NATIONAL LABORATORY

1995 Site Environmental Report Volume II – Data Appendix

Environment, Health and
Safety Division

July 1996



Lawrence Berkeley National Laboratory

LOAN COPY
Circulates
For 4 weeks

Big 50 Lib Rm 4014


Copy 2

LBL-27170

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

Lawrence Berkeley National Laboratory



1995 Site Environmental Report

Volume II – Data Appendix

July 1996

Ernest Orlando Lawrence Berkeley National Laboratory presents *Volume II, Data Appendix* as a reference document to supplement the *1995 Site Environmental Report*. Volume II contains the raw environmental monitoring and sampling data used to generate many of the summary results included in the main report. Supplemental data is provided for sitewide activities involving the media of stack and ambient air quality, rainwater, surface water, stormwater, wastewater, and soil and sediment. Volume II also contains supplemental data on the special preoperational monitoring study for the new Hazardous Waste Handling Facility. The Table of Contents provides a cross-reference to the data tables of the main report and this appendix. Data are given in Système International (SI) units. The glossary found in the main report contains a listing of the SI units referenced in the discussions.

Table of Contents

Data Tables

4-1.	Ambient Air	DATA-1
4-2.	Stack Exhaust	DATA-15
5-1.	Rainwater	DATA-71
5-2.	Surface Water	DATA-75
5-3.	Stormwater	DATA-105
7-1.	Sanitary Sewer	DATA-139
8-1.	Sediment	DATA-193
8-2.	Soil	DATA-201
10-1.	Preoperational Air Monitoring	DATA-211
10-2.	Preoperational Stormwater	DATA-213
10-3.	Preoperational Sediment	DATA-237

Location	Analyte	Date	Result	MDA	Units		
ENV-1	Alpha	6/16/95	ND	.00014	Bq/M3		
		7/14/95	ND	.00017	Bq/M3		
		8/22/95	ND	.00018	Bq/M3		
	Beta	6/16/95	.00033	.0001	Bq/M3		
		7/14/95	.0004	.00012	Bq/M3		
		8/22/95	.0005	.00012	Bq/M3		
ENV-10	Alpha	5/17/95	.000127	.000013	Bq/M3		
	Beta	5/17/95	.000388	.000017	Bq/M3		
ENV-15	Alpha	5/17/95	ND	.00005	Bq/M3		
	Beta	5/17/95	.000089	.00003	Bq/M3		
ENV-17	Alpha	5/17/95	ND	.00005	Bq/M3		
	Beta	5/17/95	.000074	.00003	Bq/M3		
ENV-3	14C	1/6/95	1.2	.6	Bq/M3		
		1/13/95	3.4	3	Bq/M3		
	Tritium	1/6/95	ND	.7	Bq/M3		
		4/26/95	.47	.16	Bq/M3		
		5/17/95	4.18	.6	Bq/M3		
		5/24/95	12.9	1.7	Bq/M3		
		6/2/95	9.52	1.2	Bq/M3		
		6/9/95	16.1	1.5	Bq/M3		
		7/7/95	21	1.3	Bq/M3		
		7/14/95	8.56	1.9	Bq/M3		
		7/19/95	ND	2	Bq/M3		
		7/27/95	ND	1.3	Bq/M3		
		8/3/95	ND	1.4	Bq/M3		
		8/15/95	14.1	1.7	Bq/M3		
		8/22/95	ND	1.2	Bq/M3		
		ENV-50	Alpha	5/17/95	.000152	.000013	Bq/M3
				9/12/95	ND	.0006	Bq/M3
10/2/95	ND			.0007	Bq/M3		
10/31/95	ND			.00017	Bq/M3		
Beta	5/17/95		.00042	.000017	Bq/M3		
	9/12/95		.00124	.0004	Bq/M3		
	10/2/95		ND	.0006	Bq/M3		
ENV-55	Alpha	10/31/95	.0002	.00012	Bq/M3		
		5/17/95	ND	.00005	Bq/M3		
	Beta	5/17/95	.000072	.00003	Bq/M3		
ENV-69A	Tritium	3/23/95	21.2	.8	Bq/M3		
		3/31/95	6.76	.6	Bq/M3		
		4/7/95	9.65	1.2	Bq/M3		
		4/14/95	9.69	1.2	Bq/M3		
		4/21/95	4.47	1.2	Bq/M3		

Location	Analyte	Date	Result	MDA	Units		
ENV-69A	Tritium	4/26/95	33.8	1.6	Bq/M3		
		5/19/95	9.22	.4	Bq/M3		
		5/24/95	48.1	2	Bq/M3		
		6/2/95	69	1.4	Bq/M3		
		6/9/95	48.7	1.2	Bq/M3		
		7/6/95	42.1	1.4	Bq/M3		
		7/14/95	35.5	1.3	Bq/M3		
		7/19/95	77.2	2	Bq/M3		
		7/27/95	14.1	.6	Bq/M3		
		8/3/95	32.6	1.4	Bq/M3		
		8/15/95	ND	1.4	Bq/M3		
		8/22/95	24.4	1.2	Bq/M3		
		8/29/95	11.7	1.6	Bq/M3		
		9/12/95	7.58	1	Bq/M3		
		10/2/95	27.3	1.7	Bq/M3		
		10/31/95	ND	1.4	Bq/M3		
		11/27/95	ND	3	Bq/M3		
		ENV-69P	Alpha	6/16/95	ND	.00012	Bq/M3
				6/23/95	ND	.0002	Bq/M3
6/28/95	ND			.0003	Bq/M3		
7/6/95	ND			.00014	Bq/M3		
7/14/95	ND			.00014	Bq/M3		
7/19/95	ND			.0002	Bq/M3		
7/27/95	ND			.00014	Bq/M3		
8/3/95	ND			.00003	Bq/M3		
8/15/95	ND			.0002	Bq/M3		
8/22/95	ND			.00017	Bq/M3		
8/29/95	.00013			.00012	Bq/M3		
9/12/95	ND			.0002	Bq/M3		
10/2/95	ND		.0002	Bq/M3			
10/31/95	ND		.0002	Bq/M3			
11/27/95	ND		.0006	Bq/M3			
12/22/95	ND		.0003	Bq/M3			
Beta	6/16/95		.00037	.00009	Bq/M3		
	6/23/95		.00041	.00013	Bq/M3		
	6/28/95		.00081	.00018	Bq/M3		
	7/6/95		.00037	.00011	Bq/M3		
	7/14/95		.00045	.0001	Bq/M3		
	7/19/95	.000846	.00017	Bq/M3			
	7/27/95	.000728	.0001	Bq/M3			
	8/3/95	.000644	.0001	Bq/M3			
	8/15/95	.000821	.00015	Bq/M3			

Location	Analyte	Date	Result	MDA	Units	
ENV-69P	Beta	8/22/95	.000587	.00011	Bq/M3	
		8/29/95	ND	.0002	Bq/M3	
		9/12/95	.000722	.00013	Bq/M3	
		10/2/95	.00047	.00019	Bq/M3	
		10/31/95	.00069	.00017	Bq/M3	
		11/27/95	.00091	.0005	Bq/M3	
		12/22/95	.0004	.0002	Bq/M3	
ENV-71	Alpha	5/17/95	.000069	.000013	Bq/M3	
	Beta	5/17/95	.000186	.000017	Bq/M3	
ENV-72	Alpha	6/16/95	ND	.00013	Bq/M3	
		7/14/95	ND	.00015	Bq/M3	
		8/22/95	ND	.00017	Bq/M3	
ENV-74	Beta	6/16/95	.00035	.0001	Bq/M3	
		7/14/95	.00046	.00011	Bq/M3	
		8/22/95	.00044	.00011	Bq/M3	
		Alpha	5/17/95	.000295	.00003	Bq/M3
			6/9/95	ND	.0005	Bq/M3
			6/16/95	ND	.0004	Bq/M3
			6/23/95	ND	.0006	Bq/M3
			6/28/95	ND	.0009	Bq/M3
			7/6/95	ND	.0004	Bq/M3
	7/14/95		ND	.0004	Bq/M3	
	7/19/95		ND	.0007	Bq/M3	
	7/27/95		ND	.0004	Bq/M3	
	8/3/95		ND	.00009	Bq/M3	
	8/15/95	ND	.0007	Bq/M3		
	8/22/95	ND	.0005	Bq/M3		
	Beta	5/17/95	.00064	.00003	Bq/M3	
		6/9/95	.00085	.0004	Bq/M3	
		6/16/95	.00112	.0003	Bq/M3	
		6/23/95	.00091	.0004	Bq/M3	
6/28/95		.0013	.0005	Bq/M3		
7/6/95		.00074	.0003	Bq/M3		
7/14/95		.00092	.0003	Bq/M3		
7/19/95		.0013	.0005	Bq/M3		
7/27/95		.00102	.0003	Bq/M3		
8/3/95		.00126	.0003	Bq/M3		
8/15/95	.0015	.0005	Bq/M3			
8/22/95	.00128	.0003	Bq/M3			
ENV-75	Alpha	5/17/95	.000192	.00003	Bq/M3	
	Beta	5/17/95	.000293	.00003	Bq/M3	
ENV-78	Alpha	6/16/95	ND	.00016	Bq/M3	

Location	Analyte	Date	Result	MDA	Units
ENV-78	Alpha	6/26/95	ND	.00016	Bq/M3
		6/28/95	ND	.0007	Bq/M3
		7/7/95	.00014	.00013	Bq/M3
		7/14/95	ND	.00017	Bq/M3
		7/19/95	ND	.0002	Bq/M3
		7/27/95	ND	.00015	Bq/M3
		8/3/95	ND	.00003	Bq/M3
		8/15/95	ND	.0002	Bq/M3
		8/22/95	ND	.00018	Bq/M3
		Beta	6/16/95	.00041	.00012
	6/26/95		.000499	.0001	Bq/M3
	6/28/95		.00083	.0004	Bq/M3
	7/7/95		.00033	.0001	Bq/M3
	7/14/95		.00045	.00012	Bq/M3
	7/19/95		.0008	.00017	Bq/M3
	7/27/95		.000844	.00011	Bq/M3
	8/3/95		.0007	.0001	Bq/M3
	8/15/95		.00077	.00015	Bq/M3
	8/22/95		.000591	.00012	Bq/M3
	ENV-80	Alpha	6/16/95	ND	.00013
6/28/95			ND	.00012	Bq/M3
7/14/95			ND	.00007	Bq/M3
7/19/95			ND	.0002	Bq/M3
7/27/95			ND	.00015	Bq/M3
8/3/95			ND	.00003	Bq/M3
8/15/95			ND	.0002	Bq/M3
Beta		8/22/95	ND	.00017	Bq/M3
		12/22/95	ND	.0003	Bq/M3
		6/16/95	.00029	.00009	Bq/M3
		6/28/95	.00031	.00008	Bq/M3
		7/14/95	.000333	.00005	Bq/M3
		7/19/95	.00078	.00017	Bq/M3
		7/27/95	.000659	.00011	Bq/M3
ENV-81	Alpha	8/3/95	.000641	.0001	Bq/M3
		8/15/95	.00069	.00016	Bq/M3
		8/22/95	.00054	.00011	Bq/M3
		12/22/95	.00038	.00019	Bq/M3
	Beta	6/16/95	ND	.00013	Bq/M3
		7/14/95	ND	.00015	Bq/M3
		8/22/95	ND	.00017	Bq/M3
		12/22/95	ND	.0003	Bq/M3
		6/16/95	.0004	.0001	Bq/M3

Location	Analyte	Date	Result	MDA	Units
ENV-81	Beta	7/14/95	.00043	.00011	Bq/M3
		8/22/95	.00047	.00011	Bq/M3
		12/22/95	.00044	.00019	Bq/M3
ENV-90	Alpha	5/17/95	.000245	.00003	Bq/M3
	Beta	5/17/95	.000455	.000016	Bq/M3
ENV-B13A	125I	1/13/95	ND	.00011	Bq/M3
		3/10/95	ND	.00004	Bq/M3
		3/17/95	ND	.0003	Bq/M3
		3/24/95	ND	.0003	Bq/M3
		3/31/95	ND	.0003	Bq/M3
		4/7/95	ND	.00017	Bq/M3
		4/14/95	ND	.00018	Bq/M3
		4/21/95	ND	.00019	Bq/M3
		4/26/95	ND	.0003	Bq/M3
		5/18/95	ND	.00006	Bq/M3
		5/24/95	ND	.0002	Bq/M3
		6/2/95	ND	.00014	Bq/M3
		6/9/95	ND	.00017	Bq/M3
		6/23/95	ND	.00009	Bq/M3
		6/29/95	ND	.0002	Bq/M3
		7/6/95	ND	.00018	Bq/M3
		7/14/95	ND	.00015	Bq/M3
		7/19/95	ND	.0002	Bq/M3
		7/27/95	ND	.00016	Bq/M3
	8/3/95	ND	.00017	Bq/M3	
	8/15/95	ND	.00018	Bq/M3	
	8/22/95	ND	.00018	Bq/M3	
	Alpha	1/13/95	ND	.0003	Bq/M3
		3/10/95	.00011	.00004	Bq/M3
		3/17/95	ND	.0012	Bq/M3
		3/24/95	ND	.001	Bq/M3
		3/31/95	ND	.0013	Bq/M3
		4/7/95	ND	.0007	Bq/M3
		4/14/95	ND	.0007	Bq/M3
		4/21/95	ND	.0007	Bq/M3
		4/26/95	ND	.001	Bq/M3
		5/18/95	ND	.0003	Bq/M3
5/24/95		ND	.0007	Bq/M3	
6/2/95		ND	.0008	Bq/M3	
6/9/95		ND	.0006	Bq/M3	
6/23/95	ND	.0004	Bq/M3		
7/14/95	ND	.0006	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
ENV-B13A	Alpha	8/22/95	ND	.0007	Bq/M3
		1/13/95	.000704	.00011	Bq/M3
	Beta	3/10/95	.000667	.00007	Bq/M3
		3/17/95	.0012	.0005	Bq/M3
	3/24/95	ND	.0008	Bq/M3	
	3/31/95	.0013	.0005	Bq/M3	
	4/7/95	.0013	.0005	Bq/M3	
	4/14/95	.001	.0005	Bq/M3	
	4/21/95	.00094	.0005	Bq/M3	
	4/26/95	.0014	.0008	Bq/M3	
	5/18/95	.000504	.00017	Bq/M3	
	5/24/95	.0015	.0006	Bq/M3	
	6/2/95	.00094	.0004	Bq/M3	
	6/9/95	.00089	.0005	Bq/M3	
	6/23/95	.00067	.0003	Bq/M3	
	7/14/95	.0011	.0004	Bq/M3	
	8/22/95	.0012	.0004	Bq/M3	
	Tritium	3/10/95	.38	.17	Bq/M3
		3/17/95	5.57	1.4	Bq/M3
		3/24/95	ND	1	Bq/M3
		3/31/95	ND	.9	Bq/M3
		4/7/95	ND	1.1	Bq/M3
		4/14/95	1.6	1.1	Bq/M3
		4/21/95	ND	1.1	Bq/M3
		4/26/95	8.34	1.6	Bq/M3
		5/18/95	2.23	.5	Bq/M3
		5/24/95	13.2	1.9	Bq/M3
		6/2/95	8.09	1.1	Bq/M3
		6/9/95	9.12	1.4	Bq/M3
		7/6/95	23.6	1.3	Bq/M3
		7/14/95	2.6	1.2	Bq/M3
		7/19/95	2.8	1.8	Bq/M3
		7/27/95	ND	1.2	Bq/M3
8/3/95		ND	1.4	Bq/M3	
8/15/95	ND	1.2	Bq/M3		
8/22/95	ND	1.1	Bq/M3		
8/29/95	ND	1.1	Bq/M3		
9/12/95	5.34	.9	Bq/M3		
10/2/95	6.02	1.1	Bq/M3		
10/31/95	ND	5	Bq/M3		
11/27/95	ND	5	Bq/M3		
ENV-B13B	125I	1/25/95	ND	.00007	Bq/M3

Location	Analyte	Date	Result	MDA	Units
ENV-B13B	125I	3/10/95	ND	.00004	Bq/M3
		3/17/95	ND	.0003	Bq/M3
		3/24/95	ND	.0003	Bq/M3
		3/31/95	ND	.0003	Bq/M3
		4/7/95	ND	.00017	Bq/M3
		4/14/95	ND	.00018	Bq/M3
		4/21/95	ND	.00019	Bq/M3
		4/26/95	ND	.0003	Bq/M3
		5/18/95	.000098	.00006	Bq/M3
		5/24/95	ND	.0002	Bq/M3
		6/2/95	ND	.00014	Bq/M3
		6/9/95	.00121	.00017	Bq/M3
		6/16/95	ND	.00018	Bq/M3
		6/23/95	ND	.00018	Bq/M3
		6/29/95	ND	.0002	Bq/M3
		7/6/95	ND	.00018	Bq/M3
		7/14/95	ND	.00015	Bq/M3
		7/19/95	.00031	.0002	Bq/M3
		7/27/95	ND	.00016	Bq/M3
		8/3/95	ND	.00017	Bq/M3
		8/15/95	ND	.00018	Bq/M3
		8/22/95	ND	.00018	Bq/M3
		8/29/95	ND	.0002	Bq/M3
		9/12/95	ND	.0002	Bq/M3
		10/2/95	ND	.0002	Bq/M3
		10/31/95	ND	.0002	Bq/M3
		1/13/95	.0002	.00013	Bq/M3
		3/10/95	.00017	.00004	Bq/M3
		3/17/95	ND	.0012	Bq/M3
		3/24/95	ND	.001	Bq/M3
		3/31/95	ND	.0013	Bq/M3
		4/7/95	ND	.0007	Bq/M3
		4/14/95	ND	.0007	Bq/M3
4/21/95	ND	.0007	Bq/M3		
4/26/95	ND	.001	Bq/M3		
5/18/95	ND	.0003	Bq/M3		
5/24/95	ND	.0007	Bq/M3		
6/2/95	ND	.0008	Bq/M3		
6/9/95	ND	.0006	Bq/M3		
6/16/95	ND	.0006	Bq/M3		
7/14/95	ND	.0006	Bq/M3		
8/22/95	ND	.0007	Bq/M3		
	Alpha				

Location	Analyte	Date	Result	MDA	Units
ENV-B13B	Beta	1/13/95	.000519	.00004	Bq/M3
		3/10/95	.000852	.00007	Bq/M3
		3/17/95	.0013	.0005	Bq/M3
		3/24/95	ND	.0008	Bq/M3
		3/31/95	.0015	.0005	Bq/M3
		4/7/95	.0012	.0005	Bq/M3
		4/14/95	.00098	.0005	Bq/M3
		4/21/95	.0011	.0005	Bq/M3
		4/26/95	.0015	.0008	Bq/M3
		5/18/95	.00055	.00017	Bq/M3
		5/24/95	.0014	.0006	Bq/M3
		6/2/95	.0012	.0004	Bq/M3
		6/9/95	.0012	.0005	Bq/M3
		6/16/95	.0011	.0004	Bq/M3
		7/14/95	.0011	.0004	Bq/M3
		8/22/95	.0012	.0004	Bq/M3
		3/10/95	.39	.17	Bq/M3
		3/17/95	4.1	1.4	Bq/M3
		3/24/95	1.2	1	Bq/M3
		3/31/95	ND	.9	Bq/M3
	4/7/95	ND	1.1	Bq/M3	
	4/14/95	ND	1.1	Bq/M3	
	4/21/95	ND	1.1	Bq/M3	
	4/26/95	4.6	1.6	Bq/M3	
	5/18/95	.87	.5	Bq/M3	
	5/24/95	13.5	1.9	Bq/M3	
	6/2/95	8.48	1.1	Bq/M3	
	6/9/95	11.2	1.4	Bq/M3	
	7/6/95	21.1	1.3	Bq/M3	
	7/14/95	4.67	1.2	Bq/M3	
	7/19/95	ND	1.8	Bq/M3	
	7/27/95	ND	1.2	Bq/M3	
8/3/95	ND	1.4	Bq/M3		
8/15/95	ND	1.2	Bq/M3		
8/22/95	ND	1.2	Bq/M3		
ENV-B13C	125I	1/13/95	ND	.00015	Bq/M3
		3/10/95	ND	.00004	Bq/M3
		3/17/95	ND	.0003	Bq/M3
		3/24/95	ND	.0003	Bq/M3
		3/31/95	ND	.0003	Bq/M3
		4/7/95	ND	.00017	Bq/M3
		4/14/95	ND	.00018	Bq/M3

Location	Analyte	Date	Result	MDA	Units		
ENV-B13C	125I	4/21/95	ND	.00018	Bq/M3		
		4/26/95	ND	.0003	Bq/M3		
		5/18/95	ND	.00006	Bq/M3		
		5/24/95	ND	.0002	Bq/M3		
		6/2/95	ND	.00014	Bq/M3		
		6/9/95	.00294	.00018	Bq/M3		
		6/16/95	ND	.00018	Bq/M3		
		6/23/95	ND	.00018	Bq/M3		
		6/29/95	ND	.0002	Bq/M3		
		7/6/95	ND	.00018	Bq/M3		
		7/14/95	ND	.00016	Bq/M3		
		7/19/95	ND	.0002	Bq/M3		
		7/27/95	ND	.00016	Bq/M3		
		8/3/95	ND	.00017	Bq/M3		
		8/15/95	ND	.0002	Bq/M3		
		8/22/95	ND	.00018	Bq/M3		
		8/29/95	ND	.0003	Bq/M3		
		9/12/95	ND	.0002	Bq/M3		
		10/2/95	ND	.0002	Bq/M3		
		10/31/95	ND	.00006	Bq/M3		
			Alpha	1/13/95	.0005	.0003	Bq/M3
				3/10/95	.00015	.00004	Bq/M3
				3/17/95	ND	.0006	Bq/M3
				3/24/95	ND	.001	Bq/M3
				3/31/95	ND	.0013	Bq/M3
				4/7/95	ND	.0007	Bq/M3
				4/14/95	ND	.0007	Bq/M3
				4/21/95	ND	.0007	Bq/M3
				4/26/95	ND	.001	Bq/M3
				5/18/95	ND	.0003	Bq/M3
				5/24/95	ND	.0007	Bq/M3
				6/2/95	ND	.0008	Bq/M3
				6/9/95	ND	.0006	Bq/M3
				6/16/95	ND	.0006	Bq/M3
				7/14/95	ND	.0006	Bq/M3
				8/22/95	ND	.0007	Bq/M3
				8/29/95	.0006	.0005	Bq/M3
			9/12/95	ND	.0009	Bq/M3	
			10/2/95	ND	.0009	Bq/M3	
			10/31/95	ND	.001	Bq/M3	
			12/5/95	ND	.0003	Bq/M3	
			Beta	1/13/95	.00111	.00011	Bq/M3

Location	Analyte	Date	Result	MDA	Units
ENV-B13C	Beta	1/13/95	.089	.03	Bq/L
		3/10/95	.000667	.00007	Bq/M3
		3/17/95	.0013	.0004	Bq/M3
		3/24/95	ND	.0008	Bq/M3
		3/31/95	.0014	.0005	Bq/M3
		4/7/95	.001	.0005	Bq/M3
		4/14/95	.00095	.0005	Bq/M3
		4/21/95	.0011	.0005	Bq/M3
		4/26/95	.0015	.0007	Bq/M3
		5/18/95	.000491	.00017	Bq/M3
		5/24/95	.0015	.0006	Bq/M3
		6/2/95	.00089	.0004	Bq/M3
		6/9/95	.0011	.0005	Bq/M3
		6/16/95	.00087	.0004	Bq/M3
		7/14/95	.001	.0004	Bq/M3
		8/22/95	.0013	.0004	Bq/M3
		8/29/95	ND	.001	Bq/M3
		9/12/95	.0014	.0005	Bq/M3
		10/2/95	ND	.0008	Bq/M3
	10/31/95	.00097	.0007	Bq/M3	
	12/5/95	.0007	.0003	Bq/M3	
	Tritium	1/13/95	ND	14	Bq/L
		3/10/95	.84	.14	Bq/M3
		3/17/95	3.6	1.4	Bq/M3
		3/24/95	2	1	Bq/M3
		3/31/95	ND	1	Bq/M3
		4/7/95	ND	.9	Bq/M3
		4/14/95	ND	1.1	Bq/M3
		4/21/95	ND	1.1	Bq/M3
4/26/95		3.5	1.5	Bq/M3	
5/18/95		1.7	.5	Bq/M3	
5/24/95	14.7	1.8	Bq/M3		
6/2/95	8.11	1.1	Bq/M3		
6/9/95	12.5	1.4	Bq/M3		
7/6/95	28	1.3	Bq/M3		
7/14/95	9.54	1.2	Bq/M3		
7/19/95	ND	1.8	Bq/M3		
7/27/95	ND	1.2	Bq/M3		
8/3/95	ND	1.4	Bq/M3		
8/15/95	ND	1.6	Bq/M3		
8/22/95	ND	1.1	Bq/M3		
8/29/95	ND	1.2	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
ENV-B13C	Tritium	9/12/95	2.4	.9	Bq/M3
		10/2/95	6.68	1.1	Bq/M3
		10/31/95	ND	5	Bq/M3
		12/5/95	ND	2	Bq/M3
ENV-B13D	125I	1/13/95	ND	.00011	Bq/M3
		3/10/95	ND	.00007	Bq/M3
		3/17/95	ND	.0003	Bq/M3
		3/31/95	ND	.00015	Bq/M3
		4/7/95	ND	.00017	Bq/M3
		4/14/95	ND	.00018	Bq/M3
		4/21/95	ND	.00018	Bq/M3
		4/26/95	.00036	.0003	Bq/M3
		5/18/95	.00016	.00006	Bq/M3
		5/24/95	ND	.0002	Bq/M3
		6/2/95	ND	.00014	Bq/M3
		6/9/95	.00443	.00018	Bq/M3
		6/16/95	ND	.00018	Bq/M3
		6/23/95	ND	.00018	Bq/M3
		6/29/95	ND	.0002	Bq/M3
		7/6/95	ND	.00018	Bq/M3
	7/14/95	.00123	.00015	Bq/M3	
	7/19/95	.0025	.0002	Bq/M3	
	7/27/95	.00016	.00015	Bq/M3	
	8/3/95	ND	.00017	Bq/M3	
	8/15/95	ND	.0002	Bq/M3	
	8/22/95	ND	.00018	Bq/M3	
	Alpha	1/13/95	ND	.0002	Bq/M3
		3/10/95	.00012	.00005	Bq/M3
		3/17/95	ND	.0006	Bq/M3
		3/31/95	ND	.0007	Bq/M3
		4/7/95	ND	.0006	Bq/M3
		4/14/95	ND	.0007	Bq/M3
		4/21/95	ND	.0007	Bq/M3
		4/26/95	ND	.001	Bq/M3
		5/18/95	ND	.0003	Bq/M3
		5/24/95	ND	.0006	Bq/M3
6/2/95		ND	.0008	Bq/M3	
6/9/95		ND	.0006	Bq/M3	
6/16/95		ND	.0006	Bq/M3	
7/14/95		ND	.0006	Bq/M3	
8/22/95		ND	.0007	Bq/M3	
Beta		1/13/95	.000444	.00007	Bq/M3

Location	Analyte	Date	Result	MDA	Units
ENV-B13D	Beta	3/10/95	.000852	.00007	Bq/M3
		3/17/95	.0011	.0005	Bq/M3
		3/31/95	.0007	.0003	Bq/M3
		4/7/95	.0011	.0005	Bq/M3
		4/14/95	.0012	.0005	Bq/M3
		4/21/95	.001	.0005	Bq/M3
		4/26/95	.00222	.0007	Bq/M3
		5/18/95	.00046	.00017	Bq/M3
		5/24/95	.0014	.0006	Bq/M3
		6/2/95	.001	.0004	Bq/M3
		6/9/95	.0012	.0005	Bq/M3
		6/16/95	.0011	.0004	Bq/M3
		7/14/95	.00099	.0004	Bq/M3
		8/22/95	.00155	.0004	Bq/M3
	Tritium	3/10/95	2.93	.4	Bq/M3
		3/17/95	6.76	1.4	Bq/M3
		3/31/95	ND	.4	Bq/M3
		4/7/95	ND	2	Bq/M3
		4/14/95	ND	1.1	Bq/M3
		4/21/95	ND	1.1	Bq/M3
		4/26/95	3.8	1.5	Bq/M3
		5/18/95	2.74	.5	Bq/M3
		5/24/95	13.9	1.8	Bq/M3
		6/2/95	11.1	1.1	Bq/M3
		6/9/95	15.3	1.4	Bq/M3
		7/6/95	18.3	1.3	Bq/M3
7/14/95	8.73	1.2	Bq/M3		
7/19/95	ND	1.8	Bq/M3		
7/27/95	ND	1.2	Bq/M3		
8/3/95	ND	1.4	Bq/M3		
8/15/95	ND	1.6	Bq/M3		
8/22/95	ND	1.1	Bq/M3		
ENV-LHS	3/17/95	.307	.08	Bq/M3	
	3/23/95	23.8	1.1	Bq/M3	
	3/31/95	ND	.9	Bq/M3	
	4/7/95	ND	1.2	Bq/M3	
	4/14/95	ND	1.2	Bq/M3	
	4/21/95	ND	1.2	Bq/M3	
	4/26/95	5	1.6	Bq/M3	
	5/18/95	3.52	.5	Bq/M3	
5/24/95	13.8	1.9	Bq/M3		
6/2/95	13.6	1.2	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
ENV-LHS	Tritium	6/9/95	18.2	1.5	Bq/M3
		7/6/95	25.3	1.4	Bq/M3
		7/14/95	4.2	1.3	Bq/M3
		7/19/95	4.1	2	Bq/M3
		7/27/95	ND	1.2	Bq/M3
		8/3/95	ND	1.5	Bq/M3
		8/15/95	3.5	1.7	Bq/M3
		8/22/95	ND	1.2	Bq/M3
		8/29/95	ND	1.2	Bq/M3
		9/12/95	1.3	1	Bq/M3
		10/2/95	6.08	1.1	Bq/M3
		10/31/95	ND	1.4	Bq/M3
		11/27/95	ND	5	Bq/M3
		ENV-MRI	Tritium	3/17/95	.299
3/23/95	27.9			1.1	Bq/M3
4/7/95	ND			.6	Bq/M3
4/14/95	ND			1.2	Bq/M3
4/21/95	ND			1.2	Bq/M3
4/26/95	3.3			1.6	Bq/M3
5/18/95	3.65			.5	Bq/M3
5/24/95	16.8			1.9	Bq/M3
6/2/95	11.8			1.2	Bq/M3
6/9/95	11			1.5	Bq/M3
7/6/95	31.3			1.4	Bq/M3
7/14/95	4.92			1	Bq/M3
7/19/95	ND			2	Bq/M3
7/27/95	ND			1.2	Bq/M3
8/3/95	ND	1.5	Bq/M3		
8/15/95	3.1	1.7	Bq/M3		
8/22/95	ND	1.2	Bq/M3		

This page intentionally left blank.

Location	Analyte	Date	Result	MDA	Units
ENV-LHS	Tritium	6/9/95	18.2	1.5	Bq/M3
		7/6/95	25.3	1.4	Bq/M3
		7/14/95	4.2	1.3	Bq/M3
		7/19/95	4.1	2	Bq/M3
		7/27/95	ND	1.2	Bq/M3
		8/3/95	ND	1.5	Bq/M3
		8/15/95	3.5	1.7	Bq/M3
		8/22/95	ND	1.2	Bq/M3
		8/29/95	ND	1.2	Bq/M3
		9/12/95	1.3	1	Bq/M3
		10/2/95	6.08	1.1	Bq/M3
		10/31/95	ND	1.4	Bq/M3
		11/27/95	ND	5	Bq/M3
		ENV-MRI	Tritium	3/17/95	.299
3/23/95	27.9			1.1	Bq/M3
4/7/95	ND			.6	Bq/M3
4/14/95	ND			1.2	Bq/M3
4/21/95	ND			1.2	Bq/M3
4/26/95	3.3			1.6	Bq/M3
5/18/95	3.65			.5	Bq/M3
5/24/95	16.8			1.9	Bq/M3
6/2/95	11.8			1.2	Bq/M3
6/9/95	11			1.5	Bq/M3
7/6/95	31.3			1.4	Bq/M3
7/14/95	4.92			1	Bq/M3
7/19/95	ND			2	Bq/M3
7/27/95	ND			1.2	Bq/M3
8/3/95	ND	1.5	Bq/M3		
8/15/95	3.1	1.7	Bq/M3		
8/22/95	ND	1.2	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
1-216	125I	1/18/95	ND	.0008	Bq/M3
		1/24/95	ND	.0007	Bq/M3
		2/2/95	ND	.0004	Bq/M3
		2/9/95	ND	.0006	Bq/M3
		2/16/95	ND	.0005	Bq/M3
		2/22/95	ND	.0006	Bq/M3
		3/3/95	ND	.0004	Bq/M3
		3/7/95	ND	.0007	Bq/M3
		3/14/95	ND	.0005	Bq/M3
		3/22/95	ND	.0004	Bq/M3
		3/28/95	ND	.0005	Bq/M3
		4/6/95	ND	.0002	Bq/M3
		4/11/95	ND	.0004	Bq/M3
		4/18/95	ND	.0003	Bq/M3
		4/25/95	ND	.0003	Bq/M3
		5/4/95	ND	.0002	Bq/M3
		5/9/95	ND	.0004	Bq/M3
		5/16/95	ND	.0003	Bq/M3
		5/23/95	ND	.0003	Bq/M3
		6/1/95	ND	.0002	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/20/95	ND	.0003	Bq/M3
		6/27/95	ND	.0003	Bq/M3
		7/3/95	ND	.0003	Bq/M3
		7/11/95	ND	.0003	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0003	Bq/M3
		7/31/95	ND	.0004	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.00006	Bq/M3
		10/11/95	ND	.0004	Bq/M3
		11/15/95	ND	.0003	Bq/M3
		12/6/95	ND	.0005	Bq/M3
	14C	3/3/95	ND	3	Bq/M3
		3/7/95	ND	6	Bq/M3
		3/14/95	ND	4	Bq/M3
		3/22/95	ND	4	Bq/M3
		3/28/95	ND	1.9	Bq/M3
		4/6/95	ND	1.2	Bq/M3
		4/11/95	ND	1.9	Bq/M3

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
1-216	125I	1/18/95	ND	.0008	Bq/M3
		1/24/95	ND	.0007	Bq/M3
		2/2/95	ND	.0004	Bq/M3
		2/9/95	ND	.0006	Bq/M3
		2/16/95	ND	.0005	Bq/M3
		2/22/95	ND	.0006	Bq/M3
		3/3/95	ND	.0004	Bq/M3
		3/7/95	ND	.0007	Bq/M3
		3/14/95	ND	.0005	Bq/M3
		3/22/95	ND	.0004	Bq/M3
		3/28/95	ND	.0005	Bq/M3
		4/6/95	ND	.0002	Bq/M3
		4/11/95	ND	.0004	Bq/M3
		4/18/95	ND	.0003	Bq/M3
		4/25/95	ND	.0003	Bq/M3
		5/4/95	ND	.0002	Bq/M3
		5/9/95	ND	.0004	Bq/M3
		5/16/95	ND	.0003	Bq/M3
		5/23/95	ND	.0003	Bq/M3
		6/1/95	ND	.0002	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/20/95	ND	.0003	Bq/M3
		6/27/95	ND	.0003	Bq/M3
		7/3/95	ND	.0003	Bq/M3
		7/11/95	ND	.0003	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0003	Bq/M3
		7/31/95	ND	.0004	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.0006	Bq/M3
		10/11/95	ND	.0004	Bq/M3
11/15/95	ND	.0003	Bq/M3		
12/6/95	ND	.0005	Bq/M3		
14C	3/3/95	ND	3	Bq/M3	
	3/7/95	ND	6	Bq/M3	
	3/14/95	ND	4	Bq/M3	
	3/22/95	ND	4	Bq/M3	
	3/28/95	ND	1.9	Bq/M3	
	4/6/95	ND	1.2	Bq/M3	
	4/11/95	ND	1.9	Bq/M3	

Location	Analyte	Date	Result	MDA	Units	
1-216	14C	4/18/95	ND	.14	Bq/M3	
		4/25/95	ND	1.4	Bq/M3	
		5/4/95	ND	1.2	Bq/M3	
		5/9/95	ND	2	Bq/M3	
		5/16/95	ND	1.5	Bq/M3	
		5/23/95	ND	1.3	Bq/M3	
		6/1/95	ND	1.1	Bq/M3	
		6/6/95	1.9	1.9	Bq/M3	
		6/13/95	2	1.3	Bq/M3	
		6/20/95	2.2	1.3	Bq/M3	
		6/27/95	1.6	.7	Bq/M3	
		7/3/95	2.5	1.6	Bq/M3	
		7/11/95	1.6	1.1	Bq/M3	
		7/18/95	ND	1.4	Bq/M3	
		7/25/95	.98	.7	Bq/M3	
		7/31/95	1.4	.8	Bq/M3	
		8/7/95	1.2	.7	Bq/M3	
		8/14/95	.72	.7	Bq/M3	
		9/20/95	.2	.13	Bq/M3	
		10/11/95	2	1.8	Bq/M3	
		11/15/95	1.2	1.1	Bq/M3	
		12/6/95	ND	1.9	Bq/M3	
		Alpha	1/18/95	ND	.00011	Bq/M3
			1/24/95	ND	.00011	Bq/M3
			2/2/95	ND	.00015	Bq/M3
			2/9/95	.00015	.00011	Bq/M3
			2/16/95	.00015	.00007	Bq/M3
2/22/95	ND		.00011	Bq/M3		
3/3/95	.00015		.00007	Bq/M3		
3/7/95	ND		.00019	Bq/M3		
3/14/95	.00093		.00011	Bq/M3		
3/22/95	ND		.00004	Bq/M3		
3/28/95	ND		.00003	Bq/M3		
4/6/95	.00012		.00008	Bq/M3		
4/11/95	ND		.00012	Bq/M3		
4/18/95	ND		.0002	Bq/M3		
4/25/95	ND		.0002	Bq/M3		
5/4/95	ND		.00007	Bq/M3		
5/9/95	ND		.0003	Bq/M3		
5/16/95	ND	.0002	Bq/M3			
5/23/95	.00009	.00008	Bq/M3			
6/1/95	ND	.00015	Bq/M3			

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
1-216	Alpha	6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/20/95	ND	.0003	Bq/M3
		6/27/95	ND	.0003	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/11/95	ND	.0003	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	ND	.0003	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.00005	Bq/M3
		10/11/95	ND	.0003	Bq/M3
		11/15/95	.00019	.00016	Bq/M3
		12/6/95	ND	.00012	Bq/M3
	Beta	1/18/95	ND	.0004	Bq/M3
		1/24/95	.00037	.0004	Bq/M3
		2/2/95	.0003	.0003	Bq/M3
		2/9/95	.00096	.0005	Bq/M3
		2/16/95	.00085	.0004	Bq/M3
		2/22/95	.00074	.0005	Bq/M3
		3/3/95	.001	.0004	Bq/M3
		3/7/95	.0015	.0007	Bq/M3
		3/14/95	.0016	.0004	Bq/M3
		3/22/95	ND	.0004	Bq/M3
		3/28/95	.00044	.0003	Bq/M3
		4/6/95	.00052	.0003	Bq/M3
		4/11/95	.00066	.0003	Bq/M3
		4/18/95	ND	.0004	Bq/M3
		4/25/95	ND	.0004	Bq/M3
		5/4/95	ND	.0004	Bq/M3
		5/9/95	.00068	.0006	Bq/M3
		5/16/95	.00077	.0006	Bq/M3
5/23/95	.00066	.0004	Bq/M3		
6/1/95	.00058	.0003	Bq/M3		
6/6/95	ND	.0009	Bq/M3		
6/13/95	.00072	.0006	Bq/M3		
6/20/95	ND	.0006	Bq/M3		
6/27/95	ND	.0007	Bq/M3		
7/3/95	ND	.0008	Bq/M3		
7/11/95	ND	.0005	Bq/M3		
7/18/95	ND	.006	Bq/M3		

Location	Analyte	Date	Result	MDA	Units	
1-216	Beta	7/25/95	ND	.0007	Bq/M3	
		7/31/95	ND	.0007	Bq/M3	
		8/7/95	ND	.0007	Bq/M3	
		8/14/95	.00059	.0006	Bq/M3	
		9/20/95	ND	.00009	Bq/M3	
		10/11/95	ND	.0008	Bq/M3	
		11/15/95	.0012	.0003	Bq/M3	
		12/6/95	ND	.0006	Bq/M3	
		Tritium	3/3/95	ND	9	Bq/M3
			3/7/95	ND	20	Bq/M3
			3/14/95	ND	12	Bq/M3
			3/22/95	39	13	Bq/M3
	3/28/95		68	11	Bq/M3	
	4/6/95		3.1	3	Bq/M3	
	4/11/95		83.1	7	Bq/M3	
	4/18/95		1.7	.5	Bq/M3	
	4/25/95		29.9	5	Bq/M3	
	5/4/95		5.6	4	Bq/M3	
	5/9/95		40.5	1	Bq/M3	
	5/16/95		22.7	.8	Bq/M3	
	5/23/95		6.99	.8	Bq/M3	
	6/1/95		4.2	.7	Bq/M3	
	6/6/95		8.08	1	Bq/M3	
	6/13/95		10.5	.8	Bq/M3	
	6/27/95		27.8	1.3	Bq/M3	
	7/3/95		28.8	3	Bq/M3	
	7/11/95		ND	1.2	Bq/M3	
	7/18/95		ND	.8	Bq/M3	
	7/25/95		ND	1.1	Bq/M3	
	7/31/95	ND	4	Bq/M3		
	8/7/95	ND	1.1	Bq/M3		
	8/14/95	ND	1	Bq/M3		
	9/20/95	1.24	.17	Bq/M3		
10/11/95	9.64	1.6	Bq/M3			
11/15/95	ND	.5	Bq/M3			
12/6/95	ND	1.1	Bq/M3			
1-373H	125I	1/6/95	ND	.005	Bq/M3	
		1/12/95	ND	.012	Bq/M3	
		1/18/95	ND	.0008	Bq/M3	
		1/24/95	ND	.0007	Bq/M3	
		2/2/95	ND	.0004	Bq/M3	

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
1-373H	125I	2/9/95	ND	.0005	Bq/M3
		2/16/95	ND	.0005	Bq/M3
		2/22/95	ND	.0006	Bq/M3
		3/3/95	ND	.0009	Bq/M3
		3/7/95	ND	.0007	Bq/M3
		3/14/95	ND	.0005	Bq/M3
		3/22/95	ND	.0004	Bq/M3
		3/28/95	ND	.0005	Bq/M3
		4/6/95	ND	.0002	Bq/M3
		4/11/95	ND	.0004	Bq/M3
		4/18/95	ND	.0003	Bq/M3
		4/25/95	ND	.0003	Bq/M3
		5/4/95	ND	.0002	Bq/M3
		5/9/95	ND	.0004	Bq/M3
		5/16/95	ND	.0003	Bq/M3
		5/23/95	ND	.0003	Bq/M3
		6/1/95	ND	.0002	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/20/95	ND	.0003	Bq/M3
		6/27/95	ND	.0003	Bq/M3
		7/3/95	ND	.0003	Bq/M3
		7/11/95	ND	.0003	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0003	Bq/M3
		7/31/95	ND	.0004	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.00006	Bq/M3
		10/11/95	ND	.0004	Bq/M3
		11/15/95	ND	.0003	Bq/M3
		12/6/95	ND	.0005	Bq/M3
		14C	3/3/95	ND	3
3/7/95	ND		6	Bq/M3	
3/14/95	ND		4	Bq/M3	
3/22/95	ND		7	Bq/M3	
3/28/95	ND		1.9	Bq/M3	
4/6/95	ND		1.3	Bq/M3	
4/11/95	ND		2	Bq/M3	
4/18/95	ND		1.4	Bq/M3	
4/25/95	ND	1.4	Bq/M3		
5/4/95	ND	6	Bq/M3		

Location	Analyte	Date	Result	MDA	Units	
1-373H	14C	5/9/95	ND	30	Bq/M3	
		5/16/95	ND	60	Bq/M3	
		5/23/95	ND	400	Bq/M3	
		6/1/95	1.8	1.2	Bq/M3	
		6/6/95	ND	1.9	Bq/M3	
		6/13/95	ND	1.3	Bq/M3	
		6/20/95	2	1.3	Bq/M3	
		6/27/95	.9	.8	Bq/M3	
		7/3/95	2.2	1.6	Bq/M3	
		7/11/95	1.3	1.1	Bq/M3	
		7/18/95	ND	1.4	Bq/M3	
		7/25/95	1.2	.7	Bq/M3	
		7/31/95	1.3	.8	Bq/M3	
		8/7/95	1.1	.7	Bq/M3	
		8/14/95	ND	.7	Bq/M3	
		9/20/95	.19	.13	Bq/M3	
		10/11/95	ND	1.8	Bq/M3	
		11/15/95	1.6	1.1	Bq/M3	
		12/6/95	ND	1.9	Bq/M3	
		Alpha	1/6/95	ND	.0009	Bq/M3
			1/12/95	.154	.0017	Bq/M3
			1/18/95	ND	.00011	Bq/M3
			1/24/95	ND	.00011	Bq/M3
			2/2/95	ND	.00015	Bq/M3
			2/9/95	.00015	.00011	Bq/M3
			2/16/95	ND	.00007	Bq/M3
		2/22/95	.00026	.00011	Bq/M3	
		3/3/95	.00041	.00019	Bq/M3	
		3/7/95	.00019	.00015	Bq/M3	
		3/14/95	.00026	.00011	Bq/M3	
		3/22/95	ND	.00019	Bq/M3	
		3/28/95	ND	.00003	Bq/M3	
		4/6/95	.00012	.00008	Bq/M3	
		4/11/95	ND	.00012	Bq/M3	
		4/18/95	ND	.0002	Bq/M3	
		4/25/95	ND	.0002	Bq/M3	
	5/4/95	ND	.00007	Bq/M3		
	5/9/95	ND	.0003	Bq/M3		
	5/16/95	ND	.0002	Bq/M3		
	5/23/95	ND	.00008	Bq/M3		
	6/1/95	ND	.00015	Bq/M3		
	6/6/95	ND	.0004	Bq/M3		
	6/13/95	ND	.0003	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
1-373H	Alpha	6/20/95	ND	.0003	Bq/M3
		6/27/95	ND	.0003	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/11/95	ND	.0003	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	ND	.0003	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.00005	Bq/M3
		10/11/95	ND	.0003	Bq/M3
		11/15/95	.00025	.00016	Bq/M3
	Beta	12/6/95	.00022	.00012	Bq/M3
		1/6/95	ND	.0016	Bq/M3
		1/12/95	18.8	.005	Bq/M3
		1/18/95	ND	.0004	Bq/M3
		1/24/95	.00037	.0004	Bq/M3
		2/2/95	.00026	.0003	Bq/M3
		2/9/95	.00078	.0004	Bq/M3
		2/16/95	.00074	.0004	Bq/M3
		2/22/95	.00074	.0005	Bq/M3
		3/3/95	.0028	.0009	Bq/M3
		3/7/95	.001	.0007	Bq/M3
		3/14/95	.00056	.0004	Bq/M3
		3/22/95	ND	.0004	Bq/M3
		3/28/95	ND	.0003	Bq/M3
		4/6/95	ND	.0003	Bq/M3
		4/11/95	ND	.0003	Bq/M3
		4/18/95	ND	.0004	Bq/M3
		4/25/95	ND	.0004	Bq/M3
		5/4/95	ND	.0004	Bq/M3
		5/9/95	ND	.0005	Bq/M3
		5/16/95	ND	.0006	Bq/M3
5/23/95	.00067	.0004	Bq/M3		
6/1/95	.0006	.0003	Bq/M3		
6/6/95	ND	.0009	Bq/M3		
6/13/95	ND	.0006	Bq/M3		
6/20/95	ND	.0006	Bq/M3		
6/27/95	ND	.0007	Bq/M3		
7/3/95	ND	.0008	Bq/M3		
7/11/95	ND	.0005	Bq/M3		
7/18/95	ND	.0006	Bq/M3		

Location	Analyte	Date	Result	MDA	Units	
1-373H	Beta	7/25/95	ND	.0007	Bq/M3	
		7/31/95	ND	.0007	Bq/M3	
		8/7/95	ND	.0007	Bq/M3	
		8/14/95	ND	.0006	Bq/M3	
		9/20/95	.00037	.00009	Bq/M3	
		10/11/95	ND	.0008	Bq/M3	
		11/15/95	.00065	.0003	Bq/M3	
		12/6/95	ND	.0006	Bq/M3	
		Tritium	3/3/95	9.5	9	Bq/M3
			3/7/95	ND	20	Bq/M3
			3/14/95	ND	12	Bq/M3
			3/22/95	24	20	Bq/M3
	3/28/95		72	11	Bq/M3	
	4/6/95		17	3	Bq/M3	
	4/11/95		21	9	Bq/M3	
	4/18/95		13	5	Bq/M3	
	4/25/95		17	5	Bq/M3	
	5/4/95		ND	19	Bq/M3	
	5/9/95		349	16	Bq/M3	
	5/16/95		1230	30	Bq/M3	
	5/23/95		2830	300	Bq/M3	
	6/1/95		11	.8	Bq/M3	
	6/6/95		14.5	1	Bq/M3	
	6/13/95		15.3	.8	Bq/M3	
	6/27/95		85.5	1.3	Bq/M3	
	7/3/95		43.1	3	Bq/M3	
	7/11/95		ND	1.2	Bq/M3	
	7/18/95		ND	.8	Bq/M3	
	7/25/95		ND	1	Bq/M3	
	7/31/95	ND	4	Bq/M3		
	8/7/95	ND	1.1	Bq/M3		
	8/14/95	ND	1	Bq/M3		
	9/20/95	2.58	.17	Bq/M3		
10/11/95	7.28	1.6	Bq/M3			
11/15/95	ND	.5	Bq/M3			
12/6/95	ND	1.1	Bq/M3			
1-471H	125I	1/6/95	ND	.01	Bq/M3	
		1/12/95	ND	.02	Bq/M3	
	Alpha	1/6/95	ND	.0019	Bq/M3	
		1/12/95	ND	.003	Bq/M3	
	Beta	1/6/95	ND	.003	Bq/M3	
1/12/95	.0707	.01	Bq/M3			

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
1A-216H	125I	1/6/95	ND	.005	Bq/M3
		1/12/95	ND	.012	Bq/M3
	Alpha	1/6/95	ND	.0009	Bq/M3
		1/12/95	ND	.0017	Bq/M3
	Beta	1/6/95	ND	.0016	Bq/M3
		1/12/95	.0231	.005	Bq/M3
3-318H	125I	1/6/95	ND	.007	Bq/M3
3-318H	Alpha	1/13/95	ND	.016	Bq/M3
		1/6/95	ND	.0005	Bq/M3
	Beta	1/13/95	.0024	.002	Bq/M3
		1/6/95	ND	.002	Bq/M3
3-E4	125I	1/13/95	.153	.007	Bq/M3
		1/6/95	ND	.01	Bq/M3
	14C	1/13/95	ND	.014	Bq/M3
		1/6/95	.74	.6	Bq/M3
	Alpha	1/13/95	1.6	1.4	Bq/M3
		1/6/95	ND	.0006	Bq/M3
		1/13/95	.02	.002	Bq/M3
		Beta	1/6/95	ND	.003
1/13/95	1.91		.006	Bq/M3	
55-128	125I	12/7/95	ND	.0005	Bq/M3
	Alpha	12/7/95	ND	.0008	Bq/M3
	Beta	12/7/95	ND	.0006	Bq/M3
55-151	125I	1/6/95	.338	.005	Bq/M3
62-250		1/6/95	ND	.005	Bq/M3
		1/13/95	ND	.011	Bq/M3
		1/25/95	ND	.0004	Bq/M3
		2/2/95	ND	.0005	Bq/M3
		2/9/95	ND	.0005	Bq/M3
		2/15/95	ND	.0006	Bq/M3
		2/22/95	ND	.0006	Bq/M3
		3/3/95	ND	.0004	Bq/M3
		3/8/95	ND	.0007	Bq/M3
		3/14/95	ND	.0006	Bq/M3
		3/22/95	ND	.0004	Bq/M3
		3/28/95	ND	.0005	Bq/M3
		4/6/95	ND	.0003	Bq/M3
		4/11/95	ND	.0004	Bq/M3
		4/19/95	ND	.0003	Bq/M3
		4/25/95	ND	.0004	Bq/M3
5/3/95	ND	.0003	Bq/M3		
5/9/95	ND	.0004	Bq/M3		

Location	Analyte	Date	Result	MDA	Units		
62-250	125I	5/16/95	ND	.0003	Bq/M3		
		5/23/95	ND	.0003	Bq/M3		
		6/1/95	ND	.0002	Bq/M3		
		6/6/95	ND	.0004	Bq/M3		
		6/13/95	ND	.0003	Bq/M3		
		6/21/95	ND	.0003	Bq/M3		
		6/27/95	ND	.0004	Bq/M3		
		7/3/95	ND	.0003	Bq/M3		
		7/11/95	ND	.0003	Bq/M3		
		7/18/95	ND	.0003	Bq/M3		
		7/25/95	ND	.0003	Bq/M3		
		7/31/95	ND	.0004	Bq/M3		
		8/7/95	ND	.0003	Bq/M3		
		8/14/95	ND	.0003	Bq/M3		
		9/20/95	ND	.00006	Bq/M3		
		10/11/95	ND	.0004	Bq/M3		
		11/15/95	ND	.0003	Bq/M3		
		12/6/95	ND	.0005	Bq/M3		
		14C		3/3/95	ND	3	Bq/M3
				3/8/95	ND	5	Bq/M3
				3/14/95	ND	4	Bq/M3
				3/22/95	ND	6	Bq/M3
				3/28/95	ND	1.7	Bq/M3
				4/6/95	ND	1.2	Bq/M3
				4/11/95	ND	1.9	Bq/M3
				4/19/95	ND	1.2	Bq/M3
				4/25/95	ND	1.7	Bq/M3
				5/3/95	3.4	2	Bq/M3
				5/9/95	ND	16	Bq/M3
				5/16/95	ND	15	Bq/M3
				6/1/95	ND	1.2	Bq/M3
				6/6/95	2.3	1.8	Bq/M3
				6/13/95	1.7	1.3	Bq/M3
				6/21/95	1.6	1.2	Bq/M3
				6/27/95	2.3	.9	Bq/M3
				7/3/95	2	1.5	Bq/M3
		7/11/95	1.6	1.1	Bq/M3		
		7/18/95	ND	1.4	Bq/M3		
		7/25/95	1	.6	Bq/M3		
		7/31/95	1.2	.8	Bq/M3		
		8/7/95	.99	.7	Bq/M3		
		8/14/95	ND	.7	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units	
62-250	14C	9/20/95	.18	.13	Bq/M3	
		10/11/95	ND	1	Bq/M3	
		11/15/95	1.7	1.1	Bq/M3	
	Alpha		12/6/95	ND	1.9	Bq/M3
			1/6/95	ND	.0003	Bq/M3
			1/13/95	.0027	.0016	Bq/M3
			1/25/95	ND	.00004	Bq/M3
			2/2/95	ND	.00019	Bq/M3
			2/15/95	ND	.00011	Bq/M3
			2/22/95	ND	.00011	Bq/M3
			3/3/95	.00019	.00007	Bq/M3
			3/8/95	ND	.00015	Bq/M3
			3/14/95	.00059	.00011	Bq/M3
			3/22/95	ND	.0002	Bq/M3
			3/28/95	ND	.00003	Bq/M3
			4/6/95	.000091	.00008	Bq/M3
			4/11/95	.00013	.00013	Bq/M3
			4/19/95	ND	.00019	Bq/M3
			4/25/95	ND	.0002	Bq/M3
			5/3/95	ND	.00008	Bq/M3
			5/9/95	ND	.0003	Bq/M3
			5/16/95	ND	.0002	Bq/M3
			5/23/95	ND	.00008	Bq/M3
			6/1/95	ND	.00015	Bq/M3
			6/6/95	ND	.0004	Bq/M3
			6/13/95	ND	.0003	Bq/M3
			6/21/95	ND	.0003	Bq/M3
			6/27/95	ND	.0004	Bq/M3
			7/3/95	ND	.0004	Bq/M3
			7/11/95	ND	.0003	Bq/M3
			7/18/95	ND	.0003	Bq/M3
			7/25/95	ND	.0002	Bq/M3
			7/31/95	ND	.0003	Bq/M3
8/7/95	ND	.0003	Bq/M3			
8/14/95	ND	.0003	Bq/M3			
9/20/95	ND	.00005	Bq/M3			
10/11/95	ND	.0003	Bq/M3			
11/15/95	.00022	.00015	Bq/M3			
12/6/95	ND	.00012	Bq/M3			
Beta		1/6/95	ND	.0016	Bq/M3	
		1/13/95	.172	.004	Bq/M3	
		1/25/95	ND	.00019	Bq/M3	

Location	Analyte	Date	Result	MDA	Units
62-250	Beta	2/2/95	.00033	.0003	Bq/M3
		2/15/95	.001	.0005	Bq/M3
		2/22/95	.00056	.0004	Bq/M3
		3/3/95	.0011	.0004	Bq/M3
		3/8/95	.0013	.0007	Bq/M3
		3/14/95	.001	.0005	Bq/M3
		3/22/95	ND	.0004	Bq/M3
		3/28/95	ND	.0004	Bq/M3
		4/6/95	.00038	.0004	Bq/M3
		4/11/95	.00037	.0003	Bq/M3
		4/19/95	ND	.0004	Bq/M3
		4/25/95	ND	.0005	Bq/M3
		5/3/95	ND	.0005	Bq/M3
		5/9/95	ND	.0005	Bq/M3
		5/16/95	.00062	.0006	Bq/M3
		5/23/95	.00066	.0004	Bq/M3
		6/1/95	.00075	.0003	Bq/M3
		6/6/95	ND	.0008	Bq/M3
		6/13/95	ND	.0006	Bq/M3
		6/21/95	ND	.0006	Bq/M3
		6/27/95	ND	.0008	Bq/M3
		7/3/95	ND	.0008	Bq/M3
		7/11/95	ND	.0005	Bq/M3
		7/18/95	ND	.0006	Bq/M3
		7/25/95	ND	.0006	Bq/M3
		7/31/95	ND	.0007	Bq/M3
		8/7/95	ND	.0007	Bq/M3
		8/14/95	ND	.0006	Bq/M3
		9/20/95	.00025	.00009	Bq/M3
		10/11/95	ND	.0008	Bq/M3
	11/15/95	.00054	.0003	Bq/M3	
	12/6/95	ND	.0006	Bq/M3	
		Tritium	3/3/95	27	9
	3/8/95		ND	17	Bq/M3
	3/14/95		ND	14	Bq/M3
	3/22/95		27	20	Bq/M3
	3/28/95		29	10	Bq/M3
	4/6/95		9.1	3	Bq/M3
	4/11/95		25	7	Bq/M3
	4/19/95		11	5	Bq/M3
	4/25/95		45.6	6	Bq/M3
	5/3/95	56.3	8	Bq/M3	

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units		
62-250	Tritium	5/9/95	286	8	Bq/M3		
		5/16/95	339	8	Bq/M3		
		6/1/95	4.62	.8	Bq/M3		
		6/6/95	12	1	Bq/M3		
		6/13/95	14.6	.8	Bq/M3		
		6/27/95	44.8	1.5	Bq/M3		
		7/3/95	773	3	Bq/M3		
		7/11/95	ND	1.2	Bq/M3		
		7/18/95	ND	.8	Bq/M3		
		7/25/95	ND	1	Bq/M3		
		7/31/95	ND	4	Bq/M3		
		8/7/95	ND	1.1	Bq/M3		
		8/14/95	ND	1	Bq/M3		
		9/20/95	2.41	.17	Bq/M3		
		10/11/95	1.7	.9	Bq/M3		
		11/15/95	ND	.5	Bq/M3		
		12/6/95	ND	1.2	Bq/M3		
		70-131A	Alpha	1/4/95	ND	.00015	Bq/M3
				1/12/95	ND	.0002	Bq/M3
				1/18/95	ND	.00011	Bq/M3
1/24/95	ND			.00011	Bq/M3		
2/1/95	ND			.00019	Bq/M3		
2/9/95	.00019			.00011	Bq/M3		
2/15/95	.00019			.00011	Bq/M3		
2/22/95	.00011			.00011	Bq/M3		
3/3/95	.00026			.00011	Bq/M3		
3/7/95	ND			.00019	Bq/M3		
3/14/95	.00015			.00011	Bq/M3		
3/23/95	ND			.00019	Bq/M3		
3/28/95	ND			.00003	Bq/M3		
4/6/95	.000097			.00009	Bq/M3		
4/11/95	ND			.00013	Bq/M3		
4/18/95	ND			.0002	Bq/M3		
4/25/95	ND			.0002	Bq/M3		
5/3/95	ND			.00008	Bq/M3		
5/9/95	ND			.0003	Bq/M3		
5/16/95	ND			.0002	Bq/M3		
5/24/95	ND			.00007	Bq/M3		
6/1/95	ND			.00017	Bq/M3		
6/6/95	ND			.0004	Bq/M3		
6/13/95	ND			.0004	Bq/M3		
6/21/95	ND			.019	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
70-131A	Alpha	6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	ND	.0005	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.03	Bq/M3
		10/11/95	ND	.00009	Bq/M3
		11/16/95	ND	.00016	Bq/M3
		12/6/95	.00027	.00012	Bq/M3
	Beta	1/4/95	.00059	.00015	Bq/M3
		1/12/95	.00022	.0002	Bq/M3
		1/18/95	ND	.0004	Bq/M3
		1/24/95	ND	.0004	Bq/M3
		2/1/95	ND	.0003	Bq/M3
		2/9/95	ND	.0004	Bq/M3
		2/15/95	.0007	.0005	Bq/M3
		2/22/95	ND	.0004	Bq/M3
		3/3/95	.0013	.0004	Bq/M3
		3/7/95	.0012	.0008	Bq/M3
		3/14/95	ND	.0004	Bq/M3
		3/23/95	ND	.0004	Bq/M3
		3/28/95	ND	.0004	Bq/M3
		4/6/95	ND	.0004	Bq/M3
		4/11/95	ND	.0003	Bq/M3
		4/18/95	ND	.0004	Bq/M3
		4/25/95	ND	.0004	Bq/M3
		5/3/95	ND	.0005	Bq/M3
		5/9/95	ND	.0005	Bq/M3
		5/16/95	ND	.0006	Bq/M3
		5/24/95	ND	.0003	Bq/M3
6/1/95	ND	.0004	Bq/M3		
6/6/95	ND	.0008	Bq/M3		
6/13/95	ND	.0007	Bq/M3		
6/21/95	ND	.03	Bq/M3		
6/27/95	ND	.0008	Bq/M3		
7/3/95	ND	.0008	Bq/M3		
7/12/95	ND	.0005	Bq/M3		
7/18/95	ND	.0007	Bq/M3		
7/25/95	ND	.0006	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70-131A	Beta	7/31/95	ND	.0014	Bq/M3
		8/7/95	ND	.0007	Bq/M3
		8/14/95	ND	.0006	Bq/M3
		9/20/95	ND	.05	Bq/M3
		10/11/95	ND	.0003	Bq/M3
		11/16/95	ND	.0003	Bq/M3
70-147A	125I	12/6/95	ND	.0006	Bq/M3
		1/6/95	ND	.005	Bq/M3
		1/12/95	.013	.012	Bq/M3
		1/18/95	ND	.001	Bq/M3
		1/24/95	ND	.001	Bq/M3
		2/1/95	ND	.0006	Bq/M3
		2/9/95	ND	.0007	Bq/M3
		2/15/95	ND	.0009	Bq/M3
		2/22/95	ND	.0006	Bq/M3
		3/3/95	ND	.0003	Bq/M3
		3/7/95	ND	.0007	Bq/M3
		3/14/95	ND	.0005	Bq/M3
		3/23/95	ND	.0004	Bq/M3
		3/28/95	ND	.0006	Bq/M3
		4/6/95	ND	.0002	Bq/M3
		4/11/95	ND	.0004	Bq/M3
		4/18/95	ND	.0003	Bq/M3
		4/25/95	ND	.0003	Bq/M3
		5/3/95	ND	.0002	Bq/M3
		5/9/95	ND	.0003	Bq/M3
		5/16/95	ND	.0003	Bq/M3
		5/24/95	ND	.0003	Bq/M3
		6/1/95	ND	.0003	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0003	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
7/25/95	ND	.0003	Bq/M3		
7/31/95	ND	.0004	Bq/M3		
8/7/95	ND	.0003	Bq/M3		
8/14/95	ND	.0003	Bq/M3		
9/20/95	1.47	.03	Bq/M3		
10/11/95	ND	.00013	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
70-147A	125I	11/16/95	ND	.0003	Bq/M3
		12/6/95	ND	.0006	Bq/M3
		3/3/95	2.7	3	Bq/M3
		3/7/95	ND	6	Bq/M3
		3/14/95	ND	4	Bq/M3
		3/23/95	4.6	4	Bq/M3
		3/28/95	ND	1.8	Bq/M3
		4/6/95	ND	1.2	Bq/M3
		4/11/95	ND	1.9	Bq/M3
		4/18/95	ND	1.4	Bq/M3
		4/25/95	ND	1.4	Bq/M3
		5/3/95	ND	1.3	Bq/M3
		5/9/95	ND	1.7	Bq/M3
		5/16/95	1.5	1.5	Bq/M3
		5/24/95	ND	1.2	Bq/M3
		6/1/95	ND	1.2	Bq/M3
		6/6/95	1.9	1.8	Bq/M3
		6/13/95	1.7	1.3	Bq/M3
		6/21/95	1.4	1.2	Bq/M3
		6/27/95	3.6	1.4	Bq/M3
		7/3/95	1.6	1.5	Bq/M3
		7/12/95	1.7	1	Bq/M3
		7/18/95	ND	1.6	Bq/M3
		7/25/95	1.1	.6	Bq/M3
		7/31/95	1.1	.8	Bq/M3
		8/7/95	.97	.7	Bq/M3
		8/14/95	ND	.7	Bq/M3
		9/20/95	140	80	Bq/M3
		10/11/95	1.3	.7	Bq/M3
		11/16/95	ND	1.1	Bq/M3
	12/6/95	ND	1.9	Bq/M3	
	Alpha	1/6/95	.0004	.0003	Bq/M3
		1/12/95	.0467	.0017	Bq/M3
1/18/95		ND	.00015	Bq/M3	
1/24/95		ND	.00015	Bq/M3	
2/1/95		ND	.0002	Bq/M3	
2/9/95		ND	.00011	Bq/M3	
2/15/95		ND	.00015	Bq/M3	
2/22/95	ND	.00011	Bq/M3		
3/3/95	.00037	.00007	Bq/M3		
3/7/95	ND	.00019	Bq/M3		
3/14/95	.00011	.00011	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units	
70-147A	Alpha	3/23/95	ND	.00019	Bq/M3	
		3/28/95	ND	.00003	Bq/M3	
		4/6/95	.000096	.00008	Bq/M3	
		4/11/95	ND	.00012	Bq/M3	
		4/18/95	ND	.0002	Bq/M3	
		4/25/95	ND	.0002	Bq/M3	
		5/3/95	ND	.00008	Bq/M3	
		5/9/95	ND	.0003	Bq/M3	
		5/16/95	ND	.0002	Bq/M3	
		5/24/95	ND	.00007	Bq/M3	
		6/1/95	ND	.00017	Bq/M3	
		6/6/95	ND	.0004	Bq/M3	
		6/13/95	ND	.0003	Bq/M3	
		6/21/95	ND	.0003	Bq/M3	
		6/27/95	ND	.0005	Bq/M3	
		7/3/95	ND	.0004	Bq/M3	
		7/12/95	ND	.0002	Bq/M3	
		7/18/95	ND	.0003	Bq/M3	
		7/25/95	ND	.0002	Bq/M3	
		7/31/95	ND	.0003	Bq/M3	
		8/7/95	ND	.0003	Bq/M3	
		8/14/95	ND	.0003	Bq/M3	
		9/20/95	ND	.03	Bq/M3	
		10/11/95	ND	.00009	Bq/M3	
		11/16/95	ND	.00015	Bq/M3	
		12/6/95	ND	.00012	Bq/M3	
		Beta	1/6/95	ND	.0016	Bq/M3
			1/12/95	4.92	.005	Bq/M3
			1/18/95	ND	.0005	Bq/M3
			1/24/95	ND	.0005	Bq/M3
	2/1/95		ND	.0004	Bq/M3	
	2/9/95		ND	.0006	Bq/M3	
	2/15/95		ND	.0007	Bq/M3	
2/22/95	ND		.0004	Bq/M3		
3/3/95	.001		.0003	Bq/M3		
3/7/95	ND		.0007	Bq/M3		
3/14/95	ND		.0004	Bq/M3		
3/23/95	ND		.0004	Bq/M3		
3/28/95	ND	.0004	Bq/M3			
4/6/95	ND	.0003	Bq/M3			
4/11/95	ND	.0003	Bq/M3			
4/18/95	ND	.0004	Bq/M3			

Location	Analyte	Date	Result	MDA	Units	
70-147A	Beta	4/25/95	ND	.0004	Bq/M3	
		5/3/95	ND	.0005	Bq/M3	
		5/9/95	ND	.0005	Bq/M3	
		5/16/95	ND	.0006	Bq/M3	
		5/24/95	.00033	.0003	Bq/M3	
		6/1/95	.00036	.0004	Bq/M3	
		6/6/95	ND	.0008	Bq/M3	
		6/13/95	ND	.0006	Bq/M3	
		6/21/95	ND	.0006	Bq/M3	
		6/27/95	ND	.001	Bq/M3	
		7/3/95	ND	.0008	Bq/M3	
		7/12/95	ND	.0005	Bq/M3	
		7/18/95	ND	.0007	Bq/M3	
		7/25/95	ND	.0006	Bq/M3	
		7/31/95	ND	.0007	Bq/M3	
		8/7/95	ND	.0007	Bq/M3	
		8/14/95	ND	.0006	Bq/M3	
		9/20/95	ND	.05	Bq/M3	
		10/11/95	ND	.0003	Bq/M3	
		11/16/95	.00032	.0003	Bq/M3	
		12/6/95	ND	.0006	Bq/M3	
		Tritium	3/3/95	37.1	9	Bq/M3
			3/7/95	ND	20	Bq/M3
	3/14/95		ND	12	Bq/M3	
	3/23/95		72.4	15	Bq/M3	
	3/28/95		49.1	11	Bq/M3	
	4/6/95		26	3	Bq/M3	
	4/11/95		32	7	Bq/M3	
	4/18/95		35.2	5	Bq/M3	
	4/25/95		27	5	Bq/M3	
	5/3/95		114	4	Bq/M3	
	5/9/95		32.5	.9	Bq/M3	
	5/16/95		33.1	.8	Bq/M3	
	5/24/95		22.5	.7	Bq/M3	
	6/1/95		12	.8	Bq/M3	
	6/6/95		24.2	.1	Bq/M3	
	6/13/95		31.6	.8	Bq/M3	
	6/27/95		99.2	3	Bq/M3	
	7/3/95		34.9	3	Bq/M3	
	7/12/95		4.45	1.1	Bq/M3	
	7/18/95		15.4	.9	Bq/M3	
	7/25/95		10.8	1	Bq/M3	

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70-147AE	Tritium	7/31/95	ND	4	Bq/M3
		8/7/95	11.6	1.1	Bq/M3
		8/14/95	ND	1.1	Bq/M3
		9/20/95	4020	100	Bq/M3
		10/11/95	ND	.6	Bq/M3
		11/16/95	5.56	.5	Bq/M3
70-147AE	125i	12/6/95	ND	1.2	Bq/M3
		1/6/95	ND	.005	Bq/M3
		1/12/95	ND	.012	Bq/M3
		1/18/95	.0022	.001	Bq/M3
		1/24/95	.0023	.0007	Bq/M3
		2/1/95	.00219	.0005	Bq/M3
		2/9/95	.00256	.0005	Bq/M3
		2/15/95	.0022	.0006	Bq/M3
		2/22/95	.0018	.0005	Bq/M3
		3/3/95	.00215	.0004	Bq/M3
		3/7/95	.0014	.0008	Bq/M3
		3/14/95	.00226	.0006	Bq/M3
		3/23/95	.0023	.0004	Bq/M3
		3/28/95	.0015	.0006	Bq/M3
		4/6/95	.00277	.0003	Bq/M3
		4/12/95	.00297	.0004	Bq/M3
		4/18/95	.00218	.0004	Bq/M3
		4/25/95	.00243	.0003	Bq/M3
		5/3/95	.0028	.0003	Bq/M3
		5/9/95	.00218	.0004	Bq/M3
		5/16/95	.00223	.0003	Bq/M3
		5/24/95	.00217	.0003	Bq/M3
		6/1/95	.00218	.0003	Bq/M3
		6/6/95	.00214	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/21/95	.0009	.0003	Bq/M3
6/27/95	.00244	.0004	Bq/M3		
7/3/95	.00239	.0003	Bq/M3		
7/12/95	.00196	.0002	Bq/M3		
7/18/95	.00194	.0003	Bq/M3		
7/25/95	.00228	.0003	Bq/M3		
7/31/95	.00285	.0004	Bq/M3		
8/7/95	.00278	.0003	Bq/M3		
8/14/95	.00251	.0003	Bq/M3		
9/20/95	ND	.00006	Bq/M3		
10/11/95	.00386	.0004	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
70-147AE	125I	11/16/95	.00331	.0003	Bq/M3
		12/6/95	.00322	.0006	Bq/M3
		3/3/95	ND	3	Bq/M3
		3/7/95	ND	6	Bq/M3
		3/14/95	ND	4	Bq/M3
		3/23/95	ND	4	Bq/M3
		3/28/95	ND	1.8	Bq/M3
		4/6/95	ND	1.2	Bq/M3
		4/12/95	ND	1.6	Bq/M3
		4/18/95	ND	1.6	Bq/M3
		4/25/95	ND	1.4	Bq/M3
		5/3/95	ND	1.3	Bq/M3
	5/9/95	ND	1.7	Bq/M3	
	5/16/95	ND	15	Bq/M3	
	5/24/95	ND	1.2	Bq/M3	
	6/1/95	ND	1.2	Bq/M3	
	6/6/95	ND	1.8	Bq/M3	
	6/13/95	1.5	1.3	Bq/M3	
	6/21/95	2	1.2	Bq/M3	
	6/27/95	1.4	.9	Bq/M3	
	7/3/95	2.6	1.6	Bq/M3	
	7/12/95	1.7	1	Bq/M3	
	7/18/95	ND	1.6	Bq/M3	
	7/25/95	ND	.7	Bq/M3	
	7/31/95	1.7	1.3	Bq/M3	
	8/7/95	.96	.7	Bq/M3	
	8/14/95	.84	.8	Bq/M3	
	9/20/95	.32	.19	Bq/M3	
	10/11/95	2.6	1.8	Bq/M3	
	11/16/95	1.7	1.1	Bq/M3	
	12/6/95	ND	1.9	Bq/M3	
	Alpha	1/6/95	ND	.0003	Bq/M3
		1/12/95	.003	.0017	Bq/M3
1/18/95		ND	.00015	Bq/M3	
1/24/95		ND	.00011	Bq/M3	
2/1/95		.00022	.00019	Bq/M3	
2/9/95		.00015	.00007	Bq/M3	
2/15/95		.00011	.00011	Bq/M3	
2/22/95		ND	.00011	Bq/M3	
3/3/95		.00037	.00007	Bq/M3	
3/7/95		ND	.00019	Bq/M3	
3/14/95		.00026	.00011	Bq/M3	

Location	Analyte	Date	Result	MDA	Units	
70-147AE	Alpha	3/23/95	ND	.0002	Bq/M3	
		3/28/95	ND	.00004	Bq/M3	
		4/6/95	ND	.00009	Bq/M3	
		4/12/95	ND	.00012	Bq/M3	
		4/18/95	ND	.0003	Bq/M3	
		4/25/95	ND	.0002	Bq/M3	
		5/3/95	ND	.00009	Bq/M3	
		5/9/95	ND	.0003	Bq/M3	
		5/16/95	ND	.0002	Bq/M3	
		5/24/95	ND	.00007	Bq/M3	
		6/1/95	ND	.00017	Bq/M3	
		6/6/95	ND	.0004	Bq/M3	
		6/13/95	ND	.0003	Bq/M3	
		6/21/95	ND	.0004	Bq/M3	
		6/27/95	ND	.0004	Bq/M3	
		7/3/95	ND	.0004	Bq/M3	
		7/12/95	ND	.0002	Bq/M3	
		7/18/95	ND	.0003	Bq/M3	
		7/25/95	ND	.0002	Bq/M3	
		7/31/95	ND	.0003	Bq/M3	
		8/7/95	ND	.0003	Bq/M3	
		8/14/95	ND	.0003	Bq/M3	
		9/20/95	ND	.00005	Bq/M3	
		10/11/95	ND	.0003	Bq/M3	
		11/16/95	.00027	.00015	Bq/M3	
		12/6/95	.00014	.00012	Bq/M3	
		Beta	1/6/95	ND	.0016	Bq/M3
			1/12/95	.12	.005	Bq/M3
			1/18/95	ND	.0005	Bq/M3
			1/24/95	ND	.0004	Bq/M3
	2/1/95		.00059	.0003	Bq/M3	
	2/9/95		.00056	.0004	Bq/M3	
	2/15/95		ND	.0005	Bq/M3	
2/22/95	ND		.0004	Bq/M3		
3/3/95	.00067		.0004	Bq/M3		
3/7/95	.001		.0008	Bq/M3		
3/14/95	.00048		.0005	Bq/M3		
3/23/95	ND		.0004	Bq/M3		
3/28/95	ND	.0004	Bq/M3			
4/6/95	ND	.0004	Bq/M3			
4/12/95	ND	.0003	Bq/M3			
4/18/95	ND	.0005	Bq/M3			

Location	Analyte	Date	Result	MDA	Units	
70-147AE	Alpha	4/25/95	ND	.0005	Bq/M3	
		5/3/95	ND	.0006	Bq/M3	
		5/9/95	ND	.0005	Bq/M3	
		5/16/95	ND	.0006	Bq/M3	
		5/24/95	ND	.0003	Bq/M3	
		6/1/95	ND	.0004	Bq/M3	
		6/6/95	ND	.0008	Bq/M3	
		6/13/95	ND	.0006	Bq/M3	
		6/21/95	ND	.0006	Bq/M3	
		6/27/95	ND	.0008	Bq/M3	
		7/3/95	ND	.0008	Bq/M3	
		7/12/95	ND	.0005	Bq/M3	
		7/18/95	ND	.0007	Bq/M3	
		7/25/95	ND	.0006	Bq/M3	
		7/31/95	ND	.0007	Bq/M3	
		8/7/95	ND	.0007	Bq/M3	
		8/14/95	ND	.0006	Bq/M3	
		9/20/95	ND	.00009	Bq/M3	
		10/11/95	ND	.0008	Bq/M3	
		11/16/95	.0012	.0003	Bq/M3	
		12/6/95	ND	.0006	Bq/M3	
		Tritium	3/3/95	40.9	9	Bq/M3
			3/7/95	ND	20	Bq/M3
			3/14/95	ND	12	Bq/M3
			3/23/95	38	15	Bq/M3
			3/28/95	98.2	11	Bq/M3
			4/6/95	9.2	3	Bq/M3
			4/12/95	24600	6	Bq/M3
			4/18/95	24	6	Bq/M3
	4/25/95		46.2	5	Bq/M3	
	5/3/95		184000	4	Bq/M3	
	5/9/95		39.9	.9	Bq/M3	
	5/16/95		263	8	Bq/M3	
	5/24/95		12.9	.7	Bq/M3	
	6/1/95		4.4	.8	Bq/M3	
	6/6/95		4.3	1	Bq/M3	
	6/13/95		21.9	.8	Bq/M3	
	7/3/95		23.7	4	Bq/M3	
	7/12/95		ND	1.1	Bq/M3	
	7/18/95	2.4	.9	Bq/M3		
	7/25/95	3.7	1.1	Bq/M3		
	7/31/95	ND	6	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70-147AE	Tritium	8/7/95	ND	1.1	Bq/M3
		8/14/95	ND	1.1	Bq/M3
		9/20/95	7.52	.2	Bq/M3
		10/11/95	5.99	1.6	Bq/M3
		11/16/95	3.06	.5	Bq/M3
		12/6/95	ND	1.2	Bq/M3
70-157H	Alpha	1/4/95	ND	.00013	Bq/M3
		1/12/95	ND	.00019	Bq/M3
		1/18/95	ND	.00011	Bq/M3
		1/24/95	ND	.00011	Bq/M3
		2/1/95	ND	.00019	Bq/M3
		2/9/95	.00011	.00011	Bq/M3
		2/15/95	.00015	.00015	Bq/M3
		2/22/95	.00015	.00011	Bq/M3
		3/3/95	.00022	.00011	Bq/M3
		3/7/95	ND	.00019	Bq/M3
		3/14/95	ND	.00011	Bq/M3
		3/23/95	ND	.0002	Bq/M3
		3/28/95	ND	.0002	Bq/M3
		4/6/95	.00016	.0001	Bq/M3
		4/11/95	ND	.00016	Bq/M3
		4/18/95	ND	.0003	Bq/M3
		4/25/95	ND	.0003	Bq/M3
		5/3/95	ND	.00011	Bq/M3
		5/9/95	ND	.0003	Bq/M3
		5/16/95	ND	.0002	Bq/M3
		5/24/95	ND	.00007	Bq/M3
		6/1/95	ND	.00016	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/21/95	ND	.0004	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0003	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
7/31/95	ND	.0003	Bq/M3		
8/7/95	ND	.0003	Bq/M3		
8/14/95	ND	.0003	Bq/M3		
9/20/95	ND	.03	Bq/M3		
10/11/95	.00011	.00009	Bq/M3		
11/16/95	.00016	.00015	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
70-157H	Alpha	12/6/95	ND	.00012	Bq/M3
		1/4/95	.00019	.00015	Bq/M3
	Beta	1/12/95	ND	.00019	Bq/M3
	1/18/95	.00044	.0004	Bq/M3	
	1/24/95	ND	.0004	Bq/M3	
	2/1/95	ND	.0003	Bq/M3	
	2/9/95	ND	.0005	Bq/M3	
	2/15/95	.00074	.0006	Bq/M3	
	2/22/95	.0011	.0005	Bq/M3	
	3/3/95	.0017	.0005	Bq/M3	
	3/7/95	.0011	.0009	Bq/M3	
	3/14/95	ND	.0005	Bq/M3	
	3/23/95	ND	.0004	Bq/M3	
	3/28/95	ND	.0005	Bq/M3	
	4/6/95	ND	.0004	Bq/M3	
	4/11/95	ND	.0004	Bq/M3	
	4/18/95	ND	.0005	Bq/M3	
	4/25/95	ND	.0006	Bq/M3	
	5/3/95	ND	.0007	Bq/M3	
	5/9/95	ND	.0006	Bq/M3	
	5/16/95	ND	.0006	Bq/M3	
	5/24/95	.0007	.0003	Bq/M3	
	6/1/95	.00055	.0004	Bq/M3	
	6/6/95	ND	.0008	Bq/M3	
	6/13/95	ND	.0006	Bq/M3	
	6/21/95	ND	.0006	Bq/M3	
	6/27/95	ND	.0008	Bq/M3	
	7/3/95	ND	.0007	Bq/M3	
	7/12/95	ND	.0006	Bq/M3	
	7/18/95	ND	.0007	Bq/M3	
	7/25/95	ND	.0006	Bq/M3	
	7/31/95	ND	.0007	Bq/M3	
	8/7/95	ND	.0007	Bq/M3	
8/14/95	ND	.0006	Bq/M3		
9/20/95	.13	.05	Bq/M3		
10/11/95	ND	.0003	Bq/M3		
11/16/95	.00062	.0003	Bq/M3		
12/6/95	.00062	.0006	Bq/M3		
70-203H	Alpha	1/4/95	ND	.00013	Bq/M3
		1/12/95	ND	.0002	Bq/M3
		1/20/95	ND	.00007	Bq/M3
		1/24/95	ND	.00015	Bq/M3

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70-203H	Alpha	2/1/95	ND	.00019	Bq/M3
		2/9/95	ND	.00007	Bq/M3
		2/15/95	ND	.00011	Bq/M3
		2/22/95	.00019	.00011	Bq/M3
		3/3/95	ND	.00011	Bq/M3
		3/7/95	ND	.00015	Bq/M3
		3/14/95	.00019	.00011	Bq/M3
		3/23/95	ND	.00019	Bq/M3
		3/28/95	ND	.00019	Bq/M3
		4/6/95	.00011	.00008	Bq/M3
		4/11/95	ND	.00012	Bq/M3
		4/18/95	ND	.00019	Bq/M3
		4/25/95	ND	.0002	Bq/M3
		5/3/95	ND	.00008	Bq/M3
		5/9/95	ND	.0002	Bq/M3
		5/16/95	ND	.0002	Bq/M3
		5/24/95	ND	.00007	Bq/M3
		6/1/95	ND	.00017	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0005	Bq/M3
		6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	ND	.0003	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.004	Bq/M3
	10/11/95	ND	.00013	Bq/M3	
	11/16/95	ND	.00016	Bq/M3	
	12/6/95	ND	.00012	Bq/M3	
Beta	1/4/95	.00052	.00015	Bq/M3	
	1/12/95	ND	.0002	Bq/M3	
	1/20/95	.0003	.0003	Bq/M3	
	1/24/95	ND	.0006	Bq/M3	
	2/1/95	ND	.0003	Bq/M3	
	2/9/95	.00059	.0004	Bq/M3	
	2/15/95	.00059	.0004	Bq/M3	
2/22/95	.00041	.0004	Bq/M3		
3/3/95	.0012	.0004	Bq/M3		

Data Table APP-4-2

Stack Exhaust

Location	Analyte	Date	Result	MDA	Units		
70-203H	Beta	3/7/95	.00096	.0007	Bq/M3		
		3/14/95	ND	.0004	Bq/M3		
		3/23/95	ND	.0004	Bq/M3		
		3/28/95	ND	.0004	Bq/M3		
		4/6/95	ND	.0003	Bq/M3		
		4/11/95	ND	.0003	Bq/M3		
		4/18/95	ND	.0004	Bq/M3		
		4/25/95	ND	.0004	Bq/M3		
		5/3/95	ND	.0005	Bq/M3		
		5/9/95	ND	.0005	Bq/M3		
		5/16/95	ND	.0006	Bq/M3		
		5/24/95	.00057	.0003	Bq/M3		
		6/1/95	.00056	.0004	Bq/M3		
		6/6/95	ND	.0008	Bq/M3		
		6/13/95	ND	.0009	Bq/M3		
		6/21/95	ND	.0006	Bq/M3		
		6/27/95	ND	.0008	Bq/M3		
		7/3/95	ND	.0008	Bq/M3		
		7/12/95	ND	.0005	Bq/M3		
		7/18/95	ND	.0007	Bq/M3		
		7/25/95	ND	.0006	Bq/M3		
		7/31/95	ND	.0007	Bq/M3		
		8/7/95	ND	.0007	Bq/M3		
		8/14/95	ND	.0006	Bq/M3		
		9/20/95	ND	.007	Bq/M3		
		10/11/95	ND	.0004	Bq/M3		
		11/16/95	.00062	.0003	Bq/M3		
		12/6/95	ND	.0006	Bq/M3		
		70A-1129	Alpha	1/4/95	ND	.00013	Bq/M3
				1/12/95	ND	.00019	Bq/M3
				1/18/95	ND	.00011	Bq/M3
1/24/95	ND			.00011	Bq/M3		
2/1/95	ND			.00019	Bq/M3		
2/9/95	.000074			.00007	Bq/M3		
2/15/95	.00011			.00011	Bq/M3		
2/22/95	.00011			.00011	Bq/M3		
3/3/95	.00015			.00007	Bq/M3		
3/7/95	ND			.00015	Bq/M3		
3/14/95	ND			.00011	Bq/M3		
3/23/95	ND			.00004	Bq/M3		
3/28/95	ND			.00003	Bq/M3		
4/6/95	ND	.00008	Bq/M3				

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70A-1129	Alpha	4/11/95	ND	.00012	Bq/M3
		4/18/95	ND	.00019	Bq/M3
		4/25/95	ND	.0002	Bq/M3
		5/3/95	ND	.00007	Bq/M3
		5/9/95	ND	.0002	Bq/M3
		5/16/95	ND	.0002	Bq/M3
		5/24/95	ND	.00007	Bq/M3
		6/1/95	ND	.00017	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	ND	.0003	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	.000068	.00005	Bq/M3
	10/11/95	ND	.0003	Bq/M3	
	11/16/95	.00026	.00015	Bq/M3	
	12/6/95	ND	.00012	Bq/M3	
	Beta	1/4/95	.00026	.00015	Bq/M3
		1/12/95	ND	.0002	Bq/M3
		1/18/95	ND	.0004	Bq/M3
		1/24/95	ND	.0004	Bq/M3
2/1/95		ND	.0003	Bq/M3	
2/9/95		.0014	.0004	Bq/M3	
2/15/95		.00059	.0004	Bq/M3	
2/22/95		.00063	.0004	Bq/M3	
3/3/95		.0011	.0003	Bq/M3	
3/7/95		.00085	.0007	Bq/M3	
3/14/95		ND	.0004	Bq/M3	
3/23/95		ND	.0004	Bq/M3	
3/28/95		ND	.0004	Bq/M3	
4/6/95		ND	.0003	Bq/M3	
4/11/95		ND	.0003	Bq/M3	
4/18/95		ND	.0004	Bq/M3	
4/25/95		ND	.0004	Bq/M3	
5/3/95	ND	.0005	Bq/M3		
5/9/95	ND	.0005	Bq/M3		

Location	Analyte	Date	Result	MDA	Units		
70A-1129H	Beta	5/16/95	ND	.0006	Bq/M3		
		5/24/95	ND	.0003	Bq/M3		
		6/1/95	.00052	.0004	Bq/M3		
		6/6/95	ND	.0008	Bq/M3		
		6/13/95	ND	.0006	Bq/M3		
		6/21/95	ND	.0006	Bq/M3		
		6/27/95	ND	.0008	Bq/M3		
		7/3/95	ND	.0008	Bq/M3		
		7/12/95	ND	.0005	Bq/M3		
		7/18/95	ND	.0007	Bq/M3		
		7/25/95	ND	.0006	Bq/M3		
		7/31/95	ND	.0007	Bq/M3		
		8/7/95	ND	.0007	Bq/M3		
		8/14/95	ND	.0006	Bq/M3		
		9/20/95	.00025	.00009	Bq/M3		
		10/11/95	ND	.0007	Bq/M3		
		11/16/95	.00882	.0003	Bq/M3		
		12/6/95	ND	.0006	Bq/M3		
		70A-1129H	Alpha	1/4/95	ND	.00013	Bq/M3
				1/12/95	ND	.0002	Bq/M3
1/18/95	ND			.00011	Bq/M3		
1/24/95	ND			.00011	Bq/M3		
2/1/95	ND			.00019	Bq/M3		
2/9/95	ND			.00007	Bq/M3		
2/15/95	ND			.00011	Bq/M3		
2/22/95	ND			.00011	Bq/M3		
3/3/95	ND			.00011	Bq/M3		
3/7/95	ND			.00019	Bq/M3		
3/14/95	ND			.00011	Bq/M3		
3/23/95	ND			.00004	Bq/M3		
3/28/95	ND			.00003	Bq/M3		
4/6/95	.00027			.00008	Bq/M3		
4/11/95	.0002			.00012	Bq/M3		
4/18/95	.00041			.0002	Bq/M3		
4/25/95	.00061			.0002	Bq/M3		
5/3/95	.00011	.00007	Bq/M3				
5/9/95	.00367	.0002	Bq/M3				
5/16/95	.00046	.0002	Bq/M3				
5/24/95	.00052	.00007	Bq/M3				
6/1/95	.00049	.00017	Bq/M3				
6/6/95	.0017	.0004	Bq/M3				
6/13/95	.00054	.0003	Bq/M3				

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70A-1129H	Alpha	6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0002	Bq/M3
		7/12/95	.00084	.00016	Bq/M3
		7/18/95	ND	.0002	Bq/M3
		7/25/95	.0002	.00009	Bq/M3
		7/31/95	.00024	.00011	Bq/M3
		8/7/95	.0018	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	.000068	.00005	Bq/M3
		10/11/95	ND	.0003	Bq/M3
		11/16/95	.00016	.00015	Bq/M3
		12/6/95	.00032	.00012	Bq/M3
		1/4/95	.0012	.00015	Bq/M3
		1/12/95	.00341	.0002	Bq/M3
	1/18/95	.0028	.0004	Bq/M3	
	1/24/95	.00504	.0004	Bq/M3	
	2/1/95	.0016	.0003	Bq/M3	
	2/9/95	.0014	.0004	Bq/M3	
	2/15/95	.002	.0004	Bq/M3	
	2/22/95	.001	.0004	Bq/M3	
	3/3/95	.0019	.0004	Bq/M3	
	3/7/95	.0021	.0007	Bq/M3	
	3/14/95	.0021	.0004	Bq/M3	
	3/23/95	.007	.0004	Bq/M3	
	3/28/95	.0027	.0004	Bq/M3	
	4/6/95	.00259	.0003	Bq/M3	
	4/11/95	.00158	.0003	Bq/M3	
	4/18/95	.00209	.0004	Bq/M3	
	4/25/95	.00419	.0004	Bq/M3	
	5/3/95	.011	.0005	Bq/M3	
	5/9/95	.0347	.0005	Bq/M3	
	5/16/95	.0135	.0006	Bq/M3	
5/24/95	.0437	.0003	Bq/M3		
6/1/95	.0329	.0004	Bq/M3		
6/6/95	.0195	.0008	Bq/M3		
6/13/95	.00369	.0006	Bq/M3		
6/21/95	.00292	.0006	Bq/M3		
6/27/95	.00421	.0008	Bq/M3		
7/3/95	.00745	.0008	Bq/M3		
7/12/95	.0108	.0005	Bq/M3		
7/18/95	.0178	.0007	Bq/M3		
	Beta				

Location	Analyte	Date	Result	MDA	Units		
70A-1129H	Beta	7/25/95	.00553	.0006	Bq/M3		
		7/31/95	.0176	.0007	Bq/M3		
		8/7/95	.0203	.0007	Bq/M3		
		8/14/95	.00772	.0006	Bq/M3		
		9/20/95	.0233	.00009	Bq/M3		
		10/11/95	.0115	.0007	Bq/M3		
		11/16/95	.00073	.0003	Bq/M3		
		12/6/95	.00628	.0006	Bq/M3		
		70A-1129P	Alpha	1/4/95	ND	.00014	Bq/M3
				1/12/95	ND	.00019	Bq/M3
1/18/95	ND			.00011	Bq/M3		
1/24/95	ND			.00011	Bq/M3		
2/1/95	ND			.00019	Bq/M3		
2/9/95	ND			.00007	Bq/M3		
2/15/95	.0003			.00011	Bq/M3		
2/22/95	.00011			.00011	Bq/M3		
3/3/95	.0003			.00011	Bq/M3		
3/7/95	ND			.00015	Bq/M3		
3/14/95	ND			.00011	Bq/M3		
3/23/95	ND			.00019	Bq/M3		
3/28/95	ND			.00003	Bq/M3		
4/6/95	.00011			.00008	Bq/M3		
4/11/95	ND			.00012	Bq/M3		
4/18/95	ND			.0002	Bq/M3		
4/25/95	ND			.0002	Bq/M3		
5/3/95	ND			.00007	Bq/M3		
5/9/95	ND			.0002	Bq/M3		
5/16/95	ND			.0002	Bq/M3		
5/24/95	ND			.00007	Bq/M3		
6/1/95	ND			.00017	Bq/M3		
6/6/95	ND			.0004	Bq/M3		
6/13/95	ND			.0003	Bq/M3		
6/21/95	ND			.0003	Bq/M3		
6/27/95	ND			.0004	Bq/M3		
7/3/95	ND	.0004	Bq/M3				
7/12/95	ND	.0002	Bq/M3				
7/18/95	ND	.0003	Bq/M3				
7/25/95	ND	.0002	Bq/M3				
7/31/95	ND	.0003	Bq/M3				
8/7/95	ND	.0003	Bq/M3				
8/14/95	ND	.0003	Bq/M3				
9/20/95	ND	.00005	Bq/M3				

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70A-1129P	Alpha	10/11/95	ND	.0003	Bq/M3
		11/16/95	ND	.00015	Bq/M3
		12/6/95	ND	.00012	Bq/M3
	Beta	1/4/95	.00044	.00015	Bq/M3
		1/12/95	ND	.0002	Bq/M3
		1/18/95	ND	.0004	Bq/M3
		1/24/95	.00048	.0004	Bq/M3
		2/1/95	.00037	.0003	Bq/M3
		2/9/95	ND	.0004	Bq/M3
		2/15/95	ND	.0004	Bq/M3
		2/22/95	.00052	.0004	Bq/M3
		3/3/95	.0014	.0004	Bq/M3
		3/7/95	.0011	.0007	Bq/M3
		3/14/95	ND	.0004	Bq/M3
		3/23/95	ND	.0004	Bq/M3
		3/28/95	ND	.0004	Bq/M3
		4/6/95	.00036	.0003	Bq/M3
		4/11/95	ND	.0003	Bq/M3
		4/18/95	ND	.0004	Bq/M3
		4/25/95	ND	.0004	Bq/M3
		5/3/95	ND	.0005	Bq/M3
		5/9/95	ND	.0005	Bq/M3
		5/16/95	ND	.0006	Bq/M3
		5/24/95	.0005	.0003	Bq/M3
		6/1/95	ND	.0004	Bq/M3
		6/6/95	ND	.0008	Bq/M3
		6/13/95	ND	.0006	Bq/M3
		6/21/95	ND	.0006	Bq/M3
		6/27/95	ND	.0008	Bq/M3
		7/3/95	ND	.0008	Bq/M3
		7/12/95	ND	.0005	Bq/M3
		7/18/95	ND	.0007	Bq/M3
		7/25/95	ND	.0006	Bq/M3
7/31/95	ND	.0007	Bq/M3		
8/7/95	ND	.0007	Bq/M3		
8/14/95	ND	.0006	Bq/M3		
9/20/95	.00046	.00009	Bq/M3		
10/11/95	ND	.0007	Bq/M3		
11/16/95	.00043	.0003	Bq/M3		
12/6/95	ND	.0006	Bq/M3		
70A-1145	Alpha	1/4/95	ND	.00013	Bq/M3
		1/12/95	ND	.0002	Bq/M3

Location	Analyte	Date	Result	MDA	Units
70A-1145	Alpha	1/18/95	ND	.00011	Bq/M3
		1/24/95	ND	.00011	Bq/M3
		2/1/95	ND	.00019	Bq/M3
		2/9/95	ND	.00007	Bq/M3
		2/15/95	ND	.00011	Bq/M3
		2/22/95	ND	.00011	Bq/M3
		3/3/95	ND	.00007	Bq/M3
		3/7/95	ND	.00015	Bq/M3
		3/14/95	ND	.00011	Bq/M3
		3/23/95	ND	.00004	Bq/M3
		3/28/95	ND	.00003	Bq/M3
		4/6/95	.000096	.00008	Bq/M3
		4/11/95	ND	.00012	Bq/M3
		4/18/95	ND	.0002	Bq/M3
		4/25/95	ND	.0002	Bq/M3
		5/3/95	ND	.00007	Bq/M3
		5/9/95	ND	.0002	Bq/M3
		5/16/95	ND	.0002	Bq/M3
		5/24/95	ND	.00007	Bq/M3
		6/1/95	ND	.00017	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	ND	.0003	Bq/M3
		8/7/95	ND	.0003	Bq/M3
	8/14/95	ND	.0003	Bq/M3	
	9/20/95	ND	.00005	Bq/M3	
	10/11/95	ND	.0003	Bq/M3	
11/16/95	.00017	.00016	Bq/M3		
12/6/95	ND	.00012	Bq/M3		
Beta	1/4/95	.00022	.00015	Bq/M3	
	1/12/95	.00022	.0002	Bq/M3	
	1/18/95	ND	.0004	Bq/M3	
	1/24/95	ND	.0004	Bq/M3	
	2/1/95	ND	.0003	Bq/M3	
	2/9/95	ND	.0004	Bq/M3	
	2/15/95	ND	.0004	Bq/M3	

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units		
70A-1145	Beta	2/22/95	ND	.0004	Bq/M3		
		3/3/95	.00081	.0003	Bq/M3		
		3/7/95	ND	.0007	Bq/M3		
		3/14/95	ND	.0004	Bq/M3		
		3/23/95	ND	.0004	Bq/M3		
		3/28/95	ND	.0004	Bq/M3		
		4/6/95	ND	.0003	Bq/M3		
		4/11/95	ND	.0003	Bq/M3		
		4/18/95	ND	.0004	Bq/M3		
		4/25/95	ND	.0004	Bq/M3		
		5/3/95	ND	.0005	Bq/M3		
		5/9/95	ND	.0005	Bq/M3		
		5/16/95	ND	.0006	Bq/M3		
		5/24/95	.00054	.0003	Bq/M3		
		6/1/95	.00038	.0004	Bq/M3		
		6/6/95	ND	.0008	Bq/M3		
		6/13/95	ND	.0006	Bq/M3		
		6/21/95	ND	.0006	Bq/M3		
		6/27/95	ND	.0008	Bq/M3		
		7/3/95	ND	.0008	Bq/M3		
		7/12/95	ND	.0005	Bq/M3		
		7/18/95	ND	.0007	Bq/M3		
		7/25/95	ND	.0006	Bq/M3		
		7/31/95	ND	.0007	Bq/M3		
		8/7/95	ND	.0007	Bq/M3		
		8/14/95	ND	.0006	Bq/M3		
		9/20/95	.00015	.00009	Bq/M3		
		10/11/95	ND	.0007	Bq/M3		
		11/16/95	.00084	.0003	Bq/M3		
		12/6/95	ND	.0006	Bq/M3		
		70A-2211H	Alpha	1/4/95	ND	.00013	Bq/M3
				1/12/95	ND	.0002	Bq/M3
				1/18/95	ND	.00011	Bq/M3
1/24/95	ND			.00011	Bq/M3		
2/1/95	ND			.00019	Bq/M3		
2/9/95	.00011			.00007	Bq/M3		
2/15/95	ND			.00011	Bq/M3		
2/22/95	ND			.00011	Bq/M3		
3/3/95	ND			.00007	Bq/M3		
3/7/95	ND			.00019	Bq/M3		
3/14/95	ND	.00011	Bq/M3				
3/23/95	ND	.00019	Bq/M3				

Location	Analyte	Date	Result	MDA	Units
70A-2211H	Alpha	3/28/95	ND	.00019	Bq/M3
		4/6/95	ND	.00008	Bq/M3
		4/11/95	ND	.00012	Bq/M3
		4/18/95	ND	.0002	Bq/M3
		4/25/95	ND	.0002	Bq/M3
		5/3/95	ND	.00007	Bq/M3
		5/16/95	ND	.0002	Bq/M3
		5/24/95	ND	.00007	Bq/M3
		6/1/95	ND	.00017	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	ND	.0003	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.00005	Bq/M3
		10/11/95	ND	.0003	Bq/M3
		11/16/95	ND	.00018	Bq/M3
		12/6/95	ND	.00012	Bq/M3
	Beta	1/4/95	.00056	.00015	Bq/M3
		1/12/95	.00037	.0002	Bq/M3
		1/18/95	ND	.0004	Bq/M3
		1/24/95	ND	.0004	Bq/M3
		2/1/95	ND	.0003	Bq/M3
		2/9/95	.00041	.0004	Bq/M3
		2/15/95	ND	.0004	Bq/M3
		2/22/95	ND	.0004	Bq/M3
		3/3/95	ND	.0003	Bq/M3
3/7/95	ND	.0007	Bq/M3		
3/14/95	ND	.0004	Bq/M3		
3/23/95	ND	.0004	Bq/M3		
3/28/95	ND	.0004	Bq/M3		
4/6/95	ND	.0003	Bq/M3		
4/11/95	ND	.0003	Bq/M3		
4/18/95	ND	.0004	Bq/M3		
4/25/95	ND	.0004	Bq/M3		
5/3/95	ND	.0005	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units		
70A-2211H	Beta	5/16/95	ND	.0006	Bq/M3		
		5/24/95	.00038	.0003	Bq/M3		
		6/1/95	.00049	.0004	Bq/M3		
		6/6/95	ND	.0008	Bq/M3		
		6/13/95	ND	.0006	Bq/M3		
		6/21/95	ND	.0006	Bq/M3		
		6/27/95	ND	.0008	Bq/M3		
		7/3/95	ND	.0008	Bq/M3		
		7/12/95	ND	.0005	Bq/M3		
		7/18/95	ND	.0007	Bq/M3		
		7/25/95	ND	.0006	Bq/M3		
		7/31/95	ND	.0007	Bq/M3		
		8/7/95	ND	.0007	Bq/M3		
		8/14/95	ND	.0006	Bq/M3		
		9/20/95	ND	.00009	Bq/M3		
		10/11/95	ND	.0007	Bq/M3		
		11/16/95	ND	.0004	Bq/M3		
		12/6/95	ND	.0006	Bq/M3		
		70A-2217H	Alpha	1/4/95	ND	.00016	Bq/M3
				1/12/95	ND	.0002	Bq/M3
1/18/95	ND			.00011	Bq/M3		
1/24/95	ND			.00011	Bq/M3		
2/1/95	.00019			.00019	Bq/M3		
2/9/95	ND			.00007	Bq/M3		
2/15/95	ND			.00011	Bq/M3		
2/22/95	ND			.00011	Bq/M3		
3/3/95	.00022			.00011	Bq/M3		
3/7/95	ND			.00019	Bq/M3		
3/14/95	.00011			.00011	Bq/M3		
3/23/95	ND			.00019	Bq/M3		
3/28/95	ND			.00019	Bq/M3		
4/6/95	ND			.00008	Bq/M3		
4/11/95	ND			.00012	Bq/M3		
4/18/95	ND			.0002	Bq/M3		
4/25/95	ND			.0002	Bq/M3		
5/3/95	ND			.00007	Bq/M3		
5/9/95	ND			.0002	Bq/M3		
5/16/95	ND			.0002	Bq/M3		
5/24/95	ND	.00007	Bq/M3				
6/1/95	ND	.00017	Bq/M3				
6/6/95	ND	.0004	Bq/M3				
6/13/95	ND	.0003	Bq/M3				

Location	Analyte	Date	Result	MDA	Units
70A-2217H	Alpha	6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
		7/31/95	.00024	.00011	Bq/M3
		8/7/95	ND	.0003	Bq/M3
		8/14/95	ND	.0003	Bq/M3
		9/20/95	ND	.00005	Bq/M3
		10/11/95	ND	.0003	Bq/M3
		11/16/95	ND	.00015	Bq/M3
		12/6/95	ND	.00012	Bq/M3
	Beta	1/4/95	.00044	.00015	Bq/M3
		1/12/95	.00022	.0002	Bq/M3
		1/18/95	ND	.0004	Bq/M3
		1/24/95	ND	.0004	Bq/M3
		2/1/95	.00041	.0003	Bq/M3
		2/9/95	.00052	.0004	Bq/M3
		2/15/95	.00078	.0004	Bq/M3
		2/22/95	.00052	.0004	Bq/M3
		3/3/95	.0012	.0005	Bq/M3
		3/7/95	.0011	.0007	Bq/M3
		3/14/95	ND	.0004	Bq/M3
		3/23/95	ND	.0004	Bq/M3
		3/28/95	ND	.0004	Bq/M3
		4/6/95	ND	.0003	Bq/M3
		4/11/95	ND	.0003	Bq/M3
		4/18/95	ND	.0004	Bq/M3
		4/25/95	ND	.0004	Bq/M3
		5/3/95	ND	.0005	Bq/M3
		5/9/95	ND	.0005	Bq/M3
		5/16/95	ND	.0006	Bq/M3
		5/24/95	.00042	.0003	Bq/M3
6/1/95	.00044	.0004	Bq/M3		
6/6/95	ND	.0008	Bq/M3		
6/13/95	ND	.0006	Bq/M3		
6/21/95	ND	.0006	Bq/M3		
6/27/95	ND	.0008	Bq/M3		
7/3/95	ND	.0008	Bq/M3		
7/12/95	ND	.0005	Bq/M3		
7/18/95	ND	.0007	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
70A-2217H	Beta	7/25/95	ND	.0006	Bq/M3
		7/31/95	ND	.0007	Bq/M3
		8/7/95	ND	.0007	Bq/M3
		8/14/95	ND	.0006	Bq/M3
		9/20/95	.00037	.00009	Bq/M3
		10/11/95	ND	.0007	Bq/M3
		11/16/95	.00069	.0003	Bq/M3
		12/6/95	ND	.0006	Bq/M3
70A-2275	Alpha	1/4/95	ND	.00013	Bq/M3
		1/12/95	ND	.0002	Bq/M3
		1/18/95	.00011	.00011	Bq/M3
		1/24/95	ND	.00011	Bq/M3
		2/1/95	ND	.00019	Bq/M3
		2/9/95	ND	.00007	Bq/M3
		2/15/95	ND	.00011	Bq/M3
		2/22/95	ND	.00011	Bq/M3
		3/3/95	ND	.00007	Bq/M3
		3/7/95	ND	.00019	Bq/M3
		3/14/95	ND	.00011	Bq/M3
		3/23/95	.000048	.00004	Bq/M3
		3/28/95	ND	.00003	Bq/M3
		4/6/95	ND	.00008	Bq/M3
		4/11/95	ND	.00012	Bq/M3
		4/18/95	ND	.0002	Bq/M3
		4/25/95	ND	.0002	Bq/M3
		5/3/95	ND	.00007	Bq/M3
		5/9/95	ND	.0002	Bq/M3
		5/16/95	ND	.0002	Bq/M3
		5/24/95	ND	.00007	Bq/M3
		6/1/95	ND	.00017	Bq/M3
		6/6/95	ND	.0004	Bq/M3
		6/13/95	ND	.0003	Bq/M3
		6/21/95	ND	.0003	Bq/M3
		6/27/95	ND	.0004	Bq/M3
		7/3/95	ND	.0004	Bq/M3
		7/12/95	ND	.0002	Bq/M3
		7/18/95	ND	.0003	Bq/M3
		7/25/95	ND	.0002	Bq/M3
7/31/95	ND	.0003	Bq/M3		
8/7/95	ND	.0003	Bq/M3		
8/14/95	ND	.0003	Bq/M3		
9/20/95	ND	.00005	Bq/M3		

Data Table APP-4-2

Stack Exhaust

Location	Analyte	Date	Result	MDA	Units
70A-2275	Alpha	10/11/95	ND	.0003	Bq/M3
		11/16/95	ND	.00015	Bq/M3
		12/6/95	ND	.00012	Bq/M3
	Beta	1/4/95	.00037	.00015	Bq/M3
		1/12/95	ND	.0002	Bq/M3
		1/18/95	ND	.0004	Bq/M3
		1/24/95	ND	.0004	Bq/M3
		2/1/95	.0003	.0003	Bq/M3
		2/9/95	.00048	.0004	Bq/M3
		2/15/95	.00063	.0004	Bq/M3
		2/22/95	.00063	.0004	Bq/M3
		3/3/95	.001	.0003	Bq/M3
		3/7/95	.001	.0007	Bq/M3
		3/14/95	ND	.0004	Bq/M3
		3/23/95	ND	.0004	Bq/M3
		3/28/95	.00052	.0004	Bq/M3
		4/6/95	.00039	.0003	Bq/M3
		4/11/95	.00032	.0003	Bq/M3
		4/18/95	ND	.0004	Bq/M3
		4/25/95	ND	.0004	Bq/M3
		5/3/95	ND	.0005	Bq/M3
		5/9/95	ND	.0005	Bq/M3
		5/16/95	ND	.0006	Bq/M3
		5/24/95	.00036	.0003	Bq/M3
		6/1/95	.00065	.0004	Bq/M3
		6/6/95	ND	.0008	Bq/M3
		6/13/95	.00062	.0006	Bq/M3
		6/21/95	ND	.0006	Bq/M3
		6/27/95	ND	.0008	Bq/M3
		7/3/95	ND	.0008	Bq/M3
		7/12/95	ND	.0005	Bq/M3
		7/18/95	ND	.0007	Bq/M3
		7/25/95	ND	.0006	Bq/M3
7/31/95	ND	.0007	Bq/M3		
8/7/95	ND	.0007	Bq/M3		
8/14/95	ND	.0006	Bq/M3		
9/20/95	.00036	.00009	Bq/M3		
10/11/95	ND	.0007	Bq/M3		
11/16/95	ND	.0003	Bq/M3		
12/6/95	ND	.0006	Bq/M3		
74-166H	125I	1/6/95	ND	.000019	Bq/M3
		1/13/95	ND	.02	Bq/M3

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
74-166H	Alpha	1/6/95	ND	.0000004	Bq/M3
		1/13/95	.021	.003	Bq/M3
	Beta	1/6/95	ND	.000019	Bq/M3
		1/13/95	1.53	.009	Bq/M3
74-3080H	125I	1/6/95	ND	.005	Bq/M3
		1/13/95	ND	.02	Bq/M3
	Alpha	1/6/95	ND	.0009	Bq/M3
		1/13/95	.0085	.003	Bq/M3
	Beta	1/6/95	ND	.0016	Bq/M3
		1/13/95	.766	.009	Bq/M3
74-331H	125I	1/6/95	ND	.005	Bq/M3
		1/13/95	ND	.011	Bq/M3
	Alpha	1/6/95	ND	.0003	Bq/M3
		1/13/95	ND	.0016	Bq/M3
	Beta	1/6/95	ND	.0016	Bq/M3
		1/13/95	.0771	.004	Bq/M3
74-335H	125I	1/6/95	ND	.007	Bq/M3
		1/13/95	ND	.011	Bq/M3
	Alpha	1/6/95	ND	.0013	Bq/M3
		1/13/95	ND	.0016	Bq/M3
	Beta	1/6/95	ND	.002	Bq/M3
		1/13/95	.0219	.004	Bq/M3
Tritium	1/6/95	ND	1.9	Bq/M3	
	1/13/95	ND	3	Bq/M3	
75 NTLF-HT	Tritium	1/12/95	43300	1.9	Bq/M3
		1/18/95	533	.4	Bq/M3
		1/25/95	52.1	.3	Bq/M3
		2/2/95	31.3	.3	Bq/M3
		2/9/95	27.7	.4	Bq/M3
		2/15/95	23.8	.4	Bq/M3
		2/22/95	28.2	.3	Bq/M3
		3/3/95	548	4	Bq/M3
		3/8/95	77600	9	Bq/M3
		3/14/95	70800	7	Bq/M3
		3/22/95	2500	5	Bq/M3
		3/29/95	22800	8	Bq/M3
		4/6/95	2210	3	Bq/M3
		4/12/95	114	7	Bq/M3
		4/19/95	1680	5	Bq/M3
4/25/95	43600	6	Bq/M3		
5/3/95	123000	4	Bq/M3		
5/9/95	1740	5	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
75 NTLF-HT	Tritium	5/16/95	636	5	Bq/M3
		5/23/95	1070	4	Bq/M3
		5/31/95	724	2	Bq/M3
		6/7/95	2090	4	Bq/M3
		6/13/95	1240	4	Bq/M3
		6/27/95	120000	5	Bq/M3
		7/3/95	954	3	Bq/M3
		7/11/95	1170	4	Bq/M3
		7/18/95	1940	5	Bq/M3
		7/25/95	1510	5	Bq/M3
		7/31/95	602000	2	Bq/M3
		8/7/95	7.6	6	Bq/M3
		8/14/95	2310	1.7	Bq/M3
		8/30/95	86500	.8	Bq/M3
		9/7/95	7220	5	Bq/M3
		9/13/95	56.9	6	Bq/M3
		9/15/95	72	20	Bq/M3
		9/20/95	170	10	Bq/M3
		9/27/95	9.8	4	Bq/M3
		10/4/95	74.9	7	Bq/M3
		10/11/95	181	6	Bq/M3
		10/19/95	2470	5	Bq/M3
		10/25/95	904	8	Bq/M3
		11/3/95	365	4	Bq/M3
		11/9/95	581	6	Bq/M3
		11/15/95	190	9	Bq/M3
		11/22/95	444	8	Bq/M3
		11/29/95	303	8	Bq/M3
		12/6/95	177	6	Bq/M3
		12/14/95	13	4	Bq/M3
		12/21/95	263	1.6	Bq/M3
		75 NTLF-HTO	Tritium	1/12/95	73300
1/18/95	4140			.4	Bq/M3
1/25/95	1310			.3	Bq/M3
2/2/95	4910			.3	Bq/M3
2/9/95	5880			.4	Bq/M3
2/15/95	3130			.4	Bq/M3
2/22/95	3130			.3	Bq/M3
3/3/95	31300			4	Bq/M3
3/8/95	36100			9	Bq/M3
3/14/95	20900			7	Bq/M3
3/22/95	25900	5	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
75 NTLF-HTO	Tritium	3/29/95	1860	8	Bq/M3
		4/6/95	31500	3	Bq/M3
		4/12/95	23	7	Bq/M3
		4/19/95	ND	5	Bq/M3
		4/25/95	1060	6	Bq/M3
		5/3/95	11	4	Bq/M3
		5/9/95	57100	5	Bq/M3
		5/16/95	176000	5	Bq/M3
		5/23/95	19400	4	Bq/M3
		5/31/95	16.6	2	Bq/M3
		6/7/95	252000	4	Bq/M3
		6/13/95	98000	4	Bq/M3
		6/27/95	4220	5	Bq/M3
		7/3/95	8340	3	Bq/M3
		7/11/95	54400	4	Bq/M3
		7/18/95	70900	5	Bq/M3
		7/25/95	72100	5	Bq/M3
		7/31/95	87600	2	Bq/M3
		8/7/95	327	6	Bq/M3
		8/14/95	75500	1.7	Bq/M3
		8/30/95	125000	.8	Bq/M3
		9/7/95	10600	5	Bq/M3
		9/13/95	182000	6	Bq/M3
		9/15/95	23100	20	Bq/M3
		9/20/95	2560	10	Bq/M3
		9/27/95	9930	4	Bq/M3
		10/4/95	14500	7	Bq/M3
		10/11/95	13700	6	Bq/M3
		10/19/95	22000	5	Bq/M3
		10/25/95	12000	8	Bq/M3
		11/3/95	1770	4	Bq/M3
		11/9/95	177	6	Bq/M3
		11/15/95	ND	9	Bq/M3
		11/22/95	131	8	Bq/M3
11/29/95	14	8	Bq/M3		
12/6/95	14	6	Bq/M3		
12/14/95	8.3	4	Bq/M3		
12/21/95	9.81	1.6	Bq/M3		
75-107H	Tritium	1/25/95	1240	.4	Bq/M3
		2/2/95	789	.3	Bq/M3
		2/9/95	973	.4	Bq/M3
		2/15/95	566	.4	Bq/M3

Location	Analyte	Date	Result	MDA	Units
75-107H	Tritium	2/22/95	840	.3	Bq/M3
		3/3/95	9520	4	Bq/M3
		3/8/95	9860	9	Bq/M3
		3/14/95	7240	7	Bq/M3
		3/22/95	8010	5	Bq/M3
		3/29/95	49000	8	Bq/M3
		4/6/95	9100	3	Bq/M3
		4/12/95	7890	7	Bq/M3
		4/19/95	7100	5	Bq/M3
		4/25/95	17700	6	Bq/M3
		5/3/95	41500	4	Bq/M3
		5/16/95	13500	5	Bq/M3
		5/23/95	101000	4	Bq/M3
		5/31/95	33600	4	Bq/M3
		6/7/95	31500	5	Bq/M3
		6/13/95	18400	5	Bq/M3
		7/3/95	141000	4	Bq/M3
		7/11/95	6440	5	Bq/M3
		7/18/95	12100	6	Bq/M3
		7/25/95	31200	6	Bq/M3
		7/31/95	5470	2	Bq/M3
		8/7/95	21	6	Bq/M3
		8/14/95	7360	1.9	Bq/M3
		9/7/95	6040	1.8	Bq/M3
		9/13/95	1960	8	Bq/M3
		9/20/95	4010	7	Bq/M3
		9/27/95	5240	30	Bq/M3
		10/4/95	12500	30	Bq/M3
		10/11/95	13500	30	Bq/M3
		10/19/95	6130	6	Bq/M3
		10/25/95	4560	8	Bq/M3
		11/3/95	7680	4	Bq/M3
		11/9/95	2300	6	Bq/M3
		11/15/95	7720	9	Bq/M3
		11/22/95	5350	8	Bq/M3
		11/29/95	4610	8	Bq/M3
12/6/95	13600	6	Bq/M3		
12/14/95	7	4	Bq/M3		
12/21/95	7290	1.7	Bq/M3		
75-127	125I	1/19/95	ND.000019		Bq/M3
		1/25/95	ND.000019		Bq/M3
		2/2/95	ND.000019		Bq/M3

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
75-127	125I	2/9/95	ND.000019		Bq/M3
		2/15/95	ND.000019		Bq/M3
		2/22/95	ND.000019		Bq/M3
		3/3/95	ND.000019		Bq/M3
		3/8/95	ND .00003		Bq/M3
		3/14/95	ND.000019		Bq/M3
		3/22/95	ND.000019		Bq/M3
		3/29/95	ND.000019		Bq/M3
		4/6/95	ND.0000002		Bq/M3
		4/12/95	ND.0000004		Bq/M3
		4/19/95	ND.0000003		Bq/M3
		4/25/95	ND.0000004		Bq/M3
		5/3/95	ND.0000002		Bq/M3
		5/10/95	ND.0000004		Bq/M3
		5/16/95	ND.0000004		Bq/M3
		5/23/95	ND.0000003		Bq/M3
		5/31/95	ND.000003		Bq/M3
		6/7/95	ND.0000003		Bq/M3
		6/13/95	ND.0000003		Bq/M3
		6/21/95	ND.0000003		Bq/M3
		6/27/95	ND.0000004		Bq/M3
		7/3/95	ND.0000004		Bq/M3
		7/11/95	ND.0000003		Bq/M3
		7/18/95	ND .0003		Bq/M3
		7/25/95	ND.0000003		Bq/M3
		7/31/95	ND .0004		Bq/M3
		8/7/95	ND .0003		Bq/M3
		8/14/95	ND .0003		Bq/M3
		9/7/95	ND.0000001		Bq/M3
		9/13/95	ND.0000005		Bq/M3
		9/20/95	ND .0004		Bq/M3
		9/27/95	ND .0005		Bq/M3
	Alpha	1/25/95	ND .00011		Bq/M3
		2/2/95	ND .0008		Bq/M3
		2/9/95	ND .0005		Bq/M3
		2/15/95	ND.0000004		Bq/M3
		2/22/95	ND .0009		Bq/M3
		3/3/95	ND.0000004		Bq/M3
		3/8/95	ND.000019		Bq/M3
		3/14/95	ND.0000004		Bq/M3
		3/22/95	ND.0000004		Bq/M3
		3/29/95	ND.0000004		Bq/M3

Location	Analyte	Date	Result	MDA	Units	
75-127	Alpha	4/6/95	ND.0000004	Bq/M3		
		4/12/95	ND.0000014	Bq/M3		
		4/19/95	ND.0000001	Bq/M3		
		4/25/95	ND.0000012	Bq/M3		
		5/3/95	ND.0000004	Bq/M3		
		5/10/95	ND.0000007	Bq/M3		
		5/16/95	ND.0000006	Bq/M3		
		5/23/95	ND.0000005	Bq/M3		
		5/31/95	ND .00001	Bq/M3		
		6/7/95	ND.0000004	Bq/M3		
		6/13/95	ND.0000005	Bq/M3		
		6/21/95	ND.0000005	Bq/M3		
		6/27/95	ND.0000008	Bq/M3		
		7/3/95	ND.0000009	Bq/M3		
		7/11/95	ND.0000005	Bq/M3		
		7/18/95	ND .0006	Bq/M3		
		7/25/95	ND.0000006	Bq/M3		
		7/31/95	ND .0008	Bq/M3		
		8/7/95	ND .00012	Bq/M3		
		8/14/95	ND .0006	Bq/M3		
		9/7/95	ND.0000002	Bq/M3		
		9/13/95	ND.0000009	Bq/M3		
		9/20/95	ND .0008	Bq/M3		
		9/27/95	ND .0008	Bq/M3		
		Beta	1/25/95	ND .0004	Bq/M3	
			2/2/95	.00063	.0003	Bq/M3
			2/9/95	.001	.0004	Bq/M3
			2/15/95	ND.000019	Bq/M3	
			2/22/95	.00041	.0004	Bq/M3
			3/3/95	ND.000019	Bq/M3	
			3/8/95	ND.000019	Bq/M3	
			3/14/95	ND.000019	Bq/M3	
			3/22/95	ND.000019	Bq/M3	
	3/29/95		ND.000019	Bq/M3		
	4/6/95		.00000066.0000003	Bq/M3		
	4/12/95		ND.0000008	Bq/M3		
	4/19/95		ND.0000005	Bq/M3		
	4/25/95		ND.0000007	Bq/M3		
	5/3/95	.00000046.0000003	Bq/M3			
	5/10/95	.00000099.0000005	Bq/M3			
	5/16/95	.00000081.0000004	Bq/M3			
	5/23/95	.00000055.0000004	Bq/M3			

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units		
75-127	Beta	5/31/95	.0000066	.000006	Bq/M3		
		6/7/95	.0000061	.0000004	Bq/M3		
		6/13/95	.0000078	.0000005	Bq/M3		
		6/21/95	.0000069	.0000003	Bq/M3		
		6/27/95	.0000063	.0000005	Bq/M3		
		7/3/95	.0000084	.0000005	Bq/M3		
		7/11/95	ND	.0000004	Bq/M3		
		7/18/95	.00075	.0005	Bq/M3		
		7/25/95	.0000064	.0000004	Bq/M3		
		7/31/95	.00092	.0005	Bq/M3		
		8/7/95	.0005	.0004	Bq/M3		
		8/14/95	ND	.0004	Bq/M3		
		9/7/95	ND	.0000001	Bq/M3		
		9/13/95	ND	.0000005	Bq/M3		
		9/20/95	ND	.0005	Bq/M3		
		9/27/95	ND	.0007	Bq/M3		
		75-127B	125I	1/6/95	ND	.0009	Bq/M3
			14C	1/6/95	ND	.6	Bq/M3
			Alpha	1/6/95	ND	.0002	Bq/M3
Beta	1/6/95		ND	.0008	Bq/M3		
Tritium	1/6/95		37.3	.7	Bq/M3		
75-127EH	125I	10/4/95	ND	.0005	Bq/M3		
		10/11/95	ND	.0003	Bq/M3		
		10/19/95	ND	.0003	Bq/M3		
		10/25/95	ND	.0006	Bq/M3		
		11/3/95	ND	.0004	Bq/M3		
		11/9/95	ND	.0005	Bq/M3		
		11/15/95	ND	.0006	Bq/M3		
		11/22/95	ND	.0004	Bq/M3		
		11/29/95	ND	.0004	Bq/M3		
		12/6/95	ND	.0005	Bq/M3		
		12/14/95	ND	.0004	Bq/M3		
		12/21/95	ND	.0004	Bq/M3		
		Alpha	10/4/95	ND	.0008	Bq/M3	
			10/11/95	ND	.0008	Bq/M3	
			10/19/95	ND	.0007	Bq/M3	
			10/25/95	ND	.0011	Bq/M3	
			11/3/95	ND	.0008	Bq/M3	
			11/9/95	ND	.0007	Bq/M3	
			11/15/95	ND	.0009	Bq/M3	
	11/22/95	ND	.0008	Bq/M3			
11/29/95	ND	.0008	Bq/M3				

Location	Analyte	Date	Result	MDA	Units		
75-127EH	Alpha	12/6/95	ND	.0007	Bq/M3		
		12/14/95	ND	.0007	Bq/M3		
		12/21/95	ND	.0011	Bq/M3		
	Beta	10/4/95	ND	.0007	Bq/M3		
		10/11/95	ND	.0007	Bq/M3		
		10/19/95	ND	.0006	Bq/M3		
		10/25/95	ND	.0008	Bq/M3		
		11/3/95	ND	.0005	Bq/M3		
		11/9/95	ND	.0007	Bq/M3		
		11/15/95	ND	.0007	Bq/M3		
		11/22/95	ND	.0007	Bq/M3		
		11/29/95	ND	.0006	Bq/M3		
		12/6/95	ND	.0006	Bq/M3		
		12/14/95	ND	.0005	Bq/M3		
		12/21/95	ND	.0007	Bq/M3		
		75-127RT	125I	2/22/95	ND	.000019	Bq/M3
				3/3/95	ND	.000019	Bq/M3
				3/8/95	ND	.000019	Bq/M3
				3/14/95	ND	.000019	Bq/M3
3/22/95	ND			.000019	Bq/M3		
3/29/95	ND			.000019	Bq/M3		
4/6/95	ND			.000004	Bq/M3		
4/12/95	ND			.000007	Bq/M3		
4/19/95	ND			.000004	Bq/M3		
4/25/95	ND			.000006	Bq/M3		
5/3/95	ND			.000006	Bq/M3		
5/10/95	ND			.000004	Bq/M3		
5/16/95	ND			.000005	Bq/M3		
5/23/95	ND			.000004	Bq/M3		
5/31/95	ND			.000004	Bq/M3		
6/7/95	ND			.000005	Bq/M3		
6/13/95	ND			.000005	Bq/M3		
6/21/95	ND	.000004	Bq/M3				
6/27/95	ND	.000005	Bq/M3				
7/3/95	ND	.000005	Bq/M3				
7/11/95	ND	.000004	Bq/M3				
7/18/95	ND	.000005	Bq/M3				
7/25/95	ND	.000005	Bq/M3				
7/31/95	ND	.000006	Bq/M3				
8/7/95	ND	.000006	Bq/M3				
8/14/95	ND	.000006	Bq/M3				
9/7/95	ND	.000003	Bq/M3				

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
75-127RT	125l	9/13/95	ND	.000007	Bq/M3
		9/20/95	ND	.000007	Bq/M3
		9/27/95	ND	.000006	Bq/M3
		10/4/95	ND	.000006	Bq/M3
		10/11/95	ND	.000006	Bq/M3
		10/19/95	ND	.000005	Bq/M3
		10/25/95	ND	.000008	Bq/M3
		11/3/95	ND	.000005	Bq/M3
		11/9/95	ND	.000008	Bq/M3
		11/15/95	ND	.000007	Bq/M3
		11/22/95	ND	.000006	Bq/M3
		11/29/95	ND	.000006	Bq/M3
		12/6/95	ND	.000006	Bq/M3
		12/14/95	ND	.000005	Bq/M3
		12/21/95	ND	.000005	Bq/M3
	Alpha	2/22/95	ND	.012	Bq/M3
		3/3/95	ND	.000019	Bq/M3
		3/8/95	ND	.000005	Bq/M3
		3/14/95	ND	.000004	Bq/M3
		3/22/95	ND	.000003	Bq/M3
		3/29/95	ND	.000004	Bq/M3
		4/6/95	ND	.000017	Bq/M3
		4/12/95	ND	.000005	Bq/M3
		4/19/95	ND	.000003	Bq/M3
		4/25/95	ND	.000004	Bq/M3
		5/3/95	ND	.00000016	Bq/M3
		5/10/95	ND	.000018	Bq/M3
		5/16/95	ND	.000018	Bq/M3
		5/23/95	ND	.000016	Bq/M3
		5/31/95	ND	.000002	Bq/M3
		6/7/95	ND	.000014	Bq/M3
		6/13/95	ND	.000018	Bq/M3
		6/21/95	ND	.000015	Bq/M3
		6/27/95	ND	.000003	Bq/M3
		7/3/95	ND	.000003	Bq/M3
		7/11/95	ND	.000017	Bq/M3
		7/18/95	ND	.00002	Bq/M3
		7/25/95	ND	.000002	Bq/M3
		7/31/95	ND	.00003	Bq/M3
		8/7/95	ND	.000004	Bq/M3
		8/14/95	ND	.00002	Bq/M3
		9/7/95	ND	.000012	Bq/M3

Location	Analyte	Date	Result	MDA	Units	
75-127RT	Alpha	9/13/95	ND	.00003	Bq/M3	
		9/20/95	ND	.0003	Bq/M3	
		9/27/95	ND	.0003	Bq/M3	
		10/4/95	ND	.0003	Bq/M3	
		10/11/95	ND	.0003	Bq/M3	
		10/19/95	ND	.0002	Bq/M3	
		10/25/95	ND	.0004	Bq/M3	
		11/3/95	ND	.0002	Bq/M3	
		11/9/95	ND	.0002	Bq/M3	
		11/15/95	ND	.0003	Bq/M3	
		11/22/95	ND	.0003	Bq/M3	
		11/29/95	ND	.0003	Bq/M3	
		12/6/95	ND	.0002	Bq/M3	
		12/14/95	ND	.0002	Bq/M3	
		12/21/95	ND	.0003	Bq/M3	
		Beta	2/22/95	.014	.005	Bq/M3
			3/3/95	.000037	.000019	Bq/M3
	3/8/95		.0000741	.00004	Bq/M3	
	3/14/95		.000037	.000019	Bq/M3	
	3/22/95		.000037	.000019	Bq/M3	
	3/29/95		.000037	.000019	Bq/M3	
	4/6/95		.00005	.000012	Bq/M3	
	4/12/95		ND	.00003	Bq/M3	
	4/19/95		.000023	.000019	Bq/M3	
	4/25/95		.000038	.00002	Bq/M3	
	5/3/95		.000038	.000012	Bq/M3	
	5/10/95		.000042	.000013	Bq/M3	
	5/16/95		.000047	.000014	Bq/M3	
	5/23/95		ND	.000014	Bq/M3	
	5/31/95		ND	.000014	Bq/M3	
	6/7/95		.000015	.000012	Bq/M3	
	6/13/95		ND	.000015	Bq/M3	
	6/21/95		.000013	.000011	Bq/M3	
	6/27/95		.000032	.000017	Bq/M3	
	7/3/95		ND	.000018	Bq/M3	
	7/11/95		.000021	.000013	Bq/M3	
	7/18/95	ND	.00017	Bq/M3		
	7/25/95	.000037	.000015	Bq/M3		
7/31/95	ND	.0002	Bq/M3			
8/7/95	.00053	.00014	Bq/M3			
8/14/95	.00038	.00015	Bq/M3			
9/7/95	.000017	.000008	Bq/M3			

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units		
75-127RT	Beta	9/13/95	.00005	.000017	Bq/M3		
		9/20/95	.00048	.00017	Bq/M3		
		9/27/95	ND	.0002	Bq/M3		
		10/4/95	ND	.0002	Bq/M3		
		10/11/95	ND	.0002	Bq/M3		
		10/19/95	ND	.0002	Bq/M3		
		10/25/95	ND	.0003	Bq/M3		
		11/3/95	ND	.00018	Bq/M3		
		11/9/95	.00039	.0002	Bq/M3		
		11/15/95	.00038	.0002	Bq/M3		
		11/22/95	ND	.0002	Bq/M3		
		11/29/95	.00028	.0002	Bq/M3		
		12/6/95	.0004	.00019	Bq/M3		
		12/14/95	ND	.00016	Bq/M3		
		12/21/95	ND	.0002	Bq/M3		
		75-131	Tritium	2/2/95	.77	.3	Bq/M3
				2/9/95	ND	.4	Bq/M3
				2/15/95	ND	.4	Bq/M3
				2/22/95	1.53	.18	Bq/M3
3/3/95	14			5	Bq/M3		
3/8/95	ND			9	Bq/M3		
3/14/95	ND			7	Bq/M3		
3/22/95	10			5	Bq/M3		
3/29/95	112			9	Bq/M3		
4/6/95	4.8			4	Bq/M3		
4/12/95	34			8	Bq/M3		
4/19/95	18600			7	Bq/M3		
4/25/95	20			8	Bq/M3		
5/3/95	ND			8	Bq/M3		
5/16/95	33			6	Bq/M3		
5/23/95	27			7	Bq/M3		
5/31/95	136000			8	Bq/M3		
6/7/95	22			5	Bq/M3		
6/13/95	34			11	Bq/M3		
6/27/95	94.4			12	Bq/M3		
7/3/95	65	4	Bq/M3				
7/11/95	ND	10	Bq/M3				
7/18/95	9.2	6	Bq/M3				
7/25/95	8	8	Bq/M3				
7/31/95	7.2	2	Bq/M3				
8/7/95	ND	6	Bq/M3				
8/14/95	ND	1.9	Bq/M3				

Location	Analyte	Date	Result	MDA	Units		
75-131	Tritium	9/7/95	2.5	1.9	Bq/M3		
		9/13/95	25	8	Bq/M3		
		9/20/95	ND	7	Bq/M3		
		9/27/95	9	7	Bq/M3		
		10/4/95	ND	7	Bq/M3		
		10/11/95	ND	7	Bq/M3		
		10/19/95	ND	6	Bq/M3		
		10/25/95	ND	8	Bq/M3		
		11/3/95	ND	4	Bq/M3		
		11/9/95	ND	6	Bq/M3		
		11/15/95	ND	10	Bq/M3		
		11/22/95	ND	8	Bq/M3		
		11/29/95	12	8	Bq/M3		
		12/6/95	ND	6	Bq/M3		
		75A-COMP	125I	1/6/95	ND	.0009	Bq/M3
				3/31/95	.000037	.000019	Bq/M3
				4/7/95	.0000356	.0000012	Bq/M3
4/12/95	.0000379			.0000017	Bq/M3		
4/19/95	.0000232			.0000011	Bq/M3		
4/25/95	.0000304			.0000015	Bq/M3		
5/3/95	.0000177			.000001	Bq/M3		
5/10/95	.000019			.0000013	Bq/M3		
5/16/95	.0000126			.0000016	Bq/M3		
5/23/95	.0000178			.000003	Bq/M3		
5/31/95	.00000113			.0000001	Bq/M3		
6/7/95	ND			.0000014	Bq/M3		
6/13/95	ND			.0000014	Bq/M3		
6/21/95	.0000407			.000003	Bq/M3		
6/27/95	.000103			.000003	Bq/M3		
7/3/95	.0000755			.0000015	Bq/M3		
7/11/95	.0001			.0000011	Bq/M3		
7/18/95	.0144			.00012	Bq/M3		
7/25/95	.000111			.0000013	Bq/M3		
7/31/95	.0181			.00014	Bq/M3		
8/7/95	.0104	.00012	Bq/M3				
8/14/95	.0682	.00012	Bq/M3				
9/20/95	.0166	.00007	Bq/M3				
10/11/95	.00928	.00018	Bq/M3				
11/15/95	.0634	.0002	Bq/M3				
12/6/95	.0156	.0005	Bq/M3				
	14C	1/6/95	1	.7	Bq/M3		
		6/21/95	38.1	5	Bq/M3		

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
75A-COMP	14C	6/27/95	23	4	Bq/M3
		7/3/95	.00001	.000007	Bq/M3
		7/11/95	9.6	6	Bq/M3
		7/18/95	ND	11	Bq/M3
		7/25/95	7.4	5	Bq/M3
		7/31/95	5	4	Bq/M3
		8/7/95	4.8	4	Bq/M3
		8/14/95	ND	3	Bq/M3
		9/20/95	1.1	.7	Bq/M3
		10/11/95	3.8	3	Bq/M3
		11/15/95	2	1.1	Bq/M3
		12/6/95	ND	6	Bq/M3
	Alpha	1/6/95	ND	.0002	Bq/M3
		3/31/95	ND	.000004	Bq/M3
		4/7/95	ND	.000002	Bq/M3
		4/12/95	ND	.000006	Bq/M3
		4/19/95	ND	.000004	Bq/M3
		4/25/95	ND	.000005	Bq/M3
		5/3/95	ND	.0000018	Bq/M3
		5/10/95	ND	.000002	Bq/M3
		5/16/95	ND	.000003	Bq/M3
		5/23/95	ND	.000005	Bq/M3
		5/31/95	ND	.0000005	Bq/M3
		6/7/95	ND	.0000017	Bq/M3
		6/13/95	ND	.000002	Bq/M3
		6/21/95	ND	.000005	Bq/M3
		6/27/95	ND	.000008	Bq/M3
		7/3/95	ND	.000003	Bq/M3
		7/11/95	ND	.000002	Bq/M3
		7/18/95	ND	.0002	Bq/M3
		7/25/95	ND	.000002	Bq/M3
		7/31/95	ND	.0003	Bq/M3
	8/7/95	ND	.00004	Bq/M3	
8/14/95	ND	.0002	Bq/M3		
9/20/95	ND	.00013	Bq/M3		
10/11/95	ND	.0004	Bq/M3		
11/15/95	ND	.0004	Bq/M3		
12/6/95	ND	.0007	Bq/M3		
Beta	1/6/95	ND	.0008	Bq/M3	
	3/31/95	ND	.000019	Bq/M3	
	4/7/95	.0000021	.0000016	Bq/M3	
	4/12/95	ND	.000003	Bq/M3	

Data Table APP-4-2

Stack Exhaust

Location	Analyte	Date	Result	MDA	Units
75A-COMP	Beta	4/19/95	ND	.000002	Bq/M3
		4/25/95	ND	.000003	Bq/M3
		5/3/95	.0000029	.0000014	Bq/M3
		5/10/95	.0000024	.0000016	Bq/M3
		5/16/95	.0000036	.000002	Bq/M3
		5/23/95	.00001	.000004	Bq/M3
		5/31/95	ND	.0000003	Bq/M3
		6/7/95	.0000033	.0000015	Bq/M3
		6/13/95	.0000027	.0000019	Bq/M3
		6/21/95	.0000072	.000004	Bq/M3
		6/27/95	.0000072	.000005	Bq/M3
		7/3/95	.0000038	.000002	Bq/M3
		7/11/95	.0000025	.0000015	Bq/M3
		7/18/95	.00026	.00016	Bq/M3
		7/25/95	.0000025	.0000017	Bq/M3
		7/31/95	.00031	.00019	Bq/M3
		8/7/95	.00015	.00014	Bq/M3
		8/14/95	.00023	.00015	Bq/M3
		9/20/95	.00021	.00008	Bq/M3
		10/11/95	ND	.0004	Bq/M3
	11/15/95	.00072	.0003	Bq/M3	
	12/6/95	ND	.0006	Bq/M3	
	Tritium	1/6/95	90.9	.7	Bq/M3
		6/27/95	198	6	Bq/M3
		7/3/95	.000143	.000014	Bq/M3
		7/11/95	2810	7	Bq/M3
		7/18/95	1350	6	Bq/M3
		7/25/95	1140	8	Bq/M3
		7/31/95	ND	19	Bq/M3
		8/7/95	1710	6	Bq/M3
8/14/95		50.4	4	Bq/M3	
9/20/95		104	.9	Bq/M3	
75A-STORE	125I	10/11/95	216	2	Bq/M3
		11/15/95	54.9	.5	Bq/M3
		12/6/95	11	3	Bq/M3
		1/6/95	ND	.013	Bq/M3
	1/6/95	ND	.013	Bq/M3	
	1/6/95	ND	.013	Bq/M3	
	1/6/95	ND	.013	Bq/M3	
	Alpha	1/6/95	ND	.003	Bq/M3
		1/6/95	ND	.003	Bq/M3
	Beta	1/6/95	ND	.004	Bq/M3

Stack Exhaust

Data Table APP-4-2

Location	Analyte	Date	Result	MDA	Units
75A-STORE	Beta	1/6/95	ND	.004	Bq/M3
	Tritium	10/25/95	102	1.3	Bq/M3
		11/3/95	51.9	.7	Bq/M3
		11/9/95	1170	.9	Bq/M3
		11/15/95	1500	.8	Bq/M3
		11/22/95	1170	.7	Bq/M3
		11/29/95	968	.8	Bq/M3
		12/6/95	488	.8	Bq/M3
		12/14/95	6.1	.6	Bq/M3
		12/21/95	1150	.5	Bq/M3
83-136H	125I	1/6/95	ND	.005	Bq/M3
		1/13/95	ND	.011	Bq/M3
	Alpha	1/6/95	ND	.0003	Bq/M3
		1/13/95	ND	.0016	Bq/M3
		Beta	1/6/95	ND	.0016
88-135H	Alpha	1/13/95	.0433	.004	Bq/M3
		1/6/95	ND	.0009	Bq/M3
	Beta	1/13/95	.0016	.0015	Bq/M3
		1/6/95	ND	.0016	Bq/M3
88-ACLTR	Alpha	1/13/95	.071	.004	Bq/M3
		7/3/95	ND.0000003	Bq/M3	
		7/11/95	ND.0000001	Bq/M3	
		7/18/95	ND.000019	Bq/S	
		7/25/95	ND.0000001	Bq/M3	
		7/31/95	ND	.3	Bq/M3
		8/7/95	ND	.05	Bq/M3
		8/14/95	ND	.3	Bq/M3
		9/7/95	ND	.3	Bq/M3
		9/13/95	ND	.4	Bq/M3
		9/20/95	ND	.3	Bq/M3
		9/27/95	ND	.3	Bq/M3
		10/4/95	ND	.3	Bq/M3
		10/11/95	ND	.3	Bq/M3
		10/19/95	ND	.3	Bq/M3
		10/25/95	ND	.4	Bq/M3
		11/3/95	ND.000019	Bq/S	
		11/9/95	.41	.3	Bq/M3
		11/15/95	ND	.3	Bq/M3
		11/22/95	ND	.3	Bq/M3
11/29/95	ND	.3	Bq/M3		
12/6/95	ND	.3	Bq/M3		
12/14/95	ND	.3	Bq/M3		

Location	Analyte	Date	Result	MDA	Units
88-ACLTR	Alpha	12/21/95	ND	.5	Bq/M3
	Beta	7/3/95	.0000004	.0000002	Bq/M3
		7/11/95	.00000015	.0000000	Bq/M3
		7/18/95	ND	.000019	Bq/S
		7/25/95	.00000028	.0000000	Bq/M3
		7/31/95	.91	.2	Bq/M3
		8/7/95	.56	.17	Bq/M3
		8/14/95	.48	.18	Bq/M3
		9/7/95	1.14	.2	Bq/M3
		9/13/95	.37	.2	Bq/M3
		9/20/95	.44	.2	Bq/M3
		9/27/95	ND	.3	Bq/M3
		10/4/95	ND	.3	Bq/M3
		10/11/95	ND	.3	Bq/M3
		10/19/95	.3	.3	Bq/M3
		10/25/95	ND	.3	Bq/M3
		11/3/95	ND	.000019	Bq/S
		11/9/95	.96	.2	Bq/M3
		11/15/95	.26	.2	Bq/M3
		11/22/95	.29	.3	Bq/M3
		11/29/95	ND	.3	Bq/M3
		12/6/95	ND	.2	Bq/M3
		12/14/95	.44	.2	Bq/M3
		12/21/95	ND	.3	Bq/M3
	88-CAVEO	125I	1/6/95	ND	.005
		1/13/95	ND	.011	Bq/M3
Alpha		1/6/95	ND	.0003	Bq/M3
		1/13/95	.0016	.0015	Bq/M3
Beta		1/6/95	ND	.0016	Bq/M3
		1/13/95	.129	.004	Bq/M3
88-DC	125I	1/6/95	ND	.005	Bq/M3
		1/13/95	ND	.011	Bq/M3
	Alpha	1/6/95	ND	.0009	Bq/M3
		1/13/95	.0046	.0015	Bq/M3
	Beta	1/6/95	ND	.0016	Bq/M3
		1/13/95	.414	.004	Bq/M3
88-MEZH	125I	1/6/95	ND	.005	Bq/M3
		1/13/95	ND	.011	Bq/M3
	Alpha	1/6/95	ND	.0009	Bq/M3
		1/13/95	ND	.0015	Bq/M3
	Beta	1/6/95	ND	.0016	Bq/M3
		1/13/95	.0861	.004	Bq/M3

Location	Analyte	Date	Result	MDA	Units
934-83	125I	12/7/95	.0412	.0005	Bq/M3
	Alpha	12/7/95	ND	.0008	Bq/M3
	Beta	12/7/95	ND	.0007	Bq/M3

This page intentionally left blank.

Location	Analyte	Date	Result	MDA	Units
B 4	Alpha	1/24/95	ND	.02	Bq/L
		2/7/95	ND	.02	Bq/L
		3/7/95	ND	.018	Bq/L
		3/10/95	ND	.017	Bq/L
		3/16/95	ND	.017	Bq/L
		3/22/95	.02	.017	Bq/L
		3/29/95	ND	.018	Bq/L
	Beta	5/17/95	ND	.02	Bq/L
		1/24/95	ND	.02	Bq/L
		2/7/95	ND	.02	Bq/L
		3/7/95	ND	.03	Bq/L
		3/10/95	ND	.03	Bq/L
		3/16/95	ND	.03	Bq/L
		3/22/95	ND	.02	Bq/L
	Tritium	3/29/95	ND	.03	Bq/L
		5/17/95	ND	.03	Bq/L
		3/7/95	ND	18	Bq/L
		3/10/95	ND	18	Bq/L
		3/16/95	ND	11	Bq/L
		3/22/95	ND	11	Bq/L
		3/29/95	16	5	Bq/L
B75	Alpha	5/17/95	24	6	Bq/L
		1/25/95	ND	.02	Bq/L
		2/2/95	ND	.02	Bq/L
		3/7/95	ND	.018	Bq/L
		3/10/95	ND	.018	Bq/L
		3/16/95	ND	.017	Bq/L
		3/22/95	ND	.017	Bq/L
	Beta	3/29/95	ND	.018	Bq/L
		5/17/95	ND	.02	Bq/L
		1/25/95	ND	.02	Bq/L
		2/2/95	ND	.02	Bq/L
		3/7/95	ND	.03	Bq/L
		3/10/95	ND	.03	Bq/L
		3/16/95	ND	.02	Bq/L
	Tritium	3/22/95	ND	.02	Bq/L
		3/29/95	ND	.02	Bq/L
		5/17/95	ND	.03	Bq/L
		3/7/95	424	18	Bq/L
		3/10/95	280	18	Bq/L
		3/16/95	305	11	Bq/L
		3/22/95	145	11	Bq/L

Location	Analyte	Date	Result	MDA	Units	
B75	Tritium	3/29/95	77	5	Bq/L	
		5/17/95	496	6	Bq/L	
DEP13A	Alpha	1/13/95	ND	.019	Bq/L	
		3/10/95	ND	.017	Bq/L	
		3/31/95	ND	.018	Bq/L	
	Beta	6/9/95	ND	.02	Bq/L	
		1/13/95	ND	.02	Bq/L	
		3/10/95	ND	.02	Bq/L	
	Tritium	3/31/95	ND	.03	Bq/L	
		6/9/95	ND	.02	Bq/L	
		1/13/95	ND	14	Bq/L	
	DEP13B	Alpha	3/10/95	ND	15	Bq/L
			3/31/95	ND	5	Bq/L
			1/13/95	ND	.019	Bq/L
Beta		3/10/95	.019	.017	Bq/L	
		3/31/95	.024	.018	Bq/L	
		6/9/95	ND	.02	Bq/L	
Tritium		1/13/95	.049	.03	Bq/L	
		3/10/95	.135	.04	Bq/L	
		3/31/95	.044	.03	Bq/L	
DEP13D		Alpha	6/9/95	.081	.03	Bq/L
			1/13/95	ND	14	Bq/L
			3/10/95	ND	15	Bq/L
	Beta	3/31/95	ND	5	Bq/L	
		1/13/95	.035	.019	Bq/L	
		3/10/95	ND	.017	Bq/L	
	Tritium	3/31/95	ND	.018	Bq/L	
		6/9/95	ND	.02	Bq/L	
		1/13/95	ND	.02	Bq/L	
	ENV-B13C	Alpha	3/10/95	.029	.03	Bq/L
			3/31/95	ND	.03	Bq/L
			6/9/95	ND	.02	Bq/L
Beta		1/13/95	5.4	14	Bq/L	
		3/10/95	ND	15	Bq/L	
		3/31/95	5.9	5	Bq/L	
Tritium		1/13/95	ND	.019	Bq/L	
		3/10/95	ND	.017	Bq/L	
		3/31/95	ND	.018	Bq/L	
Beta		6/9/95	ND	.02	Bq/L	
		1/13/95	.089	.03	Bq/L	
		3/10/95	.096	.03	Bq/L	
		3/31/95	.08	.04	Bq/L	

Location	Analyte	Date	Result	MDA Units
ENV-B13C	Beta	6/9/95	.185	.03 Bq/L
	Tritium	1/13/95	ND	14 Bq/L
		3/10/95	ND	15 Bq/L
		3/31/95	ND	5 Bq/L

This page intentionally left blank.

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
71 HYD	Alpha	6/9/95	ND	.05	Bq/L
		6/28/95	ND	.7	Bq/L
	Beta	6/9/95	.1	.08	Bq/L
		6/28/95	ND	.2	Bq/L
	Tritium	6/28/95	17	13	Bq/L
		7/27/95	ND	20	Bq/L
AIP01	Alpha	2/23/95	ND	.02	Bq/L
	Beta	2/23/95	.051	.03	Bq/L
AIP02	Alpha	2/23/95	ND	.02	Bq/L
	Beta	2/23/95	ND	.03	Bq/L
AIP03	Alpha	2/23/95	ND	.02	Bq/L
	Beta	2/23/95	ND	.03	Bq/L
AIP04	Alpha	2/23/95	ND	.02	Bq/L
	Beta	2/23/95	.23	.05	Bq/L
Botanical Garden Creek	1,1,1,2-Tetrachloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	1,1,1-Trichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	1,1,2,2-Tetrachloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	1,1,2-Trichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2-Trichlorotrifluoroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
		7/6/95	ND	.5	µg/L
	1,1-Dichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	1,1-Dichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1-Dichloropropene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
1,2,3-Trichlorobenzene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
1,2,3-Trichloropropane	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	

Location	Analyte	Date	Result	MDA	Units	
Botanical Garden Creek	1,2,3-Trichloropropane	7/6/95	ND	.5	µg/L	
	1,2,4-Trichlorobenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,2,4-Trimethylbenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,2-Dibromo-3-chloropropane	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,2-Dibromoethane	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,2-Dichlorobenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,2-Dichloroethane	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,2-Dichloropropane	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,2-Dichlorotetrafluoroethane	7/6/95	ND	5	µg/L	
		1,3,5-Trimethylbenzene	1/3/95	ND	.5	µg/L
			7/6/95	ND	.5	µg/L
	7/6/95		ND	1	µg/L	
	1,3-Dichlorobenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	1,3-Dichloropropane	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
		7/6/95	ND	.5	µg/L	
	1,4-Dichlorobenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	2,2-Dichloropropane	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	2-Chlorotoluene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
7/6/95		ND	1	µg/L		
4-Chlorotoluene	1/3/95	ND	.5	µg/L		
	7/6/95	ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units
Botanical Garden Creek	4-Chlorotoluene	7/6/95	ND	1	µg/L
	Antimony	7/6/95	ND	4	µg/L
		7/6/95	ND	4	µg/L
	Arsenic	7/6/95	ND	2	µg/L
		7/6/95	ND	2	µg/L
	Barium	7/6/95	ND	100	µg/L
		7/6/95	ND	100	µg/L
	Benzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Beryllium	7/6/95	ND	10	µg/L
		7/6/95	ND	10	µg/L
	Bromobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromochloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	Bromodichloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	Bromoform	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	Bromomethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Cadmium	7/6/95	ND	5	µg/L
		7/6/95	ND	5	µg/L
	Carbon Tetrachloride	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	Chlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	Chlorodifluoromethane	7/6/95	ND	20	µg/L
		7/6/95	ND	20	µg/L
	Chloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	30	µg/L
	Chloroform	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	Chloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units
Botanical Garden Creek	Chloromethane	7/6/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Chromium	7/6/95	ND	10	µg/L
		7/6/95	ND	10	µg/L
	cis-1,2-Dichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	7/6/95	ND	1	µg/L
		Cobalt	7/6/95	ND	10
	Copper	7/6/95	ND	10	µg/L
		7/6/95	ND	10	µg/L
	Dibromochloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dibromomethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dichlorodifluoromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Dichlorofluoromethane	7/6/95	ND	20	µg/L
	Dichlorotrifluoroethane	7/6/95	ND	5	µg/L
	Ethylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Hexachlorobutadiene	1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Isopropylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
	Lead	7/6/95	ND	5	µg/L
		7/6/95	ND	5	µg/L
	Mercury	7/6/95	ND	.2	µg/L
		7/6/95	ND	.2	µg/L
	Methylene Chloride	1/3/95	ND	1	µg/L
7/6/95		ND	1	µg/L	
7/6/95		ND	1	µg/L	
Molybdenum	7/6/95	ND	10	µg/L	
	7/6/95	ND	10	µg/L	
n-Butylbenzene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
Botanical Garden Creek	n-Butylbenzene	7/6/95	ND	.5	µg/L
	n-Propylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Naphthalene	7/6/95	ND	.5	µg/L
		1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
	Nickel	7/6/95	ND	1	µg/L
		7/6/95	ND	50	µg/L
	p-Isopropyltoluene	7/6/95	ND	50	µg/L
		1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
	sec-Butylbenzene	7/6/95	ND	1	µg/L
		1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Selenium	7/6/95	ND	.5	µg/L
		7/6/95	ND	2	µg/L
	Silver	7/6/95	ND	2	µg/L
		7/6/95	ND	10	µg/L
	Styrene	7/6/95	ND	10	µg/L
		1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	ter-Butylbenzene	7/6/95	ND	.5	µg/L
		1/3/95	ND	1	µg/L
		7/6/95	ND	1	µg/L
	Tetrachloroethene	7/6/95	ND	.5	µg/L
		1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
	Thallium	7/6/95	ND	1	µg/L
		7/6/95	ND	5	µg/L
	Toluene	7/6/95	ND	5	µg/L
		1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	trans-1,2-Dichloroethene	7/6/95	ND	.5	µg/L
		1/3/95	ND	.5	µg/L
		7/6/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	7/6/95	ND	1	µg/L
		7/6/95	ND	1	µg/L
	Trichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		7/6/95	ND	.5	µg/L
Trichlorofluoromethane	1/3/95	ND	.5	µg/L	
	7/6/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	

Location	Analyte	Date	Result	MDA	Units	
Botanical Garden Creek	Tritium	1/3/95	ND	15	Bq/L	
		7/6/95	ND	15	Bq/L	
	Vanadium	7/6/95	ND	50	µg/L	
		7/6/95	ND	50	µg/L	
	Vinyl Chloride	1/3/95	ND	.5	µg/L	
		7/6/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Xylenes, total	1/3/95	ND	1	µg/L	
		7/6/95	ND	1	µg/L	
		7/6/95	ND	1	µg/L	
	Zinc	7/6/95	ND	50	µg/L	
		7/6/95	ND	50	µg/L	
	Cafeteria Creek	1,1,1,2-Tetrachloroethane	1/4/95	ND	.5	µg/L
		1,1,1-Trichloroethane	1/4/95	ND	.5	µg/L
1,1,2,2-Tetrachloroethane		1/4/95	ND	.5	µg/L	
1,1,2-Trichloroethane		1/4/95	ND	.5	µg/L	
1,1,2-Trichlorotrifluoroethane		1/4/95	ND	.5	µg/L	
1,1-Dichloroethane		1/4/95	ND	.5	µg/L	
1,1-Dichloroethene		1/4/95	ND	.5	µg/L	
1,1-Dichloropropene		1/4/95	ND	.5	µg/L	
1,2,3-Trichlorobenzene		1/4/95	ND	.5	µg/L	
1,2,3-Trichloropropane		1/4/95	ND	.5	µg/L	
1,2,4-Trichlorobenzene		1/4/95	ND	.5	µg/L	
1,2,4-Trimethylbenzene		1/4/95	ND	.5	µg/L	
1,2-Dibromo-3-chloropropane		1/4/95	ND	.5	µg/L	
1,2-Dibromoethane		1/4/95	ND	.5	µg/L	
1,2-Dichlorobenzene		1/4/95	ND	.5	µg/L	
1,2-Dichloroethane		1/4/95	ND	.5	µg/L	
1,2-Dichloropropane		1/4/95	ND	.5	µg/L	
1,3,5-Trimethylbenzene		1/4/95	ND	.5	µg/L	
1,3-Dichlorobenzene		1/4/95	ND	.5	µg/L	
1,3-Dichloropropane		1/4/95	ND	.5	µg/L	
1,4-Dichlorobenzene		1/4/95	ND	.5	µg/L	
2,2-Dichloropropane		1/4/95	ND	.5	µg/L	
2-Chlorotoluene		1/4/95	ND	.5	µg/L	
4-Chlorotoluene		1/4/95	ND	.5	µg/L	
Benzene		1/4/95	ND	.5	µg/L	
Bromobenzene		1/4/95	ND	.5	µg/L	
Bromochloromethane		1/4/95	ND	.5	µg/L	
Bromodichloromethane		1/4/95	ND	.5	µg/L	
Bromoform		1/4/95	ND	.5	µg/L	
Bromomethane		1/4/95	ND	.5	µg/L	
Carbon Tetrachloride	1/4/95	ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units	
Cafeteria Creek	Chlorobenzene	1/4/95	ND	.5	µg/L	
	Chloroethane	1/4/95	ND	.5	µg/L	
	Chloroform	1/4/95	ND	.5	µg/L	
	Chloromethane	1/4/95	ND	.5	µg/L	
	cis-1,2-Dichloroethene	1/4/95	ND	.5	µg/L	
	Dibromochloromethane	1/4/95	ND	.5	µg/L	
	Dibromomethane	1/4/95	ND	.5	µg/L	
	Dichlorodifluoromethane	1/4/95	ND	.5	µg/L	
	Ethylbenzene	1/4/95	ND	.5	µg/L	
	Hexachlorobutadiene	1/4/95	ND	.5	µg/L	
	Isopropylbenzene	1/4/95	ND	.5	µg/L	
	Methylene Chloride	1/4/95	ND	1	µg/L	
	n-Butylbenzene	1/4/95	ND	.5	µg/L	
	n-Propylbenzene	1/4/95	ND	.5	µg/L	
	Naphthalene	1/4/95	ND	.5	µg/L	
	p-Isopropyltoluene	1/4/95	ND	.5	µg/L	
	sec-Butylbenzene	1/4/95	ND	.5	µg/L	
	Styrene	1/4/95	ND	.5	µg/L	
	ter-Butylbenzene	1/4/95	ND	.5	µg/L	
	Tetrachloroethene	1/4/95	ND	.5	µg/L	
	Toluene	1/4/95	ND	.5	µg/L	
	trans-1,2-Dichloroethene	1/4/95	ND	.5	µg/L	
	Trichloroethene	1/4/95	ND	.5	µg/L	
	Trichlorofluoromethane	1/4/95	ND	.5	µg/L	
	Tritium	1/4/95	ND	15	Bq/L	
	Vinyl Chloride	1/4/95	ND	.5	µg/L	
	Xylenes, total	1/4/95	ND	1	µg/L	
	Chicken Creek	1,1,1,2-Tetrachloroethane	1/4/95	ND	.5	µg/L
			7/6/95	ND	1	µg/L
		1,1,1-Trichloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L	
1,1,2,2-Tetrachloroethane		1/4/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
1,1,2-Trichloroethane		1/4/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
1,1,2-Trichlorotrifluoroethane		1/4/95	ND	.5	µg/L	
		7/6/95	ND	5	µg/L	
1,1-Dichloroethane		1/4/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
1,1-Dichloroethene		1/4/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
1,1-Dichloropropene		1/4/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L		

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	1,2,3-Trichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,3-Trichloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trimethylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromo-3-chloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromoethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichlorotetrafluoroethane	7/6/95	ND	5	µg/L
	1,3,5-Trimethylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,3-Dichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,3-Dichloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,4-Dichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	2,2-Dichloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	2-Chlorotoluene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	4-Chlorotoluene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
Alpha	2/10/95	ND	.03	Bq/L	
	3/16/95	ND	.03	Bq/L	
	3/24/95	ND	.02	Bq/L	
	3/31/95	ND	.06	Bq/L	
	4/7/95	ND	.02	Bq/L	
	4/14/95	ND	.03	Bq/L	
	4/21/95	ND	.03	Bq/L	
	4/26/95	ND	.19	Bq/L	
5/19/95	ND	.13	Bq/L		
5/24/95	ND	.12	Bq/L		

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	Alpha	6/2/95	ND	.09	Bq/L
		6/12/95	ND	.05	Bq/L
		6/16/95	ND	.1	Bq/L
		6/23/95	ND	.09	Bq/L
		6/30/95	ND	.4	Bq/L
		7/7/95	ND	.04	Bq/L
		7/19/95	ND	.09	Bq/L
		8/3/95	ND	.2	Bq/L
		8/15/95	ND	.07	Bq/L
		11/27/95	ND	.13	Bq/L
		Antimony	8/9/95	ND	4
	Arsenic	8/9/95	ND	2	µg/L
	Barium	8/9/95	110	100	µg/L
	Benzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Beryllium	8/9/95	ND	10	µg/L
		Beta	2/10/95	ND	.03
	3/16/95		ND	.04	Bq/L
	3/24/95		ND	.03	Bq/L
	3/31/95		ND	.1	Bq/L
	4/7/95		.07	.03	Bq/L
	4/14/95		ND	.03	Bq/L
	4/21/95		ND	.03	Bq/L
	4/26/95		ND	.15	Bq/L
	5/19/95		ND	.18	Bq/L
	5/24/95		ND	.13	Bq/L
	6/2/95		.19	.13	Bq/L
	6/12/95		.26	.1	Bq/L
	6/16/95		ND	.12	Bq/L
	6/23/95		ND	.12	Bq/L
	6/30/95		ND	.11	Bq/L
	7/7/95		ND	.06	Bq/L
	7/19/95		ND	.15	Bq/L
	8/3/95		ND	.4	Bq/L
	8/15/95		ND	.13	Bq/L
	11/27/95	ND	.16	Bq/L	
	Bromobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromochloromethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromodichloromethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
Bromoform	1/4/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	Bromoform	7/6/95	ND	1	µg/L
	Bromomethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Cadmium	8/9/95	ND	5	µg/L
	Carbon Tetrachloride	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chlorodifluoromethane	7/6/95	ND	20	µg/L
	Chloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	30	µg/L
	Chloroform	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chloromethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Chromium	8/9/95	ND	10	µg/L
	cis-1,2-Dichloroethene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	cis-1,3-Dichloropropene	7/6/95	ND	1	µg/L
	Cobalt	8/9/95	ND	10	µg/L
	Copper	8/9/95	ND	10	µg/L
	Dibromochloromethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dibromomethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dichlorodifluoromethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Dichlorofluoromethane	7/6/95	ND	20	µg/L
	Dichlorotrifluoroethane	7/6/95	ND	5	µg/L
	Ethylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Hexachlorobutadien	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Isopropylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Lead	8/9/95	ND	5	µg/L
	Mercury	8/9/95	ND	.2	µg/L
	Methylene Chloride	1/4/95	ND	1	µg/L
		7/6/95	ND	1	µg/L
	Molybdenum	8/9/95	ND	10	µg/L
	n-Butylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
n-Propylbenzene	1/4/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	n-Propylbenzene	7/6/95	ND	1	µg/L
	Naphthalene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Nickel	8/9/95	ND	50	µg/L
	p-Isopropyltoluene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	sec-Butylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Selenium	8/9/95	ND	2	µg/L
	Silver	8/9/95	ND	10	µg/L
	Styrene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	ter-Butylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Tetrachloroethene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Thallium	8/9/95	ND	5	µg/L
	Toluene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
		4/7/95	490	1	µg/L
	trans-1,2-Dichloroethene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	trans-1,3-Dichloropropene	7/6/95	ND	1	µg/L
	Trichloroethene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Trichlorofluoromethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Tritium	1/4/95	179	15	Bq/L
		3/16/95	113	11	Bq/L
		3/23/95	65.5	15	Bq/L
		3/24/95	134	11	Bq/L
		3/31/95	51	5	Bq/L
		4/7/95	27	5	Bq/L
		4/14/95	27	7	Bq/L
		4/21/95	60	7	Bq/L
		4/26/95	30	7	Bq/L
		5/19/95	24	6	Bq/L
		5/24/95	25	13	Bq/L
		6/2/95	70.3	13	Bq/L
	6/30/95	ND	13	Bq/L	
7/6/95	16	15	Bq/L		
7/7/95	ND	13	Bq/L		
7/19/95	ND	13	Bq/L		

Location	Analyte	Date	Result	MDA	Units	
Chicken Creek	Tritium	7/27/95	17	13	Bq/L	
		8/3/95	ND	13	Bq/L	
		8/15/95	26	13	Bq/L	
		11/27/95	ND	12	Bq/L	
	Vanadium	8/9/95	ND	50	µg/L	
		Vinyl Chloride	1/4/95	ND	.5	µg/L
	Xylenes, total	7/6/95	ND	1	µg/L	
		1/4/95	ND	1	µg/L	
		7/6/95	ND	1	µg/L	
	Zinc	8/9/95	ND	50	µg/L	
	Claremont Creek	Alpha	2/10/95	ND	.03	Bq/L
			3/17/95	ND	.02	Bq/L
			3/31/95	ND	.05	Bq/L
4/7/95			ND	.02	Bq/L	
4/14/95			ND	.02	Bq/L	
4/21/95			ND	.03	Bq/L	
4/26/95			ND	.4	Bq/L	
5/18/95			ND	.09	Bq/L	
5/24/95			ND	.09	Bq/L	
6/1/95			ND	.07	Bq/L	
6/9/95			ND	.07	Bq/L	
6/23/95			ND	.09	Bq/L	
6/30/95			ND	1	Bq/L	
8/15/95			ND	.08	Bq/L	
11/27/95			ND	.11	Bq/L	
Beta		2/10/95	ND	.03	Bq/L	
		3/17/95	ND	.04	Bq/L	
		3/31/95	ND	.08	Bq/L	
		4/7/95	ND	.03	Bq/L	
		4/14/95	ND	.03	Bq/L	
		4/21/95	ND	.03	Bq/L	
		4/26/95	ND	.3	Bq/L	
		5/18/95	ND	.13	Bq/L	
		5/24/95	ND	.1	Bq/L	
		6/1/95	ND	.1	Bq/L	
		6/9/95	.2	.14	Bq/L	
		6/23/95	ND	.12	Bq/L	
		6/30/95	ND	.3	Bq/L	
		8/15/95	ND	.14	Bq/L	
11/27/95	ND	.14	Bq/L			
Tritium	3/17/95	ND	11	Bq/L		
	3/31/95	ND	5	Bq/L		
	4/7/95	ND	5	Bq/L		

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
Claremont Creek	Tritium	4/14/95	ND	7	Bq/L
		4/21/95	ND	7	Bq/L
		4/26/95	ND	7	Bq/L
		5/18/95	ND	6	Bq/L
		5/24/95	ND	13	Bq/L
		6/1/95	20	13	Bq/L
		6/30/95	ND	13	Bq/L
		8/15/95	ND	13	Bq/L
		11/27/95	ND	12	Bq/L
Haas Lower Pool		5/25/95	52	13	Bq/L
		12/20/95	ND	15	Bq/L
Haas Upper Pool		5/25/95	47	13	Bq/L
		12/20/95	ND	15	Bq/L
HYG77-0101		11/27/95	293	7	Bq/L
HYG77-02XX	Alpha	6/9/95	ND	.1	Bq/L
		6/28/95	ND	1.6	Bq/L
		7/27/95	ND	.16	Bq/L
	Beta	6/9/95	.28	.19	Bq/L
		6/28/95	ND	.5	Bq/L
		7/27/95	ND	.2	Bq/L
	Tritium	6/28/95	117	13	Bq/L
		7/27/95	105	13	Bq/L
		11/27/95	137	7	Bq/L
HYGCC1	Alpha	6/12/95	ND	.03	Bq/L
		6/28/95	ND	1.2	Bq/L
		7/27/95	ND	.13	Bq/L
	Beta	6/12/95	.13	.05	Bq/L
		6/28/95	ND	.4	Bq/L
		7/27/95	ND	.19	Bq/L
	Tritium	6/28/95	ND	13	Bq/L
		7/27/95	ND	13	Bq/L
		11/27/95	ND	7	Bq/L
HYGCC2	Alpha	6/12/95	ND	.08	Bq/L
		6/12/95	.037	.04	Bq/L
		6/28/95	ND	.9	Bq/L
	Beta	7/27/95	ND	.09	Bq/L
		6/12/95	ND	.15	Bq/L
		6/12/95	.074	.07	Bq/L
	Tritium	6/28/95	ND	.3	Bq/L
		7/27/95	ND	.14	Bq/L
		5/24/95	19	7	Bq/L
		6/12/95	22	20	Bq/L
		6/28/95	15	13	Bq/L

Location	Analyte	Date	Result	MDA	Units
HYGCC2	Tritium	7/27/95	ND	13	Bq/L
		11/27/95	ND	7	Bq/L
Lower Strawberry	Alpha	2/10/95	ND	.03	Bq/L
		3/17/95	ND	.03	Bq/L
		3/24/95	ND	.02	Bq/L
		3/31/95	ND	.05	Bq/L
		4/7/95	ND	.02	Bq/L
		4/14/95	ND	.03	Bq/L
		4/21/95	ND	.03	Bq/L
		4/26/95	ND	.1	Bq/L
		5/18/95	ND	.06	Bq/L
		5/24/95	ND	.06	Bq/L
		6/1/95	ND	.04	Bq/L
		6/9/95	ND	.04	Bq/L
		6/22/95	ND	.06	Bq/L
	Beta	6/30/95	ND	.5	Bq/L
		2/10/95	.052	.04	Bq/L
		3/17/95	ND	.04	Bq/L
		3/24/95	ND	.04	Bq/L
		3/31/95	ND	.08	Bq/L
		4/7/95	ND	.03	Bq/L
		4/14/95	ND	.03	Bq/L
		4/21/95	ND	.03	Bq/L
		4/26/95	ND	.08	Bq/L
		5/18/95	ND	.09	Bq/L
Tritium	5/24/95	ND	.07	Bq/L	
	6/1/95	ND	.07	Bq/L	
	6/9/95	.268	.07	Bq/L	
	6/22/95	ND	.08	Bq/L	
	6/30/95	ND	.15	Bq/L	
	3/17/95	ND	11	Bq/L	
	3/24/95	ND	11	Bq/L	
	3/31/95	8.1	5	Bq/L	
	4/7/95	ND	5	Bq/L	
	4/14/95	ND	7	Bq/L	
4/21/95	ND	7	Bq/L		
4/26/95	ND	7	Bq/L		
5/18/95	ND	6	Bq/L		
5/24/95	ND	13	Bq/L		
6/1/95	37	13	Bq/L		
6/30/95	ND	13	Bq/L		
N. Fork Strawberry Creek	1,1,1,2-Tetrachloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L

Location	Analyte	Date	Result	MDA	Units
N. Fork Strawberry Creek	1,1,1-Trichloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2,2-Tetrachloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2-Trichloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2-Trichlorotrifluoroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	1,1-Dichloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1-Dichloroethene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1-Dichloropropene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,3-Trichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,3-Trichloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trimethylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromo-3-chloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromoethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichlorobenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloroethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloropropane	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
1,2-Dichlorotetrafluoroethane	7/6/95	ND	5	µg/L	
1,3,5-Trimethylbenzene	1/4/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
1,3-Dichlorobenzene	1/4/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
1,3-Dichloropropane	1/4/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
1,4-Dichlorobenzene	1/4/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
2,2-Dichloropropane	1/4/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	

Location	Analyte	Date	Result	MDA	Units	
N. Fork Strawberry Creek	2-Chlorotoluene	1/4/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	4-Chlorotoluene	1/4/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Alpha		2/7/95	ND	.03	Bq/L
			2/10/95	ND	.03	Bq/L
			3/17/95	ND	.03	Bq/L
			3/24/95	ND	.03	Bq/L
			3/31/95	ND	.06	Bq/L
			4/7/95	ND	.02	Bq/L
			4/14/95	ND	.03	Bq/L
			4/21/95	ND	.02	Bq/L
			4/26/95	ND	.12	Bq/L
			5/18/95	ND	.06	Bq/L
			5/24/95	ND	.08	Bq/L
			6/1/95	ND	.06	Bq/L
			6/9/95	ND	.05	Bq/L
			6/22/95	ND	.07	Bq/L
			6/30/95	ND	.7	Bq/L
			7/7/95	ND	.08	Bq/L
			7/12/95	ND	.09	Bq/L
			7/19/95	ND	.06	Bq/L
			8/3/95	ND	.17	Bq/L
	8/10/95	ND	.18	Bq/L		
	8/15/95	ND	.06	Bq/L		
	11/20/95	ND	.06	Bq/L		
	Antimony	7/6/95	ND	4	µg/L	
	Arsenic	7/6/95	ND	2	µg/L	
	Barium	7/6/95	ND	100	µg/L	
	Benzene	1/4/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Beryllium	7/6/95	ND	10	µg/L	
	Beta		2/7/95	ND	.03	Bq/L
2/10/95			ND	.03	Bq/L	
3/17/95			ND	.04	Bq/L	
3/24/95			ND	.04	Bq/L	
3/31/95			ND	.09	Bq/L	
4/7/95			ND	.03	Bq/L	
4/14/95			ND	.03	Bq/L	
4/21/95			ND	.03	Bq/L	
4/26/95			ND	.1	Bq/L	
5/18/95			ND	.08	Bq/L	
5/24/95	ND	.09	Bq/L			

Location	Analyte	Date	Result	MDA	Units	
N. Fork Strawberry Creek	Beta	6/1/95	ND	.08	Bq/L	
		6/9/95	ND	.1	Bq/L	
		6/22/95	ND	.1	Bq/L	
		6/30/95	ND	.2	Bq/L	
		7/7/95	ND	.12	Bq/L	
		7/12/95	ND	.13	Bq/L	
		7/19/95	ND	.11	Bq/L	
		8/3/95	ND	.3	Bq/L	
		8/10/95	ND	.3	Bq/L	
		8/15/95	ND	.11	Bq/L	
		11/20/95	ND	.07	Bq/L	
		Bromobenzene	1/4/95	ND	.5	µg/L
			7/6/95	ND	1	µg/L
		Bromochloromethane	1/4/95	ND	.5	µg/L
			7/6/95	ND	1	µg/L
		Bromodichloromethane	1/4/95	ND	.5	µg/L
			7/6/95	ND	1	µg/L
		Bromoform	1/4/95	ND	.5	µg/L
			7/6/95	ND	1	µg/L
Bromomethane	1/4/95	ND	.5	µg/L		
	7/6/95	ND	1	µg/L		
Cadmium	7/6/95	ND	5	µg/L		
Carbon Tetrachloride	1/4/95	ND	.5	µg/L		
	7/6/95	ND	1	µg/L		
Chlorobenzene	1/4/95	ND	.5	µg/L		
	7/6/95	ND	1	µg/L		
Chlorodifluoromethane	7/6/95	ND	20	µg/L		
Chloroethane	1/4/95	ND	.5	µg/L		
	7/6/95	ND	30	µg/L		
Chloroform	1/4/95	ND	.5	µg/L		
	7/6/95	ND	1	µg/L		
Chloromethane	1/4/95	ND	.5	µg/L		
	7/6/95	ND	5	µg/L		
Chromium	7/6/95	ND	10	µg/L		
cis-1,2-Dichloroethene	1/4/95	ND	.5	µg/L		
	7/6/95	ND	1	µg/L		
cis-1,3-Dichloropropene	7/6/95	ND	1	µg/L		
Cobalt	7/6/95	ND	10	µg/L		
Copper	7/6/95	ND	10	µg/L		
Dibromochloromethane	1/4/95	ND	.5	µg/L		
	7/6/95	ND	1	µg/L		
Dibromomethane	1/4/95	ND	.5	µg/L		
	7/6/95	ND	1	µg/L		

Location	Analyte	Date	Result	MDA	Units
N. Fork Strawberry Creek	Dichlorodifluoromethane	1/4/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Dichlorofluoromethane	7/6/95	ND	20	µg/L
	Dichlorotrifluoroethane	7/6/95	ND	5	µg/L
	Ethylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Hexachlorobutadien	7/6/95	ND	1	µg/L
	Hexachlorobutadiene	1/4/95	ND	.5	µg/L
	Isopropylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Lead	7/6/95	ND	5	µg/L
	Mercury	7/6/95	ND	.2	µg/L
	Methylene Chloride	1/4/95	ND	1	µg/L
		7/6/95	ND	1	µg/L
	Molybdenum	7/6/95	ND	10	µg/L
	n-Butylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	n-Propylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Naphthalene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Nickel	7/6/95	ND	50	µg/L
	p-Isopropyltoluene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	sec-Butylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Selenium	7/6/95	ND	2	µg/L
	Silver	7/6/95	ND	10	µg/L
	Styrene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	ter-Butylbenzene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Tetrachloroethene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Thallium	7/6/95	ND	5	µg/L
	Toluene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	trans-1,2-Dichloroethene	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	trans-1,3-Dichloropropene	7/6/95	ND	1	µg/L
Trichloroethene	1/4/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
Trichlorofluoromethane	1/4/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units
N. Fork Strawberry Creek	Trichlorofluoromethane	7/6/95	ND	1	µg/L
	Tritium	1/4/95	ND	15	Bq/L
		3/17/95	ND	11	Bq/L
		3/24/95	ND	11	Bq/L
		3/31/95	20	5	Bq/L
		4/7/95	14	5	Bq/L
		4/14/95	70.2	7	Bq/L
		4/21/95	ND	7	Bq/L
		4/26/95	13	7	Bq/L
		5/18/95	ND	6	Bq/L
		5/24/95	ND	13	Bq/L
		6/1/95	33	13	Bq/L
		6/30/95	ND	13	Bq/L
		7/6/95	ND	15	Bq/L
		7/6/95	ND	15	Bq/L
		7/7/95	ND	13	Bq/L
		7/12/95	ND	13	Bq/L
		7/19/95	ND	13	Bq/L
		7/27/95	ND	13	Bq/L
		8/3/95	ND	13	Bq/L
	8/10/95	ND	13	Bq/L	
	8/15/95	ND	13	Bq/L	
	11/20/95	ND	12	Bq/L	
	Vanadium	7/6/95	ND	50	µg/L
	Vinyl Chloride	1/4/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Xylenes, total	1/4/95	ND	1	µg/L
		7/6/95	ND	1	µg/L
	Zinc	7/6/95	ND	50	µg/L
No Name Creek	1,1,1,2-Tetrachloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,1-Trichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2,2-Tetrachloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2-Trichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2-Trichlorotrifluoroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	1,1-Dichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1-Dichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L

Location	Analyte	Date	Result	MDA	Units
No Name Creek	1,1-Dichloropropene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,3-Trichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,3-Trichloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trimethylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromo-3-chloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromoethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichlorotetrafluoroethane	7/6/95	ND	5	µg/L
	1,3,5-Trimethylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,3-Dichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,3-Dichloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,4-Dichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	2,2-Dichloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	2-Chlorotoluene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
4-Chlorotoluene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
Antimony	8/9/95	ND	4	µg/L	
Arsenic	8/9/95	ND	2	µg/L	
Barium	8/9/95	ND	100	µg/L	
Benzene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
Beryllium	8/9/95	ND	10	µg/L	
Bromobenzene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
No Name Creek	Bromochloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromodichloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromoform	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromomethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Cadmium	8/9/95	ND	5	µg/L
	Carbon Tetrachloride	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chlorodifluoromethane	7/6/95	ND	20	µg/L
	Chloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	30	µg/L
	Chloroform	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Chromium	8/9/95	ND	10	µg/L
	cis-1,2-Dichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	cis-1,3-Dichloropropene	7/6/95	ND	1	µg/L
	Cobalt	8/9/95	ND	10	µg/L
	Copper	8/9/95	ND	10	µg/L
	Dibromochloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dibromomethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dichlorodifluoromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Dichlorofluoromethane	7/6/95	ND	20	µg/L
	Dichlorotrifluoroethane	7/6/95	ND	5	µg/L
	Ethylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Hexachlorobutadien	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Isopropylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Lead	8/9/95	ND	5	µg/L
	Mercury	8/9/95	ND	.2	µg/L
	Methylene Chloride	1/3/95	ND	1	µg/L

Location	Analyte	Date	Result	MDA	Units	
No Name Creek	Methylene Chloride	7/6/95	ND	1	µg/L	
	Molybdenum	8/9/95	ND	10	µg/L	
	n-Butylbenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	n-Propylbenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Naphthalene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Nickel	8/9/95	ND	50	µg/L	
	p-Isopropyltoluene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	sec-Butylbenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Selenium	8/9/95	ND	2	µg/L	
	Silver	8/9/95	ND	10	µg/L	
	Styrene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	ter-Butylbenzene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Tetrachloroethene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Thallium	8/9/95	ND	5	µg/L	
	Toluene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	trans-1,2-Dichloroethene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	trans-1,3-Dichloropropene	7/6/95	ND	1	µg/L	
	Trichloroethene	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Trichlorofluoromethane	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Tritium	1/3/95	ND	15	Bq/L	
		7/6/95	ND	15	Bq/L	
	Vanadium	8/9/95	ND	10	µg/L	
	Vinyl Chloride	1/3/95	ND	.5	µg/L	
		7/6/95	ND	1	µg/L	
	Xylenes, total	1/3/95	ND	1	µg/L	
		7/6/95	ND	1	µg/L	
	Ravine Creek	Zinc	8/9/95	ND	10	µg/L
		1,1,1,2-Tetrachloroethane	1/3/95	ND	.5	µg/L
7/6/95			ND	1	µg/L	
1,1,1-Trichloroethane		1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L		

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
Ravine Creek	1,1,2,2-Tetrachloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2-Trichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1,2-Trichlorotrifluoroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	1,1-Dichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1-Dichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,1-Dichloropropene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,3-Trichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,3-Trichloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2,4-Trimethylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromo-3-chloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dibromoethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichloropropane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	1,2-Dichlorotetrafluoroethane	7/6/95	ND	5	µg/L
	1,3,5-Trimethylbenzene	1/3/95	ND	.5	µg/L
7/6/95		ND	1	µg/L	
1,3-Dichlorobenzene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
1,3-Dichloropropane	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
1,4-Dichlorobenzene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
2,2-Dichloropropane	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	
2-Chlorotoluene	1/3/95	ND	.5	µg/L	
	7/6/95	ND	1	µg/L	

Location	Analyte	Date	Result	MDA	Units
Ravine Creek	4-Chlorotoluene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Antimony	8/9/95	ND	4	µg/L
	Arsenic	8/9/95	ND	2	µg/L
	Barium	8/9/95	105	100	µg/L
	Benzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Beryllium	8/9/95	ND	10	µg/L
	Bromobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromochloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromodichloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromoform	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Bromomethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Cadmium	8/9/95	ND	5	µg/L
	Carbon Tetrachloride	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chlorobenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chlorodifluoromethane	7/6/95	ND	20	µg/L
	Chloroethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	30	µg/L
	Chloroform	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Chloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Chromium	8/9/95	ND	10	µg/L
	cis-1,2-Dichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	cis-1,3-Dichloropropene	7/6/95	ND	1	µg/L
	Cobalt	8/9/95	ND	10	µg/L
	Copper	8/9/95	ND	10	µg/L
	Dibromochloromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dibromomethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Dichlorodifluoromethane	1/3/95	ND	.5	µg/L
		7/6/95	ND	5	µg/L
	Dichlorofluoromethane	7/6/95	ND	20	µg/L

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
Ravine Creek	Dichlorotrifluoroethane	7/6/95	ND	5	µg/L
	Ethylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Hexachlorobutadien	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Isopropylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Lead	8/9/95	ND	5	µg/L
	Mercury	8/9/95	ND	.2	µg/L
	Methylene Chloride	1/3/95	ND	1	µg/L
		7/6/95	ND	1	µg/L
	Molybdenum	8/9/95	32	10	µg/L
	n-Butylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	n-Propylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Naphthalene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Nickel	8/9/95	ND	50	µg/L
	p-Isopropyltoluene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	sec-Butylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Selenium	8/9/95	ND	2	µg/L
	Silver	8/9/95	ND	10	µg/L
	Styrene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	ter-Butylbenzene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Tetrachloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Thallium	8/9/95	ND	5	µg/L
	Toluene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	trans-1,2-Dichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	trans-1,3-Dichloropropene	7/6/95	ND	1	µg/L
	Trichloroethene	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Trichlorofluoromethane	1/3/95	ND	.5	µg/L
7/6/95		ND	1	µg/L	
Tritium	1/3/95	ND	15	Bq/L	
	7/6/95	ND	15	Bq/L	

Location	Analyte	Date	Result	MDA	Units
Ravine Creek	Vanadium	8/9/95	ND	50	µg/L
	Vinyl Chloride	1/3/95	ND	.5	µg/L
		7/6/95	ND	1	µg/L
	Xylenes, total	1/3/95	ND	1	µg/L
7/6/95		ND	1	µg/L	
Strawberry Creek (UC)	Zinc	8/9/95	ND	10	µg/L
	Alpha	2/10/95	ND	.03	Bq/L
		3/17/95	ND	.03	Bq/L
		3/24/95	ND	.03	Bq/L
		3/31/95	ND	.08	Bq/L
		4/7/95	ND	.02	Bq/L
		4/14/95	ND	.03	Bq/L
		4/21/95	ND	.03	Bq/L
		4/26/95	ND	.17	Bq/L
		5/18/95	ND	.13	Bq/L
		5/24/95	ND	.11	Bq/L
		6/1/95	ND	.07	Bq/L
		6/9/95	ND	.07	Bq/L
		6/23/95	ND	.09	Bq/L
	6/30/95	ND	1	Bq/L	
	7/7/95	ND	.09	Bq/L	
	7/12/95	ND	.12	Bq/L	
	7/19/95	ND	.07	Bq/L	
	8/3/95	ND	.2	Bq/L	
	8/10/95	ND	.2	Bq/L	
	8/15/95	ND	.12	Bq/L	
	11/20/95	ND	.11	Bq/L	
	Beta	2/10/95	ND	.03	Bq/L
		3/17/95	ND	.04	Bq/L
		3/24/95	.042	.04	Bq/L
		3/31/95	ND	.12	Bq/L
4/7/95		ND	.03	Bq/L	
4/14/95		ND	.03	Bq/L	
4/21/95		ND	.03	Bq/L	
4/26/95		ND	.13	Bq/L	
5/18/95		ND	.17	Bq/L	
5/24/95		ND	.13	Bq/L	
6/1/95		ND	.1	Bq/L	
6/9/95		.22	.13	Bq/L	
6/23/95		ND	.12	Bq/L	
6/30/95	ND	.3	Bq/L		
7/7/95	ND	.13	Bq/L		
7/12/95	ND	.17	Bq/L		

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
Strawberry Creek (UC)	Beta	7/19/95	ND	.12	Bq/L
		8/3/95	ND	.4	Bq/L
		8/10/95	ND	.4	Bq/L
		8/15/95	ND	.19	Bq/L
	Tritium	11/20/95	ND	.13	Bq/L
		3/17/95	ND	11	Bq/L
		3/24/95	ND	11	Bq/L
		3/31/95	7.8	5	Bq/L
		4/7/95	ND	5	Bq/L
		4/14/95	ND	7	Bq/L
		4/21/95	ND	7	Bq/L
		4/26/95	ND	7	Bq/L
		5/18/95	ND	6	Bq/L
		5/24/95	17	13	Bq/L
		6/1/95	32	13	Bq/L
		6/30/95	ND	13	Bq/L
		7/7/95	ND	13	Bq/L
		7/12/95	ND	13	Bq/L
		7/19/95	ND	13	Bq/L
		7/27/95	ND	13	Bq/L
8/3/95	ND	13	Bq/L		
8/10/95	ND	13	Bq/L		
8/15/95	ND	13	Bq/L		
11/20/95	ND	12	Bq/L		
Ten Inch Creek	1,1,1,2-Tetrachloroethane	7/6/95	ND	1	µg/L
	1,1,1-Trichloroethane	7/6/95	ND	1	µg/L
	1,1,2,2-Tetrachloroethane	7/6/95	ND	1	µg/L
	1,1,2-Trichloroethane	7/6/95	ND	1	µg/L
	1,1,2-Trichlorotrifluoroethane	7/6/95	ND	5	µg/L
	1,1-Dichloroethane	7/6/95	ND	1	µg/L
	1,1-Dichloroethene	7/6/95	ND	1	µg/L
	1,1-Dichloropropene	7/6/95	ND	1	µg/L
	1,2,3-Trichlorobenzene	7/6/95	ND	1	µg/L
	1,2,3-Trichloropropane	7/6/95	ND	1	µg/L
	1,2,4-Trichlorobenzene	7/6/95	ND	1	µg/L
	1,2,4-Trimethylbenzene	7/6/95	ND	1	µg/L
	1,2-Dibromo-3-chloropropane	7/6/95	ND	1	µg/L
	1,2-Dibromoethane	7/6/95	ND	1	µg/L
	1,2-Dichlorobenzene	7/6/95	ND	1	µg/L
	1,2-Dichloroethane	7/6/95	ND	1	µg/L
1,2-Dichloropropane	7/6/95	ND	1	µg/L	
1,2-Dichlorotetrafluoroethane	7/6/95	ND	5	µg/L	
1,3,5-Trimethylbenzene	7/6/95	ND	1	µg/L	

Location	Analyte	Date	Result	MDA	Units
Ten Inch Creek	1,3-Dichlorobenzene	7/6/95	ND	1	µg/L
	1,3-Dichloropropane	7/6/95	ND	1	µg/L
	1,4-Dichlorobenzene	7/6/95	ND	1	µg/L
	2,2-Dichloropropane	7/6/95	ND	1	µg/L
	2-Chlorotoluene	7/6/95	ND	1	µg/L
	4-Chlorotoluene	7/6/95	ND	1	µg/L
	Antimony	8/9/95	ND	4	µg/L
	Arsenic	8/9/95	ND	2	µg/L
	Barium	8/9/95	110	100	µg/L
	Benzene	7/6/95	ND	1	µg/L
	Beryllium	8/9/95	ND	10	µg/L
	Bromobenzene	7/6/95	ND	1	µg/L
	Bromochloromethane	7/6/95	ND	1	µg/L
	Bromodichloromethane	7/6/95	ND	1	µg/L
	Bromoform	7/6/95	ND	1	µg/L
	Bromomethane	7/6/95	ND	1	µg/L
	Cadmium	8/9/95	ND	5	µg/L
	Carbon Tetrachloride	7/6/95	ND	1	µg/L
	Chlorobenzene	7/6/95	ND	1	µg/L
	Chlorodifluoromethane	7/6/95	ND	20	µg/L
	Chloroethane	7/6/95	ND	30	µg/L
	Chloroform	7/6/95	ND	1	µg/L
	Chloromethane	7/6/95	ND	5	µg/L
	Chromium	8/9/95	ND	10	µg/L
	cis-1,2-Dichloroethene	7/6/95	ND	1	µg/L
	cis-1,3-Dichloropropene	7/6/95	ND	1	µg/L
	Cobalt	8/9/95	ND	10	µg/L
	Copper	8/9/95	ND	10	µg/L
	Dibromochloromethane	7/6/95	ND	1	µg/L
	Dibromomethane	7/6/95	ND	1	µg/L
	Dichlorodifluoromethane	7/6/95	ND	5	µg/L
	Dichlorofluoromethane	7/6/95	ND	20	µg/L
	Dichlorotrifluoroethane	7/6/95	ND	5	µg/L
	Ethylbenzene	7/6/95	ND	1	µg/L
	Hexachlorobutadien	7/6/95	ND	1	µg/L
	Isopropylbenzene	7/6/95	ND	1	µg/L
	Lead	8/9/95	ND	5	µg/L
	Mercury	8/9/95	ND	.2	µg/L
	Methylene Chloride	7/6/95	ND	1	µg/L
	Molybdenum	8/9/95	ND	10	µg/L
n-Butylbenzene	7/6/95	ND	1	µg/L	
n-Propylbenzene	7/6/95	ND	1	µg/L	
Naphthalene	7/6/95	ND	1	µg/L	

Surface Water

Data Table APP-5-2

Location	Analyte	Date	Result	MDA	Units
Ten Inch Creek	Nickel	8/9/95	ND	50	µg/L
	p-Isopropyltoluene	7/6/95	ND	1	µg/L
	sec-Butylbenzene	7/6/95	ND	1	µg/L
	Selenium	8/9/95	ND	2	µg/L
	Silver	8/9/95	ND	10	µg/L
	Styrene	7/6/95	ND	1	µg/L
	ter-Butylbenzene	7/6/95	ND	1	µg/L
	Tetrachloroethene	7/6/95	ND	1	µg/L
	Thallium	8/9/95	ND	5	µg/L
	Toluene	7/6/95	ND	1	µg/L
	trans-1,2-Dichloroethene	7/6/95	ND	1	µg/L
	trans-1,3-Dichloropropene	7/6/95	ND	1	µg/L
	Trichloroethene	7/6/95	ND	1	µg/L
	Trichlorofluoromethane	7/6/95	ND	1	µg/L
	Tritium	7/6/95	ND	15	Bq/L
	Vanadium	8/9/95	ND	50	µg/L
	Vinyl Chloride	7/6/95	ND	1	µg/L
	Xylenes, total	7/6/95	ND	1	µg/L
	Zinc	8/9/95	66	10	µg/L
	Wildcat Creek	Alpha	2/10/95	ND	.03
3/17/95			ND	.02	Bq/L
3/31/95			ND	.07	Bq/L
4/7/95			ND	.02	Bq/L
4/14/95			ND	.03	Bq/L
4/21/95			ND	.03	Bq/L
4/26/95			ND	.1	Bq/L
5/18/95			ND	.06	Bq/L
5/24/95			ND	.06	Bq/L
6/1/95			ND	.05	Bq/L
Beta		6/9/95	ND	.04	Bq/L
		6/23/95	ND	.04	Bq/L
		6/30/95	ND	.7	Bq/L
		8/15/95	ND	.05	Bq/L
		11/27/95	ND	.08	Bq/L
		2/10/95	ND	.03	Bq/L
		3/17/95	ND	.04	Bq/L
		3/31/95	ND	.12	Bq/L
		4/7/95	ND	.03	Bq/L
		4/14/95	ND	.03	Bq/L
4/21/95	ND	.03	Bq/L		
4/26/95	ND	.08	Bq/L		
5/18/95	ND	.09	Bq/L		
5/24/95	ND	.07	Bq/L		

Location	Analyte	Date	Result	MDA	Units
Wildcat Creek	Beta	6/1/95	.087	.07	Bq/L
		6/9/95	.18	.07	Bq/L
		6/23/95	ND	.06	Bq/L
		6/30/95	ND	.2	Bq/L
		8/15/95	ND	.08	Bq/L
	Tritium	11/27/95	ND	.1	Bq/L
		3/17/95	ND	11	Bq/L
		3/31/95	ND	5	Bq/L
		4/7/95	ND	5	Bq/L
		4/14/95	ND	7	Bq/L
		4/21/95	20	7	Bq/L
		4/26/95	ND	7	Bq/L
		5/18/95	7.3	6	Bq/L
		5/24/95	ND	13	Bq/L
		6/1/95	58.3	13	Bq/L
		6/30/95	ND	13	Bq/L
		8/15/95	ND	13	Bq/L
		11/27/95	ND	12	Bq/L

Location	Analyte	Date	Result	MDA	Units	
69-Storm Drain Manhole	1,1,1-Trichloroethane	1/20/95	ND	.5	µg/L	
	1,1,2,2-Tetrachloroethane	1/20/95	ND	.5	µg/L	
	1,1,2-Trichloroethane	1/20/95	ND	.5	µg/L	
	1,1-Dichloroethane	1/20/95	ND	.5	µg/L	
	1,2-Dichlorobenzene	1/20/95	ND	.5	µg/L	
	1,2-Dichloroethane	1/20/95	ND	.5	µg/L	
	1,2-Dichloropropane	1/20/95	ND	.5	µg/L	
	1,3-Dichlorobenzene	1/20/95	ND	.5	µg/L	
	1,4-Dichlorobenzene	1/20/95	ND	.5	µg/L	
	2-Chloroethyl Vinyl Ether	1/20/95	ND	.5	µg/L	
	Acetone	1/20/95	ND	10	µg/L	
	Alpha		1/20/95	ND	.02	Bq/L
			3/2/95	.029	.019	Bq/L
			12/11/95	ND	.03	Bq/L
	Antimony		1/20/95	ND	.1	mg/L
			3/2/95	ND	.1	mg/L
			12/11/95	ND	.1	mg/L
	Aroclor 1016		1/20/95	ND	.01	mg/L
			12/11/95	ND	.2	mg/L
	Aroclor 1221		1/20/95	ND	.01	mg/L
			12/11/95	ND	.2	mg/L
	Aroclor 1232		1/20/95	ND	.01	mg/L
			12/11/95	ND	.2	mg/L
	Aroclor 1242		1/20/95	ND	.01	mg/L
			12/11/95	ND	.2	mg/L
	Aroclor 1248		1/20/95	ND	.01	mg/L
			12/11/95	ND	.2	mg/L
	Aroclor 1254		1/20/95	ND	.01	mg/L
			12/11/95	ND	.2	mg/L
	Aroclor 1260		1/20/95	ND	.01	mg/L
			12/11/95	ND	.2	mg/L
	Arsenic		1/20/95	ND	.002	mg/L
			3/2/95	.003	.002	mg/L
12/11/95			.0024	.002	mg/L	
Barium		1/20/95	ND	.1	mg/L	
		3/2/95	ND	.1	mg/L	
		12/11/95	ND	.1	mg/L	
Benzene		1/20/95	ND	.5	µg/L	
		12/11/95	ND	.3	µg/L	
Beryllium		1/20/95	ND	.01	mg/L	
		3/2/95	ND	.01	mg/L	
		12/11/95	ND	.01	mg/L	

Location	Analyte	Date	Result	MDA	Units
69-Storm Drain Manhole	Beta	1/20/95	.119	.04	Bq/L
		3/2/95	.085	.05	Bq/L
		12/11/95	ND	.03	Bq/L
	Bromodichloromethane	1/20/95	ND	.5	µg/L
	Bromoform	1/20/95	ND	.5	µg/L
	Bromomethane	1/20/95	ND	.5	µg/L
	Cadmium	1/20/95	ND	.005	mg/L
		3/2/95	ND	.005	mg/L
		12/11/95	ND	.01	mg/L
	Carbon Tetrachloride	1/20/95	ND	.5	µg/L
	Chlorobenzene	1/20/95	ND	.5	µg/L
	Chloroethane	1/20/95	ND	.5	µg/L
	Chloroform	1/20/95	ND	.5	µg/L
	Chloromethane	1/20/95	ND	.5	µg/L
		1/20/95	ND	.5	µg/L
		1/20/95	ND	.5	µg/L
	Chromium	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	cis-1,2-Dichloroethene	1/20/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	1/20/95	ND	.5	µg/L
	Cobalt	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	Copper	1/20/95	.015	.01	mg/L
		3/2/95	.025	.01	mg/L
		12/11/95	.011	.01	mg/L
	Cyanide	1/20/95	ND	.01	mg/L
		3/2/95	ND	.02	mg/L
	Dibromochloromethane	1/20/95	ND	.5	µg/L
	Ethanol	1/20/95	ND	1000	µg/L
	Ethyl benzene	12/11/95	ND	.3	µg/L
	Ethylbenzene	1/20/95	ND	.5	µg/L
	Lead	1/20/95	.028	.005	mg/L
		3/2/95	.0086	.005	mg/L
		12/11/95	.014	.005	mg/L
	Mercury	1/20/95	ND	.0002	mg/L
		3/2/95	ND	.0002	mg/L
		12/11/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	1/20/95	ND	20	µg/L
	Methylene Chloride	1/20/95	ND	1	µg/L
	Molybdenum	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
12/11/95		ND	.01	mg/L	

Stormwater

Data Table APP-5-3

Location	Analyte	Date	Result	MDA Units
69-Storm Drain Manhole	Nickel	1/20/95	ND	.05 mg/L
		3/2/95	ND	.05 mg/L
		12/11/95	ND	.05 mg/L
	Oil & Grease	1/20/95	3	2 mg/L
		12/11/95	6	1 mg/L
	pH	12/11/95	7.3	.1 S.U.
	Selenium	1/20/95	ND	.002 mg/L
		3/2/95	ND	.002 mg/L
		12/11/95	ND	.002 mg/L
	Silver	1/20/95	ND	.01 mg/L
		3/2/95	ND	.01 mg/L
		12/11/95	ND	.01 mg/L
	Specific Conductance	1/20/95	108	1 µmhos/cm
		12/11/95	77	1 µmhos/cm
	Tetrachloroethene	1/20/95	ND	.5 µg/L
	Thallium	1/20/95	ND	.005 mg/L
		3/2/95	ND	.005 mg/L
		12/11/95	ND	.005 mg/L
	Toluene	1/20/95	ND	.5 µg/L
		12/11/95	ND	.3 µg/L
	Total Petroleum Hydrocarbs (diesel)	1/20/95	320	200 µg/L
		12/11/95	160	50 µg/L
	Total Petroleum Hydrocarbs (gas)	1/20/95	ND	50 µg/L
		12/11/95	ND	50 µg/L
	Total Suspended Solids	1/20/95	14.7	10 mg/kg
		3/2/95	ND	10 mg/L
		12/11/95	2.8	.5 mg/L
	Total Xylenes	12/11/95	ND	.6 µg/L
	trans-1,2-Dichloroethene	1/20/95	ND	.5 µg/L
	trans-1,3-Dichloropropene	1/20/95	ND	.5 µg/L
	Trichloroethene	1/20/95	ND	.5 µg/L
	Tritium	3/2/95	103	18 Bq/L
		12/11/95	4.4	12 Bq/L
	Vanadium	1/20/95	ND	.05 mg/L
		3/2/95	ND	.05 mg/L
		12/11/95	ND	.05 mg/L
	Vinyl Chloride	1/20/95	ND	.5 µg/L
	Xylenes	1/20/95	ND	1 µg/L
	Zinc	1/20/95	.087	.05 mg/L
		3/2/95	.075	.05 mg/L
		12/11/95	.056	.05 mg/L
	71-Storm Drain Manhole	Antimony	10/10/95	ND

Location	Analyte	Date	Result	MDA	Units	
71-Storm Drain Manhole	Aroclor 1016	10/10/95	ND	.2	mg/L	
	Aroclor 1221	10/10/95	ND	.2	mg/L	
	Aroclor 1232	10/10/95	ND	.2	mg/L	
	Aroclor 1242	10/10/95	ND	.2	mg/L	
	Aroclor 1248	10/10/95	ND	.2	mg/L	
	Aroclor 1254	10/10/95	ND	.2	mg/L	
	Aroclor 1260	10/10/95	ND	.2	mg/L	
	Arsenic	10/10/95	ND	.002	mg/L	
	Barium	10/10/95	ND	.1	mg/L	
	Benzene	10/10/95	ND	.3	µg/L	
	Beryllium	10/10/95	ND	.01	mg/L	
	Cadmium	10/10/95	ND	.005	mg/L	
	Chromium	10/10/95	ND	.01	mg/L	
	Cobalt	10/10/95	ND	.01	mg/L	
	Copper	10/10/95	ND	.01	mg/L	
	Ethyl benzene	10/10/95	ND	.3	µg/L	
	Lead	10/10/95	ND	.005	mg/L	
	Mercury	10/10/95	ND	.0002	mg/L	
	Molybdenum	10/10/95	ND	.01	mg/L	
	Nickel	10/10/95	ND	.05	mg/L	
	Oil & Grease	10/10/95	4	1	mg/L	
	Selenium	10/10/95	ND	.002	mg/L	
	Silver	10/10/95	ND	.01	mg/L	
	Thallium	10/10/95	ND	.005	mg/L	
	Toluene	10/10/95	ND	.3	µg/L	
	Total Petroleum Hydrocarbs (gas)	10/10/95	ND	50	µg/L	
	Total Suspended Solids	10/10/95	4	.5	mg/L	
	Vanadium	10/10/95	ND	.05	mg/L	
	Xylene	10/10/95	ND	.6	µg/L	
	Zinc	10/10/95	ND	.05	mg/L	
	Chicken Creek	1,1,1-Trichloroethane	1/20/95	ND	.5	µg/L
			3/24/95	ND	.5	µg/L
		1,1,2,2-Tetrachloroethane	1/20/95	ND	.5	µg/L
3/24/95			ND	.5	µg/L	
1,1,2-Trichloro-1,2,2-trifluoroethane		3/24/95	ND	.5	µg/L	
1,1,2-Trichloroethane		1/20/95	ND	.5	µg/L	
		3/24/95	ND	.5	µg/L	
1,1-Dichloroethane		1/20/95	ND	.5	µg/L	
		3/24/95	ND	.5	µg/L	
1,2-Dichlorobenzene		1/20/95	ND	.5	µg/L	
		3/24/95	ND	.5	µg/L	
1,2-Dichloroethane		1/20/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	1,2-Dichloroethane	3/24/95	ND	.5	µg/L
	1,2-Dichloropropane	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	1,3-Dichlorobenzene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	1,4-Dichlorobenzene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	2-Chloroethyl Vinyl Ether	1/20/95	ND	.5	µg/L
	Acetone	1/20/95	ND	10	µg/L
		3/24/95	ND	10	µg/L
		1/20/95	ND	.03	Bq/L
	Alpha	3/2/95	ND	.02	Bq/L
		12/11/95	ND	.03	Bq/L
		1/20/95	ND	.1	mg/L
	Antimony	3/2/95	ND	.1	mg/L
		12/11/95	ND	.1	mg/L
		1/20/95	ND	.2	mg/L
	Aroclor 1016	12/11/95	ND	.2	µg/L
		1/20/95	ND	.2	mg/L
	Aroclor 1221	12/11/95	ND	.2	µg/L
		1/20/95	ND	.2	mg/L
	Aroclor 1232	12/11/95	ND	.2	µg/L
		1/20/95	ND	.2	mg/L
	Aroclor 1242	12/11/95	ND	.2	µg/L
		1/20/95	ND	.2	mg/L
	Aroclor 1248	12/11/95	ND	.2	µg/L
		1/20/95	ND	.2	mg/L
	Aroclor 1254	12/11/95	ND	.2	µg/L
		1/20/95	ND	.2	mg/L
	Aroclor 1260	12/11/95	ND	.2	µg/L
		1/20/95	ND	.2	mg/L
	Arsenic	1/20/95	.007	.002	mg/L
		3/2/95	.005	.002	mg/L
		12/11/95	.0042	.002	mg/L
	Barium	1/20/95	ND	.1	mg/L
		3/2/95	ND	.1	mg/L
		12/11/95	ND	.1	mg/L
	Benzene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
		12/11/95	ND	.3	µg/L
	Beryllium	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	Beta	1/20/95	.11	.04	Bq/L
		3/2/95	.076	.05	Bq/L
		12/11/95	.056	.04	Bq/L
	Bromodichloromethane	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Bromoform	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Bromomethane	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Cadmium	1/20/95	ND	.005	mg/L
		3/2/95	ND	.005	mg/L
		12/11/95	ND	.005	mg/L
	Carbon Tetrachloride	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Chlorobenzene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Chloroethane	1/20/95	ND	.5	µg/L
		3/24/95	ND	1	µg/L
	Chloroform	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Chloromethane	1/20/95	ND	.5	µg/L
		3/24/95	ND	1	µg/L
	Chromium	1/20/95	.029	.01	mg/L
		3/2/95	.017	.01	mg/L
		12/11/95	.016	.01	mg/L
	cis-1,2-Dichloroethene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Cobalt	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	Copper	1/20/95	.046	.01	mg/L
		3/2/95	.025	.01	mg/L
		12/11/95	.028	.01	mg/L
	Cyanide	1/20/95	ND	.01	mg/L
		3/2/95	ND	.02	mg/L
	Dibromochloromethane	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Diesel	3/24/95	460	200	µg/L
	Ethanol	1/20/95	ND	1000	µg/L
		3/24/95	ND	1000	µg/L

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	Ethyl benzene	12/11/95	ND	.3	µg/L
		1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Lead	1/20/95	.043	.005	mg/L
		3/2/95	.015	.005	mg/L
		12/11/95	.018	.005	mg/L
	Mercury	1/20/95	ND	.0002	mg/L
		3/2/95	ND	.0002	mg/L
		12/11/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	1/20/95	ND	20	µg/L
		3/24/95	ND	20	µg/L
	Methylene Chloride	1/20/95	ND	1	µg/L
		3/24/95	ND	1	µg/L
	Molybdenum	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	Naphthalene	3/24/95	ND	.5	µg/L
	Nickel	1/20/95	ND	.05	mg/L
		3/2/95	ND	.05	mg/L
		12/11/95	ND	.05	mg/L
	Oil & Grease	1/20/95	ND	1	mg/L
		3/24/95	3	1	mg/L
		12/11/95	ND	2	mg/L
	pH	12/11/95	7.4	.1	S.U.
	Selenium	1/20/95	ND	.002	mg/L
		3/2/95	ND	.002	mg/L
		12/11/95	ND	.002	mg/L
	Silver	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	Specific Conductance	1/20/95	80	1	µmhos/cm
		12/11/95	140	1	µmhos/cm
	Tetrachloroethene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
	Thallium	1/20/95	ND	.005	mg/L
		3/2/95	ND	.005	mg/L
		12/11/95	ND	.005	mg/L
	Toluene	1/20/95	ND	.5	µg/L
		3/24/95	ND	.5	µg/L
		12/11/95	ND	.3	µg/L
	Total Petroleum Hydrocarbs (diesel)	1/20/95	220	200	µg/L
		12/11/95	320	50	µg/L

Location	Analyte	Date	Result	MDA	Units	
Chicken Creek	Total Petroleum Hydrocarbs (gas)	1/20/95	ND	50	µg/L	
		12/11/95	ND	50	µg/L	
	Total Suspended Solids	1/20/95	156		.5	mg/kg
		3/2/95	38		.5	mg/L
		12/11/95	37.3		.5	mg/L
	Total Xylenes	12/11/95	ND		.6	µg/L
	TPH as gasoline	3/24/95	ND		50	µg/L
	trans-1,2-Dichloroethene	1/20/95	ND		.5	µg/L
		3/24/95	ND		.5	µg/L
	trans-1,3-Dichloropropene	1/20/95	ND		.5	µg/L
		3/24/95	ND		.5	µg/L
	Trichloroethene	1/20/95	ND		.5	µg/L
		3/24/95	ND		.5	µg/L
	Trichlorofluoromethane	3/24/95	ND		.5	µg/L
	Tritium	3/2/95	20		18	Bq/L
		12/11/95	44		12	Bq/L
	Vanadium	1/20/95	ND		.05	mg/L
		3/2/95	ND		.05	mg/L
		12/11/95	ND		.05	mg/L
	Vinyl Chloride	1/20/95	ND		.5	µg/L
		3/24/95	ND		.5	µg/L
	Xylenes	1/20/95	ND		1	µg/L
		3/24/95	ND		1	µg/L
	Zinc	1/20/95	.4		.005	mg/L
		3/2/95	.13		.05	mg/L
		12/11/95	.202		.05	mg/L
	N. Fork Strawberry Creek	1,1,1-Trichloroethane	1/20/95	ND		.5 µg/L
1,1,2,2-Tetrachloroethane		1/20/95	ND		.5 µg/L	
1,1,2-Trichloroethane		1/20/95	ND		.5 µg/L	
1,1-Dichloroethane		1/20/95	ND		.5 µg/L	
1,2-Dichlorobenzene		1/20/95	ND		.5 µg/L	
1,2-Dichloroethane		1/20/95	ND		.5 µg/L	
1,2-Dichloropropane		1/20/95	ND		.5 µg/L	
1,3-Dichlorobenzene		1/20/95	ND		.5 µg/L	
1,4-Dichlorobenzene		1/20/95	ND		.5 µg/L	
2-Chloroethyl Vinyl Ether		1/20/95	ND		.5 µg/L	
Acetone		1/20/95	ND		10 µg/L	
Alpha		3/2/95	ND		.02 Bq/L	
Antimony		1/20/95	ND		.1	mg/L
		3/2/95	ND		.1	mg/L
Aroclor 1016		1/20/95	ND		.5	µg/L
Aroclor 1221		1/20/95	ND		.5	µg/L

Location	Analyte	Date	Result	MDA	Units
N. Fork Strawberry Creek	Aroclor 1232	1/20/95	ND	.5	µg/L
	Aroclor 1242	1/20/95	ND	.5	µg/L
	Aroclor 1248	1/20/95	ND	.5	mg/L
	Aroclor 1254	1/20/95	ND	.5	µg/L
	Aroclor 1260	1/20/95	ND	.5	µg/L
	Arsenic	1/20/95	.006	.002	mg/L
		3/2/95	.003	.002	mg/L
	Barium	1/20/95	.12	.01	mg/L
		3/2/95	ND	.1	mg/L
	Benzene	1/20/95	ND	.5	µg/L
	Beryllium	1/20/95	ND	.01	mg/L
		3/2/95	ND	.01	mg/L
	Beta	3/2/95	.053	.05	Bq/L
	Bromodichloromethane	1/20/95	ND	.5	µg/L
	Bromoform	1/20/95	ND	.5	µg/L
	Bromomethane	1/20/95	ND	.5	µg/L
	Cadmium	1/20/95	ND	.005	mg/L
		3/2/95	ND	.005	mg/L
	Carbon Tetrachloride	1/20/95	ND	.5	µg/L
	Chlorobenzene	1/20/95	ND	.5	µg/L
	Chloroethane	1/20/95	ND	.5	µg/L
	Chloroform	1/20/95	ND	.5	µg/L
	Chloromethane	1/20/95	ND	.5	µg/L
	Chromium	1/20/95	.048	.01	mg/L
		3/2/95	ND	.01	mg/L
	cis-1,2-Dichloroethene	1/20/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	1/20/95	ND	.5	µg/L
	Cobalt	1/20/95	.011	.01	mg/L
		3/2/95	ND	.01	mg/L
	Copper	1/20/95	.051	.01	mg/L
		3/2/95	.024	.01	mg/L
	Cyanide	3/2/95	ND	.02	mg/L
	Dibromochloromethane	1/20/95	ND	.5	µg/L
	Ethanol	1/20/95	ND	1000	µg/L
	Ethylbenzene	1/20/95	ND	.5	µg/L
	Lead	1/20/95	.044	.005	mg/L
		3/2/95	ND	.005	mg/L
	Mercury	1/20/95	ND	.0002	mg/L
		3/2/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	1/20/95	ND	20	µg/L
	Methylene Chloride	1/20/95	ND	1	µg/L
	Molybdenum	1/20/95	ND	.01	mg/L

Location	Analyte	Date	Result	MDA	Units	
N. Fork Strawberry Creek	Molybdenum	3/2/95	ND	.01	mg/L	
	Nickel	1/20/95	ND	.005	mg/L	
		3/2/95	ND	.05	mg/L	
	Oil & Grease	1/20/95	1	1	mg/L	
	Selenium	1/20/95	.002	.002	mg/L	
		3/2/95	ND	.002	mg/L	
	Silver	1/20/95	ND	.01	mg/L	
		3/2/95	ND	.01	mg/L	
	Specific Conductance	1/20/95	346	1	µmhos/cm	
	Tetrachloroethene	1/20/95	ND	.5	µg/L	
	Thallium	1/20/95	ND	.005	mg/L	
		3/2/95	ND	.005	mg/L	
	Toluene	1/20/95	ND	.5	µg/L	
	Total Petroleum Hydrocarbs (diesel)	1/20/95	760	200	µg/L	
	Total Petroleum Hydrocarbs (gas)	1/20/95	ND	50	µg/L	
	Total Suspended Solids	1/20/95	307	.5	mg/kg	
		3/2/95	16.7	.5	mg/L	
	trans-1,2-Dichloroethene	1/20/95	ND	.5	µg/L	
	trans-1,3-Dichloropropene	1/20/95	ND	.5	µg/L	
	Trichloroethene	1/20/95	ND	.5	µg/L	
	Tritium	3/2/95	ND	18	Bq/L	
	Vanadium	1/20/95	.064	.05	mg/L	
		3/2/95	ND	.05	mg/L	
	Vinyl Chloride	1/20/95	ND	.5	µg/L	
	Xylenes	1/20/95	ND	1	µg/L	
	Zinc	1/20/95	.26	.05	mg/L	
		3/2/95	.081	.05	mg/L	
	StW-A	1,1,1-Trichloroethane	3/8/95	ND	.5	µg/L
			3/8/95	ND	.5	µg/L
			3/9/95	ND	.5	µg/L
		1,1,2,2-Tetrachloroethane	3/8/95	ND	.5	µg/L
			3/8/95	ND	.5	µg/L
3/9/95			ND	.5	µg/L	
1,1,2-Trichloroethane		3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
1,1-Dichloroethane		3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
1,2,4-Trichlorobenzene		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-A	1,2-Dichlorobenzene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/8/95	ND	2	µg/L
		3/9/95	ND	.5	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	1,2-Dichloroethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2-Dichloropropane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2-Diphenylhydrazine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	1,3-Dichlorobenzene	3/8/95	ND	.5	µg/L
		3/8/95	ND	2	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	1,4-Dichlorobenzene	3/8/95	ND	2	µg/L
		3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2,4,5-Trichlorophenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
		12/11/95	ND	5	µg/L
	2,4,6-Trichlorophenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
		12/11/95	ND	5	µg/L
	2,4-Dichlorophenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2,4-Dimethylphenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2,4-Dinitrophenol	3/8/95	ND	10	µg/L
		3/9/95	ND	10	µg/L
		12/11/95	ND	10	µg/L

Location	Analyte	Date	Result	MDA Units
StW-A	2,4-Dinitrotoluene	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	2,6-Dinitrotoluene	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	2-Chloroethyl Vinyl Ether	3/8/95	ND	.5 µg/L
		3/8/95	ND	.5 µg/L
		3/9/95	ND	.5 µg/L
	2-Chloronaphthalene	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	2-Chlorophenol	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	2-Methylnaphthalene	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	2-Methylphenol	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	2-Nitroaniline	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	2-Nitrophenol	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	3,3-Dichlorobenzidine	3/8/95	ND	5 µg/L
		3/9/95	ND	5 µg/L
		12/11/95	ND	5 µg/L
	3-Nitroaniline	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
		12/11/95	ND	2 µg/L
	4,6-Dinitro-2-methylphenol	3/8/95	ND	5 µg/L
		3/9/95	ND	5 µg/L
		12/11/95	ND	5 µg/L
4-Bromophenyl phenyl ether	3/8/95	ND	2 µg/L	
	3/9/95	ND	2 µg/L	
	12/11/95	ND	2 µg/L	
4-Chloro-3-methylphenol	3/8/95	ND	5 µg/L	
	3/9/95	ND	5 µg/L	
	12/11/95	ND	5 µg/L	

Location	Analyte	Date	Result	MDA Units	
StW-A	4-Chloroaniline	3/8/95	ND	2 µg/L	
		3/9/95	ND	2 µg/L	
		12/11/95	ND	2 µg/L	
	4-Chlorophenyl phenyl ether	3/8/95	ND	2 µg/L	
		3/9/95	ND	2 µg/L	
		12/11/95	ND	2 µg/L	
	4-Methylphenol	3/8/95	ND	2 µg/L	
		3/9/95	ND	2 µg/L	
		12/11/95	ND	2 µg/L	
	4-Nitroaniline	3/8/95	ND	5 µg/L	
		3/9/95	ND	5 µg/L	
		12/11/95	ND	5 µg/L	
	4-Nitrophenol	3/8/95	ND	5 µg/L	
		3/9/95	ND	5 µg/L	
		12/11/95	ND	5 µg/L	
	Acenaphthylene	3/8/95	ND	2 µg/L	
		3/9/95	ND	2 µg/L	
		12/11/95	ND	2 µg/L	
	Acenaphthene	3/8/95	ND	2 µg/L	
		3/9/95	ND	2 µg/L	
		12/11/95	ND	2 µg/L	
	Acetone	3/8/95	ND	10 µg/L	
		3/8/95	ND	10 µg/L	
		3/9/95	11	10 µg/L	
	Alpha	12/11/95	ND	.06 Bq/L	
		Anthracene	3/8/95	ND	2 µg/L
			3/9/95	ND	2 µg/L
12/11/95	ND		2 µg/L		
	Antimony	3/8/95	ND	.1 mg/L	
		3/9/95	ND	.1 mg/L	
		3/9/95	ND	.1 mg/L	
		12/11/95	ND	.1 mg/L	
	Aroclor 1016	3/8/95	ND	50 mg/L	
		3/9/95	ND	50 mg/L	
		12/11/95	ND	.2 mg/L	
	Aroclor 1221	3/8/95	ND	50 mg/L	
		3/9/95	ND	50 mg/L	
		12/11/95	ND	.2 mg/L	
	Aroclor 1232	3/8/95	ND	50 mg/L	
		3/9/95	ND	50 mg/L	
		12/11/95	ND	.2 mg/L	
	Aroclor 1242	3/8/95	ND	50 mg/L	

Location	Analyte	Date	Result	MDA	Units
StW-A	Aroclor 1242	3/9/95	ND	50	mg/L
		12/11/95	ND	.2	mg/L
		3/8/95	ND	50	mg/L
	Aroclor 1248	3/9/95	ND	50	mg/L
		12/11/95	ND	.2	mg/L
		3/8/95	ND	50	mg/L
	Aroclor 1254	3/9/95	ND	50	mg/L
		12/11/95	ND	.2	mg/L
		3/8/95	ND	50	mg/L
	Aroclor 1260	3/9/95	ND	50	mg/L
		12/11/95	ND	.2	mg/L
		3/8/95	ND	50	mg/L
	Arsenic	3/9/95	ND	.002	mg/L
		3/9/95	.0038	.002	mg/L
		3/9/95	.0038	.002	mg/L
		12/11/95	.002	.002	mg/L
	Barium	3/8/95	ND	.1	mg/L
		3/9/95	.16	.1	mg/L
		3/9/95	.17	.1	mg/L
		12/11/95	ND	.1	mg/L
	Benzene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
		12/11/95	ND	.3	µg/L
	Benzidine	3/8/95	ND	20	µg/L
		3/9/95	ND	20	µg/L
		12/11/95	ND	20	µg/L
	Benzo(a)anthracene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Benzo(a)pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
Benzo(b)fluoranthene	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
	12/11/95	ND	2	µg/L	
Benzo(g,h,i)perylene	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
	12/11/95	ND	2	µg/L	
Benzo(k)fluoranthene	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
	12/11/95	ND	2	µg/L	
Benzoic Acid	3/8/95	ND	5	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-A	Benzoic Acid	3/9/95	ND	5	µg/L
		12/11/95	ND	5	µg/L
	Benzyl Alcohol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Beryllium	3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	Beta	12/11/95	ND	.06	Bq/L
	Bis(2-chloroethoxy)methane	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	3/8/95	ND	5	µg/L
		3/9/95	12	5	µg/L
		12/11/95	ND	5	µg/L
		Bromodichloromethane	3/8/95	ND	.5
	3/8/95		ND	.5	µg/L
	3/9/95		ND	.5	µg/L
	Bromoform	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Bromomethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Cadmium	3/8/95	ND	.005	mg/L
		3/9/95	ND	.005	mg/L
		3/9/95	ND	.005	mg/L
		12/11/95	ND	.01	mg/L
	Carbon Tetrachloride	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chlorobenzene	3/8/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units	
StW-A	Chlorobenzene	3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Chloroethane	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Chloroform	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Chloromethane	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Chromium	3/8/95	ND	.01	mg/L	
		3/9/95	.082	.01	mg/L	
		3/9/95	.082	.01	mg/L	
		12/11/95	.01	.01	mg/L	
	Chrysene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	cis-1,2-Dichloroethene	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	cis-1,3-Dichloropropene	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Cobalt	3/8/95	ND	.01	mg/L	
		3/9/95	.021	.01	mg/L	
		3/9/95	.02	.01	mg/L	
		12/11/95	ND	.01	mg/L	
	Copper	3/8/95	ND	.01	mg/L	
		3/9/95	.033	.01	mg/L	
		3/9/95	.034	.01	mg/L	
		12/11/95	ND	.01	mg/L	
	Di-n-butylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Di-n-octylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dibenzo(a,h)anthracene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dibenzofuran		3/8/95	ND	2	µg/L

Location	Analyte	Date	Result	MDA	Units	
StW-A	Dibenzofuran	3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dibromochloromethane	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Diethylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dimethylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Ethanol	3/8/95	ND	1000	µg/L	
		3/8/95	ND	1000	µg/L	
		3/9/95	ND	1000	µg/L	
	Ethyl benzene	12/11/95	ND	.3	µg/L	
		Ethylbenzene	3/8/95	ND	.5	µg/L
			3/8/95	ND	.5	µg/L
			3/9/95	ND	.5	µg/L
		Fluoranthene	3/8/95	ND	2	µg/L
			3/9/95	ND	2	µg/L
	12/11/95		ND	2	µg/L	
	Fluorene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Hexachlorobenzene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Hexachlorobutadiene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Hexachlorocyclopentadiene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Hexachloroethane	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Ideno(1,2,3-cd)pyrene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Isophorone	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
12/11/95		ND	2	µg/L		

Location	Analyte	Date	Result	MDA	Units
StW-A	Lead	3/8/95	ND	.005	mg/L
		3/9/95	.018	.005	mg/L
		3/9/95	.017	.005	mg/L
		12/11/95	ND	.005	mg/L
	Mercury	3/8/95	ND	.0002	mg/L
		3/9/95	ND	.0002	mg/L
		3/9/95	ND	.0002	mg/L
		12/11/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	3/8/95	ND	20	µg/L
		3/8/95	ND	20	µg/L
		3/9/95	ND	20	µg/L
	Methylene Chloride	3/8/95	ND	1	µg/L
		3/8/95	ND	1	µg/L
		3/9/95	ND	1	µg/L
	Molybdenum	3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	N-Nitroso-di-n-propylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	N-Nitrosodimethylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	N-Nitrosodiphenylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Naphthalene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Nickel	3/8/95	ND	.05	mg/L
		3/9/95	.071	.05	mg/L
		3/9/95	.073	.05	mg/L
		12/11/95	ND	.05	mg/L
	Nitrobenzene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Oil & Grease	3/8/95	2	2	mg/L
		3/9/95	2	2	mg/L
		12/11/95	ND	1	mg/L
	Pentachlorophenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-A	Pentachlorophenol	12/11/95	ND	5	µg/L
	pH	12/11/95	8	.1	S.U.
	Phenanthrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Phenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Selenium	3/8/95	ND	.01	mg/L
		3/9/95	ND	.002	mg/L
		3/9/95	ND	.002	mg/L
	Silver	12/11/95	ND	.002	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	Specific Conductance	12/11/95	ND	.01	mg/L
		3/8/95	675	1	µmhos/cm
		3/9/95	250	1	µmhos/cm
		3/9/95	250	1	µmhos/cm
	Tetrachloroethene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Thallium	3/8/95	ND	.005	mg/L
		3/9/95	ND	.005	mg/L
		3/9/95	ND	.005	mg/L
		12/11/95	ND	.005	mg/L
	Toluene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
		12/11/95	ND	.3	µg/L
	Total Petroleum Hydrocarbs (diesel)	3/8/95	ND	200	µg/L
		3/9/95	ND	400	µg/L
		12/11/95	100	50	µg/L
	Total Petroleum Hydrocarbs (gas)	3/8/95	ND	50	µg/L
		3/9/95	ND	50	µg/L
		12/11/95	ND	50	µg/L
	Total Suspended Solids	3/8/95	ND	10	mg/L
		3/9/95	572	5	mg/l
		12/11/95	4.8	.5	mg/L
	trans-1,2-Dichloroethene	3/8/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units	
StW-A	trans-1,2-Dichloroethene	3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	trans-1,3-Dichloropropene	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Trichloroethene	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Tritium	12/11/95	ND	12	Bq/L	
	Vanadium	3/8/95	ND	.05	mg/L	
		3/9/95	.097	.05	mg/L	
		3/9/95	.11	.05	mg/L	
		12/11/95	ND	.05	mg/L	
	Vinyl Chloride	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Xylene	12/11/95	ND	.6	µg/L	
	Xylenes	3/8/95	ND	.1	µg/L	
		3/8/95	ND	1	µg/L	
		3/9/95	ND	1	µg/L	
	Zinc	3/8/95	ND	.05	mg/L	
		3/9/95	.095	.05	mg/L	
		3/9/95	.097	.05	mg/L	
		12/11/95	ND	.05	mg/L	
	StW-B	1,1,1-Trichloroethane	3/9/95	ND	.5	µg/L
		1,1,2,2-Tetrachloroethane	3/9/95	ND	.5	µg/L
1,1,2-Trichloroethane		3/9/95	ND	.5	µg/L	
1,1-Dichloroethane		3/9/95	ND	.5	µg/L	
1,2,4-Trichlorobenzene		3/9/95	ND	2	µg/L	
1,2-Dichlorobenzene		3/9/95	ND	.5	µg/L	
		3/9/95	ND	2	µg/L	
1,2-Dichloroethane		3/9/95	ND	.5	µg/L	
1,2-Dichloropropane		3/9/95	ND	.5	µg/L	
1,2-Diphenylhydrazine		3/9/95	ND	2	µg/L	
1,3-Dichlorobenzene		3/9/95	ND	.5	µg/L	
		3/9/95	ND	2	µg/L	
1,4-Dichlorobenzene		3/9/95	ND	2	µg/L	
		3/9/95	ND	.5	µg/L	
2,4,5-Trichlorophenol		3/9/95	ND	5	µg/L	
2,4,6-Trichlorophenol		3/9/95	ND	5	µg/L	
2,4-Dichlorophenol	3/9/95	ND	2	µg/L		
2,4-Dimethylphenol	3/9/95	ND	2	µg/L		

Location	Analyte	Date	Result	MDA	Units
StW-B	2,4-Dinitrophenol	3/9/95	ND	10	µg/L
	2,4-Dinitrotoluene	3/9/95	ND	2	µg/L
	2,6-Dinitrotoluene	3/9/95	ND	2	µg/L
	2-Chloroethyl Vinyl Ether	3/9/95	ND	.5	µg/L
	2-Chloronaphthalene	3/9/95	ND	2	µg/L
	2-Chlorophenol	3/9/95	ND	2	µg/L
	2-Methylnaphthalene	3/9/95	ND	2	µg/L
	2-Methylphenol	3/9/95	ND	2	µg/L
	2-Nitroaniline	3/9/95	ND	2	µg/L
	2-Nitrophenol	3/9/95	ND	2	µg/L
	3,3-Dichlorobenzidine	3/9/95	ND	5	µg/L
	3-Nitroaniline	3/9/95	ND	2	µg/L
	4,6-Dinitro-2-methylphenol	3/9/95	ND	5	µg/L
	4-Bromophenyl phenyl ether	3/9/95	ND	2	µg/L
	4-Chloro-3-methylphenol	3/9/95	ND	5	µg/L
	4-Chloroaniline	3/9/95	ND	2	µg/L
	4-Chlorophenyl phenyl ether	3/9/95	ND	2	µg/L
	4-Methylphenol	3/9/95	ND	2	µg/L
	4-Nitroaniline	3/9/95	ND	5	µg/L
	4-Nitrophenol	3/9/95	ND	5	µg/L
	Acenaphthylene	3/9/95	ND	2	µg/L
	Acenaphthene	3/9/95	ND	2	µg/L
	Acetone	3/9/95	11	10	µg/L
	Anthracene	3/9/95	ND	2	µg/L
	Antimony	3/9/95	ND	.1	mg/L
	Aroclor 1016	3/9/95	ND	50	mg/L
	Aroclor 1221	3/9/95	ND	50	mg/L
	Aroclor 1232	3/9/95	ND	50	mg/L
	Aroclor 1242	3/9/95	ND	50	mg/L
	Aroclor 1248	3/9/95	ND	50	mg/L
	Aroclor 1254	3/9/95	ND	50	mg/L
	Aroclor 1260	3/9/95	ND	50	mg/L
	Arsenic	3/9/95	.0036	.002	mg/L
	Barium	3/9/95	.16	.1	mg/L
	Benzene	3/9/95	ND	.5	µg/L
	Benzidine	3/9/95	ND	20	µg/L
	Benzo(a)anthracene	3/9/95	ND	2	µg/L
	Benzo(a)pyrene	3/9/95	ND	2	µg/L
	Benzo(b)fluoranthene	3/9/95	ND	2	µg/L
	Benzo(g,h,i)perylene	3/9/95	ND	2	µg/L
	Benzo(k)fluoranthene	3/9/95	ND	2	µg/L
	Benzoic Acid	3/9/95	ND	5	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-B	Benzyl Alcohol	3/9/95	ND	2	µg/L
	Beryllium	3/9/95	ND	.01	mg/L
	Bis(2-chloroethoxy)methane	3/9/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	3/9/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	3/9/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	3/9/95	11	5	µg/L
	Bromodichloromethane	3/9/95	ND	.5	µg/L
	Bromoform	3/9/95	ND	.5	µg/L
	Bromomethane	3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/9/95	ND	2	µg/L
	Cadmium	3/9/95	ND	.005	mg/L
	Carbon Tetrachloride	3/9/95	ND	.5	µg/L
	Chlorobenzene	3/9/95	ND	.5	µg/L
	Chloroethane	3/9/95	ND	.5	µg/L
	Chloroform	3/9/95	ND	.5	µg/L
	Chloromethane	3/9/95	ND	.5	µg/L
	Chromium	3/9/95	.085	.01	mg/L
	Chrysene	3/9/95	ND	2	µg/L
	cis-1,2-Dichloroethene	3/9/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
	Cobalt	3/9/95	.019	.01	mg/L
	Copper	3/9/95	.036	.01	mg/L
	Di-n-butylphthalate	3/9/95	ND	2	µg/L
	Di-n-octylphthalate	3/9/95	ND	2	µg/L
	Dibenzo(a,h)anthracene	3/9/95	ND	2	µg/L
	Dibenzofuran	3/9/95	ND	2	µg/L
	Dibromochloromethane	3/9/95	ND	.5	µg/L
	Diethylphthalate	3/9/95	ND	2	µg/L
	Dimethylphthalate	3/9/95	ND	2	µg/L
	Ethanol	3/9/95	ND	1000	µg/L
	Ethylbenzene	3/9/95	ND	.5	µg/L
	Fluoranthene	3/9/95	ND	2	µg/L
	Fluorene	3/9/95	ND	2	µg/L
	Hexachlorobenzene	3/9/95	ND	2	µg/L
	Hexachlorobutadiene	3/9/95	ND	2	µg/L
	Hexachlorocyclopentadiene	3/9/95	ND	2	µg/L
	Hexachloroethane	3/9/95	ND	2	µg/L
	Ideno(1,2,3-cd)pyrene	3/9/95	ND	2	µg/L
	Isophorone	3/9/95	ND	2	µg/L
	Lead	3/9/95	.019	.005	mg/L
	Mercury	3/9/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	3/9/95	ND	20	µg/L

Location	Analyte	Date	Result	MDA	Units	
StW-B	Methylene Chloride	3/9/95	ND	1	µg/L	
	Molybdenum	3/9/95	ND	.01	mg/L	
	N-Nitroso-di-n-propylamine	3/9/95	ND	2	µg/L	
	N-Nitrosodimethylamine	3/9/95	ND	2	µg/L	
	N-Nitrosodiphenylamine	3/9/95	ND	2	µg/L	
	Naphthalene	3/9/95	ND	2	µg/L	
	Nickel	3/9/95	.071	.05	mg/L	
	Nitrobenzene	3/9/95	ND	2	µg/L	
	Oil & Grease	3/9/95	ND	2	mg/L	
	Pentachlorophenol	3/9/95	ND	5	µg/L	
	Phenanthrene	3/9/95	ND	2	µg/L	
	Phenol	3/9/95	ND	2	µg/L	
	Pyrene	3/9/95	ND	2	µg/L	
	Selenium	3/9/95	ND	.002	mg/L	
	Silver	3/9/95	ND	.01	mg/L	
	Specific Conductance	3/9/95	332	1	µmhos/cm	
	Tetrachloroethene	3/9/95	ND	.5	µg/L	
	Thallium	3/9/95	ND	.005	mg/L	
	Toluene	3/9/95	ND	.5	µg/L	
	Total Petroleum Hydrocarbs (diesel)	3/9/95	ND	200	µg/L	
	Total Petroleum Hydrocarbs (gas)	3/9/95	ND	50	µg/L	
	Total Suspended Solids	3/9/95	702	.5	mg/L	
	trans-1,2-Dichloroethene	3/9/95	ND	.5	µg/L	
	trans-1,3-Dichloropropene	3/9/95	ND	.5	µg/L	
	Trichloroethene	3/9/95	ND	.5	µg/L	
	Vanadium	3/9/95	.099	.05	mg/L	
	Vinyl Chloride	3/9/95	ND	.5	µg/L	
	Xylenes	3/9/95	ND	1	µg/L	
	Zinc	3/9/95	.11	.05	mg/L	
	StW-C	1,1,1-Trichloroethane	3/9/95	ND	.5	µg/L
		1,1,2,2-Tetrachloroethane	3/9/95	ND	.5	µg/L
1,1,2-Trichloroethane		3/9/95	ND	.5	µg/L	
1,1-Dichloroethane		3/9/95	ND	.5	µg/L	
1,2,4-Trichlorobenzene		3/9/95	ND	2	µg/L	
1,2-Dichlorobenzene		3/9/95	ND	2	µg/L	
		3/9/95	ND	.5	µg/L	
1,2-Dichloroethane		3/9/95	ND	.5	µg/L	
1,2-Dichloropropane		3/9/95	ND	.5	µg/L	
1,2-Diphenylhydrazine		3/9/95	ND	2	µg/L	
1,3-Dichlorobenzene		3/9/95	ND	.5	µg/L	
		3/9/95	ND	2	µg/L	
1,4-Dichlorobenzene	3/9/95	ND	.5	µg/L		

Location	Analyte	Date	Result	MDA Units
StW-C	1,4-Dichlorobenzene	3/9/95	ND	2 µg/L
	2,4,5-Trichlorophenol	3/9/95	ND	5 µg/L
	2,4,6-Trichlorophenol	3/9/95	ND	5 µg/L
	2,4-Dichlorophenol	3/9/95	ND	2 µg/L
	2,4-Dimethylphenol	3/9/95	ND	2 µg/L
	2,4-Dinitrophenol	3/9/95	ND	10 µg/L
	2,4-Dinitrotoluene	3/9/95	ND	2 µg/L
	2,6-Dinitrotoluene	3/9/95	ND	2 µg/L
	2-Chloroethyl Vinyl Ether	3/9/95	ND	.5 µg/L
	2-Chloronaphthalene	3/9/95	ND	2 µg/L
	2-Chlorophenol	3/9/95	ND	2 µg/L
	2-Methylnaphthalene	3/9/95	ND	2 µg/L
	2-Methylphenol	3/9/95	ND	2 µg/L
	2-Nitroaniline	3/9/95	ND	2 µg/L
	2-Nitrophenol	3/9/95	ND	2 µg/L
	3,3-Dichlorobenzidine	3/9/95	ND	5 µg/L
	3-Nitroaniline	3/9/95	ND	2 µg/L
	4,6-Dinitro-2-methylphenol	3/9/95	ND	5 µg/L
	4-Bromophenyl phenyl ether	3/9/95	ND	2 µg/L
	4-Chloro-3-methylphenol	3/9/95	ND	5 µg/L
	4-Chloroaniline	3/9/95	ND	2 µg/L
	4-Chlorophenyl phenyl ether	3/9/95	ND	2 µg/L
	4-Methylphenol	3/9/95	ND	2 µg/L
	4-Nitroaniline	3/9/95	ND	5 µg/L
	4-Nitrophenol	3/9/95	ND	5 µg/L
	Acenaphthylene	3/9/95	ND	2 µg/L
	Acenaphthene	3/9/95	ND	2 µg/L
	Acetone	3/9/95	ND	10 µg/L
	Anthracene	3/9/95	ND	2 µg/L
	Antimony	3/9/95	ND	.1 mg/L
	Aroclor 1016	3/9/95	ND	50 mg/L
	Aroclor 1221	3/9/95	ND	50 mg/L
	Aroclor 1232	3/9/95	ND	50 mg/L
	Aroclor 1242	3/9/95	ND	50 mg/L
	Aroclor 1248	3/9/95	ND	50 mg/L
	Aroclor 1254	3/9/95	ND	50 mg/L
	Aroclor 1260	3/9/95	ND	50 mg/L
	Arsenic	3/9/95	.0026	.002 mg/L
	Barium	3/9/95	ND	.1 mg/L
	Benzene	3/9/95	ND	.5 µg/L
	Benzidine	3/9/95	ND	20 µg/L
	Benzo(a)anthracene	3/9/95	ND	2 µg/L

Location	Analyte	Date	Result	MDA	Units
StW-C	Benzo(a)pyrene	3/9/95	ND	2	µg/L
	Benzo(b)fluoranthene	3/9/95	ND	2	µg/L
	Benzo(g,h,i)perylene	3/9/95	ND	2	µg/L
	Benzo(k)fluoranthene	3/9/95	ND	2	µg/L
	Benzoic Acid	3/9/95	ND	5	µg/L
	Benzyl Alcohol	3/9/95	ND	2	µg/L
	Beryllium	3/9/95	ND	.01	mg/L
	Bis(2-chloroethoxy)methane	3/9/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	3/9/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	3/9/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	3/9/95	ND	5	µg/L
	Bromodichloromethane	3/9/95	ND	.5	µg/L
	Bromoform	3/9/95	ND	.5	µg/L
	Bromomethane	3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/9/95	ND	2	µg/L
	Cadmium	3/9/95	ND	.005	mg/L
	Carbon Tetrachloride	3/9/95	ND	.5	µg/L
	Chlorobenzene	3/9/95	ND	.5	µg/L
	Chloroethane	3/9/95	ND	.5	µg/L
	Chloroform	3/9/95	ND	.5	µg/L
	Chloromethane	3/9/95	ND	.5	µg/L
	Chromium	3/9/95	.026	.01	mg/L
	Chrysene	3/9/95	ND	2	µg/L
	cis-1,2-Dichloroethene	3/9/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
	Cobalt	3/9/95	ND	.01	mg/L
	Copper	3/9/95	ND	.01	mg/L
	Di-n-butylphthalate	3/9/95	ND	2	µg/L
	Di-n-octylphthalate	3/9/95	ND	2	µg/L
	Dibenzo(a,h)anthracene	3/9/95	ND	2	µg/L
	Dibenzofuran	3/9/95	ND	2	µg/L
	Dibromochloromethane	3/9/95	ND	.5	µg/L
	Diethylphthalate	3/9/95	ND	2	µg/L
	Dimethylphthalate	3/9/95	ND	2	µg/L
	Ethanol	3/9/95	ND	1000	µg/L
	Ethylbenzene	3/9/95	ND	.5	µg/L
	Fluoranthene	3/9/95	ND	2	µg/L
	Fluorene	3/9/95	ND	2	µg/L
	Hexachlorobenzene	3/9/95	ND	2	µg/L
	Hexachlorobutadiene	3/9/95	ND	2	µg/L
	Hexachlorocyclopentadiene	3/9/95	ND	2	µg/L
	Hexachloroethane	3/9/95	ND	2	µg/L

Location	Analyte	Date	Result	MDA	Units	
StW-C	Ideno(1,2,3-cd)pyrene	3/9/95	ND	2	µg/L	
	Isophorone	3/9/95	ND	2	µg/L	
	Lead	3/9/95	.008	.005	mg/L	
	Mercury	3/9/95	ND	.0002	mg/L	
	Methyl Ethyl Ketone	3/9/95	ND	20	µg/L	
	Methylene Chloride	3/9/95	ND	1	µg/L	
	Molybdenum	3/9/95	ND	.01	mg/L	
	N-Nitroso-di-n-propylamine	3/9/95	ND	2	µg/L	
	N-Nitrosodimethylamine	3/9/95	ND	2	µg/L	
	N-Nitrosodiphenylamine	3/9/95	ND	2	µg/L	
	Naphthalene	3/9/95	ND	2	µg/L	
	Nickel	3/9/95	ND	.05	mg/L	
	Nitrobenzene	3/9/95	ND	2	µg/L	
	Oil & Grease	3/9/95	1	1	mg/L	
	Pentachlorophenol	3/9/95	ND	5	µg/L	
	Phenanthrene	3/9/95	ND	2	µg/L	
	Phenol	3/9/95	ND	2	µg/L	
	Pyrene	3/9/95	ND	2	µg/L	
	Selenium	3/9/95	ND	.002	mg/L	
	Silver	3/9/95	ND	.01	mg/L	
	Specific Conductance	3/9/95	200	1	µmhos/cm	
	Tetrachloroethene	3/9/95	ND	.5	µg/L	
	Thallium	3/9/95	ND	.005	mg/L	
	Toluene	3/9/95	ND	.5	µg/L	
	Total Petroleum Hydrocarbs (diesel)	3/9/95	ND	200	µg/L	
	Total Petroleum Hydrocarbs (gas)	3/9/95	ND	50	µg/L	
	Total Suspended Solids	3/9/95	94	.5	mg/L	
	trans-1,2-Dichloroethene	3/9/95	ND	.5	µg/L	
	trans-1,3-Dichloropropene	3/9/95	ND	.5	µg/L	
	Trichloroethene	3/9/95	ND	.5	µg/L	
	Vanadium	3/9/95	ND	.05	mg/L	
	Vinyl Chloride	3/9/95	ND	.5	µg/L	
	Xylenes	3/9/95	ND	1	µg/L	
	Zinc	3/9/95	.051	.05	mg/L	
	StW-D	1,1,1-Trichloroethane	3/8/95	ND	.5	µg/L
			3/9/95	ND	.5	µg/L
		1,1,2,2-Tetrachloroethane	3/8/95	ND	.5	µg/L
			3/9/95	ND	.5	µg/L
		1,1,2-Trichloroethane	3/8/95	ND	.5	µg/L
			3/9/95	ND	.5	µg/L
1,1-Dichloroethane		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA Units
StW-D	1,2,4-Trichlorobenzene	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
	1,2-Dichlorobenzene	3/8/95	ND	2 µg/L
		3/8/95	ND	.5 µg/L
		3/9/95	ND	2 µg/L
	1,2-Dichloroethane	3/9/95	ND	.5 µg/L
		3/8/95	ND	.5 µg/L
		3/9/95	ND	.5 µg/L
	1,2-Dichloropropane	3/8/95	ND	.5 µg/L
		3/9/95	ND	.5 µg/L
	1,2-Diphenylhydrazine	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
	1,3-Dichlorobenzene	3/8/95	ND	2 µg/L
		3/8/95	ND	.5 µg/L
		3/9/95	ND	2 µg/L
	1,4-Dichlorobenzene	3/9/95	ND	.5 µg/L
		3/8/95	ND	2 µg/L
		3/8/95	ND	.5 µg/L
	2,4,5-Trichlorophenol	3/9/95	ND	.5 µg/L
		3/8/95	ND	5 µg/L
		3/9/95	ND	5 µg/L
	2,4,6-Trichlorophenol	3/8/95	ND	5 µg/L
		3/9/95	ND	5 µg/L
	2,4-Dichlorophenol	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
	2,4-Dimethylphenol	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
	2,4-Dinitrophenol	3/8/95	ND	10 µg/L
		3/9/95	ND	10 µg/L
	2,4-Dinitrotoluene	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
	2,6-Dinitrotoluene	3/8/95	ND	2 µg/L
		3/9/95	ND	2 µg/L
	2-Chloroethyl Vinyl Ether	3/8/95	ND	.5 µg/L
		3/9/95	ND	.5 µg/L
	2-Chloronaphthalene	3/8/95	ND	2 µg/L
3/9/95		ND	2 µg/L	
2-Chlorophenol	3/8/95	ND	2 µg/L	
	3/9/95	ND	2 µg/L	
2-Methylnaphthalene	3/8/95	ND	2 µg/L	
	3/9/95	ND	2 µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-D	2-Methylphenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Nitroaniline	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Nitrophenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	3,3-Dichlorobenzidine	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	3-Nitroaniline	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4,6-Dinitro-2-methylphenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	4-Bromophenyl phenyl ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Chloro-3-methylphenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	4-Chloroaniline	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Chlorophenyl phenyl ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Methylphenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Nitroaniline	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	4-Nitrophenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	Acenaphthylene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Acenaphthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Acetone	3/8/95	ND	10	µg/L
		3/9/95	ND	10	µg/L
	Anthracene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Antimony	3/8/95	ND	.1	mg/L
		3/8/95	ND	.1	mg/L
		3/9/95	ND	.1	mg/L
	Aroclor 1016	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1221	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1232	3/8/95	ND	50	mg/L

Location	Analyte	Date	Result	MDA	Units
StW-D	Aroclor 1232	3/9/95	ND	50	mg/L
	Aroclor 1242	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1248	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1254	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1260	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Arsenic	3/8/95	.0022	.002	mg/L
		3/8/95	.0026	.002	mg/L
		3/9/95	.0052	.002	mg/L
	Barium	3/8/95	ND	.1	mg/L
		3/8/95	ND	.1	mg/L
		3/9/95	.11	.1	mg/L
	Benzene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Benzidine	3/8/95	ND	20	µg/L
		3/9/95	ND	20	µg/L
	Benzo(a)anthracene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(a)pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(b)fluoranthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(g,h,i)perylene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(k)fluoranthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzoic Acid	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	Benzyl Alcohol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
Beryllium	3/8/95	ND	.01	mg/L	
	3/8/95	ND	.01	mg/L	
	3/9/95	ND	.01	mg/L	
Bis(2-chloroethoxy)methane	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
Bis(2-chloroethyl)ether	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
Bis(2-chloroisopropyl)ether	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-D	Bis(2-ethylhexyl)phthalate	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	Bromodichloromethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Bromoform	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Bromomethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Cadmium	3/8/95	ND	.005	mg/L
		3/8/95	ND	.005	mg/L
		3/9/95	.041	.005	mg/L
	Carbon Tetrachloride	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chlorobenzene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloroethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloroform	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloromethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chromium	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	Chrysene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	cis-1,2-Dichloroethene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Cobalt	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	Copper	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	.018	.01	mg/L
	Di-n-butylphthalate	3/8/95	19	2	µg/L
		3/9/95	ND	2	µg/L
	Di-n-octylphthalate	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-D	Dibenzo(a,h)anthracene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Dibenzofuran	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Dibromochloromethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Diethylphthalate	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Dimethylphthalate	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Ethanol	3/8/95	ND	1000	µg/L
		3/9/95	ND	1000	µg/L
	Ethylbenzene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Fluoranthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Fluorene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Hexachlorobenzene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Hexachlorobutadiene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Hexachlorocyclopentadiene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Hexachloroethane	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Ideno(1,2,3-cd)pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Isophorone	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Lead	3/8/95	ND	.005	mg/L
		3/8/95	ND	.005	mg/L
		3/9/95	.013	.005	mg/L
Mercury	3/8/95	ND	.0002	mg/L	
	3/8/95	ND	.0002	mg/L	
	3/9/95	ND	.0002	mg/L	
Methyl Ethyl Ketone	3/8/95	ND	20	µg/L	
	3/9/95	ND	20	µg/L	
Methylene Chloride	3/8/95	ND	1	µg/L	
	3/9/95	ND	1	µg/L	
Molybdenum	3/8/95	ND	.01	mg/L	
	3/8/95	ND	.01	mg/L	

Location	Analyte	Date	Result	MDA	Units
StW-D	Molybdenum	3/9/95	ND	.01	mg/L
	N-Nitroso-di-n-propylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	N-Nitrosodimethylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	N-Nitrosodiphenylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Naphthalene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Nickel	3/8/95	ND	.05	mg/L
		3/8/95	ND	.05	mg/L
		3/9/95	.058	.05	mg/L
	Nitrobenzene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Oil & Grease	3/8/95	ND	2	mg/L
		3/9/95	1	1	mg/L
	Pentachlorophenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	Phenanthrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Phenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Selenium	3/8/95	ND	.002	mg/L
		3/8/95	ND	.002	mg/L
		3/9/95	ND	.002	mg/L
	Silver	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	Specific Conductance	3/8/95	120	1	µmhos/cm
		3/9/95	185	1	µmhos/cm
	Tetrachloroethene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Thallium	3/8/95	ND	.005	mg/L
		3/8/95	ND	.005	mg/L
		3/9/95	ND	.005	mg/L
	Toluene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Total Petroleum Hydrocarbs (diesel)	3/8/95	ND	200	µg/L
		3/9/95	ND	200	µg/L
	Total Petroleum Hydrocarbs (gas)	3/8/95	ND	50	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-D	Total Petroleum Hydrocarbs (gas)	3/9/95	ND	50	µg/L
	Total Suspended Solids	3/8/95	19.4	.5	mg/L
		3/9/95	226	.5	mg/L
	trans-1,2-Dichloroethene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Trichloroethene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Vanadium	3/8/95	ND	.05	mg/L
		3/8/95	ND	.05	mg/L
		3/9/95	ND	.05	mg/L
	Vinyl Chloride	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Xylenes	3/8/95	ND	1	µg/L
		3/9/95	ND	1	µg/L
	Zinc	3/8/95	.14	.05	mg/L
		3/8/95	.14	.05	mg/L
		3/9/95	.082	.05	mg/L
	StW05	Alpha	1/24/95	ND	.03
Aquatic Toxicity 96 Hr.		1/24/95	100	5	% survival
		3/2/95	100	5	% survival
StW06	Beta	1/24/95	ND	.03	Bq/L
	Alpha	1/24/95	ND	.03	Bq/L
	Aquatic Toxicity 96 Hr.	1/24/95	100	5	% survival
	3/2/95	100	5	% survival	
StW07	Beta	1/24/95	.057	.04	Bq/L
	Alpha	1/24/95	ND	.03	Bq/L
		3/3/95	ND	.02	Bq/L
	Aquatic Toxicity 96 Hr.	1/24/95	100	5	% survival
		3/2/95	100	5	% survival
StW08	Beta	1/24/95	.038	.03	Bq/L
		3/3/95	ND	.04	Bq/L
	Tritium	3/3/95	ND	18	Bq/L
	Alpha	1/24/95	ND	.03	Bq/L
	Aquatic Toxicity 96 Hr.	1/24/95	100	5	% survival
	3/2/95	100	5	% survival	
StW09	Beta	1/24/95	.049	.04	Bq/L
	Alpha	1/24/95	ND	.03	Bq/L
	Aquatic Toxicity 96 Hr.	1/24/95	100	5	% survival
		3/2/95	100	5	% survival
	Beta	1/24/95	.047	.04	Bq/L

Location	Analyte	Date	Result	MDA	Units
StW10	Alpha	1/24/95	ND	.03	Bq/L
	Aquatic Toxicity 96 Hr.	1/24/95	100	5	% survival
		3/2/95	100	5	% survival
	Beta	1/24/95	ND	.03	Bq/L

25 FTU	1,1,1,2-Tetrachloroethane	5/17/95	ND	.5 µg/L
	1,1,1-Trichloroethane	1/17/95	ND	.5 µg/L
		1/23/95	ND	5 µg/L
		5/17/95	ND	.5 µg/L
		7/5/95	ND	5 µg/L
		12/5/95	ND	.5 µg/L
		12/5/95	ND	.5 µg/L
	1,1,1-Trichlorotrifluoroethane	5/17/95	ND	.5 µg/L
	1,1,2,2-Tetrachloroethane	1/17/95	ND	.5 µg/L
		1/23/95	ND	5 µg/L
		5/17/95	ND	.5 µg/L
		7/5/95	ND	5 µg/L
		12/5/95	ND	.5 µg/L
		12/5/95	ND	.5 µg/L
	1,1,2-Trichloro-1,2,2-trifluoroethane	1/23/95	ND	5 µg/L
		12/5/95	ND	.5 µg/L
		12/5/95	ND	.5 µg/L
	1,1,2-Trichloroethane	1/17/95	ND	.5 µg/L
		1/23/95	ND	5 µg/L
		5/17/95	ND	.5 µg/L
		7/5/95	ND	5 µg/L
		12/5/95	ND	.5 µg/L
		12/5/95	ND	.5 µg/L
	1,1-Dichloroethane	1/17/95	ND	.5 µg/L
		1/23/95	ND	5 µg/L
		5/17/95	ND	.5 µg/L
		7/5/95	ND	5 µg/L
		12/5/95	ND	.5 µg/L
		12/5/95	ND	.5 µg/L
	1,1-Dichloroethene	5/17/95	ND	.5 µg/L
	1,1-Dichloropropene	5/17/95	ND	.5 µg/L
	1,2,3-Trichlorobenzene	5/17/95	ND	.5 µg/L
	1,2,3-Trichloropropane	5/17/95	ND	.5 µg/L
	1,2,4-Trichlorobenzene	5/17/95	ND	.5 µg/L
	1,2,4-Trimethylbenzene	1/23/95	ND	5 µg/L
		5/17/95	ND	.5 µg/L
	1,2-Dibromo-3-chloropropane	5/17/95	ND	.5 µg/L
	1,2-Dibromomethane	5/17/95	ND	.5 µg/L
	1,2-Dichlorobenzene	1/17/95	ND	.5 µg/L
		1/23/95	ND	5 µg/L
5/17/95		ND	.5 µg/L	
7/5/95		ND	5 µg/L	
12/5/95		ND	.5 µg/L	
12/5/95	ND	.5 µg/L		

Location	Analyte	Date	Result	MDA	Units
25 FTU	1,2-Dichloroethane	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	1,2-Dichloropropane	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	1,2-Dichlorotetrafluoroethane	5/17/95	ND	.5	µg/L
	1,3,5-Trimethylbenzene	1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
	1,3-Dichlorobenzene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	1,3-Dichloropropane	5/17/95	ND	.5	µg/L
	1,4-Dichlorobenzene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	2,2-Dichloropropane	5/17/95	ND	.5	µg/L
	2-Butanone (Methyl ethyl ketone)	5/17/95	ND	.5	µg/L
	2-Chloroethyl Vinyl Ether	1/17/95	ND	.5	µg/L
		1/23/95	ND	10	µg/L
		7/5/95	ND	10	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
		2-Chlorotoluene	1/23/95	ND	5
	5/17/95	ND	.5	µg/L	
	12/5/95	ND	2	µg/L	
	12/5/95	ND	2	µg/L	
2-Hexanone	5/17/95	ND	.5	µg/L	
4-Chlorotoluene	5/17/95	ND	.5	µg/L	
Acetone	1/17/95	ND	10	µg/L	
	1/23/95	ND	5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
25 FTU	Acetone	7/5/95	ND	5	µg/L	
		12/5/95	ND	10	µg/L	
	Antimony	12/5/95	180	10	µg/L	
		1/17/95	ND	.1	mg/L	
		5/17/95	ND	.1	mg/L	
		7/5/95	ND	.02	mg/L	
	Arsenic	12/5/95	ND	.1	mg/L	
		1/17/95	ND	.002	mg/L	
		5/17/95	.0022	.002	mg/L	
		7/5/95	.004	.002	mg/L	
	Barium	12/5/95	.012	.002	mg/L	
		1/17/95	ND	.1	mg/L	
		5/17/95	ND	.1	mg/L	
		7/5/95	ND	.01	mg/L	
	Benzene	12/5/95	ND	.1	mg/L	
		1/17/95	ND	.5	µg/L	
		1/23/95	ND	5	µg/L	
		5/17/95	ND	.5	µg/L	
		7/5/95	ND	5	µg/L	
	Beryllium	12/5/95	ND	.5	µg/L	
		1/17/95	ND	.01	mg/L	
		5/17/95	ND	.01	mg/L	
		7/5/95	ND	.002	mg/L	
	Bromobenzene	12/5/95	ND	.01	mg/L	
		5/17/95	ND	.5	µg/L	
		Bromochloromethane	5/17/95	ND	.5	µg/L
			1/17/95	ND	.5	µg/L
		Bromodichloromethane	1/23/95	ND	5	µg/L
			5/17/95	ND	.5	µg/L
			7/5/95	ND	5	µg/L
			12/5/95	ND	.5	µg/L
		Bromoform	12/5/95	ND	.5	µg/L
			1/17/95	ND	.5	µg/L
			1/23/95	ND	5	µg/L
			5/17/95	ND	.5	µg/L
	7/5/95		ND	5	µg/L	
	Bromomethane	12/5/95	ND	.5	µg/L	
		12/5/95	ND	.5	µg/L	
		1/17/95	ND	.5	µg/L	
		1/23/95	ND	10	µg/L	
5/17/95		ND	.5	µg/L		
		7/5/95	ND	10	µg/L	

Location	Analyte	Date	Result	MDA	Units	
25 FTU	Bromomethane	12/5/95	ND	.5	µg/L	
		12/5/95	ND	.5	µg/L	
	Cadmium	1/17/95	ND	.005	mg/L	
		5/17/95	ND	.005	mg/L	
		7/5/95	ND	.005	mg/L	
	Carbon Tetrachloride	12/5/95	ND	.01	mg/L	
		1/17/95	ND	.5	µg/L	
		1/23/95	ND	5	µg/L	
		5/17/95	ND	.5	µg/L	
		7/5/95	ND	5	µg/L	
		12/5/95	ND	.5	µg/L	
		12/5/95	ND	.5	µg/L	
		Chlorobenzene	1/17/95	ND	.5	µg/L
			1/23/95	ND	5	µg/L
			5/17/95	ND	.5	µg/L
	7/5/95		ND	5	µg/L	
	12/5/95		ND	.5	µg/L	
	Chloroethane	12/5/95	ND	.5	µg/L	
		1/17/95	ND	1	µg/L	
		1/23/95	ND	10	µg/L	
		5/17/95	ND	.5	µg/L	
		7/5/95	ND	10	µg/L	
		12/5/95	ND	1	µg/L	
	Chloroform	12/5/95	ND	1	µg/L	
		1/17/95	8.4	.5	µg/L	
		1/23/95	53	5	µg/L	
		5/17/95	7.8	.5	µg/L	
		7/5/95	ND	5	µg/L	
	Chloromethane	12/5/95	ND	.5	µg/L	
		12/5/95	11	.5	µg/L	
		1/17/95	ND	1	µg/L	
		1/23/95	ND	10	µg/L	
		5/17/95	ND	.5	µg/L	
		7/5/95	ND	10	µg/L	
	Chromium	12/5/95	ND	1	µg/L	
		12/5/95	ND	.01	mg/L	
		1/17/95	ND	.01	mg/L	
		5/17/95	ND	.01	mg/L	
		7/5/95	ND	.01	mg/L	
	cis-1,2-Dichloroethene	12/5/95	ND	.01	mg/L	
		1/17/95	ND	.5	µg/L	
		1/23/95	ND	5	µg/L	
		5/17/95	ND	.5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
25 FTU	cis-1,2-Dichloroethene	7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
		1/17/95	ND	.01	mg/L
	Cobalt	5/17/95	ND	.01	mg/L
		7/5/95	ND	.005	mg/L
		12/5/95	ND	.01	mg/L
		1/17/95	.79	.01	mg/L
	Copper	5/17/95	.42	.01	mg/L
		7/5/95	1.4	.01	mg/L
		12/5/95	1.2	.01	mg/L
		1/17/95	ND	.01	mg/L
	Cyanide	5/17/95	.1	.02	mg/L
		7/5/95	ND	.01	mg/L
		12/5/95	ND	.02	mg/L
	Dibromochloromethane	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	Dibromomethane	5/17/95	ND	.5	µg/L
	Dichlorodifluoromethane	5/17/95	ND	.5	µg/L
	Ethanol	1/17/95	ND	1000	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	1000	µg/L
		12/5/95	ND	1000	µg/L
	Ethylbenzene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	.58	.5	µg/L
		12/5/95	ND	.5	µg/L
	Hexachlorobutadiene	5/17/95	ND	.5	µg/L
Isopropylbenzene	5/17/95	ND	.5	µg/L	
Lead	1/17/95	.026	.005	mg/L	
	5/17/95	.032	.005	mg/L	

Location	Analyte	Date	Result	MDA	Units
25 FTU	Lead	7/5/95	.09	.04	mg/L
		12/5/95	.088	.005	mg/L
	Mercury	1/17/95	ND	.0002	mg/L
		5/17/95	ND	.0002	mg/L
		7/5/95	ND	.0002	mg/L
		12/5/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	1/17/95	ND	20	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	20	µg/L
		12/5/95	85	20	µg/L
	Methylene Chloride	1/17/95	ND	1	µg/L
		1/23/95	ND	20	µg/L
		5/17/95	1.2	1	µg/L
		7/5/95	ND	20	µg/L
		12/5/95	1.5	1	µg/L
		12/5/95	ND	1	µg/L
	Molybdenum	1/17/95	.018	.01	mg/L
		5/17/95	ND	.01	mg/L
		7/5/95	ND	.01	mg/L
		12/5/95	ND	.01	mg/L
	n-Butylbenzene	5/17/95	ND	.5	µg/L
	n-Propylbenzene	5/17/95	ND	.5	µg/L
	Naphthalene	5/17/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	Nickel	1/17/95	.16	.05	mg/L
		5/17/95	ND	.05	mg/L
		7/5/95	.05	.01	mg/L
		12/5/95	ND	.05	mg/L
	p-Isopropyltoluene	5/17/95	ND	.5	µg/L
	pH	12/5/95	7.6	.1	S.U.
	sec-Butylbenzene	5/17/95	ND	.5	µg/L
	Selenium	1/17/95	ND	.002	mg/L
		5/17/95	ND	.002	mg/L
		7/5/95	ND	.04	mg/L
		12/5/95	.0024	.002	mg/L
	Silver	1/17/95	ND	.01	mg/L
		5/17/95	ND	.01	mg/L
		7/5/95	ND	.005	mg/L
		12/5/95	ND	.01	mg/L
	Styrene	5/17/95	ND	.5	µg/L
	ter-Butylbenzene	5/17/95	ND	.5	µg/L

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
25 FTU	Tetrachloroethene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	Thallium	1/17/95	ND	.005	mg/L
		5/17/95	ND	.005	mg/L
		7/5/95	ND	.05	mg/L
		12/5/95	ND	.005	mg/L
	Toluene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	trans-1,2-Dichloroethene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	Trichloroethene	1/17/95	ND	.5	µg/L
		1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		7/5/95	ND	5	µg/L
		12/5/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	Trichlorofluoromethane	1/23/95	ND	5	µg/L
		5/17/95	ND	.5	µg/L
		12/5/95	ND	.5	µg/L
	Vanadium	1/17/95	ND	.05	mg/L
		5/17/95	ND	.05	mg/L
		7/5/95	ND	.005	mg/L
		12/5/95	ND	.05	mg/L

Location	Analyte	Date	Result	MDA	Units	
25 FTU	Vinyl Chloride	1/17/95	ND	.5	µg/L	
		1/23/95	ND	10	µg/L	
		5/17/95	ND	.5	µg/L	
		7/5/95	ND	10	µg/L	
		12/5/95	ND	.5	µg/L	
		12/5/95	ND	.5	µg/L	
	Xylenes	1/17/95	ND	1	µg/L	
		1/23/95	ND	10	µg/L	
		25 FTU	12/5/95	ND	1	µg/L
			12/5/95	ND	1	µg/L
Xylenes, total	5/17/95	ND	1	µg/L		
	Zinc	1/17/95	.14	.05	mg/L	
		5/17/95	ND	.05	mg/L	
		7/5/95	.05	.01	mg/L	
		12/5/95	.09	.05	mg/L	
		25-132	Antimony	4/3/95	ND	.1
Arsenic	4/3/95		.003	.002	mg/L	
Barium	4/3/95		ND	.1	mg/L	
Beryllium	4/3/95		ND	.01	mg/L	
Cadmium	4/3/95		ND	.005	mg/L	
Chromium	4/3/95		ND	.01	mg/L	
Cobalt	4/3/95		ND	.01	mg/L	
Copper	4/3/95		.72	.01	mg/L	
Lead	4/3/95		.044	.005	mg/L	
Mercury	4/3/95		ND	.0002	mg/L	
Molybdenum	4/3/95		ND	.01	mg/L	
Nickel	4/3/95		ND	.05	mg/L	
pH	4/3/95		6.2	.1	S.U.	
Selenium	4/3/95		ND	.002	mg/L	
Silver	4/3/95		ND	.01	mg/L	
Specific Conductance	4/3/95		ND	1	µmhos/cm	
Thallium	4/3/95		ND	.005	mg/L	
Vanadium	4/3/95		ND	.05	mg/L	
Zinc	4/3/95		.06	.05	mg/L	
77 FTU	1,1,1-Trichloroethane		2/2/95	.61	.5	µg/L
		2/17/95	ND	.5	µg/L	
		3/30/95	1.7	.5	µg/L	
		4/14/95	1	1	µg/L	
		4/21/95	ND	1	µg/L	
		5/19/95	.1	.5	µg/L	
		6/9/95	.61	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/17/95	2	1	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
77 FTU	1,1,2,2-Tetrachloroethane	2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
	1,1,2-Trichloroethane	2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
	1,1-Dichloroethane	2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
	1,2-Dichlorobenzene	2/2/95	ND	.5	µg/L
2/17/95		ND	.5	µg/L	
3/30/95		ND	.5	µg/L	
4/14/95		ND	1	µg/L	
4/21/95		ND	1	µg/L	
5/19/95		ND	.5	µg/L	
6/9/95		ND	.5	µg/L	
7/11/95		ND	.5	µg/L	
7/17/95		ND	1	µg/L	
1,2-Dichloroethane	2/2/95	ND	.5	µg/L	
	2/17/95	ND	.5	µg/L	
	3/30/95	ND	.5	µg/L	
	4/14/95	ND	1	µg/L	
	4/21/95	ND	1	µg/L	
	5/19/95	ND	.5	µg/L	
6/9/95	ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units
77 FTU	1,2-Dichloroethane	7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
	1,2-Dichloropropane	2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
		1,3-Dichlorobenzene	2/2/95	ND	.5
	2/17/95		ND	.5	µg/L
	3/30/95		ND	.5	µg/L
	4/14/95		ND	1	µg/L
	4/21/95		ND	1	µg/L
	5/19/95		ND	.5	µg/L
	6/9/95		ND	.5	µg/L
	7/11/95		ND	.5	µg/L
	7/17/95		ND	1	µg/L
	1,4-Dichlorobenzene		2/2/95	ND	.5
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
		2-Chloroethyl Vinyl Ether	2/2/95	ND	.5
	2/17/95		ND	.5	µg/L
	3/30/95		ND	.5	µg/L
	4/14/95		ND	1	µg/L
4/21/95	ND		1	µg/L	
6/9/95	ND		.5	µg/L	
7/11/95	ND		.5	µg/L	
7/17/95	ND		1	µg/L	
Acetone	2/2/95		ND	10	µg/L
	2/17/95		ND	10	µg/L
	3/30/95	ND	10	µg/L	
	4/14/95	ND	30	µg/L	
	4/21/95	ND	30	µg/L	
		5/19/95	ND	10	µg/L

Location	Analyte	Date	Result	MDA	Units
77 FTU	Acetone	6/9/95	12	10	μg/L
		7/17/95	ND	20	μg/L
	Antimony	1/19/95	ND	.1	mg/L
		2/2/95	ND	.1	mg/L
		2/17/95	ND	.1	mg/L
		3/30/95	ND	.1	mg/L
		4/14/95	ND	.1	mg/L
		4/21/95	ND	.1	mg/L
		5/19/95	ND	.1	mg/L
		6/9/95	ND	.1	mg/L
		6/21/95	ND	.1	mg/L
		7/11/95	ND	.1	mg/L
		7/17/95	ND	.1	mg/L
		8/1/95	ND	.1	mg/L
		11/9/95	ND	.1	mg/L
		Arsenic	1/19/95	.01	.002
	2/2/95		.012	.002	mg/L
	2/17/95		.011	.002	mg/L
	3/30/95		.012	.002	mg/L
	4/14/95		ND	.002	mg/L
	4/21/95		ND	.002	mg/L
	5/19/95		ND	.002	mg/L
	6/9/95		ND	.002	mg/L
	6/21/95		ND	.002	mg/L
	7/11/95		ND	.002	mg/L
	7/17/95		.002	.002	mg/L
	8/1/95		.003	.002	mg/L
	11/9/95		.0024	.002	mg/L
	Barium		1/19/95	ND	.1
		2/2/95	ND	.1	mg/L
		2/17/95	ND	.1	mg/L
		3/30/95	ND	.1	mg/L
		4/14/95	ND	.1	mg/L
		4/21/95	ND	.1	mg/L
		5/19/95	ND	.1	mg/L
		6/9/95	ND	.1	mg/L
		6/21/95	ND	.1	mg/L
		7/11/95	ND	.1	mg/L
		7/17/95	ND	.1	mg/L
		8/1/95	ND	.1	mg/L
		11/9/95	ND	.1	mg/L
		Benzene	2/2/95	ND	.5
	2/17/95		ND	.5	μg/L

Location	Analyte	Date	Result	MDA	Units
77 FTU	Benzene	3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
	Beryllium	7/17/95	ND	1	µg/L
		1/19/95	ND	.01	mg/L
		2/2/95	ND	.01	mg/L
		2/17/95	ND	.01	mg/L
		3/30/95	ND	.01	mg/L
		4/21/95	ND	.01	mg/L
		5/19/95	ND	.01	mg/L
		6/9/95	ND	.01	mg/L
		6/21/95	ND	.01	mg/L
		7/11/95	ND	.01	mg/L
		7/17/95	ND	.01	mg/L
		8/1/95	ND	.01	mg/L
		11/9/95	ND	.01	mg/L
		Bromodichloromethane	2/2/95	2	.5
	2/17/95		1.2	.5	µg/L
	3/30/95		2.6	.5	µg/L
	4/14/95		2.9	1	µg/L
	4/21/95		3	1	µg/L
	5/19/95		4.1	.5	µg/L
	6/9/95		2.8	.5	µg/L
	7/11/95		1.9	.5	µg/L
	7/17/95		2.9	1	µg/L
	Bromoform		2/2/95	ND	.5
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
		Bromomethane	2/2/95	21	.5
	2/17/95		ND	.5	µg/L
	3/30/95		ND	.5	µg/L
4/14/95	ND		1	µg/L	
4/21/95	ND		1	µg/L	
5/19/95	ND		.5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
77 FTU	Bromomethane	6/9/95	6.8	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/17/95	13	1	µg/L	
	Cadmium	1/19/95	ND	.005	mg/L	
		2/2/95	ND	.005	mg/L	
		2/17/95	ND	.005	mg/L	
		3/30/95	ND	.005	mg/L	
		4/14/95	ND	.005	mg/L	
		4/21/95	ND	.005	mg/L	
		5/19/95	ND	.005	mg/L	
		6/9/95	ND	.005	mg/L	
		6/21/95	ND	.005	mg/L	
		7/11/95	ND	.005	mg/L	
		7/17/95	ND	.005	mg/L	
		8/1/95	ND	.005	mg/L	
		11/9/95	ND	.01	mg/L	
		Carbon Tetrachloride	2/2/95	ND	.5	µg/L
			2/17/95	ND	.5	µg/L
	3/30/95		ND	.5	µg/L	
	4/14/95		ND	1	µg/L	
	4/21/95		ND	1	µg/L	
	5/19/95		ND	.5	µg/L	
	6/9/95		ND	.5	µg/L	
	7/11/95		ND	.5	µg/L	
	7/17/95		ND	1	µg/L	
	Chlorobenzene		2/2/95	ND	.5	µg/L
			2/17/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L	
		4/21/95	ND	1	µg/L	
		5/19/95	ND	.5	µg/L	
		6/9/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/17/95	ND	1	µg/L	
		Chloroethane	2/2/95	ND	1	µg/L
			2/17/95	ND	1	µg/L
3/30/95			ND	1	µg/L	
4/14/95	ND		3	µg/L		
4/21/95	ND		2	µg/L		
5/19/95	ND		1	µg/L		
6/9/95	ND		1	µg/L		
7/11/95	ND		1	µg/L		
7/17/95	ND		1	µg/L		

Location	Analyte	Date	Result	MDA	Units	
77 FTU	Chloroform	2/2/95	40	.5	µg/L	
		2/17/95	23	.5	µg/L	
		3/30/95	50	.5	µg/L	
		4/14/95	65	1	µg/L	
		4/21/95	74	1	µg/L	
		5/19/95	71	3	µg/L	
		6/9/95	59	3	µg/L	
		7/11/95	43	1	µg/L	
		7/17/95	53	1	µg/L	
		Chloromethane	2/2/95	ND	1	µg/L
			2/17/95	ND	1	µg/L
			3/30/95	ND	1	µg/L
			4/14/95	ND	3	µg/L
			4/21/95	ND	2	µg/L
	5/19/95		ND	1	µg/L	
	6/9/95		ND	1	µg/L	
	7/11/95		ND	1	µg/L	
	7/17/95		ND	1	µg/L	
	Chromium		1/19/95	.12	.01	mg/L
		2/2/95	.23	.01	mg/L	
		2/17/95	.077	.01	mg/L	
		3/30/95	ND	.01	mg/L	
		4/14/95	.02	.01	mg/L	
		4/21/95	.12	.01	mg/L	
		5/19/95	.12	.01	mg/L	
		6/9/95	.21	.01	mg/L	
		6/21/95	.037	.01	mg/L	
		7/11/95	.068	.01	mg/L	
	cis-1,2-Dichloroethene	7/17/95	.17	.01	mg/L	
		8/1/95	1.5	.01	mg/L	
		11/9/95	.041	.01	mg/L	
		2/2/95	ND	.5	µg/L	
		2/17/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		4/14/95	ND	1	µg/L	
		4/21/95	ND	1	µg/L	
5/19/95		ND	.5	µg/L		
6/9/95		ND	.5	µg/L		
7/11/95		ND	.5	µg/L		
7/17/95		ND	1	µg/L		
cis-1,3-Dichloropropene	2/2/95	ND	.5	µg/L		
	2/17/95	ND	.5	µg/L		
	3/30/95	ND	.5	µg/L		

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
77 FTU	cis-1,3-Dichloropropene	4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
	Cobalt	1/19/95	ND	.01	mg/L
		2/2/95	ND	.01	mg/L
		2/17/95	ND	.01	mg/L
		3/30/95	ND	.01	mg/L
		4/14/95	ND	.01	mg/L
		4/21/95	ND	.01	mg/L
		5/19/95	ND	.01	mg/L
		6/9/95	ND	.01	mg/L
		6/21/95	ND	.01	mg/L
		7/11/95	ND	.01	mg/L
		7/17/95	ND	.01	mg/L
	Copper	1/19/95	ND	.01	mg/L
		2/2/95	.15	.01	mg/L
		2/17/95	.095	.01	mg/L
		3/30/95	.187	.01	mg/L
		4/14/95	.02	.01	mg/L
		4/21/95	.052	.01	mg/L
		5/19/95	ND	.01	mg/L
		6/9/95	.13	.01	mg/L
		6/21/95	.019	.01	mg/L
		7/11/95	.032	.01	mg/L
		7/17/95	.22	.01	mg/L
	Cyanide	8/1/95	.33	.01	mg/L
		11/9/95	.078	.01	mg/L
		2/2/95	ND	.01	mg/L
		2/17/95	ND	.01	mg/L
		3/30/95	ND	.02	mg/L
		4/14/95	ND	.01	mg/L
		4/21/95	ND	.02	mg/L
		4/21/95	ND	.02	mg/L
		5/19/95	ND	.02	mg/L
6/9/95		ND	.02	mg/L	
7/11/95	ND	.02	mg/L		
7/17/95	ND	.02	mg/L		

Location	Analyte	Date	Result	MDA	Units
77 FTU	Dibromochloromethane	2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
	Ethanol	2/2/95	ND	1000	µg/L
		2/17/95	ND	1000	µg/L
		3/30/95	ND	1000	µg/L
		4/14/95	ND	3000	µg/L
		4/21/95	ND	3000	µg/L
		5/19/95	ND	1000	µg/L
		6/9/95	ND	1000	µg/L
		7/17/95	ND	2000	µg/L
		Ethylbenzene	2/2/95	ND	.5
	2/17/95		ND	.5	µg/L
	3/30/95		ND	.5	µg/L
	4/14/95		ND	1	µg/L
	4/21/95		ND	1	µg/L
	5/19/95		ND	.5	µg/L
	6/9/95		ND	.5	µg/L
	7/11/95		ND	.5	µg/L
	7/17/95		ND	1	µg/L
	Lead	1/19/95	ND	.005	mg/L
		2/2/95	ND	.005	mg/L
		2/17/95	ND	.005	mg/L
		3/30/95	ND	.005	mg/L
		4/14/95	ND	.005	mg/L
		4/21/95	ND	.005	mg/L
		5/19/95	.08	.005	mg/L
		6/9/95	ND	.005	mg/L
		6/21/95	ND	.005	mg/L
		7/11/95	ND	.005	mg/L
7/17/95		ND	.005	mg/L	
8/1/95		ND	.005	mg/L	
11/9/95		ND	.005	mg/L	
Mercury		1/19/95	ND	.0002	mg/L
		2/2/95	ND	.0002	mg/L
	2/17/95	ND	.0002	mg/L	
	3/30/95	ND	.0002	mg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
77 FTU	Mercury	4/14/95	ND	.0002	mg/L
		4/21/95	ND	.0002	mg/L
		5/19/95	ND	.0002	mg/L
		6/9/95	ND	.0002	mg/L
		6/21/95	ND	.0002	mg/L
		7/11/95	ND	.0002	mg/L
		7/17/95	ND	.0002	mg/L
		8/1/95	ND	.0002	mg/L
		11/9/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	2/2/95	ND	20	μg/L
		2/17/95	ND	20	μg/L
		3/30/95	ND	20	μg/L
		4/14/95	ND	50	μg/L
		4/21/95	ND	5	μg/L
		5/19/95	ND	20	μg/L
		6/9/95	ND	20	μg/L
		7/17/95	ND	40	μg/L
		Methylene Chloride	2/2/95	ND	1
	2/17/95		ND	1	μg/L
	3/30/95		ND	1	μg/L
	4/14/95		ND	3	μg/L
	4/21/95		ND	2	μg/L
	5/19/95		ND	1	μg/L
	6/9/95		ND	1	μg/L
	7/11/95		ND	1	μg/L
	7/17/95		ND	1	μg/L
	Molybdenum	1/19/95	.01	.01	mg/L
		2/2/95	.014	.01	mg/L
		2/17/95	ND	.01	mg/L
		3/30/95	.015	.01	mg/L
		4/14/95	ND	.01	mg/L
		4/21/95	ND	.01	mg/L
		5/19/95	ND	.01	mg/L
		6/9/95	ND	.01	mg/L
		6/21/95	ND	.01	mg/L
	Nickel	7/11/95	ND	.01	mg/L
7/17/95		.012	.01	mg/L	
8/1/95		.06	.01	mg/L	
11/9/95		ND	.01	mg/L	
1/19/95		.055	.05	mg/L	
2/2/95		.087	.05	mg/L	
2/17/95		ND	.05	mg/L	
3/30/95		.164	.05	mg/L	

Location	Analyte	Date	Result	MDA	Units	
77 FTU	Nickel	4/14/95	ND	.05	mg/L	
		4/21/95	ND	.05	mg/L	
		5/19/95	ND	.05	mg/L	
		6/9/95	.35	.05	mg/L	
		6/21/95	ND	.05	mg/L	
		7/11/95	ND	.05	mg/L	
		7/17/95	.1	.05	mg/L	
		8/1/95	.22	.05	mg/L	
		11/9/95	ND	.05	mg/L	
		pH	1/19/95	9.7	.1	S.U.
			2/2/95	8.3	.1	S.U.
	2/17/95		9.6	.1	S.U.	
	2/17/95		9.6	.1	S.U.	
	3/30/95		10.1	.1	S.U.	
	7/17/95		10.5	.1	S.U.	
	11/9/95		11	.1	S.U.	
	Selenium		1/19/95	ND	.002	mg/L
			2/2/95	ND	.002	mg/L
			2/17/95	ND	.002	mg/L
			3/30/95	ND	.002	mg/L
		4/14/95	ND	.002	mg/L	
		4/21/95	ND	.002	mg/L	
		5/19/95	ND	.002	mg/L	
		6/9/95	ND	.002	mg/L	
		6/21/95	ND	.002	mg/L	
		7/11/95	ND	.002	mg/L	
		7/17/95	ND	.002	mg/L	
	Silver	8/1/95	ND	.002	mg/L	
		11/9/95	ND	.002	mg/L	
		1/19/95	ND	.01	mg/L	
		2/2/95	ND	.01	mg/L	
		2/17/95	ND	.01	mg/L	
		3/30/95	ND	.01	mg/L	
		4/14/95	ND	.005	mg/L	
		4/21/95	ND	.01	mg/L	
		5/19/95	ND	.01	mg/L	
		6/9/95	ND	.01	mg/L	
		6/21/95	ND	.01	mg/L	
	7/11/95	ND	.01	mg/L		
	7/17/95	ND	.01	mg/L		
	8/1/95	ND	.01	mg/L		
	11/9/95	ND	.01	mg/L		

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
77 FTU	Tetrachloroethene	2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
		5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
	Thallium	1/19/95	ND	.005	mg/L
		2/2/95	ND	.005	mg/L
		2/17/95	ND	.005	mg/L
		3/30/95	ND	.005	mg/L
		4/14/95	ND	.005	mg/L
		4/21/95	ND	.005	mg/L
		5/19/95	ND	.005	mg/L
		6/9/95	ND	.005	mg/L
		6/21/95	ND	.005	mg/L
	Toluene	7/11/95	ND	.005	mg/L
		7/17/95	ND	.005	mg/L
		8/1/95	ND	.005	mg/L
		11/9/95	ND	.005	mg/L
		2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
	trans-1,2-Dichloroethene	5/19/95	ND	.5	µg/L
		6/9/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/17/95	ND	1	µg/L
		2/2/95	ND	.5	µg/L
		2/17/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		4/14/95	ND	1	µg/L
		4/21/95	ND	1	µg/L
trans-1,3-Dichloropropene	5/19/95	ND	.5	µg/L	
	6/9/95	ND	.5	µg/L	
	7/11/95	ND	.5	µg/L	
	7/17/95	ND	1	µg/L	
	2/2/95	ND	.5	µg/L	
	2/17/95	ND	.5	µg/L	
3/30/95	ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units	
77 FTU	trans-1,3-Dichloropropene	4/14/95	ND	1	µg/L	
		4/21/95	ND	1	µg/L	
		5/19/95	ND	.5	µg/L	
		6/9/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/17/95	ND	1	µg/L	
	Trichloroethene	2/2/95	ND	.5	µg/L	
		2/17/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		4/14/95	ND	1	µg/L	
		4/21/95	ND	1	µg/L	
		5/19/95	ND	.5	µg/L	
		6/9/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/17/95	ND	1	µg/L	
		Vanadium	1/19/95	ND	.05	mg/L
			2/2/95	ND	.05	mg/L
			2/17/95	ND	.05	mg/L
	3/30/95		ND	.05	mg/L	
	4/14/95		ND	.05	mg/L	
	4/21/95		ND	.05	mg/L	
	5/19/95		ND	.05	mg/L	
	6/9/95		ND	.05	mg/L	
	6/21/95		ND	.05	mg/L	
	7/11/95		ND	.05	mg/L	
	7/17/95		ND	.05	mg/L	
	8/1/95		ND	.05	mg/L	
	Vinyl Chloride	11/9/95	ND	.05	mg/L	
		2/2/95	ND	.5	µg/L	
		2/17/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		4/14/95	ND	1	µg/L	
		4/21/95	ND	1	µg/L	
		5/19/95	ND	.5	µg/L	
		6/9/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/17/95	ND	1	µg/L	
	Xylenes	2/2/95	1.2	1	µg/L	
		2/17/95	ND	1	µg/L	
		3/30/95	1	1	µg/L	
		4/14/95	ND	1	µg/L	
		4/21/95	ND	2	µg/L	
5/19/95		ND	1	µg/L		

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
77 FTU	Xylenes	6/9/95	ND	1	μg/L	
		7/11/95	ND	1	μg/L	
		7/17/95	ND	1	μg/L	
	Zinc	1/19/95	ND	.05	mg/L	
		2/2/95	ND	.05	mg/L	
		2/17/95	ND	.05	mg/L	
		3/30/95	ND	.05	mg/L	
		4/14/95	ND	.05	mg/L	
		4/21/95	ND	.05	mg/L	
		5/19/95	ND	.05	mg/L	
		6/9/95	.08	.05	mg/L	
		6/21/95	ND	.05	mg/L	
		7/11/95	ND	.05	mg/L	
		7/17/95	.066	.05	mg/L	
		8/1/95	.056	.05	mg/L	
		11/9/95	.063	.05	mg/L	
		Hearst Sewer	1,1,1,2-Tetrachloroethane	5/10/95	ND	.5
6/13/95	ND			.5	μg/L	
1,1,1-Trichloroethane	1/11/95		ND	.5	μg/L	
	1/19/95		ND	.5	μg/L	
	3/16/95		ND	.5	μg/L	
	3/30/95		ND	.5	μg/L	
	5/10/95		ND	.5	μg/L	
	6/13/95		ND	.5	μg/L	
	7/11/95		ND	.5	μg/L	
7/18/95	7		5	μg/L		
8/1/95	ND		.5	μg/L		
1,1,1-Trichlorotrifluoroethane	11/7/95		ND	.5	μg/L	
	5/10/95		ND	.5	μg/L	
6/13/95	ND		.5	μg/L		
	1/11/95		ND	.5	μg/L	
1,1,2,2-Tetrachloroethane	1/19/95		ND	.5	μg/L	
	3/16/95		ND	.5	μg/L	
	3/30/95		ND	.5	μg/L	
	5/10/95		ND	.5	μg/L	
	6/13/95		ND	.5	μg/L	
	7/11/95		ND	.5	μg/L	
	7/18/95		ND	5	μg/L	
	8/1/95		ND	.5	μg/L	
	11/7/95		ND	.5	μg/L	
	1,1,2-Trichloroethane		1/11/95	ND	.5	μg/L
			1/19/95	ND	.5	μg/L
3/16/95			ND	.5	μg/L	

Location	Analyte	Date	Result	MDA	Units
Hearst Sewer	1,1,2-Trichloroethane	3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
	1,1-Dichloroethane	11/7/95	ND	.5	µg/L
		1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
		1,1-Dichloroethene	5/10/95	ND	.5
	6/13/95		ND	.5	µg/L
	1,1-Dichloropropene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,2,3-Trichlorobenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,2,3-Trichloropropane	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,2,4-Trichlorobenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,2,4-Trimethylbenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,2-Dibromo-3-chloropropane	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,2-Dibromomethane	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,2-Dichlorobenzene	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
3/30/95		ND	.5	µg/L	
5/10/95		ND	.5	µg/L	
6/13/95		ND	.5	µg/L	
7/11/95		ND	.5	µg/L	
7/18/95		ND	5	µg/L	
8/1/95		ND	.5	µg/L	
11/7/95		ND	.5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
Hearst Sewer	1,2-Dichloroethane	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
	1,2-Dichloropropane	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
	1,2-Dichlorotetrafluoroethane	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,3,5-Trimethylbenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	1,3-Dichlorobenzene	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
7/11/95		ND	.5	µg/L	
7/18/95		ND	5	µg/L	
8/1/95		ND	.5	µg/L	
11/7/95		ND	.5	µg/L	
1,3-Dichloropropane	5/10/95	ND	.5	µg/L	
	6/13/95	ND	.5	µg/L	
1,4-Dichlorobenzene	1/11/95	ND	.5	µg/L	
	1/19/95	ND	.5	µg/L	
	3/16/95	ND	.5	µg/L	
	3/30/95	ND	.5	µg/L	
	5/10/95	ND	.5	µg/L	
	6/13/95	ND	.5	µg/L	
	7/11/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units	
Hearst Sewer	1,4-Dichlorobenzene	7/18/95	ND	5	µg/L	
		8/1/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	1251		1/10/95	3.8	1.9	Bq/L
			1/26/95	2.7	1.3	Bq/L
			2/7/95	1.6	1.1	Bq/L
			2/17/95	3.5	1.4	Bq/L
			3/1/95	2.5	1.5	Bq/L
			3/10/95	3.6	1.6	Bq/L
			3/15/95	3.1	1.5	Bq/L
			3/22/95	2.1	1.3	Bq/L
			3/29/95	2.1	1.4	Bq/L
			4/4/95	2.1	.7	Bq/L
			4/12/95	2.1	.7	Bq/L
			4/20/95	2.1	.7	Bq/L
			4/26/95	2.9	.7	Bq/L
			5/4/95	2.1	.7	Bq/L
			5/10/95	2.4	.7	Bq/L
			5/18/95	1.9	.7	Bq/L
			5/24/95	3.89	.6	Bq/L
			6/1/95	3.9	.6	Bq/L
			6/8/95	4.36	.6	Bq/L
			6/14/95	3.4	.7	Bq/L
			6/22/95	2.8	.6	Bq/L
			6/28/95	2.2	1.1	Bq/L
			7/5/95	3.7	.7	Bq/L
			7/12/95	3.6	.7	Bq/L
			7/19/95	3.73	.7	Bq/L
			7/26/95	3.2	.8	Bq/L
			8/1/95	3.1	2	Bq/L
	8/8/95	ND	2	Bq/L		
	8/15/95	2.7	1.1	Bq/L		
	8/22/95	2.4	.8	Bq/L		
8/29/95	3.2	.8	Bq/L			
9/11/95	3.2	.8	Bq/L			
9/26/95	3	.7	Bq/L			
10/10/95	2.3	.7	Bq/L			
10/23/95	4.21	.7	Bq/L			
11/7/95	2	.8	Bq/L			
11/20/95	5.21	.7	Bq/L			
12/12/95	2.1	.7	Bq/L			
12/19/95	1.7	.7	Bq/L			
	2,2-Dichloropropane	5/10/95	ND	.5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
Hearst Sewer	2,2-Dichloropropane	6/13/95	ND	.5	µg/L	
		2-Butanone	5/10/95	ND	.5	µg/L
			6/13/95	ND	.5	µg/L
		2-Butanone (Methyl ethyl ketone)	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
		2-Chloroethyl Vinyl Ether	3/16/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
			7/11/95	ND	.5	µg/L
			7/18/95	ND	5	µg/L
			8/1/95	ND	.5	µg/L
			11/7/95	ND	.5	µg/L
		2-Chlorotoluene	5/10/95	ND	.5	µg/L
			6/13/95	ND	.5	µg/L
	2-Hexanone	5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
	4-Chlorotoluene	5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
	Acetone	1/11/95	300	10	µg/L	
		1/19/95	ND	10	µg/L	
		3/16/95	ND	10	µg/L	
		3/30/95	ND	10	µg/L	
		7/11/95	ND	10	µg/L	
		7/18/95	150	100	µg/L	
		8/1/95	480	10	µg/L	
		11/7/95	770	50	µg/L	
		Alpha	1/10/95	ND	.09	Bq/L
			1/26/95	ND	.04	Bq/L
	2/7/95		ND	.04	Bq/L	
	2/17/95		ND	.04	Bq/L	
	3/1/95		ND	.04	Bq/L	
	3/10/95		.04	.04	Bq/L	
	3/15/95		ND	.04	Bq/L	
	3/22/95		ND	.04	Bq/L	
3/29/95	ND		.04	Bq/L		
4/4/95	ND		.09	Bq/L		
4/12/95	ND	.1	Bq/L			
4/20/95	ND	.1	Bq/L			
4/26/95	ND	.18	Bq/L			
5/4/95	ND	.11	Bq/L			
5/10/95	ND	.11	Bq/L			
5/18/95	ND	.11	Bq/L			
5/24/95	ND	.12	Bq/L			
6/1/95	ND	.08	Bq/L			

Location	Analyte	Date	Result	MDA	Units
Hearst Sewer	Alpha	6/8/95	.065	.06	Bq/L
		6/14/95	ND	.11	Bq/L
		6/22/95	ND	.1	Bq/L
		6/28/95	ND	.5	Bq/L
		7/5/95	ND	.11	Bq/L
		7/12/95	ND	.11	Bq/L
		7/19/95	ND	.08	Bq/L
		7/26/95	ND	.1	Bq/L
		8/1/95	ND	.2	Bq/L
		8/8/95	ND	.2	Bq/L
		8/15/95	.1	.09	Bq/L
		8/22/95	ND	.07	Bq/L
		8/29/95	ND	.07	Bq/L
		9/11/95	ND	.09	Bq/L
		9/26/95	ND	.09	Bq/L
		10/10/95	ND	.1	Bq/L
		10/23/95	ND	.1	Bq/L
		11/7/95	ND	.12	Bq/L
		11/20/95	ND	.11	Bq/L
		12/12/95	ND	.12	Bq/L
	12/19/95	ND	.12	Bq/L	
	Antimony	1/11/95	ND	.1	mg/L
		5/10/95	ND	.1	mg/L
	Arsenic	1/11/95	.002	.002	mg/L
		5/10/95	ND	.002	mg/L
	Barium	1/11/95	ND	.1	mg/L
		5/10/95	.14	.1	mg/L
	Benzene	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
	Beryllium	1/11/95	ND	.01	mg/L
		5/10/95	ND	.01	mg/L
	Beta	1/10/95	.33	.17	Bq/L
	1/26/95	ND	1.3	Bq/L	
	2/7/95	ND	1.1	Bq/L	
	2/17/95	ND	1.4	Bq/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units		
Hearst Sewer	Beta	3/1/95	ND	1.5	Bq/L		
		3/10/95	ND	1.6	Bq/L		
		3/15/95	ND	1.5	Bq/L		
		3/22/95	ND	1.3	Bq/L		
		3/29/95	ND	1.4	Bq/L		
		4/4/95	.24	.15	Bq/L		
		4/12/95	.29	.14	Bq/L		
		4/20/95	.31	.14	Bq/L		
		4/26/95	.566	.15	Bq/L		
		5/4/95	.26	.14	Bq/L		
		5/10/95	.21	.14	Bq/L		
		5/18/95	.32	.15	Bq/L		
		5/24/95	.558	.14	Bq/L		
		6/1/95	.522	.13	Bq/L		
		6/8/95	.758	.11	Bq/L		
		6/14/95	.43	.13	Bq/L		
		6/22/95	.36	.13	Bq/L		
		6/28/95	ND	.3	Bq/L		
		7/5/95	.49	.15	Bq/L		
		7/12/95	.564	.16	Bq/L		
		7/19/95	.46	.14	Bq/L		
		7/26/95	.629	.16	Bq/L		
		8/1/95	ND	.4	Bq/L		
		8/8/95	ND	.4	Bq/L		
		8/15/95	.4	.16	Bq/L		
		8/22/95	.24	.15	Bq/L		
		8/29/95	.47	.16	Bq/L		
		9/11/95	.3	.16	Bq/L		
		9/26/95	.54	.15	Bq/L		
		10/10/95	.44	.14	Bq/L		
		10/23/95	.35	.13	Bq/L		
		11/7/95	.26	.16	Bq/L		
		11/20/95	.521	.14	Bq/L		
		12/12/95	.28	.13	Bq/L		
		12/19/95	.49	.14	Bq/L		
			Bromobenzene	5/10/95	ND	.5	µg/L
				6/13/95	ND	.5	µg/L
			Bromochloromethane	5/10/95	ND	.5	µg/L
				6/13/95	ND	.5	µg/L
			Bromodichloromethane	1/11/95	.82	.5	µg/L
		1/19/95	ND	.5	µg/L		
		3/16/95	.92	.5	µg/L		
		3/30/95	.81	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units	
Hearst Sewer	Bromodichloromethane	5/10/95	.9	.5	µg/L	
		6/13/95	ND	.5	µg/L	
		7/11/95	.66	.5	µg/L	
		7/18/95	ND	5	µg/L	
		8/1/95	ND	.5	µg/L	
	Bromoform	11/7/95	ND	.5	µg/L	
		1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/18/95	ND	5	µg/L	
		8/1/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		Bromomethane	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
	5/10/95		ND	.5	µg/L	
	6/13/95		ND	.5	µg/L	
	7/11/95		ND	.5	µg/L	
	7/18/95		ND	5	µg/L	
	8/1/95		ND	.5	µg/L	
	11/7/95		ND	.5	µg/L	
	Cadmium	1/11/95	ND	.005	mg/L	
		5/10/95	ND	.005	mg/L	
	Carbon Tetrachloride	1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/18/95	ND	5	µg/L	
		8/1/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	Chlorobenzene	1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
3/16/95		ND	.5	µg/L		
3/30/95		ND	.5	µg/L		
5/10/95		ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units	
Hearst Sewer	Chlorobenzene	6/13/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/18/95	ND	5	µg/L	
		8/1/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	Chloroethane	1/11/95	ND	1	µg/L	
		1/19/95	ND	1	µg/L	
		3/16/95	ND	1	µg/L	
		3/30/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
		7/11/95	ND	1	µg/L	
		7/18/95	ND	10	µg/L	
		8/1/95	ND	1	µg/L	
		11/7/95	ND	1	µg/L	
		Chloroform	1/11/95	8.4	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	14	.5	µg/L
	3/30/95		15	.5	µg/L	
	5/10/95		11	.5	µg/L	
	6/13/95		15	.5	µg/L	
	7/11/95		16	.5	µg/L	
	7/18/95		12	5	µg/L	
	8/1/95		11	.5	µg/L	
	11/7/95		13	.5	µg/L	
	Chloromethane		1/11/95	ND	1	µg/L
		1/19/95	ND	1	µg/L	
		3/16/95	ND	1	µg/L	
		3/30/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
		7/11/95	ND	1	µg/L	
		7/18/95	ND	10	µg/L	
		8/1/95	ND	1	µg/L	
		11/7/95	ND	1	µg/L	
		Chromium	1/11/95	ND	.01	mg/L
	5/10/95		.014	.01	mg/L	
	cis-1,2-Dichloroethene	1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		5/10/95	ND	.5	µg/L	
6/13/95		ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units
Hearst Sewer	cis-1,2-Dichloroethene	7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	11/7/95	ND	.5	µg/L
		1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
		Cobalt	1/11/95	ND	.01
	5/10/95		ND	.01	mg/L
	COD-F	1/11/95	70.3	4	mg O/L
		1/19/95	32.2	.4	mg O/L
		3/16/95	58.9	4	mg O/L
		3/30/95	134	.4	mg O/L
		5/10/95	87.8	.5	mg O/L
		6/13/95	134	4	mg O/L
		7/11/95	138	4	mg O/L
		7/18/95	49	4	mg O/L
		8/1/95	131	4	mg O/L
		8/1/95	141	4	mg O/L
	Copper	11/7/95	139	4	mg O/L
		1/11/95	.056	.01	mg/L
	Cyanide	5/10/95	.066	.01	mg/L
		1/11/95	ND	.02	mg/L
	Dibromochloromethane	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
7/11/95		ND	.5	µg/L	
7/18/95		ND	5	µg/L	
Dibromomethane	8/1/95	ND	.5	µg/L	
	11/7/95	ND	.5	µg/L	
	5/10/95	ND	.5	µg/L	
Dichlorodifluoromethane	6/13/95	ND	.5	µg/L	
	5/10/95	.87	.5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
Hearst Sewer	Dichlorodifluoromethane	6/13/95	ND	.5	µg/L	
		1/11/95	ND	1000	µg/L	
	Ethanol	1/19/95	ND	1000	µg/L	
		3/16/95	ND	1000	µg/L	
		3/30/95	ND	1000	µg/L	
		7/11/95	ND	1000	µg/L	
		7/18/95	ND	10000	µg/L	
		8/1/95	ND	1000	µg/L	
		11/7/95	ND	2000	µg/L	
		Ethylbenzene	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
	5/10/95		ND	.5	µg/L	
	6/13/95		ND	.5	µg/L	
	7/11/95		ND	.5	µg/L	
	7/18/95		ND	5	µg/L	
	8/1/95		ND	.5	µg/L	
	11/7/95		4.9	.5	µg/L	
	Hexachlorobutadiene		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L	
	Isopropylbenzene	5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
	Lead	1/11/95	.012	.005	mg/L	
		5/10/95	ND	.005	mg/L	
	Mercury	1/11/95	.0007	.0002	mg/L	
		5/10/95	.0003	.0002	mg/L	
	Methyl Ethyl Ketone	1/11/95	ND	20	µg/L	
		1/19/95	ND	20	µg/L	
		3/16/95	ND	20	µg/L	
		3/30/95	ND	20	µg/L	
		7/11/95	ND	20	µg/L	
		7/18/95	ND	200	µg/L	
8/1/95		ND	20	µg/L		
11/7/95		ND	20	µg/L		
Methylene Chloride		1/11/95	ND	1	µg/L	
		1/19/95	ND	1	µg/L	
		3/16/95	ND	1	µg/L	
	3/30/95	ND	1	µg/L		
	5/10/95	ND	1	µg/L		
	6/13/95	ND	1	µg/L		
	7/11/95	ND	1	µg/L		
	7/18/95	210	10	µg/L		

Location	Analyte	Date	Result	MDA	Units
Hearst Sewer	Methylene Chloride	8/1/95	ND	1	µg/L
		11/7/95	15	1	µg/L
	Molybdenum	1/11/95	.064	.01	mg/L
		5/10/95	.061	.01	mg/L
	n-Butylbenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	n-Propylbenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	Naphthalene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	Nickel	1/11/95	ND	.05	mg/L
		5/10/95	ND	.05	mg/L
	p-Isopropyltoluene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	pH	1/11/95	8.4	.1	S.U.
		3/16/95	8.5	.1	S.U.
		7/18/95	8.5	.1	S.U.
	sec-Butylbenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	Selenium	1/11/95	ND	.002	mg/L
		5/10/95	.0024	.002	mg/L
	Silver	1/11/95	ND	.01	mg/L
		5/10/95	ND	.01	mg/L
	Styrene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	ter-Butylbenzene	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
	Tetrachloroethene	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		7/11/95	ND	.5	µg/L
		7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
	Thallium	1/11/95	ND	.005	mg/L
		5/10/95	ND	.005	mg/L
	Toluene	1/11/95	ND	.5	µg/L
1/19/95		ND	.5	µg/L	
3/16/95		ND	.5	µg/L	
3/30/95		ND	.5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
Hearst Sewer	Toluene	5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/18/95	ND	5	µg/L	
		8/1/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	Total Suspended Solids	1/11/95	235	.5	mg/L	
		1/19/95	237	10	mg/L	
		3/16/95	225	.5	mg/L	
		3/30/95	257	.5	mg/L	
		5/10/95	271	.5	mg/L	
		6/13/95	374	.5	mg/L	
		7/11/95	395	.5	mg/L	
		7/18/95	502	.5	mg/L	
		8/1/95	314	.5	mg/L	
		8/1/95	285	.5	mg/kg	
		trans-1,2-Dichloroethene	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
	3/16/95		ND	.5	µg/L	
	3/30/95		ND	.5	µg/L	
	5/10/95		ND	.5	µg/L	
	6/13/95		ND	.5	µg/L	
	7/11/95		ND	.5	µg/L	
	7/18/95		ND	5	µg/L	
	8/1/95		ND	.5	µg/L	
	11/7/95		ND	.5	µg/L	
	trans-1,3-Dichloropropene		1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		5/10/95	ND	.5	µg/L	
		6/13/95	ND	.5	µg/L	
		7/11/95	ND	.5	µg/L	
		7/18/95	ND	5	µg/L	
		8/1/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
Trichloroethene		1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
	3/16/95	ND	.5	µg/L		
	3/30/95	ND	.5	µg/L		
	5/10/95	ND	.5	µg/L		
	6/13/95	ND	.5	µg/L		
		7/11/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units
Hearst Sewer	Trichloroethene	7/18/95	ND	5	µg/L
		8/1/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
	Trichlorofluoromethane	5/10/95	ND	.5	µg/L
		6/13/95	ND	.5	µg/L
		Tritium	3/1/95	ND	18
	3/10/95		ND	11	Bq/L
	3/15/95		ND	11	Bq/L
	3/22/95		ND	11	Bq/L
	3/29/95		5.2	5	Bq/L
	4/4/95		10	5	Bq/L
	4/12/95		15	7	Bq/L
	4/20/95		27	7	Bq/L
	4/26/95		31	7	Bq/L
	5/4/95		21	6	Bq/L
	5/10/95		ND	6	Bq/L
	5/18/95		27	6	Bq/L
	5/24/95		20	13	Bq/L
	6/1/95		29	13	Bq/L
	6/28/95		ND	13	Bq/L
	7/5/95		ND	13	Bq/L
	7/12/95		ND	13	Bq/L
	7/19/95		ND	13	Bq/L
	7/26/95		ND	13	Bq/L
	8/1/95		ND	13	Bq/L
	8/8/95		ND	13	Bq/L
	8/15/95		ND	13	Bq/L
	8/22/95		ND	13	Bq/L
	8/29/95		19	13	Bq/L
	9/11/95		ND	13	Bq/L
	9/26/95		ND	13	Bq/L
	10/10/95		ND	12	Bq/L
	10/23/95	ND	10	Bq/L	
11/7/95	ND	12	Bq/L		
11/20/95	14	12	Bq/L		
12/12/95	ND	12	Bq/L		
12/19/95	ND	15	Bq/L		
Vanadium	1/11/95	ND	.05	mg/L	
	5/10/95	ND	.05	mg/L	
Vinyl Chloride	1/11/95	ND	.5	µg/L	
	1/19/95	ND	.5	µg/L	
	3/16/95	ND	.5	µg/L	
	3/30/95	ND	.5	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units		
Hearst Sewer	Vinyl Chloride	5/10/95	ND	.5	µg/L		
		6/13/95	ND	.5	µg/L		
		7/11/95	ND	.5	µg/L		
		7/18/95	ND	5	µg/L		
		8/1/95	ND	.5	µg/L		
	Xylenes	11/7/95	ND	.5	µg/L		
		1/11/95	ND	1	µg/L		
		1/19/95	ND	1	µg/L		
		3/16/95	ND	1	µg/L		
		3/30/95	ND	1	µg/L		
		7/11/95	ND	1	µg/L		
		7/18/95	ND	10	µg/L		
		8/1/95	ND	1	µg/L		
		11/7/95	40	1	µg/L		
		Xylenes, total	5/10/95	ND	1	µg/L	
			6/13/95	ND	1	µg/L	
		Zinc	1/11/95	.32	.05	mg/L	
			5/10/95	.35	.05	mg/L	
		Strawberry Sewer	1,1,1,2-Tetrachloroethane	5/10/95	ND	.5	µg/L
				6/21/95	ND	.5	µg/L
1,1,1-Trichloroethane	1/11/95		ND	.5	µg/L		
	1/19/95		ND	.5	µg/L		
	3/16/95		ND	.5	µg/L		
	3/30/95		ND	.5	µg/L		
	3/31/95		ND	.5	µg/L		
	4/3/95		ND	.5	µg/L		
	4/5/95		ND	60	µg/L		
	4/6/95		ND	10	µg/L		
	4/13/95		ND	.5	µg/L		
	4/14/95		ND	.5	µg/L		
	4/26/95		ND	1	µg/L		
	5/10/95		ND	.5	µg/L		
	6/21/95		ND	.5	µg/L		
7/18/95	ND		.5	µg/L			
11/7/95	ND		.5	µg/L			
1,1,1-Trichlorotrifluoroethane	5/10/95		ND	.5	µg/L		
	6/21/95		ND	.5	µg/L		
1,1,2,2-Tetrachloroethane	1/11/95		ND	.5	µg/L		
	1/19/95		ND	.5	µg/L		
	3/16/95		ND	.5	µg/L		
	3/30/95		ND	.5	µg/L		
	3/31/95		ND	.5	µg/L		
	4/3/95		ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	1,1,2,2-Tetrachloroethane	4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		1,1,2-Trichloroethane	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
			3/31/95	ND	.5	µg/L
			4/3/95	ND	.5	µg/L
			4/5/95	ND	60	µg/L
	4/6/95		ND	10	µg/L	
	4/13/95		ND	.5	µg/L	
	4/14/95		ND	.5	µg/L	
	4/26/95		ND	1	µg/L	
	5/10/95		ND	.5	µg/L	
	6/21/95		ND	.5	µg/L	
	7/18/95		ND	.5	µg/L	
	11/7/95		ND	.5	µg/L	
	1,1-Dichloroethane		1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
4/13/95		ND	.5	µg/L		
4/14/95		ND	.5	µg/L		
4/26/95		ND	1	µg/L		
5/10/95		ND	.5	µg/L		
6/21/95		ND	.5	µg/L		
7/18/95		ND	.5	µg/L		
11/7/95		ND	.5	µg/L		
1,1-Dichloroethene		5/10/95	ND	.5	µg/L	
	6/21/95	ND	.5	µg/L		
1,1-Dichloropropene	5/10/95	ND	.5	µg/L		
	6/21/95	ND	.5	µg/L		

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	1,2,3-Trichlorobenzene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	1,2,3-Trichloropropane	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	1,2,4-Trichlorobenzene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	1,2,4-Trimethylbenzene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	1,2-Dibromo-3-chloropropane	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	1,2-Dibromomethane	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	1,2-Dichlorobenzene	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		3/31/95	ND	.5	µg/L
		4/3/95	ND	.5	µg/L
		4/5/95	ND	60	µg/L
		4/6/95	ND	10	µg/L
		4/13/95	ND	.5	µg/L
		4/14/95	ND	.5	µg/L
		4/26/95	ND	1	µg/L
		5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
		7/18/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
	1,2-Dichloroethane	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
3/30/95		ND	.5	µg/L	
3/31/95		ND	.5	µg/L	
4/3/95		ND	.5	µg/L	
4/5/95		ND	60	µg/L	
4/6/95		ND	10	µg/L	
4/13/95		ND	.5	µg/L	
4/14/95		ND	.5	µg/L	
4/26/95		ND	1	µg/L	
5/10/95		ND	.5	µg/L	
6/21/95		ND	.5	µg/L	
7/18/95		ND	.5	µg/L	
11/7/95		ND	.5	µg/L	
1,2-Dichloropropane	1/11/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	1,2-Dichloropropane	1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		1,2-Dichlorotetrafluoroethane	5/10/95	ND	.5	µg/L
			6/21/95	ND	.5	µg/L
		1,3,5-Trimethylbenzene	5/10/95	ND	.5	µg/L
			6/21/95	ND	.5	µg/L
	1,3-Dichlorobenzene	1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		1,3-Dichloropropane	5/10/95	ND	.5	µg/L
			6/21/95	ND	.5	µg/L
		1,4-Dichlorobenzene	1/11/95	ND	.5	µg/L
1/19/95	ND		.5	µg/L		
3/16/95	ND		.5	µg/L		
3/30/95	ND		.5	µg/L		
3/31/95	ND		.5	µg/L		
4/3/95	ND		.5	µg/L		
	4/5/95	ND	60	µg/L		
	4/6/95	ND	10	µg/L		

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	1,4-Dichlorobenzene	4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	125l		1/10/95	2.7	1.8	Bq/L
	1/26/95		2	1.2	Bq/L	
	2/2/95		1.9	1.2	Bq/L	
	2/7/95		1.5	1.1	Bq/L	
	2/17/95		5.01	1.5	Bq/L	
	2/24/95		2.2	1.6	Bq/L	
	3/1/95		ND	1.3	Bq/L	
	3/10/95		1.8	1.4	Bq/L	
	3/15/95		1.9	1.4	Bq/L	
	3/22/95		1.8	1.3	Bq/L	
	3/29/95		ND	1.2	Bq/L	
	4/4/95		1.6	.7	Bq/L	
	4/12/95		1.5	.7	Bq/L	
	4/20/95		3.57	.7	Bq/L	
	4/26/95		2.5	.7	Bq/L	
	5/10/95		2.1	.7	Bq/L	
	5/18/95		3.2	.7	Bq/L	
	5/24/95		2.1	.6	Bq/L	
	6/1/95		7.38	.6	Bq/L	
	6/8/95		5.49	.6	Bq/L	
6/14/95	2.2	.7	Bq/L			
6/21/95	3.79	.6	Bq/L			
6/28/95	ND	1.1	Bq/L			
7/5/95	4.1	.7	Bq/L			
7/12/95	4.56	.7	Bq/L			
7/19/95	4.58	.7	Bq/L			
7/26/95	2.9	.8	Bq/L			
8/1/95	ND	2	Bq/L			
8/8/95	ND	2	Bq/L			
8/15/95	1.2	.8	Bq/L			
8/22/95	3.1	.8	Bq/L			
8/29/95	1.2	.8	Bq/L			
9/11/95	2.6	.8	Bq/L			
10/10/95	3.2	.7	Bq/L			
10/23/95	4.27	.7	Bq/L			
11/7/95	2.2	.8	Bq/L			

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	125I	11/20/95	2.2	.7	Bq/L
		12/12/95	3.9	.7	Bq/L
		12/19/95	3.2	.7	Bq/L
	2,2-Dichloropropane	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	2-Butanone (Methyl ethyl ketone)	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	2-Chloroethyl Vinyl Ether	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
		3/16/95	ND	.5	µg/L
		3/30/95	ND	.5	µg/L
		3/31/95	ND	.5	µg/L
		4/3/95	ND	.5	µg/L
		4/5/95	ND	60	µg/L
		4/6/95	ND	10	µg/L
		4/13/95	ND	.5	µg/L
		4/14/95	ND	.5	µg/L
		4/26/95	ND	1	µg/L
		7/18/95	ND	.5	µg/L
		11/7/95	ND	.5	µg/L
		2-Chlorotoluene	5/10/95	ND	.5
	6/21/95		ND	.5	µg/L
	2-Hexanone	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	4-Chlorotoluene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	Acetone	1/11/95	ND	10	µg/L
		1/19/95	11	10	µg/L
		3/16/95	ND	10	µg/L
		3/30/95	200	10	µg/L
		3/31/95	ND	10	µg/L
		4/3/95	1400	10	µg/L
		4/5/95	ND	1000	µg/L
		4/6/95	ND	10	µg/L
		4/13/95	ND	10	µg/L
		4/14/95	67	10	µg/L
		4/26/95	1200	300	µg/L
		7/18/95	13	10	µg/L
		11/7/95	ND	10	µg/L
	Alpha	1/10/95	ND	.09	Bq/L
1/26/95		ND	.04	Bq/L	
2/2/95		ND	.04	Bq/L	
2/7/95		ND	.04	Bq/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	Alpha	2/17/95	ND	.04	Bq/L
		2/24/95	ND	.04	Bq/L
		3/1/95	ND	.04	Bq/L
		3/10/95	.04	.04	Bq/L
		3/15/95	ND	.04	Bq/L
		3/22/95	ND	.04	Bq/L
		3/29/95	ND	.04	Bq/L
		4/4/95	ND	.09	Bq/L
		4/12/95	ND	.1	Bq/L
		4/20/95	ND	.1	Bq/L
		4/26/95	ND	.17	Bq/L
		5/10/95	ND	.1	Bq/L
		5/18/95	ND	.11	Bq/L
		5/19/95	ND	.03	Bq/L
		5/24/95	ND	.12	Bq/L
		6/1/95	ND	.08	Bq/L
		6/8/95	ND	.07	Bq/L
		6/14/95	ND	.11	Bq/L
		6/21/95	ND	.09	Bq/L
		6/28/95	ND	.4	Bq/L
		7/5/95	ND	.1	Bq/L
		7/12/95	ND	.1	Bq/L
		7/19/95	ND	.08	Bq/L
		7/26/95	ND	.1	Bq/L
		8/1/95	ND	.2	Bq/L
		8/8/95	ND	.2	Bq/L
		8/15/95	ND	.09	Bq/L
		8/22/95	ND	.07	Bq/L
		8/29/95	ND	.07	Bq/L
		9/11/95	ND	.09	Bq/L
		10/10/95	ND	.1	Bq/L
		10/23/95	ND	.1	Bq/L
		11/7/95	ND	.11	Bq/L
		11/20/95	ND	.11	Bq/L
		12/12/95	ND	.12	Bq/L
		12/19/95	ND	.12	Bq/L
	Antimony	1/11/95	ND	.1	mg/L
		5/10/95	ND	.1	mg/L
	Arsenic	1/11/95	ND	.002	mg/L
		5/10/95	.0022	.002	mg/L
	Barium	1/11/95	ND	.1	mg/L
		5/10/95	ND	.1	mg/L
	Benzene	1/11/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Benzene	1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		1/11/95	ND	.01	mg/L	
		5/10/95	ND	.01	mg/L	
		Beta	1/10/95	.2	.15	Bq/L
			1/26/95	ND	1.2	Bq/L
	2/2/95		ND	1.2	Bq/L	
	2/7/95		ND	1.1	Bq/L	
	2/17/95		ND	1.5	Bq/L	
	2/24/95		ND	1.6	Bq/L	
	3/1/95		ND	1.3	Bq/L	
	3/10/95		ND	1.4	Bq/L	
	3/15/95		ND	1.4	Bq/L	
	3/22/95		ND	1.3	Bq/L	
	3/29/95		ND	1.2	Bq/L	
	4/4/95		ND	.13	Bq/L	
	4/12/95		.19	.13	Bq/L	
	4/20/95		.756	.14	Bq/L	
	4/26/95		.43	.15	Bq/L	
	5/10/95		.35	.13	Bq/L	
	5/18/95		.33	.15	Bq/L	
	5/19/95		.313	.04	Bq/L	
	5/24/95	.45	.14	Bq/L		
	6/1/95	1.07	.12	Bq/L		
6/8/95	.785	.12	Bq/L			
6/14/95	.4	.13	Bq/L			
6/21/95	.63	.12	Bq/L			
6/28/95	ND	.3	Bq/L			
7/5/95	.42	.13	Bq/L			
7/12/95	.635	.14	Bq/L			
7/19/95	.607	.12	Bq/L			

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Beta	7/26/95	.36	.13	Bq/L	
		8/1/95	ND	.4	Bq/L	
		8/8/95	ND	.4	Bq/L	
		8/15/95	ND	.15	Bq/L	
		8/22/95	.52	.15	Bq/L	
		8/29/95	.34	.15	Bq/L	
		9/11/95	.46	.15	Bq/L	
		10/10/95	.41	.14	Bq/L	
		10/23/95	.34	.12	Bq/L	
		11/7/95	.33	.14	Bq/L	
		11/20/95	.27	.13	Bq/L	
		12/12/95	.509	.14	Bq/L	
		12/19/95	.45	.14	Bq/L	
		Bromobenzene	5/10/95	ND	.5	µg/L
			6/21/95	ND	.5	µg/L
	Bromochloromethane	5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
	Bromodichloromethane	1/11/95	.7	.5	µg/L	
		1/19/95	1.1	.5	µg/L	
		3/16/95	1.4	.5	µg/L	
		3/30/95	.94	.5	µg/L	
		3/31/95	1	.5	µg/L	
		4/3/95	1.2	.5	µg/L	
		4/5/95	1	.5	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	1.3	.5	µg/L	
		4/14/95	.98	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	1.4	.5	µg/L	
		6/21/95	1.2	.5	µg/L	
		7/18/95	1	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	Bromoform	1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
	3/31/95	ND	.5	µg/L		
	4/3/95	ND	.5	µg/L		
	4/5/95	ND	60	µg/L		
	4/6/95	ND	10	µg/L		
	4/13/95	ND	.5	µg/L		
	4/14/95	ND	.5	µg/L		
	4/26/95	ND	1	µg/L		

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Bromoform	5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	Bromomethane	1/11/95	ND	.5	µg/L	
		1/19/95	4.9	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		Cadmium	1/11/95	ND	.005	mg/L
			5/10/95	ND	.005	mg/L
		Carbon Tetrachloride	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
	3/30/95		ND	.5	µg/L	
	3/31/95		ND	.5	µg/L	
	4/3/95		ND	.5	µg/L	
	4/5/95		ND	60	µg/L	
	4/6/95		ND	10	µg/L	
	4/13/95		ND	.5	µg/L	
	4/14/95		ND	.5	µg/L	
	4/26/95		ND	1	µg/L	
	5/10/95		ND	.5	µg/L	
	6/21/95		ND	.5	µg/L	
	7/18/95		ND	.5	µg/L	
	11/7/95		ND	.5	µg/L	
	Chlorobenzene		1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
			3/31/95	ND	.5	µg/L
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Chlorobenzene	4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
	Chloroethane	11/7/95	ND	.5	µg/L	
		1/11/95	ND	1	µg/L	
		1/19/95	ND	1	µg/L	
		3/16/95	ND	1	µg/L	
		3/30/95	ND	1	µg/L	
		3/31/95	ND	1	µg/L	
		4/3/95	ND	1	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	1	µg/L	
		4/14/95	ND	1	µg/L	
		4/26/95	ND	2	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	1	µg/L	
		11/7/95	ND	1	µg/L	
		Chloroform	1/11/95	8.4	.5	µg/L
			1/19/95	9.9	.5	µg/L
			3/16/95	17	.5	µg/L
			3/30/95	18	.5	µg/L
	3/31/95		15	.5	µg/L	
	4/3/95		18	.5	µg/L	
	4/5/95		12	.5	µg/L	
	4/6/95		13	10	µg/L	
	4/13/95		16	.5	µg/L	
	4/14/95		13	.5	µg/L	
	4/26/95		12	1	µg/L	
	5/10/95		18	.5	µg/L	
	6/21/95		18	.5	µg/L	
	7/18/95		20	.5	µg/L	
	11/7/95		26	.5	µg/L	
	Chloromethane	1/11/95	ND	1	µg/L	
		1/19/95	ND	1	µg/L	
		3/16/95	ND	1	µg/L	
		3/30/95	ND	1	µg/L	
3/31/95		ND	1	µg/L		

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Chloromethane	4/3/95	ND	1	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	1	µg/L	
		4/14/95	ND	1	µg/L	
		4/26/95	ND	2	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	1	µg/L	
		11/7/95	ND	1	µg/L	
		1/11/95	.017	.01	mg/L	
	Chromium	5/10/95	.013	.01	mg/L	
		cis-1,2-Dichloroethene	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
			3/31/95	ND	.5	µg/L
			4/3/95	ND	.5	µg/L
			4/5/95	ND	60	µg/L
			4/6/95	ND	10	µg/L
			4/13/95	ND	.5	µg/L
			4/14/95	ND	.5	µg/L
	4/26/95	ND	1	µg/L		
	cis-1,3-Dichloropropene	5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
	Cobalt	4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
1/11/95		ND	.01	mg/L		

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	Cobalt COD-F	5/10/95	ND	.01	mg/L
		1/11/95	33.4	4	mg O/L
		1/19/95	144	.4	mg O/L
		3/16/95	39.6	4	mg O/L
		3/30/95	27.8	4	mg O/L
		5/10/95	238	4	mg O/L
		6/21/95	61	4	mg O/L
		7/18/95	23.3	4	mg O/L
		11/7/95	175	4	mg O/L
		1/11/95	.13	.01	mg/L
	5/10/95	ND	.01	mg/L	
	1/11/95	Cyanide	ND	.02	µg/L
	1/11/95	Dibromochloromethane	ND	.5	µg/L
	1/19/95		ND	.5	µg/L
	3/16/95		ND	.5	µg/L
	3/30/95		ND	.5	µg/L
	3/31/95		ND	.5	µg/L
	4/3/95		ND	.5	µg/L
	4/5/95		ND	60	µg/L
	4/6/95		ND	10	µg/L
	4/13/95		ND	.5	µg/L
	4/14/95		ND	.5	µg/L
	4/26/95		ND	1	µg/L
	5/10/95		ND	.5	µg/L
	6/21/95		ND	.5	µg/L
	7/18/95		ND	.5	µg/L
	11/7/95		ND	.5	µg/L
	5/10/95	Dibromomethane	ND	.5	µg/L
	6/21/95		ND	.5	µg/L
	5/10/95	Dichlorodifluoromethane	1.4	.5	µg/L
	6/21/95		ND	.5	µg/L
	1/11/95	Ethanol	ND	1000	µg/L
	1/19/95		ND	1000	µg/L
3/16/95		ND	1000	µg/L	
3/30/95		ND	1000	µg/L	
3/31/95		ND	1000	µg/L	
4/3/95		ND	1000	µg/L	
4/5/95		ND	100000	µg/L	
4/6/95		ND	3000	µg/L	
4/13/95		ND	1000	µg/L	
4/14/95		ND	1000	µg/L	
4/26/95		ND	2000	µg/L	
7/18/95		ND	1000	µg/L	

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Ethanol	11/7/95	37000	1000	µg/L	
		Ethylbenzene	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		Hexachlorobutadiene	5/10/95	ND	.5	µg/L
			6/21/95	ND	.5	µg/L
		Isopropylbenzene	5/10/95	ND	.5	µg/L
			6/21/95	ND	.5	µg/L
		Lead	1/11/95	.014	.005	mg/L
			5/10/95	.019	.005	mg/L
		Mercury	1/11/95	.0006	.0002	mg/L
			5/10/95	.0013	.0002	mg/L
		Methyl Ethyl Ketone	1/11/95	ND	20	µg/L
			1/19/95	ND	20	µg/L
			3/16/95	ND	20	µg/L
			3/30/95	ND	20	µg/L
			3/31/95	ND	20	µg/L
			4/3/95	ND	20	µg/L
			4/5/95	ND	60	µg/L
			4/6/95	ND	500	µg/L
			4/13/95	ND	20	µg/L
			4/14/95	ND	20	µg/L
			4/26/95	ND	30	µg/L
			7/18/95	ND	20	µg/L
			11/7/95	ND	20	µg/L
			Methylene Chloride	1/11/95	2.6	1
		1/19/95		ND	1	µg/L
		3/16/95		990	30	µg/L
		3/30/95		7.8	1	µg/L
		3/31/95		1000	1	µg/L
	4/3/95	140		1	µg/L	

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	Methylene Chloride	4/5/95	2200	60	µg/L
		4/6/95	ND	10	µg/L
		4/13/95	540	20	µg/L
		4/14/95	49	1	µg/L
		4/26/95	850	30	µg/L
		5/10/95	4.7	1	µg/L
		6/21/95	ND	1	µg/L
		7/18/95	ND	1	µg/L
		11/7/95	ND	1	µg/L
	Molybdenum	1/11/95	.063	.01	mg/L
		5/10/95	.052	.01	mg/L
	n-Butylbenzene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	n-Propylbenzene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	Naphthalene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	Nickel	1/11/95	ND	.05	mg/L
		5/10/95	ND	.05	mg/L
	p-Isopropyltoluene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	pH	1/11/95	8.5	.1	S.U.
		3/16/95	7.9	.1	S.U.
		7/18/95	7.9	.1	S.U.
	sec-Butylbenzene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	Selenium	1/11/95	ND	.002	mg/L
		5/10/95	.003	.002	mg/L
	Silver	1/11/95	.15	.01	mg/L
		5/10/95	.014	.01	mg/L
	Styrene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	ter-Butylbenzene	5/10/95	ND	.5	µg/L
		6/21/95	ND	.5	µg/L
	Tetrachloroethene	1/11/95	ND	.5	µg/L
		1/19/95	ND	.5	µg/L
3/16/95		ND	.5	µg/L	
3/30/95		ND	.5	µg/L	
3/31/95		ND	.5	µg/L	
4/3/95		ND	.5	µg/L	
4/5/95		2.9	.5	µg/L	
4/6/95	ND	10	µg/L		
4/13/95	ND	.5	µg/L		

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Tetrachloroethene	4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		1/11/95	ND	.005	mg/L	
	Thallium	5/10/95	ND	.005	mg/L	
		1/11/95	ND	.5	µg/L	
	Toluene	1/19/95	ND	.5	µg/L	
		3/16/95	.67	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	.5	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	6.6	.5	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	17	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	1.3	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		Total Suspended Solids	1/11/95	84.9	.5	mg/L
			1/19/95	144	10	mg/L
			3/16/95	158	.5	mg/L
			3/30/95	65.3	.5	mg/L
			5/10/95	535	.5	mg/L
			6/21/95	240	.5	mg/L
	7/18/95		115	.5	mg/L	
	11/7/95		357	.5	mg/kg	
	trans-1,2-Dichloroethene	1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
4/14/95		ND	.5	µg/L		
4/26/95		ND	1	µg/L		
5/10/95		ND	.5	µg/L		

Sanitary Sewer

Data Table APP-7-1

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	trans-1,2-Dichloroethene	6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	trans-1,3-Dichloropropene	1/11/95	ND	.5	µg/L	
		1/19/95	ND	.5	µg/L	
		3/16/95	ND	.5	µg/L	
		3/30/95	ND	.5	µg/L	
		3/31/95	ND	.5	µg/L	
		4/3/95	ND	.5	µg/L	
		4/5/95	ND	60	µg/L	
		4/6/95	ND	10	µg/L	
		4/13/95	ND	.5	µg/L	
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
		Trichloroethene	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
	3/30/95		ND	.5	µg/L	
	3/31/95		ND	.5	µg/L	
	4/3/95		ND	.5	µg/L	
	4/5/95		ND	60	µg/L	
	4/6/95		ND	10	µg/L	
	4/13/95		ND	.5	µg/L	
	4/14/95		ND	.5	µg/L	
	4/26/95		ND	1	µg/L	
	5/10/95		ND	.5	µg/L	
	6/21/95		ND	.5	µg/L	
	7/18/95		ND	.5	µg/L	
	11/7/95		ND	.5	µg/L	
	Trichlorofluoromethane		5/10/95	ND	.5	µg/L
			6/21/95	ND	.5	µg/L
	Tritium		2/17/95	ND	18	Bq/L
3/1/95		31	18	Bq/L		
3/10/95		809	11	Bq/L		
3/15/95		85.3	11	Bq/L		
3/22/95		31	11	Bq/L		
3/29/95		109	5	Bq/L		
4/4/95		18	5	Bq/L		
4/12/95		65.5	7	Bq/L		

Location	Analyte	Date	Result	MDA	Units	
Strawberry Sewer	Tritium	4/20/95	43.4	7	Bq/L	
		4/26/95	254	7	Bq/L	
		5/10/95	289	6	Bq/L	
		5/18/95	36	6	Bq/L	
		5/19/95	41.1	6	Bq/L	
		5/24/95	32	13	Bq/L	
		6/1/95	77.3	13	Bq/L	
		6/28/95	45	13	Bq/L	
		7/5/95	29	13	Bq/L	
		7/12/95	14	13	Bq/L	
		7/19/95	79.1	13	Bq/L	
		7/26/95	34	13	Bq/L	
		8/1/95	144	13	Bq/L	
		8/3/95	ND	18	Bq/L	
		8/8/95	77	13	Bq/L	
		8/15/95	61.2	13	Bq/L	
		8/22/95	16	13	Bq/L	
		8/29/95	29	13	Bq/L	
		9/11/95	22	13	Bq/L	
		10/10/95	ND	12	Bq/L	
		10/23/95	24	10	Bq/L	
		11/7/95	ND	12	Bq/L	
		11/20/95	34	12	Bq/L	
		12/12/95	127	12	Bq/L	
	12/19/95	69.4	15	Bq/L		
		Vanadium	1/11/95	ND	.05	mg/L
			5/10/95	ND	.05	mg/L
		Vinyl Chloride	1/11/95	ND	.5	µg/L
			1/19/95	ND	.5	µg/L
			3/16/95	ND	.5	µg/L
			3/30/95	ND	.5	µg/L
			3/31/95	ND	.5	µg/L
			4/3/95	ND	.5	µg/L
			4/5/95	ND	60	µg/L
			4/6/95	ND	10	µg/L
			4/13/95	ND	.5	µg/L
		4/14/95	ND	.5	µg/L	
		4/26/95	ND	1	µg/L	
		5/10/95	ND	.5	µg/L	
		6/21/95	ND	.5	µg/L	
		7/18/95	ND	.5	µg/L	
		11/7/95	ND	.5	µg/L	
	Xylenes	1/11/95	ND	1	µg/L	

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	Xylenes	1/19/95	ND	1	µg/L
		3/16/95	ND	1	µg/L
		3/30/95	ND	1	µg/L
		3/31/95	ND	1	µg/L
		4/3/95	ND	1	µg/L
		4/5/95	ND	100	µg/L
		4/6/95	33	20	µg/L
		4/13/95	ND	1	µg/L
		4/14/95	ND	1	µg/L
		4/26/95	1200	2	µg/L
		7/18/95	ND	1	µg/L
		11/7/95	ND	1	µg/L
	Xylenes, total	5/10/95	ND	1	µg/L
		6/21/95	ND	1	µg/L
	Zinc	1/11/95	.24	.05	mg/L
	5/10/95	1.1	.05	mg/L	

This page intentionally left blank.

Sediment

Data Table APP-8-1

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	1,2,4-Trichlorobenzene	9/28/95	ND	.1	mg/kg
	1,2-Dichlorobenzene	9/28/95	ND	.005	mg/kg
		9/28/95	ND	.1	mg/kg
	1,2-Diphenylhydrazine	9/28/95	ND	.1	mg/kg
	1,3-Dichlorobenzene	9/28/95	ND	.005	mg/kg
		9/28/95	ND	.1	mg/kg
	1,4-Dichlorobenzene	9/28/95	ND	.005	mg/kg
		9/28/95	ND	.1	mg/kg
	2,4,5-Trichlorophenol	9/28/95	ND	.2	mg/kg
	2,4,6-Trichlorophenol	9/28/95	ND	.2	mg/kg
	2,4-Dichlorophenol	9/28/95	ND	.1	mg/kg
	2,4-Dimethylphenol	9/28/95	ND	.1	mg/kg
	2,4-Dinitrophenol	9/28/95	ND	.5	mg/kg
	2,4-Dinitrotoluene	9/28/95	ND	.1	mg/kg
	2,6-Dinitrotoluene	9/28/95	ND	.1	mg/kg
	2-Chloronaphthalene	9/28/95	ND	.1	mg/kg
	2-Chlorophenol	9/28/95	ND	.1	mg/kg
	2-Methylnaphthalene	9/28/95	ND	.1	mg/kg
	2-Methylphenol	9/28/95	ND	.1	mg/kg
	2-Nitroaniline	9/28/95	ND	.1	mg/kg
	2-Nitrophenol	9/28/95	ND	.1	mg/kg
	3,3-Dichlorobenzidine	9/28/95	ND	.2	mg/kg
	3-Nitroaniline	9/28/95	ND	.1	mg/kg
	4,6-Dinitro-2-methylphenol	9/28/95	ND	.2	mg/kg
	4-Bromophenyl phenyl ether	9/28/95	ND	.1	mg/kg
	4-Chloro-3-methylphenol	9/28/95	ND	.2	mg/kg
	4-Chloroaniline	9/28/95	ND	.1	mg/kg
	4-Chlorophenyl phenyl ether	9/28/95	ND	.1	mg/kg
	4-Methylphenol	9/28/95	ND	.1	mg/kg
	4-Nitroaniline	9/28/95	ND	.1	mg/kg
	4-Nitrophenol	9/28/95	ND	.2	mg/kg
	Acenaphthylene	9/28/95	ND	.1	mg/kg
	Acenaphthene	9/28/95	ND	.1	mg/kg
	Anthracene	9/28/95	ND	.1	mg/kg
	Antimony	9/28/95	ND	5	mg/kg
	Aroclor 1016	9/28/95	ND	2	mg/kg
	Aroclor 1221	9/28/95	ND	2	mg/kg
	Aroclor 1232	9/28/95	ND	2	mg/kg
	Aroclor 1242	9/28/95	ND	2	mg/kg
	Aroclor 1248	9/28/95	ND	2	mg/kg
	Aroclor 1254	9/28/95	ND	2	mg/kg
	Aroclor 1260	9/28/95	ND	2	mg/kg
	Arsenic	9/28/95	2.6	.5	mg/kg

Location	Analyte	Date	Result	MDA	Units
Chicken Creek	Barium	9/28/95	117	.5	mg/kg
	Benzene	9/28/95	ND	.005	mg/kg
	Benzidine	9/28/95	ND	1	mg/kg
	Benzo(a)anthracene	9/28/95	ND	.1	mg/kg
	Benzo(a)pyrene	9/28/95	ND	.1	mg/kg
	Benzo(b)fluoranthene	9/28/95	ND	.1	mg/kg
	Benzo(g,h,i)perylene	9/28/95	ND	.1	mg/kg
	Benzo(k)fluoranthene	9/28/95	ND	.1	mg/kg
	Benzoic Acid	9/28/95	ND	.2	mg/kg
	Benzyl Alcohol	9/28/95	ND	.1	mg/kg
	Beryllium	9/28/95	ND	.5	mg/kg
	Bis(2-chloroethoxy)methane	9/28/95	ND	.1	mg/kg
	Bis(2-chloroethyl)ether	9/28/95	ND	.1	mg/kg
	Bis(2-chloroisopropyl)ether	9/28/95	ND	.1	mg/kg
	Bis(2-ethylhexyl)phthalate	9/28/95	.2	.2	mg/kg
	Butylbenzyl phthalate	9/28/95	ND	.1	mg/kg
	Cadmium	9/28/95	.75	.5	mg/kg
	Chlorobenzene	9/28/95	ND	.005	mg/kg
	Chromium	9/28/95	46	.5	mg/kg
	Chrysene	9/28/95	ND	.1	mg/kg
	Cobalt	9/28/95	8.8	2	mg/kg
	Copper	9/28/95	30	.5	mg/kg
	Di-n-butylphthalate	9/28/95	ND	.1	mg/kg
	Di-n-octylphthalate	9/28/95	ND	.1	mg/kg
	Dibenzo(a,h)anthracene	9/28/95	ND	.1	mg/kg
	Dibenzofuran	9/28/95	ND	.1	mg/kg
	Diethylphthalate	9/28/95	ND	.1	mg/kg
	Dimethylphthalate	9/28/95	ND	.1	mg/kg
	Ethylbenzene	9/28/95	ND	.005	mg/kg
	Fluoranthene	9/28/95	ND	.1	mg/kg
	Fluorene	9/28/95	ND	.1	mg/kg
	Gamma Spectroscopy	10/6/95	.259	.04	pCi/g
	Hexachlorobenzene	9/28/95	ND	.1	mg/kg
	Hexachlorobutadiene	9/28/95	ND	.1	mg/kg
	Hexachlorocyclopentadiene	9/28/95	ND	.1	mg/kg
	Hexachloroethane	9/28/95	ND	.1	mg/kg
	Ideno(1,2,3-cd)pyrene	9/28/95	ND	.1	mg/kg
	Isophorone	9/28/95	ND	.1	mg/kg
	Lead	9/28/95	61	2	mg/kg
	Mercury	9/28/95	ND	.2	mg/kg
	Molybdenum	9/28/95	ND	2	mg/kg
	N-Nitroso-di-n-propylamine	9/28/95	ND	.1	mg/kg
	N-Nitrosodimethylamine	9/28/95	ND	.1	mg/kg

Sediment

Data Table APP-8-1

Location	Analyte	Date	Result	MDA	Units	
Chicken Creek	N-Nitrosodiphenylamine	9/28/95	ND	.1	mg/kg	
	Naphthalene	9/28/95	ND	.1	mg/kg	
	Nickel	9/28/95	4.4	2	mg/kg	
	Nitrobenzene	9/28/95	ND	.1	mg/kg	
	Oil & Grease	9/28/95	76	20	mg/kg	
	Pentachlorophenol	9/28/95	ND	.2	mg/kg	
	pH	9/28/95	7.85	.01	S.U.	
	Phenanthrene	9/28/95	ND	.1	mg/kg	
	Phenol	9/28/95	ND	.1	mg/kg	
	Pyrene	9/28/95	ND	.1	mg/kg	
	Selenium	9/28/95	ND	.5	mg/kg	
	Silver	9/28/95	1.5	1	mg/kg	
	Thallium	9/28/95	ND	.5	mg/kg	
	Toluene	9/28/95	ND	.005	mg/kg	
	Tritium	10/6/95	.0444	.007	pCi/g	
	Vanadium	9/28/95	35	.5	mg/kg	
	Xylenes, Total	9/28/95	ND	.01	mg/kg	
	Zinc	9/28/95	179	2	mg/kg	
	N. Fork Strawberry Creek	1,2,4-Trichlorobenzene	9/28/95	ND	2	mg/kg
		1,2-Dichlorobenzene	9/28/95	ND	2	mg/kg
		9/28/95	ND	.005	mg/kg	
1,2-Diphenylhydrazine		9/28/95	ND	2	mg/kg	
1,3-Dichlorobenzene		9/28/95	ND	.005	mg/kg	
		9/28/95	ND	2	mg/kg	
1,4-Dichlorobenzene		9/28/95	ND	2	mg/kg	
		9/28/95	ND	.005	mg/kg	
2,4,5-Trichlorophenol		9/28/95	ND	5	mg/kg	
2,4,6-Trichlorophenol		9/28/95	ND	5	mg/kg	
2,4-Dichlorophenol		9/28/95	ND	2	mg/kg	
2,4-Dimethylphenol		9/28/95	ND	2	mg/kg	
2,4-Dinitrophenol		9/28/95	ND	10	mg/kg	
2,4-Dinitrotoluene		9/28/95	ND	2	mg/kg	
2,6-Dinitrotoluene		9/28/95	ND	2	mg/kg	
2-Chloronaphthalene		9/28/95	ND	2	mg/kg	
2-Chlorophenol		9/28/95	ND	2	mg/kg	
2-Methylnaphthalene		9/28/95	ND	2	mg/kg	
2-Methylphenol		9/28/95	ND	2	mg/kg	
2-Nitroaniline		9/28/95	ND	2	mg/kg	
2-Nitrophenol	9/28/95	ND	2	mg/kg		
3,3-Dichlorobenzidine	9/28/95	ND	5	mg/kg		
3-Nitroaniline	9/28/95	ND	5	mg/kg		
4,6-Dinitro-2-methylphenol	9/28/95	ND	5	mg/kg		
4-Bromophenyl phenyl ether	9/28/95	ND	2	mg/kg		

Location	Analyte	Date	Result	MDA	Units
N. Fork Strawberry Creek	4-Chloro-3-methylphenol	9/28/95	ND	5	mg/kg
	4-Chloroaniline	9/28/95	ND	2	mg/kg
	4-Chlorophenyl phenyl ether	9/28/95	ND	2	mg/kg
	4-Methylphenol	9/28/95	ND	2	mg/kg
	4-Nitroaniline	9/28/95	ND	2	mg/kg
	4-Nitrophenol	9/28/95	ND	5	mg/kg
	Acenaphthylene	9/28/95	ND	2	mg/kg
	Acenaphthene	9/28/95	ND	2	mg/kg
	Anthracene	9/28/95	ND	2	mg/kg
	Antimony	9/28/95	ND	5	mg/kg
	Aroclor 1016	9/28/95	ND	20	mg/kg
	Aroclor 1221	9/28/95	ND	20	mg/kg
	Aroclor 1232	9/28/95	ND	20	mg/kg
	Aroclor 1242	9/28/95	ND	20	mg/kg
	Aroclor 1248	9/28/95	ND	20	mg/kg
	Aroclor 1254	9/28/95	ND	20	mg/kg
	Aroclor 1260	9/28/95	ND	20	mg/kg
	Arsenic	9/28/95	5.1	.5	mg/kg
	Barium	9/28/95	30	.5	mg/kg
	Benzene	9/28/95	ND	.005	mg/kg
	Benzidine	9/28/95	ND	20	mg/kg
	Benzo(a)anthracene	9/28/95	ND	2	mg/kg
	Benzo(a)pyrene	9/28/95	ND	2	mg/kg
	Benzo(b)fluoranthene	9/28/95	ND	2	mg/kg
	Benzo(g,h,i)perylene	9/28/95	ND	2	mg/kg
	Benzo(k)fluoranthene	9/28/95	ND	2	mg/kg
	Benzoic Acid	9/28/95	ND	5	mg/kg
	Benzyl Alcohol	9/28/95	ND	2	mg/kg
	Beryllium	9/28/95	ND	.5	mg/kg
	Bis(2-chloroethoxy)methane	9/28/95	ND	2	mg/kg
	Bis(2-chloroethyl)ether	9/28/95	ND	2	mg/kg
	Bis(2-chloroisopropyl)ether	9/28/95	ND	2	mg/kg
	Bis(2-ethylhexyl)phthalate	9/28/95	ND	2	mg/kg
	Butylbenzyl phthalate	9/28/95	ND	2	mg/kg
	Cadmium	9/28/95	.93	.5	mg/kg
	Chlorobenzene	9/28/95	ND	.005	mg/kg
	Chromium	9/28/95	57	.5	mg/kg
	Chrysene	9/28/95	ND	2	mg/kg
	Cobalt	9/28/95	3.9	2	mg/kg
	Copper	9/28/95	33	.5	mg/kg
	Di-n-butylphthalate	9/28/95	ND	2	mg/kg
	Di-n-octylphthalate	9/28/95	ND	2	mg/kg
	Dibenzo(a,h)anthracene	9/28/95	ND	2	mg/kg

Sediment

Data Table APP-8-1

Location	Analyte	Date	Result	MDA	Units
N. Fork Strawberry Creek	Dibenzofuran	9/28/95	ND	2	mg/kg
	Diethylphthalate	9/28/95	ND	2	mg/kg
	Dimethylphthalate	9/28/95	ND	2	mg/kg
	Ethylbenzene	9/28/95	ND	.005	mg/kg
	Fluoranthene	9/28/95	ND	2	mg/kg
	Fluorene	9/28/95	ND	2	mg/kg
	Gamma Spectroscopy	10/6/95	.407	.04	pCi/g
	Hexachlorobenzene	9/28/95	ND	2	mg/kg
	Hexachlorobutadiene	9/28/95	ND	2	mg/kg
	Hexachlorocyclopentadiene	9/28/95	ND	2	mg/kg
	Hexachloroethane	9/28/95	ND	2	mg/kg
	Ideno(1,2,3-cd)pyrene	9/28/95	ND	2	mg/kg
	Isophorone	9/28/95	ND	2	mg/kg
	Lead	9/28/95	283	2	mg/kg
	Mercury	9/28/95	ND	.2	mg/kg
	Molybdenum	9/28/95	ND	2	mg/kg
	N-Nitroso-di-n-propylamine	9/28/95	ND	2	mg/kg
	N-Nitrosodimethylamine	9/28/95	ND	2	mg/kg
	N-Nitrosodiphenylamine	9/28/95	ND	2	mg/kg
	Naphthalene	9/28/95	ND	2	mg/kg
	Nickel	9/28/95	15	2	mg/kg
	Nitrobenzene	9/28/95	ND	2	mg/kg
	Oil & Grease	9/28/95	250	20	mg/kg
	Pentachlorophenol	9/28/95	ND	5	mg/kg
	pH	9/28/95	7.91	.01	pH Units
	Phenanthrene	9/28/95	ND	2	mg/kg
	Phenol	9/28/95	ND	2	mg/kg
	Pyrene	9/28/95	ND	2	mg/kg
	Selenium	9/28/95	ND	.5	mg/kg
	Silver	9/28/95	ND	1	mg/kg
	Thallium	9/28/95	ND	.5	mg/kg
	Toluene	9/28/95	ND	.005	mg/kg
	Tritium	10/6/95	.0026	.002	pCi/g
Vanadium	9/28/95	23	.5	mg/kg	
Xylenes, Total	9/28/95	ND	.01	mg/kg	
Zinc	9/28/95	308	2	mg/kg	
Strawberry Sewer	1,1,1-Trichloroethane	5/19/95	ND	.5	µg/L
	1,1,2,2-Tetrachloroethane	5/19/95	ND	.5	µg/L
	1,1,2-Trichloroethane	5/19/95	ND	.5	µg/L
	1,1-Dichloroethane	5/19/95	ND	.5	µg/L
	1,1-Dichloroethene	5/19/95	ND	.5	µg/L
	1,2,4-Trichlorobenzene	5/19/95	ND	2	µg/L
	1,2-Dichlorobenzene	5/19/95	ND	2	µg/L

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	1,2-Dichloroethane	5/19/95	ND	.5	µg/L
	1,2-Dichloropropane	5/19/95	ND	.5	µg/L
	1,2-Diphenylhydrazine	5/19/95	ND	2	µg/L
	1,3-Dichlorobenzene	5/19/95	ND	2	µg/L
	1,4-Dichlorobenzene	5/19/95	ND	2	µg/L
	2,4,5-Trichlorophenol	5/19/95	ND	2	µg/L
	2,4,6-Trichlorophenol	5/19/95	ND	2	µg/L
	2,4-Dichlorophenol	5/19/95	ND	2	µg/L
	2,4-Dimethylphenol	5/19/95	ND	2	µg/L
	2,4-Dinitrophenol	5/19/95	ND	2	µg/L
	2,4-Dinitrotoluene	5/19/95	ND	2	µg/L
	2,6-Dinitrotoluene	5/19/95	ND	2	µg/L
	2-Butanone (Methyl ethyl ketone)	5/19/95	ND	.5	µg/L
	2-Chloroethyl Vinyl Ether	5/19/95	ND	.5	µg/L
	2-Chloronaphthalene	5/19/95	ND	2	µg/L
	2-Chlorophenol	5/19/95	ND	2	µg/L
	2-Hexanone	5/19/95	ND	.5	µg/L
	2-Methylnaphthalene	5/19/95	ND	2	µg/L
	2-Methylphenol	5/19/95	2	2	µg/L
	2-Nitroaniline	5/19/95	ND	2	µg/L
	2-Nitrophenol	5/19/95	ND	5	µg/L
	3,3-Dichlorobenzidine	5/19/95	ND	5	µg/L
	3-Nitroaniline	5/19/95	ND	2	µg/L
	4,6-Dinitro-2-methylphenol	5/19/95	ND	10	µg/L
	4-Bromophenyl phenyl ether	5/19/95	ND	2	µg/L
	4-Chloro-3-methylphenol	5/19/95	ND	2	µg/L
	4-Chloroaniline	5/19/95	ND	2	µg/L
	4-Chlorophenyl phenyl ether	5/19/95	ND	2	µg/L
	4-Methyl-2-pentanone (methyl isobutyl	5/19/95	ND	.5	µg/L
	4-Methylphenol	5/19/95	3	2	µg/L
	4-Nitroaniline	5/19/95	ND	5	µg/L
	4-Nitrophenol	5/19/95	ND	2	µg/L
	Acenaphthylene	5/19/95	ND	2	µg/L
	Acenaphthene	5/19/95	ND	2	µg/L
	Acetone	5/19/95	ND	.5	µg/L
	Anthracene	5/19/95	ND	2	µg/L
	Antimony	5/19/95	ND	.1	mg/L
	Arsenic	5/19/95	.0022	.002	mg/L
	Barium	5/19/95	ND	.1	mg/L
	Benzene	5/19/95	ND	.5	µg/L
Benzidine	5/19/95	ND	20	µg/L	
Benzo(a)anthracene	5/19/95	ND	2	µg/L	
Benzo(a)pyrene	5/19/95	ND	2	µg/L	

Sediment

Data Table APP-8-1

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	Benzo(b)fluoranthene	5/19/95	ND	2	µg/L
	Benzo(g,h,i)perylene	5/19/95	ND	2	µg/L
	Benzo(k)fluoranthene	5/19/95	ND	2	µg/L
	Benzoic Acid	5/19/95	ND	5	µg/L
	Benzyl Alcohol	5/19/95	ND	2	µg/L
	Beryllium	5/19/95	ND	.01	mg/L
	Bis(2-chloroethoxy)methane	5/19/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	5/19/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	5/19/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	5/19/95	ND	2	µg/L
	Bromodichloromethane	5/19/95	1.6	.5	µg/L
	Bromoform	5/19/95	ND	.5	µg/L
	Bromomethane	5/19/95	ND	.5	µg/L
	Butylbenzyl phthalate	5/19/95	ND	2	µg/L
	Cadmium	5/19/95	ND	.005	mg/L
	Carbon Disulfide	5/19/95	ND	.5	µg/L
	Carbon Tetrachloride	5/19/95	ND	.5	µg/L
	Chlorobenzene	5/19/95	ND	1	µg/L
	Chloroethane	5/19/95	ND	.5	µg/L
	Chloroform	5/19/95	21	.5	µg/L
	Chloromethane	5/19/95	ND	1	µg/L
	Chromium	5/19/95	ND	.01	mg/L
	Chrysene	5/19/95	ND	2	µg/L
	cis-1,2-Dichloroethene	5/19/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	5/19/95	ND	.5	µg/L
	Cobalt	5/19/95	ND	.01	mg/L
	Copper	5/19/95	ND	.01	mg/L
	Di-n-butylphthalate	5/19/95	ND	2	µg/L
	Di-n-octylphthalate	5/19/95	ND	2	µg/L
	Dibenzo(a,h)anthracene	5/19/95	ND	2	µg/L
	Dibenzofuran	5/19/95	ND	2	µg/L
	Dibromochloromethane	5/19/95	ND	.5	µg/L
	Diethylphthalate	5/19/95	3	2	µg/L
	Dimethylphthalate	5/19/95	ND	2	µg/L
	Ethylbenzene	5/19/95	ND	.5	µg/L
	Fluoranthene	5/19/95	ND	2	µg/L
	Fluorene	5/19/95	ND	2	µg/L
	Hexachlorobenzene	5/19/95	ND	2	µg/L
	Hexachlorobutadiene	5/19/95	ND	2	µg/L
	Hexachlorocyclopentadiene	5/19/95	ND	2	µg/L
Hexachloroethane	5/19/95	ND	2	µg/L	
Ideno(1,2,3-cd)pyrene	5/19/95	ND	2	µg/L	
Isophorone	5/19/95	ND	2	µg/L	

Location	Analyte	Date	Result	MDA	Units
Strawberry Sewer	Lead	5/19/95	ND	.005	mg/L
	Mercury	5/19/95	ND	.0002	mg/L
	Methylene Chloride	5/19/95	ND	1	µg/L
	Molybdenum	5/19/95	.065	.01	mg/L
	N-Nitroso-di-n-propylamine	5/19/95	ND	2	µg/L
	N-Nitrosodimethylamine	5/19/95	ND	2	µg/L
	N-Nitrosodiphenylamine	5/19/95	ND	2	µg/L
	Naphthalene	5/19/95	ND	2	µg/L
	Nickel	5/19/95	ND	.05	mg/L
	Nitrobenzene	5/19/95	ND	2	µg/L
	Oil & Grease	5/19/95	11	1	mg/L
	Pentachlorophenol	5/19/95	ND	5	µg/L
	pH	5/19/95	8.2	.1	S.U.
	Phenanthrene	5/19/95	ND	2	µg/L
	Phenol	5/19/95	ND	2	µg/L
	Pyrene	5/19/95	ND	2	µg/L
	Selenium	5/19/95	ND	.002	mg/L
	Silver	5/19/95	ND	.01	mg/L
	Specific Conductance	5/19/95	442	1	µmhos/cm
	Styrene	5/19/95	ND	.5	µg/L
	Tetrachloroethene	5/19/95	ND	.5	µg/L
	Thallium	5/19/95	ND	.005	mg/L
	Toluene	5/19/95	ND	.5	µg/L
	Total Suspended Solids	5/19/95	72	.5	mg/L
	TPH as diesel	5/19/95	2500	200	µg/L
	TPH as gasoline	5/19/95	ND	50	µg/L
	trans-1,2-Dichloroethene	5/19/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	5/19/95	ND	.5	µg/L
	Trichloroethene	5/19/95	ND	.5	µg/L
	Trichlorofluoromethene	5/19/95	ND	.5	µg/L
	Vanadium	5/19/95	ND	.05	mg/L
	Vinyl Acetate	5/19/95	ND	.5	µg/L
	Vinyl Chloride	5/19/95	ND	.5	µg/L
Xylenes, Total	5/19/95	ND	1	µg/L	
Zinc	5/19/95	ND	.05	mg/L	

Location	Analyte	Date	Result	MDA Units
B13C	1,2,4-Trichlorobenzene	9/29/95	ND	.2 mg/kg
	1,2-Dichlorobenzene	9/29/95	ND	.1 mg/kg
	1,2-Diphenylhydrazine	9/29/95	ND	.1 mg/kg
	1,3-Dichlorobenzene	9/29/95	ND	.1 mg/kg
	1,4-Dichlorobenzene	9/29/95	ND	.1 mg/kg
	2,4,5-Trichlorophenol	9/29/95	ND	.2 mg/kg
	2,4,6-Trichlorophenol	9/29/95	ND	.2 mg/kg
	2,4-Dichlorophenol	9/29/95	ND	.1 mg/kg
	2,4-Dimethylphenol	9/29/95	ND	.1 mg/kg
	2,4-Dinitrophenol	9/29/95	ND	.5 mg/kg
	2,4-Dinitrotoluene	9/29/95	ND	.1 mg/kg
	2,6-Dinitrotoluene	9/29/95	ND	.1 mg/kg
	2-Chloronaphthalene	9/29/95	ND	.1 mg/kg
	2-Chlorophenol	9/29/95	ND	.1 mg/kg
	2-Methylnaphthalene	9/29/95	ND	.1 mg/kg
	2-Methylphenol	9/29/95	ND	.1 mg/kg
	2-Nitroaniline	9/29/95	ND	.1 mg/kg
	2-Nitrophenol	9/29/95	ND	.1 mg/kg
	3,3-Dichlorobenzidine	9/29/95	ND	.2 mg/kg
	3-Nitroaniline	9/29/95	ND	.1 mg/kg
	4,6-Dinitro-2-methylphenol	9/29/95	ND	.2 mg/kg
	4-Bromophenyl phenyl ether	9/29/95	ND	.1 mg/kg
	4-Chloro-3-methylphenol	9/29/95	ND	.1 mg/kg
	4-Chloroaniline	9/29/95	ND	.1 mg/kg
	4-Chlorophenyl phenyl ether	9/29/95	ND	.1 mg/kg
	4-Methylphenol	9/29/95	ND	.1 mg/kg
	4-Nitroaniline	9/29/95	ND	.2 mg/kg
	4-Nitrophenol	9/29/95	ND	.2 mg/kg
	Acenaphthylene	9/29/95	ND	.1 mg/kg
	Acenaphthene	9/29/95	ND	.1 mg/kg
	Anthracene	9/29/95	ND	.1 mg/kg
	Antimony	9/29/95	ND	5 mg/kg
	Arsenic	9/29/95	7.5	.5 mg/kg
	Barium	9/29/95	131	.5 mg/kg
	Benzidine	9/29/95	ND	.1 mg/kg
	Benzo(a)anthracene	9/29/95	ND	.1 mg/kg
	Benzo(a)pyrene	9/29/95	ND	.1 mg/kg
	Benzo(b)fluoranthene	9/29/95	ND	.1 mg/kg
	Benzo(g,h,i)perylene	9/29/95	ND	.1 mg/kg
	Benzo(k)fluoranthene	9/29/95	ND	.1 mg/kg
Benzoic Acid	9/29/95	ND	.1 mg/kg	
Benzyl Alcohol	9/29/95	ND	.1 mg/kg	

Location	Analyte	Date	Result	MDA Units
B13C	Beryllium	9/29/95	ND	.5 mg/kg
	Bis(2-chloroethoxy)methane	9/29/95	ND	.1 mg/kg
	Bis(2-chloroethyl)ether	9/29/95	ND	.1 mg/kg
	Bis(2-chloroisopropyl)ether	9/29/95	ND	.1 mg/kg
	Bis(2-ethylhexyl)phthalate	9/29/95	ND	.2 mg/kg
	Butylbenzyl phthalate	9/29/95	ND	.1 mg/kg
	Cadmium	9/29/95	.63	.5 mg/kg
	Chromium	9/29/95	27	.5 mg/kg
	Chrysene	9/29/95	ND	.1 mg/kg
	Cobalt	9/29/95	7.8	2 mg/kg
	Copper	9/29/95	25	.5 mg/kg
	Di-n-butylphthalate	9/29/95	ND	.1 mg/kg
	Di-n-octylphthalate	9/29/95	ND	.1 mg/kg
	Dibenzo(a,h)anthracene	9/29/95	ND	.1 mg/kg
	Dibenzofuran	9/29/95	ND	.1 mg/kg
	Diethylphthalate	9/29/95	ND	.1 mg/kg
	Dimethylphthalate	9/29/95	ND	.1 mg/kg
	Fluoranthene	9/29/95	ND	.1 mg/kg
	Fluorene	9/29/95	ND	.1 mg/kg
	Gamma Spectroscopy	10/6/95	.667	.04 pCi/g
	Hexachlorobenzene	9/29/95	ND	.1 mg/kg
	Hexachlorobutadiene	9/29/95	ND	.1 mg/kg
	Hexachlorocyclopentadiene	9/29/95	ND	.1 mg/kg
	Hexachloroethane	9/29/95	ND	.1 mg/kg
	Ideno(1,2,3-cd)pyrene	9/29/95	ND	.1 mg/kg
	Isophorone	9/29/95	ND	.1 mg/kg
	Lead	9/29/95	64	2 mg/kg
	Mercury	9/29/95	ND	.2 mg/kg
	Molybdenum	9/29/95	ND	2 mg/kg
	N-Nitroso-di-n-propylamine	9/29/95	ND	.1 mg/kg
	N-Nitrosodimethylamine	9/29/95	ND	.1 mg/kg
	N-Nitrosodiphenylamine	9/29/95	ND	.1 mg/kg
	Naphthalene	9/29/95	ND	.1 mg/kg
	Nickel	9/29/95	27	2 mg/kg
	Nitrobenzene	9/29/95	ND	.1 mg/kg
	Pentachlorophenol	9/29/95	ND	.2 mg/kg
	pH	9/29/95	4.9	.01 S.U.
	Phenanthrene	9/29/95	ND	.1 mg/kg
	Phenol	9/29/95	ND	.1 mg/kg
	Pyrene	9/29/95	ND	.1 mg/kg
	Selenium	9/29/95	ND	.5 mg/kg
	Silver	9/29/95	ND	1 mg/kg

Location	Analyte	Date	Result	MDA Units
B13C	Thallium	9/29/95	ND	.5 mg/kg
	Vanadium	9/29/95	34	.5 mg/kg
	Zinc	9/29/95	96	2 mg/kg
B50	1,2,4-Trichlorobenzene	9/29/95	ND	1 mg/kg
	1,2-Dichlorobenzene	9/29/95	ND	1 mg/kg
	1,2-Diphenylhydrazine	9/29/95	ND	1 mg/kg
	1,3-Dichlorobenzene	9/29/95	ND	1 mg/kg
	1,4-Dichlorobenzene	9/29/95	ND	1 mg/kg
	2,4,5-Trichlorophenol	9/29/95	ND	2 mg/kg
	2,4,6-Trichlorophenol	9/29/95	ND	2 mg/kg
	2,4-Dichlorophenol	9/29/95	ND	1 mg/kg
	2,4-Dimethylphenol	9/29/95	ND	1 mg/kg
	2,4-Dinitrophenol	9/29/95	ND	5 mg/kg
	2,4-Dinitrotoluene	9/29/95	ND	1 mg/kg
	2,6-Dinitrotoluene	9/29/95	ND	1 mg/kg
	2-Chloronaphthalene	9/29/95	ND	1 mg/kg
	2-Chlorophenol	9/29/95	ND	1 mg/kg
	2-Methylnaphthalene	9/29/95	ND	1 mg/kg
	2-Methylphenol	9/29/95	ND	1 mg/kg
	2-Nitroaniline	9/29/95	ND	1 mg/kg
	2-Nitrophenol	9/29/95	ND	1 mg/kg
	3,3-Dichlorobenzidine	9/29/95	ND	2 mg/kg
	3-Nitroaniline	9/29/95	ND	1 mg/kg
	4,6-Dinitro-2-methylphenol	9/29/95	ND	2 mg/kg
	4-Bromophenyl phenyl ether	9/29/95	ND	1 mg/kg
	4-Chloro-3-methylphenol	9/29/95	ND	2 mg/kg
	4-Chloroaniline	9/29/95	ND	1 mg/kg
	4-Chlorophenyl phenyl ether	9/29/95	ND	1 mg/kg
	4-Methylphenol	9/29/95	2.9	1 mg/kg
	4-Nitroaniline	9/29/95	ND	2 mg/kg
	4-Nitrophenol	9/29/95	ND	2 mg/kg
	Acenaphthylene	9/29/95	ND	1 mg/kg
	Acenaphthene	9/29/95	ND	1 mg/kg
	Anthracene	9/29/95	ND	1 mg/kg
	Antimony	9/29/95	ND	5 mg/kg
	Arsenic	9/29/95	7.2	.5 mg/kg
Barium	9/29/95	149	.5 mg/kg	
Benzidine	9/29/95	ND	10 mg/kg	
Benzo(a)anthracene	9/29/95	ND	1 mg/kg	
Benzo(a)pyrene	9/29/95	ND	1 mg/kg	
Benzo(b)fluoranthene	9/29/95	ND	1 mg/kg	
Benzo(g,h,i)perylene	9/29/95	ND	1 mg/kg	

Location	Analyte	Date	Result	MDA	Units
B50	Benzo(k)fluoranthene	9/29/95	ND	1	mg/kg
	Benzoic Acid	9/29/95	ND	2	mg/kg
	Benzyl Alcohol	9/29/95	ND	1	mg/kg
	Beryllium	9/29/95	.52	.5	mg/kg
	Bis(2-chloroethoxy)methane	9/29/95	ND	1	mg/kg
	Bis(2-chloroethyl)ether	9/29/95	ND	1	mg/kg
	Bis(2-chloroisopropyl)ether	9/29/95	ND	1	mg/kg
	Bis(2-ethylhexyl)phthalate	9/29/95	ND	2	mg/kg
	Butylbenzyl phthalate	9/29/95	ND	1	mg/kg
	Cadmium	9/29/95	.75	.5	mg/kg
	Chromium	9/29/95	34	.5	mg/kg
	Chrysene	9/29/95	ND	1	mg/kg
	Cobalt	9/29/95	11	2	mg/kg
	Copper	9/29/95	39	.5	mg/kg
	Di-n-butylphthalate	9/29/95	ND	1	mg/kg
	Di-n-octylphthalate	9/29/95	ND	1	mg/kg
	Dibenzo(a,h)anthracene	9/29/95	ND	1	mg/kg
	Dibenzofuran	9/29/95	ND	1	mg/kg
	Diethylphthalate	9/29/95	ND	1	mg/kg
	Dimethylphthalate	9/29/95	ND	1	mg/kg
	Fluoranthene	9/29/95	ND	1	mg/kg
	Fluorene	9/29/95	ND	1	mg/kg
	Gamma Spectroscopy	10/6/95	.667	.04	pCi/g
	Hexachlorobenzene	9/29/95	ND	1	mg/kg
	Hexachlorobutadiene	9/29/95	ND	1	mg/kg
	Hexachlorocyclopentadiene	9/29/95	ND	1	mg/kg
	Hexachloroethane	9/29/95	ND	1	mg/kg
	Ideno(1,2,3-cd)pyrene	9/29/95	ND	1	mg/kg
	Isophorone	9/29/95	ND	1	mg/kg
	Lead	9/29/95	17	2	mg/kg
	Mercury	9/29/95	ND	.2	mg/kg
	Molybdenum	9/29/95	ND	2	mg/kg
	N-Nitroso-di-n-propylamine	9/29/95	ND	1	mg/kg
	N-Nitrosodimethylamine	9/29/95	ND	1	mg/kg
	N-Nitrosodiphenylamine	9/29/95	ND	1	mg/kg
	Naphthalene	9/29/95	ND	1	mg/kg
	Nickel	9/29/95	36	2	mg/kg
	Nitrobenzene	9/29/95	ND	1	mg/kg
	Pentachlorophenol	9/29/95	ND	2	mg/kg
	pH	9/29/95	6.15	.01	S.U.
	Phenanthrene	9/29/95	ND	1	mg/kg
Phenol	9/29/95	ND	1	mg/kg	

Location	Analyte	Date	Result	MDA	Units
B50	Pyrene	9/29/95	ND	1	mg/kg
	Selenium	9/29/95	ND	.5	mg/kg
	Silver	9/29/95	ND	1	mg/kg
	Thallium	9/29/95	ND	.5	mg/kg
	Tritium	10/6/95	.0026	.0019	pCi/g
	Vanadium	9/29/95	37	.5	mg/kg
	Zinc	9/29/95	86	2	mg/kg
B69	1,2,4-Trichlorobenzene	9/29/95	ND	1	mg/kg
	1,2-Dichlorobenzene	9/29/95	ND	1	mg/kg
	1,2-Diphenylhydrazine	9/29/95	ND	1	mg/kg
	1,3-Dichlorobenzene	9/29/95	ND	1	mg/kg
	1,4-Dichlorobenzene	9/29/95	ND	1	mg/kg
	2,4,5-Trichlorophenol	9/29/95	ND	2	mg/kg
	2,4,6-Trichlorophenol	9/29/95	ND	2	mg/kg
	2,4-Dichlorophenol	9/29/95	ND	1	mg/kg
	2,4-Dimethylphenol	9/29/95	ND	1	mg/kg
	2,4-Dinitrophenol	9/29/95	ND	5	mg/kg
	2,4-Dinitrotoluene	9/29/95	ND	1	mg/kg
	2,6-Dinitrotoluene	9/29/95	ND	1	mg/kg
	2-Chloronaphthalene	9/29/95	ND	1	mg/kg
	2-Chlorophenol	9/29/95	ND	1	mg/kg
	2-Methylnaphthalene	9/29/95	ND	1	mg/kg
	2-Methylphenol	9/29/95	ND	1	mg/kg
	2-Nitroaniline	9/29/95	ND	2	mg/kg
	2-Nitrophenol	9/29/95	ND	1	mg/kg
	3,3-Dichlorobenzidine	9/29/95	ND	2	mg/kg
	3-Nitroaniline	9/29/95	ND	1	mg/kg
	4,6-Dinitro-2-methylphenol	9/29/95	ND	2	mg/kg
	4-Bromophenyl phenyl ether	9/29/95	ND	1	mg/kg
	4-Chloro-3-methylphenol	9/29/95	ND	2	mg/kg
	4-Chloroaniline	9/29/95	ND	1	mg/kg
	4-Chlorophenyl phenyl ether	9/29/95	ND	1	mg/kg
	4-Methylphenol	9/29/95	ND	1	mg/kg
	4-Nitroaniline	9/29/95	ND	1	mg/kg
	4-Nitrophenol	9/29/95	ND	2	mg/kg
	Acenaphthylene	9/29/95	ND	1	mg/kg
	Acenaphthene	9/29/95	ND	1	mg/kg
	Anthracene	9/29/95	ND	1	mg/kg
	Antimony	9/29/95	ND	5	mg/kg
Aroclor 1016	9/29/95	ND	2	mg/kg	
Aroclor 1221	9/29/95	ND	2	mg/kg	
Aroclor 1232	9/29/95	ND	2	mg/kg	

Location	Analyte	Date	Result	MDA	Units
B69	Aroclor 1242	9/29/95	ND	2	mg/kg
	Aroclor 1248	9/29/95	ND	2	mg/kg
	Aroclor 1254	9/29/95	ND	2	mg/kg
	Aroclor 1260	9/29/95	ND	2	mg/kg
	Arsenic	9/29/95	6.3	.5	mg/kg
	Barium	9/29/95	114	.5	mg/kg
	Benzidine	9/29/95	ND	10	mg/kg
	Benzo(a)anthracene	9/29/95	ND	1	mg/kg
	Benzo(a)pyrene	9/29/95	ND	1	mg/kg
	Benzo(b)fluoranthene	9/29/95	ND	1	mg/kg
	Benzo(g,h,i)perylene	9/29/95	ND	1	mg/kg
	Benzo(k)fluoranthene	9/29/95	ND	1	mg/kg
	Benzoic Acid	9/29/95	ND	2	mg/kg
	Benzyl Alcohol	9/29/95	ND	1	mg/kg
	Beryllium	9/29/95	ND	.5	mg/kg
	Bis(2-chloroethoxy)methane	9/29/95	ND	1	mg/kg
	Bis(2-chloroethyl)ether	9/29/95	ND	1	mg/kg
	Bis(2-chloroisopropyl)ether	9/29/95	ND	1	mg/kg
	Bis(2-ethylhexyl)phthalate	9/29/95	ND	2	mg/kg
	Butylbenzyl phthalate	9/29/95	ND	1	mg/kg
	Cadmium	9/29/95	4.1	.5	mg/kg
	Chromium	9/29/95	70	.5	mg/kg
	Chrysene	9/29/95	ND	1	mg/kg
	Cobalt	9/29/95	15	2	mg/kg
	Copper	9/29/95	48	.5	mg/kg
	Di-n-butylphthalate	9/29/95	ND	1	mg/kg
	Di-n-octylphthalate	9/29/95	ND	1	mg/kg
	Dibenzo(a,h)anthracene	9/29/95	ND	1	mg/kg
	Dibenzofuran	9/29/95	ND	1	mg/kg
	Diethylphthalate	9/29/95	ND	1	mg/kg
	Dimethylphthalate	9/29/95	ND	1	mg/kg
	Fluoranthene	9/29/95	ND	1	mg/kg
	Fluorene	9/29/95	ND	1	mg/kg
	Gamma Spectroscopy	10/5/95	.407	.04	pCi/g
	Hexachlorobenzene	9/29/95	ND	1	mg/kg
	Hexachlorobutadiene	9/29/95	ND	1	mg/kg
	Hexachlorocyclopentadiene	9/29/95	ND	1	mg/kg
	Hexachloroethane	9/29/95	ND	1	mg/kg
	Ideno(1,2,3-cd)pyrene	9/29/95	ND	1	mg/kg
	Isophorone	9/29/95	ND	1	mg/kg
	Lead	9/29/95	42	2	mg/kg
	Mercury	9/29/95	ND	.2	mg/kg

Location	Analyte	Date	Result	MDA Units	
B69	Molybdenum	9/29/95	ND	2 mg/kg	
	N-Nitroso-di-n-propylamine	9/29/95	ND	1 mg/kg	
	N-Nitrosodimethylamine	9/29/95	ND	1 mg/kg	
	N-Nitrosodiphenylamine	9/29/95	ND	1 mg/kg	
	Naphthalene	9/29/95	ND	1 mg/kg	
	Nickel	9/29/95	80	2 mg/kg	
	Nitrobenzene	9/29/95	ND	1 mg/kg	
	Pentachlorophenol	9/29/95	ND	2 mg/kg	
	pH	9/29/95	5.21	.01 S.U.	
	Phenanthrene	9/29/95	ND	1 mg/kg	
	Phenol	9/29/95	ND	1 mg/kg	
	Pyrene	9/29/95	ND	1 mg/kg	
	Selenium	9/29/95	ND	.5 mg/kg	
	Silver	9/29/95	ND	1 mg/kg	
	Thallium	9/29/95	ND	.5 mg/kg	
	Tritium	10/5/95	.003	.0015 pCi/g	
	Vanadium	9/29/95	50	.5 mg/kg	
	Zinc	9/29/95	340	2 mg/kg	
	B85	1,2,4-Trichlorobenzene	9/29/95	ND	.1 mg/kg
		1,2-Dichlorobenzene	9/29/95	ND	.1 mg/kg
1,2-Diphenylhydrazine		9/29/95	ND	.1 mg/kg	
1,3-Dichlorobenzene		9/29/95	ND	.1 mg/kg	
1,4-Dichlorobenzene		9/29/95	ND	.1 mg/kg	
2,4,5-Trichlorophenol		9/29/95	ND	.2 mg/kg	
2,4,6-Trichlorophenol		9/29/95	ND	.2 mg/kg	
2,4-Dichlorophenol		9/29/95	ND	.1 mg/kg	
2,4-Dimethylphenol		9/29/95	ND	.1 mg/kg	
2,4-Dinitrophenol		9/29/95	ND	.5 mg/kg	
2,4-Dinitrotoluene		9/29/95	ND	.1 mg/kg	
2,6-Dinitrotoluene		9/29/95	ND	.1 mg/kg	
2-Chloronaphthalene		9/29/95	ND	.1 mg/kg	
2-Chlorophenol		9/29/95	ND	.1 mg/kg	
2-Methylnaphthalene		9/29/95	ND	.1 mg/kg	
2-Methylphenol		9/29/95	ND	.1 mg/kg	
2-Nitroaniline		9/29/95	ND	.1 mg/kg	
2-Nitrophenol		9/29/95	ND	.1 mg/kg	
3,3-Dichlorobenzidine		9/29/95	ND	.2 mg/kg	
3-Nitroaniline		9/29/95	ND	.1 mg/kg	
4,6-Dinitro-2-methylphenol		9/29/95	ND	.1 mg/kg	
4-Bromophenyl phenyl ether		9/29/95	ND	.1 mg/kg	
4-Chloro-3-methylphenol		9/29/95	ND	.2 mg/kg	
4-Chloroaniline		9/29/95	ND	.1 mg/kg	

Location	Analyte	Date	Result	MDA	Units
B85	4-Chlorophenyl phenyl ether	9/29/95	ND	.1	mg/kg
	4-Methylphenol	9/29/95	ND	.1	mg/kg
	4-Nitroaniline	9/29/95	ND	.1	mg/kg
	4-Nitrophenol	9/29/95	ND	.2	mg/kg
	Acenaphthylene	9/29/95	ND	.1	mg/kg
	Acenaphthene	9/29/95	ND	.1	mg/kg
	Anthracene	9/29/95	ND	.1	mg/kg
	Antimony	9/29/95	ND	5	mg/kg
	Aroclor 1016	9/29/95	ND	.1	mg/kg
	Aroclor 1221	9/29/95	ND	2	mg/kg
	Aroclor 1232	9/29/95	ND	2	mg/kg
	Aroclor 1242	9/29/95	ND	2	mg/kg
	Aroclor 1248	9/29/95	ND	2	mg/kg
	Aroclor 1254	9/29/95	ND	2	mg/kg
	Aroclor 1260	9/29/95	ND	2	mg/kg
	Arsenic	9/29/95	3.4	.5	mg/kg
	Barium	9/29/95	96	.5	mg/kg
	Benzidine	9/29/95	ND	1	mg/kg
	Benzo(a)anthracene	9/29/95	ND	.1	mg/kg
	Benzo(a)pyrene	9/29/95	ND	.1	mg/kg
	Benzo(b)fluoranthene	9/29/95	ND	.1	mg/kg
	Benzo(g,h,i)perylene	9/29/95	ND	.1	mg/kg
	Benzo(k)fluoranthene	9/29/95	ND	.1	mg/kg
	Benzoic Acid	9/29/95	ND	.2	mg/kg
	Benzyl Alcohol	9/29/95	ND	.1	mg/kg
	Beryllium	9/29/95	ND	.5	mg/kg
	Bis(2-chloroethoxy)methane	9/29/95	ND	.1	mg/kg
	Bis(2-chloroethyl)ether	9/29/95	ND	.1	mg/kg
	Bis(2-chloroisopropyl)ether	9/29/95	ND	.1	mg/kg
	Bis(2-ethylhexyl)phthalate	9/29/95	.43	.2	mg/kg
	Butylbenzyl phthalate	9/29/95	ND	.1	mg/kg
	Cadmium	9/29/95	1.1	.5	mg/kg
	Chromium	9/29/95	58	.5	mg/kg
	Chrysene	9/29/95	ND	.1	mg/kg
	Cobalt	9/29/95	15	2	mg/kg
	Copper	9/29/95	35	.5	mg/kg
	Di-n-butylphthalate	9/29/95	ND	.1	mg/kg
	Di-n-octylphthalate	9/29/95	ND	.1	mg/kg
	Dibenzo(a,h)anthracene	9/29/95	ND	.1	mg/kg
	Dibenzofuran	9/29/95	ND	.1	mg/kg
	Diethylphthalate	9/29/95	ND	.1	mg/kg
	Dimethylphthalate	9/29/95	ND	.1	mg/kg

Location	Analyte	Date	Result	MDA Units	
B85	Fluoranthene	9/29/95	ND	.1 mg/kg	
	Fluorene	9/29/95	ND	.1 mg/kg	
	Gamma Spectroscopy	10/6/95	.304	.04 pCi/g	
	Hexachlorobenzene	9/29/95	ND	.1 mg/kg	
	Hexachlorobutadiene	9/29/95	ND	.1 mg/kg	
	Hexachlorocyclopentadiene	9/29/95	ND	.1 mg/kg	
	Hexachloroethane	9/29/95	ND	.1 mg/kg	
	Ideno(1,2,3-cd)pyrene	9/29/95	ND	.1 mg/kg	
	Isophorone	9/29/95	ND	.1 mg/kg	
	Lead	9/29/95	37	2 mg/kg	
	Mercury	9/29/95	ND	.2 mg/kg	
	Molybdenum	9/29/95	ND	2 mg/kg	
	N-Nitroso-di-n-propylamine	9/29/95	ND	.1 mg/kg	
	N-Nitrosodimethylamine	9/29/95	ND	.1 mg/kg	
	N-Nitrosodiphenylamine	9/29/95	ND	.1 mg/kg	
	Naphthalene	9/29/95	ND	.1 mg/kg	
	Nickel	9/29/95	50	2 mg/kg	
	Nitrobenzene	9/29/95	ND	.1 mg/kg	
	Pentachlorophenol	9/29/95	ND	.2 mg/kg	
	pH	9/29/95	7	.01 pH Units	
	Phenanthrene	9/29/95	ND	.1 mg/kg	
	Phenol	9/29/95	ND	.1 mg/kg	
	Pyrene	9/29/95	ND	.1 mg/kg	
	Selenium	9/29/95	ND	.5 mg/kg	
	Silver	9/29/95	ND	1 mg/kg	
	Thallium	9/29/95	ND	.5 mg/kg	
	Tritium	10/6/95	.003	.0015 pCi/g	
	Vanadium	9/29/95	69	.5 mg/kg	
	Zinc	9/29/95	54	2 mg/kg	
	ENV-B13C	Tritium	10/6/95	ND	.0019 pCi/g

This page intentionally left blank.

Location	Analyte	Date	Result	MDA	Units
85	14C	6/6/95	ND	1.7	Bq/M3
	Alpha	6/6/95	ND	.00012	Bq/M3
	Beta	6/6/95	.00055	.0003	Bq/M3
	Tritium	6/6/95	ND	2	Bq/M3
85-AA-B	125I	7/31/95	ND	.0003	Bq/L
		8/22/95	ND	.0003	Bq/L
		10/3/95	ND	.004	Bq/M3
		10/24/95	ND	.4	Bq/M3
	Alpha	12/5/95	ND	.0004	Bq/M3
		7/31/95	ND	.0003	Bq/L
		8/22/95	ND	.00019	Bq/L
		10/3/95	ND	.0019	Bq/M3
	Beta	10/24/95	ND	.0002	Bq/M3
		12/5/95	.00013	.00009	Bq/M3
		7/31/95	ND	.0006	Bq/L
		8/22/95	.00072	.0004	Bq/L
	Tritium	10/3/95	ND	.005	Bq/M3
		10/24/95	.00073	.0004	Bq/M3
		12/5/95	.00061	.0004	Bq/M3
		8/22/95	ND	1	Bq/M3
ENV-74	Alpha	10/3/95	ND	.0009	Bq/M3
		12/5/95	ND	.8	Bq/M3
	Beta	10/3/95	ND	.0006	Bq/M3
		10/3/95	.00071	.0005	Bq/M3

This page intentionally left blank.

Location	Analyte	Date	Result	MDA	Units
StW-A	1,1,1-Trichloroethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,1,2,2-Tetrachloroethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,1,2-Trichloroethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,1-Dichloroethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2,4-Trichlorobenzene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	1,2-Dichlorobenzene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		3/9/95	ND	.5	µg/L
	1,2-Dichloroethane	12/11/95	ND	2	µg/L
		3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2-Dichloropropane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2-Diphenylhydrazine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
12/11/95		ND	2	µg/L	
1,3-Dichlorobenzene	3/8/95	ND	2	µg/L	
	3/8/95	ND	.5	µg/L	
	3/8/95	ND	.5	µg/L	
	3/9/95	ND	2	µg/L	
	3/9/95	ND	.5	µg/L	
1,4-Dichlorobenzene	12/11/95	ND	2	µg/L	
	3/8/95	ND	.5	µg/L	
	3/8/95	ND	2	µg/L	
	3/8/95	ND	.5	µg/L	
	3/9/95	ND	.5	µg/L	
2,4,5-Trichlorophenol	3/9/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
	12/11/95	ND	2	µg/L	
	3/8/95	ND	5	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-A	2,4,5-Trichlorophenol	3/9/95	ND	5	µg/L
		12/11/95	ND	5	µg/L
	2,4,6-Trichlorophenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
		12/11/95	ND	5	µg/L
	2,4-Dichlorophenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2,4-Dimethylphenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2,4-Dinitrophenol	3/8/95	ND	10	µg/L
		3/9/95	ND	10	µg/L
		12/11/95	ND	10	µg/L
	2,4-Dinitrotoluene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2,6-Dinitrotoluene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2-Chloroethyl Vinyl Ether	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	2-Chloronaphthalene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2-Chlorophenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2-Methylnaphthalene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2-Methylphenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	2-Nitroaniline	3/8/95	ND	2	µg/L
3/9/95		ND	2	µg/L	
12/11/95		ND	2	µg/L	
2-Nitrophenol	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
	12/11/95	ND	2	µg/L	
3,3-Dichlorobenzidine	3/8/95	ND	5	µg/L	
	3/9/95	ND	5	µg/L	

Location	Analyte	Date	Result	MDA	Units	
StW-A	3,3-Dichlorobenzidine	12/11/95	ND	5	µg/L	
		3-Nitroaniline	3/8/95	ND	2	µg/L
			3/9/95	ND	2	µg/L
	4,6-Dinitro-2-methylphenol	12/11/95	ND	2	µg/L	
		3/8/95	ND	5	µg/L	
		3/9/95	ND	5	µg/L	
	4-Bromophenyl phenyl ether	12/11/95	ND	5	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	4-Chloro-3-methylphenol	12/11/95	ND	2	µg/L	
		3/8/95	ND	5	µg/L	
		3/9/95	ND	5	µg/L	
	4-Chloroaniline	12/11/95	ND	5	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	4-Chlorophenyl phenyl ether	12/11/95	ND	2	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	4-Methylphenol	12/11/95	ND	2	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	4-Nitroaniline	12/11/95	ND	2	µg/L	
		3/8/95	ND	5	µg/L	
		3/9/95	ND	5	µg/L	
	4-Nitrophenol	12/11/95	ND	5	µg/L	
		3/8/95	ND	5	µg/L	
		3/9/95	ND	5	µg/L	
	Acenaphthylene	12/11/95	ND	5	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	Acenaphthene	12/11/95	ND	2	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
Acetone	12/11/95	ND	2	µg/L		
	3/8/95	ND	10	µg/L		
	3/8/95	ND	10	µg/L		
Alpha	3/9/95	11	10	µg/L		
	3/8/95	ND	.02	Bq/L		
	3/9/95	ND	.02	Bq/L		
Anthracene	12/11/95	ND	.06	Bq/L		
	3/8/95	ND	2	µg/L		
	3/9/95	ND	2	µg/L		
		12/11/95	ND	2	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-A	Antimony	3/8/95	ND	.1	mg/L
		3/9/95	ND	.1	mg/L
		3/9/95	ND	.1	mg/L
		12/11/95	ND	.1	mg/L
	Aroclor 1016	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
		12/11/95	ND	.2	mg/L
	Aroclor 1221	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
		12/11/95	ND	.2	mg/L
Aroclor 1232	3/8/95	ND	50	mg/L	
	3/9/95	ND	50	mg/L	
	12/11/95	ND	.2	mg/L	
Aroclor 1242	3/8/95	ND	50	mg/L	
	3/9/95	ND	50	mg/L	
	12/11/95	ND	.2	mg/L	
Aroclor 1248	3/8/95	ND	50	mg/L	
	3/9/95	ND	50	mg/L	
	12/11/95	ND	.2	mg/L	
Aroclor 1254	3/8/95	ND	50	mg/L	
	3/9/95	ND	50	mg/L	
	12/11/95	ND	.2	mg/L	
Aroclor 1260	3/8/95	ND	50	mg/L	
	3/9/95	ND	50	mg/L	
	12/11/95	ND	.2	mg/L	
Arsenic	3/8/95	ND	.002	mg/L	
	3/9/95	.0038	.002	mg/L	
	3/9/95	.0038	.002	mg/L	
	12/11/95	.002	.002	mg/L	
Barium	3/8/95	ND	.1	mg/L	
	3/9/95	.16	.1	mg/L	
	3/9/95	.17	.1	mg/L	
	12/11/95	ND	.1	mg/L	
Benzene	3/8/95	ND	.5	µg/L	
	3/8/95	ND	.5	µg/L	
	3/9/95	ND	.5	µg/L	
	12/11/95	ND	.3	µg/L	
Benzidine	3/8/95	ND	20	µg/L	
	3/9/95	ND	20	µg/L	
	12/11/95	ND	20	µg/L	
Benzo(a)anthracene	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
	12/11/95	ND	2	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-A	Benzo(a)pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Benzo(b)fluoranthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Benzo(g,h,i)perylene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Benzo(k)fluoranthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Benzoic Acid	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
		12/11/95	ND	5	µg/L
	Benzyl Alcohol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Beryllium	3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
		12/11/95	ND	.01	mg/L
	Beta	3/8/95	.064	.04	Bq/L
		3/9/95	ND	.04	Bq/L
		12/11/95	ND	.06	Bq/L
	Bis(2-chloroethoxy)methane	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	3/8/95	ND	5	µg/L
		3/9/95	12	5	µg/L
		12/11/95	ND	5	µg/L
	Bromodichloromethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Bromoform	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-A	Bromomethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	Cadmium	3/8/95	ND	.005	mg/L
		3/9/95	ND	.005	mg/L
		3/9/95	ND	.005	mg/L
		12/11/95	ND	.01	mg/L
	Carbon Tetrachloride	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chlorobenzene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloroethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloroform	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloromethane	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chromium	3/8/95	ND	.01	mg/L
		3/9/95	.082	.01	mg/L
		3/9/95	.082	.01	mg/L
		12/11/95	.01	.01	mg/L
	Chrysene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
		12/11/95	ND	2	µg/L
	cis-1,2-Dichloroethene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Cobalt	3/8/95	ND	.01	mg/L
		3/9/95	.021	.01	mg/L
		3/9/95	.02	.01	mg/L
		12/11/95	ND	.01	mg/L
	Copper	3/8/95	ND	.01	mg/L

Location	Analyte	Date	Result	MDA	Units	
StW-A	Copper	3/9/95	.034	.01	mg/L	
		3/9/95	.033	.01	mg/L	
		12/11/95	ND	.01	mg/L	
	Di-n-butylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Di-n-octylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dibenzo(a,h)anthracene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dibenzofuran	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dibromochloromethane	3/8/95	ND	.5	µg/L	
		3/8/95	ND	.5	µg/L	
		3/9/95	ND	.5	µg/L	
	Diethylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Dimethylphthalate	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Ethanol	3/8/95	ND	1000	µg/L	
		3/8/95	ND	1000	µg/L	
		3/9/95	ND	1000	µg/L	
	Ethyl benzene	12/11/95	ND	.3	µg/L	
		Ethylbenzene	3/8/95	ND	.5	µg/L
			3/8/95	ND	.5	µg/L
	Fluoranthene	3/9/95	ND	.5	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	Fluorene	12/11/95	ND	2	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	Hexachlorobenzene	12/11/95	ND	2	µg/L	
		3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
	Hexachlorobutadiene	12/11/95	ND	2	µg/L	
3/8/95		ND	2	µg/L		
3/9/95		ND	2	µg/L		
		12/11/95	ND	2	µg/L	

Data Table APP-10-2

Preoperational Stormwater

Location	Analyte	Date	Result	MDA	Units	
StW-A	Hexachlorocyclopentadiene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Hexachloroethane	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Ideno(1,2,3-cd)pyrene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Isophorone	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Lead	3/8/95	ND	.005	mg/L	
		3/9/95	.017	.005	mg/L	
		3/9/95	.018	.005	mg/L	
		12/11/95	ND	.005	mg/L	
	Mercury	3/8/95	ND	.0002	mg/L	
		3/9/95	ND	.0002	mg/L	
		3/9/95	ND	.0002	mg/L	
		12/11/95	ND	.0002	mg/L	
	Methyl Ethyl Ketone	3/8/95	ND	20	µg/L	
		3/8/95	ND	20	µg/L	
		3/9/95	ND	20	µg/L	
	Methylene Chloride	3/8/95	ND	1	µg/L	
		3/8/95	ND	1	µg/L	
		3/9/95	ND	1	µg/L	
	Molybdenum	3/8/95	ND	.01	mg/L	
		3/9/95	ND	.01	mg/L	
		3/9/95	ND	.01	mg/L	
		12/11/95	ND	.01	mg/L	
	N-Nitroso-di-n-propylamine	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	N-Nitrosodimethylamine	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	N-Nitrosodiphenylamine	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Naphthalene	3/8/95	ND	2	µg/L	
		3/9/95	ND	2	µg/L	
		12/11/95	ND	2	µg/L	
	Nickel		3/8/95	ND	.05	mg/L

Preoperational Stormwater

Data Table APP-10-2

Location	Analyte	Date	Result	MDA	Units	
StW-A	Nickel	3/9/95	.073	.05	mg/L	
		3/9/95	.071	.05	mg/L	
		12/11/95	ND	.05	mg/L	
	Nitrobenzene	3/8/95	ND	2	μg/L	
		3/9/95	ND	2	μg/L	
		12/11/95	ND	2	μg/L	
	Oil & Grease	3/8/95	2	2	mg/L	
		3/9/95	2	2	mg/L	
		12/11/95	ND	1	mg/L	
	Pentachlorophenol	3/8/95	ND	5	μg/L	
		3/9/95	ND	5	μg/L	
		12/11/95	ND	5	μg/L	
		pH	12/11/95	8	.1	S.U.
	Phenanthrene	3/8/95	ND	2	μg/L	
		3/9/95	ND	2	μg/L	
		12/11/95	ND	2	μg/L	
	Phenol	3/8/95	ND	2	μg/L	
		3/9/95	ND	2	μg/L	
		12/11/95	ND	2	μg/L	
	Pyrene	3/8/95	ND	2	μg/L	
		3/9/95	ND	2	μg/L	
		12/11/95	ND	2	μg/L	
	Selenium	3/8/95	ND	.01	mg/L	
		3/9/95	ND	.002	mg/L	
		3/9/95	ND	.002	mg/L	
	Silver	12/11/95	ND	.002	mg/L	
		3/8/95	ND	.01	mg/L	
		3/9/95	ND	.01	mg/L	
		3/9/95	ND	.01	mg/L	
	Specific Conductance	12/11/95	ND	.01	mg/L	
		3/8/95	675	1	μmhos/cm	
		3/9/95	250	1	μmhos/cm	
		3/8/95	ND	.5	μg/L	
	Tetrachloroethene	3/8/95	ND	.5	μg/L	
		3/9/95	ND	.5	μg/L	
		3/9/95	ND	.5	μg/L	
	Thallium	3/8/95	ND	.005	mg/L	
		3/9/95	ND	.005	mg/L	
		3/9/95	ND	.005	mg/L	
		12/11/95	ND	.005	mg/L	
	Toluene	3/8/95	ND	.5	μg/L	
		3/8/95	ND	.5	μg/L	
		3/9/95	ND	.5	μg/L	
		12/11/95	ND	.3	μg/L	

Location	Analyte	Date	Result	MDA	Units
StW-A	Total Petroleum Hydrocarbs (diesel)	3/8/95	ND	200	µg/L
		3/9/95	ND	400	µg/L
		12/11/95	100	50	µg/L
	Total Petroleum Hydrocarbs (gas)	3/8/95	ND	50	µg/L
		3/9/95	ND	50	µg/L
		12/11/95	ND	50	µg/L
	Total Suspended Solids	3/8/95	ND	10	mg/L
		3/9/95	572	5	mg/l
		12/11/95	4.8	.5	mg/L
	trans-1,2-Dichloroethene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Trichloroethene	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Tritium	3/8/95	ND	15	Bq/L
		3/9/95	ND	18	Bq/L
		12/11/95	ND	12	Bq/L
	Vanadium	3/8/95	ND	.05	mg/L
		3/9/95	.097	.05	mg/L
		3/9/95	.11	.05	mg/L
		12/11/95	ND	.05	mg/L
	Vinyl Chloride	3/8/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Xylene	12/11/95	ND	.6	µg/L
		3/8/95	ND	1	µg/L
Xylenes	3/8/95	ND	1	µg/L	
	3/9/95	ND	1	µg/L	
	3/9/95	ND	1	µg/L	
Zinc	3/8/95	ND	.05	mg/L	
	3/9/95	.095	.05	mg/L	
	3/9/95	.097	.05	mg/L	
	12/11/95	ND	.05	mg/L	
StW-B	1,1,1-Trichloroethane	3/9/95	ND	.5	µg/L
	1,1,2,2-Tetrachloroethane	3/9/95	ND	.5	µg/L
	1,1,2-Trichloroethane	3/9/95	ND	.5	µg/L
	1,1-Dichloroethane	3/9/95	ND	.5	µg/L
	1,2,4-Trichlorobenzene	3/9/95	ND	2	µg/L
	1,2-Dichlorobenzene	3/9/95	ND	2	µg/L
		3/9/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units	
StW-B	1,2-Dichloroethane	3/9/95	ND	.5	µg/L	
	1,2-Dichloropropane	3/9/95	ND	.5	µg/L	
	1,2-Diphenylhydrazine	3/9/95	ND	2	µg/L	
	1,3-Dichlorobenzene	3/9/95	ND	2	µg/L	
			3/9/95	ND	.5	µg/L
		1,4-Dichlorobenzene	3/9/95	ND	2	µg/L
			3/9/95	ND	.5	µg/L
		2,4,5-Trichlorophenol	3/9/95	ND	5	µg/L
		2,4,6-Trichlorophenol	3/9/95	ND	5	µg/L
		2,4-Dichlorophenol	3/9/95	ND	2	µg/L
		2,4-Dimethylphenol	3/9/95	ND	2	µg/L
		2,4-Dinitrophenol	3/9/95	ND	10	µg/L
		2,4-Dinitrotoluene	3/9/95	ND	2	µg/L
		2,6-Dinitrotoluene	3/9/95	ND	2	µg/L
		2-Chloroethyl Vinyl Ether	3/9/95	ND	.5	µg/L
		2-Chloronaphthalene	3/9/95	ND	2	µg/L
		2-Chlorophenol	3/9/95	ND	2	µg/L
		2-Methylnaphthalene	3/9/95	ND	2	µg/L
		2-Methylphenol	3/9/95	ND	2	µg/L
		2-Nitroaniline	3/9/95	ND	2	µg/L
		2-Nitrophenol	3/9/95	ND	2	µg/L
		3,3-Dichlorobenzidine	3/9/95	ND	5	µg/L
		3-Nitroaniline	3/9/95	ND	2	µg/L
		4,6-Dinitro-2-methylphenol	3/9/95	ND	5	µg/L
		4-Bromophenyl phenyl ether	3/9/95	ND	2	µg/L
		4-Chloro-3-methylphenol	3/9/95	ND	5	µg/L
		4-Chloroaniline	3/9/95	ND	2	µg/L
		4-Chlorophenyl phenyl ether	3/9/95	ND	2	µg/L
		4-Methylphenol	3/9/95	ND	2	µg/L
		4-Nitroaniline	3/9/95	ND	5	µg/L
		4-Nitrophenol	3/9/95	ND	5	µg/L
		Acenaphthylene	3/9/95	ND	2	µg/L
		Acenaphthene	3/9/95	ND	2	µg/L
		Acetone	3/9/95	11	10	µg/L
		Alpha	3/9/95	.024	.02	Bq/L
		Anthracene	3/9/95	ND	2	µg/L
		Antimony	3/9/95	ND	.1	mg/L
		Aroclor 1016	3/9/95	ND	50	mg/L
		Aroclor 1221	3/9/95	ND	50	mg/L
		Aroclor 1232	3/9/95	ND	50	mg/L
		Aroclor 1242	3/9/95	ND	50	mg/L
		Aroclor 1248	3/9/95	ND	50	mg/L
	Aroclor 1254	3/9/95	ND	50	mg/L	

Location	Analyte	Date	Result	MDA	Units
StW-B	Aroclor 1260	3/9/95	ND	50	mg/L
	Arsenic	3/9/95	.0036	.002	mg/L
	Barium	3/9/95	.16	.1	mg/L
	Benzene	3/9/95	ND	.5	µg/L
	Benzidine	3/9/95	ND	20	µg/L
	Benzo(a)anthracene	3/9/95	ND	2	µg/L
	Benzo(a)pyrene	3/9/95	ND	2	µg/L
	Benzo(b)fluoranthene	3/9/95	ND	2	µg/L
	Benzo(g,h,i)perylene	3/9/95	ND	2	µg/L
	Benzo(k)fluoranthene	3/9/95	ND	2	µg/L
	Benzoic Acid	3/9/95	ND	5	µg/L
	Benzyl Alcohol	3/9/95	ND	2	µg/L
	Beryllium	3/9/95	ND	.01	mg/L
	Beta	3/9/95	ND	.04	Bq/L
	Bis(2-chloroethoxy)methane	3/9/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	3/9/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	3/9/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	3/9/95	11	5	µg/L
	Bromodichloromethane	3/9/95	ND	.5	µg/L
	Bromoform	3/9/95	ND	.5	µg/L
	Bromomethane	3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/9/95	ND	2	µg/L
	Cadmium	3/9/95	ND	.005	mg/L
	Carbon Tetrachloride	3/9/95	ND	.5	µg/L
	Chlorobenzene	3/9/95	ND	.5	µg/L
	Chloroethane	3/9/95	ND	.5	µg/L
	Chloroform	3/9/95	ND	.5	µg/L
	Chloromethane	3/9/95	ND	.5	µg/L
	Chromium	3/9/95	.085	.01	mg/L
	Chrysene	3/9/95	ND	2	µg/L
	cis-1,2-Dichloroethene	3/9/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
	Cobalt	3/9/95	.019	.01	mg/L
	Copper	3/9/95	.036	.01	mg/L
	Di-n-butylphthalate	3/9/95	ND	2	µg/L
	Di-n-octylphthalate	3/9/95	ND	2	µg/L
	Dibenzo(a,h)anthracene	3/9/95	ND	2	µg/L
	Dibenzofuran	3/9/95	ND	2	µg/L
	Dibromochloromethane	3/9/95	ND	.5	µg/L
	Diethylphthalate	3/9/95	ND	2	µg/L
	Dimethylphthalate	3/9/95	ND	2	µg/L
	Ethanol	3/9/95	ND	1000	µg/L
	Ethylbenzene	3/9/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-B	Fluoranthene	3/9/95	ND	2	µg/L
	Fluorene	3/9/95	ND	2	µg/L
	Hexachlorobenzene	3/9/95	ND	2	µg/L
	Hexachlorobutadiene	3/9/95	ND	2	µg/L
	Hexachlorocyclopentadiene	3/9/95	ND	2	µg/L
	Hexachloroethane	3/9/95	ND	2	µg/L
	Ideno(1,2,3-cd)pyrene	3/9/95	ND	2	µg/L
	Isophorone	3/9/95	ND	2	µg/L
	Lead	3/9/95	.019	.005	mg/L
	Mercury	3/9/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	3/9/95	ND	20	µg/L
	Methylene Chloride	3/9/95	ND	1	µg/L
	Molybdenum	3/9/95	ND	.01	mg/L
	N-Nitroso-di-n-propylamine	3/9/95	ND	2	µg/L
	N-Nitrosodimethylamine	3/9/95	ND	2	µg/L
	N-Nitrosodiphenylamine	3/9/95	ND	2	µg/L
	Naphthalene	3/9/95	ND	2	µg/L
	Nickel	3/9/95	.071	.05	mg/L
	Nitrobenzene	3/9/95	ND	2	µg/L
	Oil & Grease	3/9/95	ND	2	mg/L
	Pentachlorophenol	3/9/95	ND	5	µg/L
	Phenanthrene	3/9/95	ND	2	µg/L
	Phenol	3/9/95	ND	2	µg/L
	Pyrene	3/9/95	ND	2	µg/L
	Selenium	3/9/95	ND	.002	mg/L
	Silver	3/9/95	ND	.01	mg/L
	Specific Conductance	3/9/95	332	1	µmhos/cm
	Tetrachloroethene	3/9/95	ND	.5	µg/L
	Thallium	3/9/95	ND	.005	mg/L
	Toluene	3/9/95	ND	.5	µg/L
	Total Petroleum Hydrocarbs (diesel)	3/9/95	ND	200	µg/L
	Total Petroleum Hydrocarbs (gas)	3/9/95	ND	50	µg/L
	Total Suspended Solids	3/9/95	702	.5	mg/L
	trans-1,2-Dichloroethene	3/9/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
	Trichloroethene	3/9/95	ND	.5	µg/L
	Tritium	3/9/95	ND	18	Bq/L
	Vanadium	3/9/95	.099	.05	mg/L
	Vinyl Chloride	3/9/95	ND	.5	µg/L
	Xylenes	3/9/95	ND	1	µg/L
Zinc	3/9/95	.11	.05	mg/L	
StW-C	1,1,1-Trichloroethane	3/9/95	ND	.5	µg/L
	1,1,2,2-Tetrachloroethane	3/9/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA Units	
StW-C	1,1,2-Trichloroethane	3/9/95	ND	.5 µg/L	
	1,1-Dichloroethane	3/9/95	ND	.5 µg/L	
	1,2,4-Trichlorobenzene	3/9/95	ND	2 µg/L	
	1,2-Dichlorobenzene	3/9/95	ND	2 µg/L	
			3/9/95	ND	.5 µg/L
		1,2-Dichloroethane	3/9/95	ND	.5 µg/L
		1,2-Dichloropropane	3/9/95	ND	.5 µg/L
		1,2-Diphenylhydrazine	3/9/95	ND	2 µg/L
		1,3-Dichlorobenzene	3/9/95	ND	2 µg/L
			3/9/95	ND	.5 µg/L
		1,4-Dichlorobenzene	3/9/95	ND	2 µg/L
			3/9/95	ND	.5 µg/L
		2,4,5-Trichlorophenol	3/9/95	ND	5 µg/L
		2,4,6-Trichlorophenol	3/9/95	ND	5 µg/L
		2,4-Dichlorophenol	3/9/95	ND	2 µg/L
		2,4-Dimethylphenol	3/9/95	ND	2 µg/L
		2,4-Dinitrophenol	3/9/95	ND	10 µg/L
		2,4-Dinitrotoluene	3/9/95	ND	2 µg/L
		2,6-Dinitrotoluene	3/9/95	ND	2 µg/L
		2-Chloroethyl Vinyl Ether	3/9/95	ND	.5 µg/L
		2-Chloronaphthalene	3/9/95	ND	2 µg/L
		2-Chlorophenol	3/9/95	ND	2 µg/L
		2-Methylnaphthalene	3/9/95	ND	2 µg/L
		2-Methylphenol	3/9/95	ND	2 µg/L
		2-Nitroaniline	3/9/95	ND	2 µg/L
		2-Nitrophenol	3/9/95	ND	2 µg/L
		3,3-Dichlorobenzidine	3/9/95	ND	5 µg/L
		3-Nitroaniline	3/9/95	ND	2 µg/L
		4,6-Dinitro-2-methylphenol	3/9/95	ND	5 µg/L
		4-Bromophenyl phenyl ether	3/9/95	ND	2 µg/L
		4-Chloro-3-methylphenol	3/9/95	ND	5 µg/L
		4-Chloroaniline	3/9/95	ND	2 µg/L
		4-Chlorophenyl phenyl ether	3/9/95	ND	2 µg/L
		4-Methylphenol	3/9/95	ND	2 µg/L
		4-Nitroaniline	3/9/95	ND	5 µg/L
		4-Nitrophenol	3/9/95	ND	5 µg/L
		Acenaphthylene	3/9/95	ND	2 µg/L
		Acenaphthene	3/9/95	ND	2 µg/L
		Acetone	3/9/95	ND	10 µg/L
		Alpha	3/9/95	ND	.02 Bq/L
		Anthracene	3/9/95	ND	2 µg/L
		Antimony	3/9/95	ND	.1 mg/L
	Aroclor 1016	3/9/95	ND	50 µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-C	Aroclor 1221	3/9/95	ND	50	mg/L
	Aroclor 1232	3/9/95	ND	50	mg/L
	Aroclor 1242	3/9/95	ND	50	mg/L
	Aroclor 1248	3/9/95	ND	50	mg/L
	Aroclor 1254	3/9/95	ND	50	mg/L
	Aroclor 1260	3/9/95	ND	50	mg/L
	Arsenic	3/9/95	.0026	.002	mg/L
	Barium	3/9/95	ND	.1	mg/L
	Benzene	3/9/95	ND	.5	µg/L
	Benzidine	3/9/95	ND	20	µg/L
	Benzo(a)anthracene	3/9/95	ND	2	µg/L
	Benzo(a)pyrene	3/9/95	ND	2	µg/L
	Benzo(b)fluoranthene	3/9/95	ND	2	µg/L
	Benzo(g,h,i)perylene	3/9/95	ND	2	µg/L
	Benzo(k)fluoranthene	3/9/95	ND	2	µg/L
	Benzoic Acid	3/9/95	ND	5	µg/L
	Benzyl Alcohol	3/9/95	ND	2	µg/L
	Beryllium	3/9/95	ND	.01	mg/L
	Beta	3/9/95	ND	.04	Bq/L
	Bis(2-chloroethoxy)methane	3/9/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	3/9/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	3/9/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	3/9/95	ND	5	µg/L
	Bromodichloromethane	3/9/95	ND	.5	µg/L
	Bromoform	3/9/95	ND	.5	µg/L
	Bromomethane	3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/9/95	ND	2	µg/L
	Cadmium	3/9/95	ND	.005	mg/L
	Carbon Tetrachloride	3/9/95	ND	.5	µg/L
	Chlorobenzene	3/9/95	ND	.5	µg/L
	Chloroethane	3/9/95	ND	.5	µg/L
	Chloroform	3/9/95	ND	.5	µg/L
	Chloromethane	3/9/95	ND	.5	µg/L
	Chromium	3/9/95	.026	.01	mg/L
	Chrysene	3/9/95	ND	2	µg/L
	cis-1,2-Dichloroethene	3/9/95	ND	.5	µg/L
	cis-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
	Cobalt	3/9/95	ND	.01	mg/L
	Copper	3/9/95	ND	.01	mg/L
	Di-n-butylphthalate	3/9/95	ND	2	µg/L
	Di-n-octylphthalate	3/9/95	ND	2	µg/L
	Dibenzo(a,h)anthracene	3/9/95	ND	2	µg/L
	Dibenzofuran	3/9/95	ND	2	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-C	Dibromochloromethane	3/9/95	ND	.5	µg/L
	Diethylphthalate	3/9/95	ND	2	µg/L
	Dimethylphthalate	3/9/95	ND	2	µg/L
	Ethanol	3/9/95	ND	1000	µg/L
	Ethylbenzene	3/9/95	ND	.5	µg/L
	Fluoranthene	3/9/95	ND	2	µg/L
	Fluorene	3/9/95	ND	2	µg/L
	Hexachlorobenzene	3/9/95	ND	2	µg/L
	Hexachlorobutadiene	3/9/95	ND	2	µg/L
	Hexachlorocyclopentadiene	3/9/95	ND	2	µg/L
	Hexachloroethane	3/9/95	ND	2	µg/L
	Ideno(1,2,3-cd)pyrene	3/9/95	ND	2	µg/L
	Isophorone	3/9/95	ND	2	µg/L
	Lead	3/9/95	.008	.005	mg/L
	Mercury	3/9/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	3/9/95	ND	20	µg/L
	Methylene Chloride	3/9/95	ND	1	µg/L
	Molybdenum	3/9/95	ND	.01	mg/L
	N-Nitroso-di-n-propylamine	3/9/95	ND	2	µg/L
	N-Nitrosodimethylamine	3/9/95	ND	2	µg/L
	N-Nitrosodiphenylamine	3/9/95	ND	2	µg/L
	Naphthalene	3/9/95	ND	2	µg/L
	Nickel	3/9/95	ND	.05	mg/L
	Nitrobenzene	3/9/95	ND	2	µg/L
	Oil & Grease	3/9/95	1	1	mg/L
	Pentachlorophenol	3/9/95	ND	5	µg/L
	Phenanthrene	3/9/95	ND	2	µg/L
	Phenol	3/9/95	ND	2	µg/L
	Pyrene	3/9/95	ND	2	µg/L
	Selenium	3/9/95	ND	.002	mg/L
	Silver	3/9/95	ND	.01	mg/L
	Specific Conductance	3/9/95	200	1	µmhos/cm
	Tetrachloroethene	3/9/95	ND	.5	µg/L
	Thallium	3/9/95	ND	.005	mg/L
	Toluene	3/9/95	ND	.5	µg/L
	Total Petroleum Hydrocarbs (diesel)	3/9/95	ND	200	µg/L
	Total Petroleum Hydrocarbs (gas)	3/9/95	ND	50	µg/L
	Total Suspended Solids	3/9/95	94	.5	mg/L
	trans-1,2-Dichloroethene	3/9/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
	Trichloroethene	3/9/95	ND	.5	µg/L
	Tritium	3/9/95	ND	18	Bq/L
	Vanadium	3/9/95	ND	.05	mg/L

Location	Analyte	Date	Result	MDA	Units
StW-C	Vinyl Chloride	3/9/95	ND	.5	µg/L
	Xylenes	3/9/95	ND	1	µg/L
	Zinc	3/9/95	.051	.05	mg/L
StW-D	1,1,1-Trichloroethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,1,2,2-Tetrachloroethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,1,2-Trichloroethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,1-Dichloroethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2,4-Trichlorobenzene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	1,2-Dichlorobenzene	3/8/95	ND	2	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
		3/9/95	ND	2	µg/L
	1,2-Dichloroethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2-Dichloropropane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	1,2-Diphenylhydrazine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	1,3-Dichlorobenzene	3/8/95	ND	2	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
		3/9/95	ND	2	µg/L
	1,4-Dichlorobenzene	3/8/95	ND	2	µg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	3/9/95	ND	2	µg/L	
2,4,5-Trichlorophenol	3/8/95	ND	5	µg/L	
	3/9/95	ND	5	µg/L	
2,4,6-Trichlorophenol	3/8/95	ND	5	µg/L	
	3/9/95	ND	5	µg/L	
2,4-Dichlorophenol	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
2,4-Dimethylphenol	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
2,4-Dinitrophenol	3/8/95	ND	10	µg/L	
	3/9/95	ND	10	µg/L	
2,4-Dinitrotoluene	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-D	2,6-Dinitrotoluene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Chloroethyl Vinyl Ether	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	2-Chloronaphthalene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Chlorophenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Methylnaphthalene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Methylphenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Nitroaniline	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	2-Nitrophenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	3,3-Dichlorobenzidine	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	3-Nitroaniline	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4,6-Dinitro-2-methylphenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	4-Bromophenyl phenyl ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Chloro-3-methylphenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	4-Chloroaniline	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Chlorophenyl phenyl ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Methylphenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	4-Nitroaniline	3/8/95	ND	5	µg/L
3/9/95		ND	5	µg/L	
4-Nitrophenol	3/8/95	ND	5	µg/L	
	3/9/95	ND	5	µg/L	
Acenaphthylene	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
Acenaphthene	3/8/95	ND	2	µg/L	
	3/9/95	ND	2	µg/L	
Acetone	3/8/95	ND	10	µg/L	
	3/9/95	ND	10	µg/L	
Alpha	3/8/95	ND	.017	Bq/L	

Location	Analyte	Date	Result	MDA	Units
StW-D	Alpha	3/9/95	.022	.02	Bq/L
	Anthracene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Antimony	3/8/95	ND	.1	mg/L
		3/8/95	ND	.1	mg/L
		3/9/95	ND	.1	mg/L
	Aroclor 1016	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1221	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1232	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1242	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1248	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1254	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Aroclor 1260	3/8/95	ND	50	mg/L
		3/9/95	ND	50	mg/L
	Arsenic	3/8/95	.0022	.002	mg/L
		3/8/95	.0026	.002	mg/L
		3/9/95	.0052	.002	mg/L
	Barium	3/8/95	ND	.1	mg/L
		3/8/95	ND	.1	mg/L
		3/9/95	.11	.1	mg/L
	Benzene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Benzidine	3/8/95	ND	20	µg/L
		3/9/95	ND	20	µg/L
	Benzo(a)anthracene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(a)pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(b)fluoranthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(g,h,i)perylene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzo(k)fluoranthene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Benzoic Acid	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	Benzyl Alcohol	3/8/95	ND	2	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-D	Benzyl Alcohol	3/9/95	ND	2	µg/L
	Beryllium	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	Beta	3/8/95	ND	.03	Bq/L
		3/9/95	.091	.05	Bq/L
	Bis(2-chloroethoxy)methane	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Bis(2-chloroethyl)ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Bis(2-chloroisopropyl)ether	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Bis(2-ethylhexyl)phthalate	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	Bromodichloromethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Bromoform	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Bromomethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Butylbenzyl phthalate	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Cadmium	3/8/95	ND	.005	mg/L
		3/8/95	ND	.005	mg/L
		3/9/95	.041	.005	mg/L
	Carbon Tetrachloride	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chlorobenzene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloroethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloroform	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chloromethane	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Chromium	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	Chrysene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	cis-1,2-Dichloroethene	3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
cis-1,3-Dichloropropene	3/8/95	ND	.5	µg/L	

Location	Analyte	Date	Result	MDA	Units
StW-D	cis-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
	Cobalt	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
	Copper	3/9/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
	Di-n-butylphthalate	3/9/95	.018	.01	mg/L
		3/8/95	19	2	µg/L
	Di-n-octylphthalate	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Dibenzo(a,h)anthracene	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Dibenzofuran	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Dibromochloromethane	3/9/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
	Diethylphthalate	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Dimethylphthalate	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Ethanol	3/9/95	ND	1000	µg/L
		3/8/95	ND	1000	µg/L
	Ethylbenzene	3/9/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
	Fluoranthene	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Fluorene	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Hexachlorobenzene	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Hexachlorobutadiene	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Hexachlorocyclopentadiene	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Hexachloroethane	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Ideno(1,2,3-cd)pyrene	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Isophorone	3/9/95	ND	2	µg/L
		3/8/95	ND	2	µg/L
	Lead	3/9/95	ND	.005	mg/L
		3/8/95	ND	.005	mg/L

Location	Analyte	Date	Result	MDA	Units
StW-D	Lead	3/9/95	.013	.005	mg/L
	Mercury	3/8/95	ND	.0002	mg/L
		3/8/95	ND	.0002	mg/L
		3/9/95	ND	.0002	mg/L
	Methyl Ethyl Ketone	3/8/95	ND	20	µg/L
		3/9/95	ND	20	µg/L
	Methylene Chloride	3/8/95	ND	1	µg/L
		3/9/95	ND	1	µg/L
	Molybdenum	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	N-Nitroso-di-n-propylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	N-Nitrosodimethylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	N-Nitrosodiphenylamine	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Naphthalene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Nickel	3/8/95	ND	.05	mg/L
		3/8/95	ND	.05	mg/L
		3/9/95	.058	.05	mg/L
	Nitrobenzene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Oil & Grease	3/8/95	ND	2	mg/L
		3/9/95	1	1	mg/L
	Pentachlorophenol	3/8/95	ND	5	µg/L
		3/9/95	ND	5	µg/L
	Phenanthrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Phenol	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Pyrene	3/8/95	ND	2	µg/L
		3/9/95	ND	2	µg/L
	Selenium	3/8/95	ND	.002	mg/L
		3/8/95	ND	.002	mg/L
		3/9/95	ND	.002	mg/L
	Silver	3/8/95	ND	.01	mg/L
		3/8/95	ND	.01	mg/L
		3/9/95	ND	.01	mg/L
	Specific Conductance	3/8/95	120	1	µmhos/cm
		3/9/95	185	1	µmhos/cm
	Tetrachloroethene	3/8/95	ND	.5	µg/L

Location	Analyte	Date	Result	MDA	Units
StW-D	Tetrachloroethene	3/9/95	ND	.5	µg/L
	Thallium	3/8/95	ND	.005	mg/L
		3/8/95	ND	.005	mg/L
	Toluene	3/9/95	ND	.005	mg/L
		3/8/95	ND	.5	µg/L
	Total Petroleum Hydrocarbs (diesel)	3/9/95	ND	.5	µg/L
		3/8/95	ND	200	µg/L
	Total Petroleum Hydrocarbs (gas)	3/9/95	ND	200	µg/L
		3/8/95	ND	50	µg/L
	Total Suspended Solids	3/9/95	ND	50	µg/L
		3/8/95	19.4	.5	mg/L
	trans-1,2-Dichloroethene	3/9/95	226	.5	mg/L
		3/8/95	ND	.5	µg/L
	trans-1,3-Dichloropropene	3/9/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
	Trichloroethene	3/9/95	ND	.5	µg/L
		3/8/95	ND	.5	µg/L
	Tritium	3/9/95	ND	.5	µg/L
		3/8/95	ND	15	Bq/L
	Vanadium	3/9/95	ND	18	Bq/L
		3/8/95	ND	.05	mg/L
		3/8/95	ND	.05	mg/L
	Vinyl Chloride	3/9/95	ND	.05	mg/L
		3/8/95	ND	.5	µg/L
		3/9/95	ND	.5	µg/L
	Xylenes	3/8/95	ND	1	µg/L
		3/9/95	ND	1	µg/L
	Zinc	3/8/95	.14	.05	mg/L
		3/8/95	.14	.05	mg/L
		3/9/95	.082	.05	mg/L

This page intentionally left blank.

Location	Analyte	Date	Result	MDA	Units
SD - A	1,1,1-Trichloroethane	5/19/95	ND	.005	mg/kg
	1,1,2,2-Tetrachloroethane	5/19/95	ND	.005	mg/kg
	1,1,2-Trichloroethane	5/19/95	ND	.005	mg/kg
	1,1-Dichloroethane	5/19/95	ND	.005	mg/kg
	1,1-Dichloroethene	5/19/95	ND	.005	mg/kg
	1,2,4-Trichlorobenzene	5/19/95	ND	.1	mg/kg
	1,2-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	1,2-Dichloroethane	5/19/95	ND	.005	mg/kg
	1,2-Dichloropropane	5/19/95	ND	.005	mg/kg
	1,2-Diphenylhydrazine	5/19/95	ND	.1	mg/kg
	1,3-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	1,4-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	2,4,5-Trichlorophenol	5/19/95	ND	.2	mg/kg
	2,4,6-Trichlorophenol	5/19/95	ND	.2	mg/kg
	2,4-Dichlorophenol	5/19/95	ND	.1	mg/kg
	2,4-Dimethylphenol	5/19/95	ND	.1	mg/kg
	2,4-Dinitrophenol	5/19/95	ND	.5	mg/kg
	2,4-Dinitrotoluene	5/19/95	ND	.1	mg/kg
	2,6-Dinitrotoluene	5/19/95	ND	.1	mg/kg
	2-Butanone (Methyl ethyl ketone)	5/19/95	ND	.005	mg/kg
	2-Chloroethyl Vinyl Ether	5/19/95	ND	.005	mg/kg
	2-Chloronaphthalene	5/19/95	ND	.1	mg/kg
	2-Chlorophenol	5/19/95	ND	.1	mg/kg
	2-Hexanone	5/19/95	ND	.005	mg/kg
	2-Methylnaphthalene	5/19/95	ND	.1	mg/kg
	2-Methylphenol	5/19/95	2	.1	mg/kg
	2-Nitroaniline	5/19/95	ND	.1	mg/kg
	2-Nitrophenol	5/19/95	ND	.2	mg/kg
	3,3-Dichlorobenzidine	5/19/95	ND	.1	mg/kg
	3-Nitroaniline	5/19/95	ND	.1	mg/kg
	4,6-Dinitro-2-methylphenol	5/19/95	ND	.2	mg/kg
	4-Bromophenyl phenyl ether	5/19/95	ND	.1	mg/kg
	4-Chloro-3-methylphenol	5/19/95	ND	.2	mg/kg
	4-Chloroaniline	5/19/95	ND	.1	mg/kg
	4-Chlorophenyl phenyl ether	5/19/95	ND	.1	mg/kg
	4-Methyl-2-pentanone (methyl isobutyl)	5/19/95	ND	.005	mg/kg
	4-Methylphenol	5/19/95	3	.1	mg/kg
	4-Nitroaniline	5/19/95	ND	.2	mg/kg
	4-Nitrophenol	5/19/95	ND	.1	mg/kg
	Acenaphthylene	5/19/95	ND	.1	mg/kg
	Acenaphthene	5/19/95	ND	.1	mg/kg
	Acetone	5/19/95	ND	.005	mg/kg
	Anthracene	5/19/95	ND	.1	mg/kg

Location	Analyte	Date	Result	MDA	Units
SD - A	Antimony	5/19/95	ND	5	mg/kg
	Arsenic	5/19/95	3.7	.5	mg/kg
	Barium	5/19/95	94	.5	mg/kg
	Benzene	5/19/95	ND	.005	mg/kg
	Benzidine	5/19/95	ND	1	mg/kg
	Benzo(a)anthracene	5/19/95	ND	.1	mg/kg
	Benzo(a)pyrene	5/19/95	ND	.1	mg/kg
	Benzo(b)fluoranthene	5/19/95	ND	.1	mg/kg
	Benzo(g,h,i)perylene	5/19/95	ND	.1	mg/kg
	Benzo(k)fluoranthene	5/19/95	ND	.1	mg/kg
	Benzoic Acid	5/19/95	ND	.2	mg/kg
	Benzyl Alcohol	5/19/95	ND	.1	mg/kg
	Beryllium	5/19/95	ND	.5	mg/kg
	Bis(2-chloroethoxy)methane	5/19/95	ND	.1	mg/kg
	Bis(2-chloroethyl)ether	5/19/95	ND	.1	mg/kg
	Bis(2-chloroisopropyl)ether	5/19/95	ND	.1	mg/kg
	Bis(2-ethylhexyl)phthalate	5/19/95	ND	.2	mg/kg
	Bromodichloromethane	5/19/95	ND	.005	mg/kg
	Bromoform	5/19/95	ND	.005	mg/kg
	Bromomethane	5/19/95	ND	.005	mg/kg
	Butylbenzyl phthalate	5/19/95	ND	.1	mg/kg
	Cadmium	5/19/95	.54	.5	mg/kg
	Carbon Disulfide	5/19/95	ND	.005	mg/kg
	Carbon Tetrachloride	5/19/95	ND	.005	mg/kg
	Chlorobenzene	5/19/95	ND	.005	mg/kg
	Chloroethane	5/19/95	ND	.01	mg/kg
	Chloroform	5/19/95	ND	.005	mg/kg
	Chloromethane	5/19/95	ND	.005	mg/kg
	Chromium	5/19/95	38	.5	mg/kg
	Chrysene	5/19/95	ND	.1	mg/kg
	cis-1,2-Dichloroethene	5/19/95	ND	.005	mg/kg
	cis-1,3-Dichloropropene	5/19/95	ND	.005	mg/kg
	Cobalt	5/19/95	10	2	mg/kg
	Copper	5/19/95	18	.5	mg/kg
	Di-n-butylphthalate	5/19/95	ND	.1	mg/kg
	Di-n-octylphthalate	5/19/95	3	.1	mg/kg
	Dibenzo(a,h)anthracene	5/19/95	ND	.1	mg/kg
	Dibenzofuran	5/19/95	ND	.1	mg/kg
	Dibromochloromethane	5/19/95	ND	.01	mg/kg
	Diethylphthalate	5/19/95	ND	.1	mg/kg
	Dimethylphthalate	5/19/95	ND	.1	mg/kg
	Ethylbenzene	5/19/95	ND	.005	mg/kg
	Fluoranthene	5/19/95	ND	.1	mg/kg

Preoperational Sediment

Data Table APP-10-3

Location	Analyte	Date	Result	MDA	Units	
SD - A	Fluorene	5/19/95	ND	.1	mg/kg	
	Hexachlorobenzene	5/19/95	ND	.1	mg/kg	
	Hexachlorobutadiene	5/19/95	ND	.1	mg/kg	
	Hexachlorocyclopentadiene	5/19/95	ND	.1	mg/kg	
	Hexachloroethane	5/19/95	ND	.1	mg/kg	
	Ideno(1,2,3-cd)pyrene	5/19/95	ND	.1	mg/kg	
	Isophorone	5/19/95	ND	.1	mg/kg	
	Lead	5/19/95	9.4	2	mg/kg	
	Mercury	5/19/95	ND	.2	mg/kg	
	Methylene Chloride	5/19/95	ND	.01	mg/kg	
	Molybdenum	5/19/95	ND	2	mg/kg	
	N-Nitroso-di-n-propylamine	5/19/95	ND	.1	mg/kg	
	N-Nitrosodimethylamine	5/19/95	ND	.1	mg/kg	
	N-Nitrosodiphenylamine	5/19/95	ND	.1	mg/kg	
	Naphthalene	5/19/95	ND	.1	mg/kg	
	Nickel	5/19/95	30	2	mg/kg	
	Nitrobenzene	5/19/95	ND	.1	mg/kg	
	Oil & Grease	5/19/95	26	20	mg/kg	
	Pentachlorophenol	5/19/95	ND	.2	mg/kg	
	pH	5/19/95	7.31	.01	S.U.	
	Phenanthrene	5/19/95	ND	.1	mg/kg	
	Phenol	5/19/95	ND	.1	mg/kg	
	Pyrene	5/19/95	ND	.1	mg/kg	
	Selenium	5/19/95	.5	.5	mg/kg	
	Silver	5/19/95	ND	1	mg/kg	
	Styrene	5/19/95	ND	.005	mg/kg	
	Tetrachloroethene	5/19/95	ND	.005	mg/kg	
	Thallium	5/19/95	ND	5 ⁰	mg/kg	
	Toluene	5/19/95	ND	.005	mg/kg	
	TPH as diesel	5/19/95	18	10	mg/kg	
	TPH as gasoline	5/19/95	ND	1	mg/kg	
	trans-1,2-Dichloroethene	5/19/95	ND	.005	mg/kg	
	trans-1,3-Dichloropropene	5/19/95	ND	.005	mg/kg	
	Trichloroethene	5/19/95	ND	.005	mg/kg	
	Trichlorofluoromethene	5/19/95	ND	.005	mg/kg	
	Vanadium	5/19/95	4.6	.5	mg/kg	
	Vinyl Acetate	5/19/95	ND	.005	mg/kg	
	Vinyl Chloride	5/19/95	ND	.005	mg/kg	
	Xylenes, Total	5/19/95	ND	.01	mg/kg	
	Zinc	5/19/95	4.9	2	mg/kg	
	SD - B	1,1,1-Trichloroethane	5/19/95	ND	.005	mg/kg
		1,1,2,2-Tetrachloroethane	5/19/95	ND	.005	mg/kg
		1,1,2-Trichloroethane	5/19/95	ND	.005	mg/kg

Location	Analyte	Date	Result	MDA	Units
SD - B	1,1-Dichloroethane	5/19/95	ND	.005	mg/kg
	1,1-Dichloroethene	5/19/95	ND	.005	mg/kg
	1,2,4-Trichlorobenzene	5/19/95	ND	.1	mg/kg
	1,2-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	1,2-Dichloroethane	5/19/95	ND	.005	mg/kg
	1,2-Dichloropropane	5/19/95	ND	.005	mg/kg
	1,2-Diphenylhydrazine	5/19/95	ND	.1	mg/kg
	1,3-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	1,4-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	2,4,5-Trichlorophenol	5/19/95	ND	.2	mg/kg
	2,4,6-Trichlorophenol	5/19/95	ND	.2	mg/kg
	2,4-Dichlorophenol	5/19/95	ND	.1	mg/kg
	2,4-Dimethylphenol	5/19/95	ND	.1	mg/kg
	2,4-Dinitrophenol	5/19/95	ND	.1	mg/kg
	2,4-Dinitrotoluene	5/19/95	ND	.1	mg/kg
	2,6-Dinitrotoluene	5/19/95	ND	.1	mg/kg
	2-Butanone (Methyl ethyl ketone)	5/19/95	ND	.005	mg/kg
	2-Chloroethyl Vinyl Ether	5/19/95	ND	.005	mg/kg
	2-Chloronaphthalene	5/19/95	ND	.1	mg/kg
	2-Chlorophenol	5/19/95	ND	.1	mg/kg
	2-Hexanone	5/19/95	ND	.005	mg/kg
	2-Methylnaphthalene	5/19/95	ND	.1	mg/kg
	2-Methylphenol	5/19/95	ND	.1	mg/kg
	2-Nitroaniline	5/19/95	ND	.2	mg/kg
	2-Nitrophenol	5/19/95	ND	.1	mg/kg
	3,3-Dichlorobenzidine	5/19/95	ND	.2	mg/kg
	3-Nitroaniline	5/19/95	ND	.1	mg/kg
	4,6-Dinitro-2-methylphenol	5/19/95	ND	.5	mg/kg
	4-Bromophenyl phenyl ether	5/19/95	ND	.1	mg/kg
	4-Chloro-3-methylphenol	5/19/95	ND	.2	mg/kg
	4-Chloroaniline	5/19/95	ND	.1	mg/kg
	4-Chlorophenyl phenyl ether	5/19/95	ND	.1	mg/kg
	4-Methyl-2-pentanone (methyl isobutyl)	5/19/95	ND	.005	mg/kg
	4-Methylphenol	5/19/95	ND	.1	mg/kg
	4-Nitroaniline	5/19/95	ND	.1	mg/kg
	4-Nitrophenol	5/19/95	ND	.2	mg/kg
	Acenaphthylene	5/19/95	ND	.1	mg/kg
	Acenaphthene	5/19/95	ND	.1	mg/kg
	Acetone	5/19/95	ND	.005	mg/kg
	Anthracene	5/19/95	ND	.1	mg/kg
	Antimony	5/19/95	ND	5	mg/kg
	Arsenic	5/19/95	4.6	.5	mg/kg
	Barium	5/19/95	71	.5	mg/kg

Location	Analyte	Date	Result	MDA	Units
SD - B	Benzene	5/19/95	ND	.005	mg/kg
	Benzidine	5/19/95	ND	1	mg/kg
	Benzo(a)anthracene	5/19/95	ND	.1	mg/kg
	Benzo(a)pyrene	5/19/95	ND	.1	mg/kg
	Benzo(b)fluoranthene	5/19/95	ND	.1	mg/kg
	Benzo(g,h,i)perylene	5/19/95	ND	.1	mg/kg
	Benzo(k)fluoranthene	5/19/95	ND	.1	mg/kg
	Benzoic Acid	5/19/95	ND	.2	mg/kg
	Benzyl Alcohol	5/19/95	ND	.1	mg/kg
	Beryllium	5/19/95	ND	.5	mg/kg
	Bis(2-chloroethoxy)methane	5/19/95	ND	.1	mg/kg
	Bis(2-chloroethyl)ether	5/19/95	ND	.1	mg/kg
	Bis(2-chloroisopropyl)ether	5/19/95	ND	.1	mg/kg
	Bis(2-ethylhexyl)phthalate	5/19/95	ND	.2	mg/kg
	Bromodichloromethane	5/19/95	ND	.005	mg/kg
	Bromoform	5/19/95	ND	.005	mg/kg
	Bromomethane	5/19/95	ND	.005	mg/kg
	Butylbenzyl phthalate	5/19/95	ND	.1	mg/kg
	Cadmium	5/19/95	1.2	.5	mg/kg
	Carbon Disulfide	5/19/95	ND	.005	mg/kg
	Carbon Tetrachloride	5/19/95	ND	.005	mg/kg
	Chlorobenzene	5/19/95	ND	.005	mg/kg
	Chloroethane	5/19/95	ND	.005	mg/kg
	Chloroform	5/19/95	ND	.01	mg/kg
	Chloromethane	5/19/95	ND	.005	mg/kg
	Chromium	5/19/95	17	.5	mg/kg
	Chrysene	5/19/95	ND	.1	mg/kg
	cis-1,2-Dichloroethene	5/19/95	ND	.005	mg/kg
	cis-1,3-Dichloropropene	5/19/95	ND	.005	mg/kg
	Cobalt	5/19/95	10	2	mg/kg
	Copper	5/19/95	10	.5	mg/kg
	Di-n-butylphthalate	5/19/95	ND	.1	mg/kg
	Di-n-octylphthalate	5/19/95	ND	.1	mg/kg
	Dibenzo(a,h)anthracene	5/19/95	ND	.1	mg/kg
	Dibenzofuran	5/19/95	ND	.1	mg/kg
	Dibromochloromethane	5/19/95	ND	.01	mg/kg
	Diethylphthalate	5/19/95	ND	.1	mg/kg
	Dimethylphthalate	5/19/95	ND	.1	mg/kg
	Ethylbenzene	5/19/95	ND	.005	mg/kg
	Fluoranthene	5/19/95	ND	.1	mg/kg
	Fluorene	5/19/95	ND	.1	mg/kg
	Hexachlorobenzene	5/19/95	ND	.1	mg/kg
	Hexachlorobutadiene	5/19/95	ND	.1	mg/kg

Location	Analyte	Date	Result	MDA	Units	
SD - B	Hexachlorocyclopentadiene	5/19/95	ND	.1	mg/kg	
	Hexachloroethane	5/19/95	ND	.1	mg/kg	
	Ideno(1,2,3-cd)pyrene	5/19/95	ND	.1	mg/kg	
	Isophorone	5/19/95	ND	.1	mg/kg	
	Lead	5/19/95	6.1	2	mg/kg	
	Mercury	5/19/95	ND	.2	mg/kg	
	Methylene Chloride	5/19/95	ND	.01	mg/kg	
	Molybdenum	5/19/95	ND	2	mg/kg	
	N-Nitroso-di-n-propylamine	5/19/95	ND	.1	mg/kg	
	N-Nitrosodimethylamine	5/19/95	ND	.1	mg/kg	
	N-Nitrosodiphenylamine	5/19/95	ND	.1	mg/kg	
	Naphthalene	5/19/95	ND	.1	mg/kg	
	Nickel	5/19/95	39	2	mg/kg	
	Nitrobenzene	5/19/95	ND	.1	mg/kg	
	Oil & Grease	5/19/95	ND	20	mg/kg	
	Pentachlorophenol	5/19/95	ND	.2	mg/kg	
	pH	5/19/95	5.1	.01	S.U.	
	Phenanthrene	5/19/95	ND	.1	mg/kg	
	Phenol	5/19/95	ND	.1	mg/kg	
	Pyrene	5/19/95	ND	.1	mg/kg	
	Selenium	5/19/95	.44	.4	mg/kg	
	Silver	5/19/95	ND	1	mg/kg	
	Styrene	5/19/95	ND	.005	mg/kg	
	Tetrachloroethene	5/19/95	ND	.005	mg/kg	
	Thallium	5/19/95	ND	5	mg/kg	
	Toluene	5/19/95	ND	.005	mg/kg	
	TPH as diesel	5/19/95	2.4	10	mg/kg	
	TPH as gasoline	5/19/95	3.3	1	mg/kg	
	trans-1,2-Dichloroethene	5/19/95	ND	.005	mg/kg	
	trans-1,3-Dichloropropene	5/19/95	ND	.005	mg/kg	
	Trichloroethene	5/19/95	ND	.005	mg/kg	
	Trichlorofluoromethene	5/19/95	ND	.005	mg/kg	
	Vanadium	5/19/95	22	.5	mg/kg	
	Vinyl Acetate	5/19/95	ND	.005	mg/kg	
	Vinyl Chloride	5/19/95	ND	.005	mg/kg	
	Xylenes, Total	5/19/95	ND	.01	mg/kg	
	Zinc	5/19/95	46	2	mg/kg	
	SD - C	1,1,1-Trichloroethane	5/19/95	ND	.005	mg/kg
		1,1,2,2-Tetrachloroethane	5/19/95	ND	.01	mg/kg
		1,1,2-Trichloroethane	5/19/95	ND	.005	mg/kg
1,1-Dichloroethane		5/19/95	ND	.005	mg/kg	
1,1-Dichloroethene		5/19/95	ND	.005	mg/kg	
1,2,4-Trichlorobenzene		5/19/95	ND	.1	mg/kg	

Preoperational Sediment

Data Table APP-10-3

Location	Analyte	Date	Result	MDA	Units
SD - C	1,2-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	1,2-Dichloroethane	5/19/95	ND	.005	mg/kg
	1,2-Dichloropropane	5/19/95	ND	.005	mg/kg
	1,2-Diphenylhydrazine	5/19/95	ND	.1	mg/kg
	1,3-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	1,4-Dichlorobenzene	5/19/95	ND	.1	mg/kg
	2,4,5-Trichlorophenol	5/19/95	ND	.2	mg/kg
	2,4,6-Trichlorophenol	5/19/95	ND	.2	mg/kg
	2,4-Dichlorophenol	5/19/95	ND	.1	mg/kg
	2,4-Dimethylphenol	5/19/95	ND	.1	mg/kg
	2,4-Dinitrophenol	5/19/95	ND	.1	mg/kg
	2,4-Dinitrotoluene	5/19/95	ND	.1	mg/kg
	2,6-Dinitrotoluene	5/19/95	ND	.1	mg/kg
	2-Butanone (Methyl ethyl ketone)	5/19/95	ND	.005	mg/kg
	2-Chloroethyl Vinyl Ether	5/19/95	ND	.005	mg/kg
	2-Chloronaphthalene	5/19/95	ND	.1	mg/kg
	2-Chlorophenol	5/19/95	ND	.2	mg/kg
	2-Hexanone	5/19/95	ND	.005	mg/kg
	2-Methylnaphthalene	5/19/95	ND	.1	mg/kg
	2-Methylphenol	5/19/95	ND	.1	mg/kg
	2-Nitroaniline	5/19/95	ND	1	mg/kg
	2-Nitrophenol	5/19/95	ND	.1	mg/kg
	3,3-Dichlorobenzidine	5/19/95	ND	.2	mg/kg
	3-Nitroaniline	5/19/95	ND	.1	mg/kg
	4,6-Dinitro-2-methylphenol	5/19/95	ND	.5	mg/kg
	4-Bromophenyl phenyl ether	5/19/95	ND	.1	mg/kg
	4-Chloro-3-methylphenol	5/19/95	ND	.1	mg/kg
	4-Chloroaniline	5/19/95	ND	.1	mg/kg
	4-Chlorophenyl phenyl ether	5/19/95	ND	.1	mg/kg
	4-Methyl-2-pentanone (methyl isobutyl)	5/19/95	ND	.005	mg/kg
	4-Methylphenol	5/19/95	ND	.1	mg/kg
	4-Nitroaniline	5/19/95	ND	.1	mg/kg
	4-Nitrophenol	5/19/95	ND	.2	mg/kg
	Acenaphthylene	5/19/95	ND	.1	mg/kg
	Acenaphthene	5/19/95	ND	.1	mg/kg
	Acetone	5/19/95	ND	.005	mg/kg
	Anthracene	5/19/95	ND	.1	mg/kg
	Antimony	5/19/95	ND	5	mg/kg
	Arsenic	5/19/95	2.8	.5	mg/kg
	Barium	5/19/95	96	.5	mg/kg
	Benzene	5/19/95	ND	.005	mg/kg
	Benzidine	5/19/95	ND	1	mg/kg
	Benzo(a)anthracene	5/19/95	ND	.1	mg/kg

Location	Analyte	Date	Result	MDA	Units
SD - C	Benzo(a)pyrene	5/19/95	ND	.1	mg/kg
	Benzo(b)fluoranthene	5/19/95	ND	.1	mg/kg
	Benzo(g,h,i)perylene	5/19/95	ND	.1	mg/kg
	Benzo(k)fluoranthene	5/19/95	ND	.1	mg/kg
	Benzoic Acid	5/19/95	ND	.2	mg/kg
	Benzyl Alcohol	5/19/95	ND	.1	mg/kg
	Beryllium	5/19/95	ND	.5	mg/kg
	Bis(2-chloroethoxy)methane	5/19/95	ND	.1	mg/kg
	Bis(2-chloroethyl)ether	5/19/95	ND	.1	mg/kg
	Bis(2-chloroisopropyl)ether	5/19/95	ND	.1	mg/kg
	Bis(2-ethylhexyl)phthalate	5/19/95	ND	.2	mg/kg
	Bromodichloromethane	5/19/95	ND	.005	mg/kg
	Bromoform	5/19/95	ND	.005	mg/kg
	Bromomethane	5/19/95	ND	.005	mg/kg
	Butylbenzyl phthalate	5/19/95	ND	.1	mg/kg
	Cadmium	5/19/95	ND	5	mg/kg
	Carbon Disulfide	5/19/95	ND	.005	mg/kg
	Carbon Tetrachloride	5/19/95	ND	.005	mg/kg
	Chlorobenzene	5/19/95	ND	.005	mg/kg
	Chloroethane	5/19/95	ND	.01	mg/kg
	Chloroform	5/19/95	ND	.005	mg/kg
	Chloromethane	5/19/95	ND	.005	mg/kg
	Chromium	5/19/95	22	.5	mg/kg
	Chrysene	5/19/95	ND	.1	mg/kg
	cis-1,2-Dichloroethene	5/19/95	ND	.005	mg/kg
	cis-1,3-Dichloropropene	5/19/95	ND	.005	mg/kg
	Cobalt	5/19/95	19	2	mg/kg
	Copper	5/19/95	12	.5	mg/kg
	Di-n-butylphthalate	5/19/95	ND	.1	mg/kg
	Di-n-octylphthalate	5/19/95	ND	.1	mg/kg
	Dibenzo(a,h)anthracene	5/19/95	ND	.1	mg/kg
	Dibenzofuran	5/19/95	ND	.1	mg/kg
	Dibromochloromethane	5/19/95	ND	.01	mg/kg
	Diethylphthalate	5/19/95	ND	.1	mg/kg
	Dimethylphthalate	5/19/95	ND	.1	mg/kg
	Ethylbenzene	5/19/95	ND	.005	mg/kg
	Fluoranthene	5/19/95	ND	.1	mg/kg
	Fluorene	5/19/95	ND	.1	mg/kg
	Hexachlorobenzene	5/19/95	ND	.1	mg/kg
	Hexachlorobutadiene	5/19/95	ND	.1	mg/kg
	Hexachlorocyclopentadiene	5/19/95	ND	.1	mg/kg
	Hexachloroethane	5/19/95	ND	.1	mg/kg
	Ideno(1,2,3-cd)pyrene	5/19/95	ND	.1	mg/kg

Preoperational Sediment

Data Table APP-10-3

Location	Analyte	Date	Result	MDA	Units
SD - C	Isophorone	5/19/95	ND	.1	mg/kg
	Lead	5/19/95	12	2	mg/kg
	Mercury	5/19/95	ND	.2	mg/kg
	Methylene Chloride	5/19/95	ND	.01	mg/kg
	Molybdenum	5/19/95	ND	2	mg/kg
	N-Nitroso-di-n-propylamine	5/19/95	ND	.1	mg/kg
	N-Nitrosodimethylamine	5/19/95	ND	.1	mg/kg
	N-Nitrosodiphenylamine	5/19/95	ND	.1	mg/kg
	Naphthalene	5/19/95	ND	.1	mg/kg
	Nickel	5/19/95	45	2	mg/kg
	Nitrobenzene	5/19/95	ND	.1	mg/kg
	Oil & Grease	5/19/95	22	20	mg/kg
	Pentachlorophenol	5/19/95	ND	.2	mg/kg
	pH	5/19/95	4.95	.1	S.U.
	Phenanthrene	5/19/95	ND	.1	mg/kg
	Phenol	5/19/95	ND	.1	mg/kg
	Pyrene	5/19/95	ND	.1	mg/kg
	Selenium	5/19/95	.66	.5	mg/kg
	Silver	5/19/95	ND	1	mg/kg
	Styrene	5/19/95	ND	.005	mg/kg
	Tetrachloroethene	5/19/95	ND	.005	mg/kg
	Thallium	5/19/95	ND	5	mg/kg
	Toluene	5/19/95	ND	.005	mg/kg
	TPH as diesel	5/19/95	12	10	mg/kg
	TPH as gasoline	5/19/95	ND	1	mg/kg
	trans-1,2-Dichloroethene	5/19/95	ND	.005	mg/kg
	trans-1,3-Dichloropropene	5/19/95	ND	.005	mg/kg
	Trichloroethene	5/19/95	ND	.005	mg/kg
	Trichlorofluoromethene	5/19/95	ND	.005	mg/kg
	Vanadium	5/19/95	26	.5	mg/kg
	Vinyl Acetate	5/19/95	ND	.005	mg/kg
	Vinyl Chloride	5/19/95	ND	.005	mg/kg
	Xylenes, Total	5/19/95	ND	.01	mg/kg
	Zinc	5/19/95	54	2	mg/kg

This page intentionally left blank.

ERNEST ORLANDO LAWRENCE BERKELEY NATIONAL LABORATORY
ONE CYCLOTRON ROAD | BERKELEY, CALIFORNIA 94720

Prepared for the U.S. Department of Energy under Contract No. DE-AC03-76SF00098

