UC Berkeley

UC Berkeley Previously Published Works

Title

Incorporating climate uncertainty into estimates of climate change impacts

Permalink

<https://escholarship.org/uc/item/4mm3j8qb>

Journal

Review of Economics and Statistics, 97(2)

ISSN

0034-6535

Authors

Burke, M
Dykema, J
Lobell, DB
et al.

Publication Date

2015-05-01

DOI

10.1162/REST_a_00478

Peer reviewed

Incorporating Climate Uncertainty into Estimates of Climate Change Impacts

Marshall Burke¹, John Dykema², David B. Lobell³, Edward Miguel⁴, and Shanker Satyanath⁵

March 2014

Abstract: Quantitative estimates of the impacts of climate change on economic outcomes are an important input to public policy. We show that the vast majority of existing estimates fail to account for well-established uncertainty in future temperature and rainfall changes, leading to potentially misleading projections. We re-examine seven well-cited studies and show that accounting for climate uncertainty leads to a much larger range of projected climate impacts and a greater likelihood of “worst-case” outcomes, an important policy parameter. Incorporating climate uncertainty into future economic impact assessments will be critical for providing the best possible information on potential impacts.

JEL codes: Q51, Q54, O1

Acknowledgements: We thank seminar participants at U.C. Berkeley, two anonymous referees and the editor (David Lee) for useful comments. All errors remain our own.

¹Department of Agricultural and Resource Economics, University of California, Berkeley, Giannini Hall 207, Berkeley CA 94720-3310; ²School of Engineering and Applied Sciences, Harvard University, 12 Oxford St, Cambridge MA 02138; ³Center on Food Security and the Environment, Stanford University, 473 Via Ortega, Stanford CA 94305; ⁴Department of Economics, University of California, Berkeley, 530 Evans Hall, Berkeley CA 94720-3880;

⁵Department of Politics, NYU, 19 W. 4th Street, New York NY 10012.

Introduction

Leading economics and social science journals have published an increasing number of articles in recent years on the projected effects of global climate change on important outcomes, including aggregate economic activity, agriculture and health. Results of these studies have featured prominently in public policy debates, informing decisions about appropriate investments in greenhouse gas emissions reductions as well as in measures designed to help societies adapt to a changing climate. Such investments represent potentially large amounts of resources. For instance, a high profile recent assessment concluded that expected future climate damages warrant an immediate annual investment of 1-2% of global GDP to avoid the worst effects of climate change (Stern 2007).¹ Similarly, the recent US\$100 billion pledged in annual transfers from rich to poor countries to help the latter adapt to expected climate impacts is close to the total current annual foreign aid transfer from rich to poor countries.² Generating credible estimates of climate impacts is thus of considerable public concern.

As in empirical work more broadly, climate impact estimates could be expected to provide both a “best guess” of potential impacts – that is, an unbiased point estimate – as well as a sense of the uncertainty around this estimate. Unfortunately, a methodological flaw common in many recent impact studies results in them often providing neither the “best guess” of possible impacts nor an appropriate characterization of the uncertainty. To quantify potential impacts, these studies typically combine estimates of the historical relationship between climate variables

¹ In 2008, Stern increased the original 1%-of-GDP figure to 2%. See

<http://www.guardian.co.uk/environment/2008/jun/26/climatechange.scienceofclimatechange>

² E.g., see <http://unfccc.int/resource/docs/2009/cop15/eng/107.pdf>. Total foreign aid flows in 2009 equaled roughly \$120 billion (www.oecd.org/dac/stats/data).

and outcomes of interest with projections of future changes in climate, the latter typically derived from global climate models. Although such studies are typically careful to document the *statistical uncertainty* inherent in the historical relationship between climate variables and outcomes of interest, they rarely account for the large degree of *climate uncertainty* found in existing projections of climate change itself. Existing studies overwhelmingly rely on projections from only one or a handful of climate models, despite the availability of over 20 such models that are in wide use in the climate science community, the frequently large discrepancies across models, and the lack of evidence that any particular subset of models is more reliable than others for long-term projections (Randall et al. 2007; Meehl et al. 2007). Our survey of this growing literature (discussed below) reveals that of the nearly 200 papers that make quantitative climate impact projections for economic, political or social outcomes, the median number of climate models used is just two, with disproportionate dependence on only a few of the over 20 recognized models. Many studies rely on a single model, the Hadley Centre Climate Model³, despite the lack of systematic evidence that it is any more trustworthy than alternatives, and the ready availability of data from at least 15 models since at least 2000.

Because climate models can disagree on both the magnitude and even the sign of future changes in key climate variables, point estimates using a single projection of future climate can mislead, and the range of possible outcomes around this point estimate will be substantially understated if the full extent of climate uncertainty is not taken into account. Failure to incorporate this uncertainty into impact studies thus renders much of the rapidly growing literature on the economics of climate change a potentially poor guide for public policy.

³This includes earlier generations of the Hadley Model, now superseded by more recent modeling output. See (Gordon et al. 2000; Johns et al. 2006; Johns et al. 1997)

In this article, we – a team of climate scientists and social scientists – provide a readily useable analytical approach that addresses the role of climate uncertainty in estimates of climate change impacts. To illustrate our approach, we re-examine data from seven well-cited articles in the climate impacts literature that explore potential impacts on various outcomes, including agricultural productivity, economic growth, and civil conflict. To isolate the role of climate uncertainty from other study characteristics that might also affect impact estimates – for instance, authors’ choices about the study sample or econometric specification – we remain agnostic on these choices and focus attention on the authors’ own preferred analytical approach in each study. The results we present here are thus not meant to provide definitive impact projections for particular outcomes, but instead to demonstrate the importance of accounting for climate uncertainty in generating such projections.

We show that accounting for climate uncertainty in these studies is consequential, yielding different point estimates, a much wider range of projected impacts, and far more negative “worst case scenarios”, relative to an approach that only considers uncertainty in the historical relationship between climate variables (such as temperature and precipitation) and the outcome of interest. In fact, even with perfect knowledge of the mapping from climate to outcomes, climate uncertainty alone generates a wide range of potential impacts: depending on the choice of climate model, impacts of climate on U.S. farmland values can shift up or down by half a trillion dollars by the mid-21st century, GDP per capita growth in poor countries could decline over that period anywhere between a fifth to a half (relative to a world without climate change), and the incidence of African civil conflict could increase by “just” 40% or could double. For analysts and policy-makers interested in the “left tail” of the climate change impact

distribution (Weitzman 2009), we show that failing to account for climate uncertainty greatly understates the severity of the “worst case” scenario in most articles we examine.

There are also instances when accounting for climate uncertainty is less important. In particular, when an analysis can rule out a meaningful historical relationship between climate and the outcome of interest – i.e., the relationship between climate and the outcome is a “precise zero” – then any change in future climate will be projected to have similarly minimal impacts on that outcome. In other words, and unsurprisingly, when climate does not affect a particular outcome, neither does climate uncertainty. Nevertheless, because most papers in this literature either do find meaningful historical impacts of climate, or at least are unable to definitively rule them out, our results suggest that accounting for climate uncertainty will substantially shape impact estimates in most settings of interest.

The structure of the remainder of the paper is as follows. Section 2 presents a thorough literature review that documents the use of global climate models in economics and social science research, and presents novel quantitative evidence on the widespread failure of recent studies to take climate uncertainty into account. Section 3 presents our approach and quantifies the importance of accounting for climate uncertainty when estimating potential impacts across a range of economic outcomes. The final section concludes with specific suggestions for how climate uncertainty should be incorporated into future research.

2. Climate models in recent economics and social science research

2.1 The science of modeling climate change

A basic overview of climate science models and terminology is useful before we discuss the recent economics literature on the impacts of climate change. The science of understanding past

changes in climate and projecting possible future changes has evolved rapidly in recent years. The main tools for projecting future climate are coupled General Circulation Models (GCMs), which are detailed computer models that numerically approximate fundamental physical laws at time and space scales appropriate for representing global climate (Randall et al. 2007). These models are “coupled” in the sense that the interaction of different components of the climate system – the ocean with the atmosphere, for example – is explicitly included in the numerical calculations. Many such models are currently in use, reflecting efforts by different research groups around the world to develop ever more refined representations of the complex physical processes that determine the state of the climate.

There are two basic sources of uncertainty in model projections of future changes in climate: (i) imperfect knowledge of the future trajectories of variables that might affect the climate system (most notably, greenhouse gas emissions), and (ii) imperfect knowledge of how changes in these variables translate into changes in climate. The former we will refer to below as “emissions uncertainty”, and the latter simply as “climate uncertainty”.

Emissions uncertainty is typically captured by running a given climate model under multiple future emissions “scenarios”. To facilitate cross-model comparability, the Intergovernmental Panel on Climate Change (IPCC) developed a standardized set of these scenarios, some subset of which almost all modeling groups use as inputs into their modeling efforts. Known as the SRES scenarios (from the Special Report on Emissions Scenarios), they employ different assumptions about economic growth and technological change to span a range of different rates of change in anthropogenic (man-made) radiative “forcing”. These scenarios provide the basis for the various climate model projections reported in the IPCC’s recent assessment of the “state of the science”, the 2007 Fourth Assessment Report, in part for which it

was awarded the Nobel Prize.⁴ Conditional on the use of a particular emissions scenario, “climate uncertainty” derives from the different modeling choices climate science research groups make about how to best represent the underlying physical relationships and about what baseline conditions should be used to initialize the models.

While emissions are uncertain from the perspective of the econometrician, they are in principle a policy choice and are typically treated differently in the climate science community than is the uncertainty in how the climate system responds to a given level of emissions. In particular, even given a perfectly defined trajectory of anthropogenic emissions, climate projections will still be subject to uncertainty arising from lack of perfect knowledge of the physical processes at work (often termed model uncertainty) and from inherent, chaotic variability (internal variability) within the climate system which is manifest in a large sensitivity to initial conditions. Although these uncertainties may be reduced through further research, the rate of progress has been fairly slow and there are fundamental limits to the reduction of uncertainty associated with initial conditions (Deser et al. 2012). Therefore, to ensure that we are not conflating policy uncertainty with more fundamental physical uncertainty, we focus primarily on the role of the latter in what follows.

To begin illustrating the extent of climate uncertainty, Figure 1 presents projections of climate change in primary U.S. agricultural regions between 2000 and 2080-2100, using output

⁴ A new framework for emissions scenarios is now being used to allow exploration of a wider range of possible climate policies and more rapid response to relevant research for future IPCC assessments (Moss et al. 2010).

from 20 different climate models contributing to the IPCC's Fourth Assessment Report.⁵

Climate models uniformly predict that temperatures will warm over U.S. agricultural regions, but disagree on both the sign and magnitude of precipitation changes. Furthermore, within an emissions scenario the variation in model predictions can be large. In the oft-used A1B scenario⁶, for instance, the projected mean temperature across the full ensemble of 20 models increases by 3.5 deg C (6.3 deg F), but the range containing 95% of the predictions is large, from roughly 2 deg C (3.6 deg F) to 6 deg C (10.8 deg F). For precipitation, the ensemble mean projected change is close to zero, but individual models project growing season precipitation rising or falling by as much as 20%. Recall that these differences across models are driven by

⁵ Actual model output is compiled and made publicly available in a standard data format by the Coupled Model Intercomparison Project of the World Climate Research Programme (<http://cmip-pcmdi.llnl.gov/>). The models used in this paper are BCCR, CCCMA.t63, NCAR.CCSM, CCRM, CSIRO, ECHAM, GFDL_CM2.0, GFDL_CM2.1, GISS.AOM, GISS.EH, GISS.ER, HADcm3, HADGEM1, IAP, INMCM3, IPSL, MIROC.Hires, MIROC.Medres, MRI, and NCAR.PCM, which together constitute nearly all of the available ensemble, and the models with the appropriate combination of 20th and 21st century runs for our analysis at the time of writing. Note that not all models report projections for all emissions scenarios: we have access to 18 models reporting projections for both the A1B and B1 scenarios and 15 models reporting for the A2 scenario. For a useful overview of available model output, refer to: http://www-pcmdi.llnl.gov/ipcc/about_ipcc.php.

⁶ The popularity of the A1B scenario is due to its assumptions of robust economic growth, moderate increases in global population, rapid adoption of technology, and “balanced” reliance on fuel sources (hence “B”).

assumptions made in the scientific modeling of climate rather than uncertainty about future greenhouse gas emissions.

An immediate question is how researchers should treat this range of climate projections. One tempting solution, and the implicit (or explicit) approach of the vast majority of the literature surveyed below, is to identify a single model or small subset of models that appear more “trustworthy”, and use only their output in impact projections. This approach underestimates the uncertainty associated with long-term climate projection in at least two ways. First, in cases where only a single realization (that is, one “run” from a single set of initial conditions) for a single model is used, the uncertainty arising from internal variability (i.e., sensitivity to initial conditions) is neglected. This uncertainty due to internal variability can be large relative to other sources of uncertainty, especially for projections over the next few decades and for precipitation (Hawkins and Sutton 2009). Second, even when multiple realizations of a single model are used, an analysis based on a single model ignores the uncertainty associated with incomplete knowledge of all relevant physical processes (i.e., model uncertainty). Since the climate science literature finds little evidence that particular models consistently outperform others, or that any measure of performance on past climate observations helps to meaningfully narrow the future range of climate projections (Knutti 2010; Tebaldi and Knutti 2007; Gleckler, Taylor, and Doutriaux 2008), there is no reasonable climate scientific rationale for restricting analysis to a single model or small number of models. In contrast to the recent economics of climate change literature, and as evidence of this point, most studies of future climate impacts carried out by climate scientists are characterized by model “democracy” (Knutti 2010). In this method, each model that meets IPCC standards gets one “vote”, and the votes are combined into an ensemble projection whose distribution is then characterized (Meehl et al. 2007).

2.2 The existing social science literature on climate change impacts

We conducted an extensive review of the climate impact literature, with particular attention to papers that use climate model information to make quantitative projections about the impacts of climate change on economic, political and social outcomes. We adopted a broad definition of “climate model”, including in our review those papers using explicit output from GCMs (the majority) as well as other papers that used quantitative climate projections of any kind, such as simple “uniform” warming scenarios of, say, a 1 deg C increase in temperature. Outcomes of interest included estimates of sector-specific or economy-wide damages resulting from climate change, as well as estimates of climate impacts on outcomes with clear economic consequences, such as on agricultural productivity, water resources, human morbidity and mortality, or violent conflict. We limited our search to peer-reviewed published articles as well as unpublished papers in well-known working paper series, such as the National Bureau of Economic Research and the World Bank’s Policy Research series.

These search criteria yielded a large number of studies. Our review is almost surely an underestimate of the total number of papers in this literature, but captures the most highly cited work as well as much of the recent work (over half of the papers we reviewed were published in 2007 or later).⁷ The total number of studies we review are shown in the left panel of Figure 2. As shown in the figure, studies focusing on agricultural impacts account for the majority of the published studies, although their share has fallen in recent years.

⁷ Our review of the literature extended through August 2012, so misses articles published since then. All data used in this literature review and our analysis presented in this paper can be found at <http://emiguel.econ.berkeley.edu/research>.

Social scientists' use of climate models is surprising in light of climate scientists' general preference for the democratic use of climate model output. Among the nearly 200 papers that made quantitative projections of future climate impacts, the median number of climate models used is just two (Table 1). Studies on the agricultural impacts of climate change – accounting for 53% of all articles – do little better: the median number of climate models used is three. Research on climate impacts in other sectors, such as health and water resources, show similar patterns.

The median number of climate models used has also been roughly unchanged since scientific concern about climate change began in earnest in the early 1990s, as shown in the right panel of Figure 2. Importantly, this is despite the fact that since at least 2000, output from at least 15 climate models has been publicly available in a central online database.⁸

It might be more defensible to use only a small subset of the available climate model ensemble if researchers drew their subset of models at random. For instance, given the distribution of temperature projections for U.S. agriculture, simple simulations suggest that two models drawn at random will, in expectation, capture roughly 35% of the total ensemble range of temperature projections (results available upon request). However, researchers do not appear to be drawing models randomly. Despite the availability of over 20 IPCC-recognized models, researchers show a strong preference for models from one particular research group, the Hadley Centre (in the United Kingdom), perhaps because their data had historically been available to

⁸ Model output is compiled and made publicly available at <http://cmip-pcmdi.llnl.gov/>, as discussed above.

researchers in a particularly user-friendly format. Roughly half of the studies we reviewed used Hadley models, and nearly a sixth of all the studies used *only* a Hadley model.⁹

This use of models is particularly troubling given that projections from the Hadley models do not always reflect the central tendency of the full ensemble of climate models. As Figure 1 shows for U.S. agricultural regions, precipitation projections from the most recent coupled model from the Hadley Centre are near the ensemble mean, but temperature projections are outside the ensemble interquartile range. Again, the climate literature offers no evidence that the Hadley projections are any more (or less) trustworthy than other models, implying that the singular use of Hadley likely yields a poor representation of the range of possible outcomes. We next explore what the over-use of the Hadley model – or any other model or small subset of models, for that matter – implies for projections of climate impacts.

3. Quantifying climate uncertainty

3.1 The basic approach

Studies typically proceed in two steps to quantify potential impacts of climate change on outcomes of interest: first, estimate the historical relationship between climate variables and the outcome, and then evaluate these estimates at future changes in climate. To fix ideas, consider the regression specification:

$$y_i = \alpha + f(c_i) + \delta x_i + \varepsilon_i \quad (1)$$

where outcome y in geographic unit i is a function of climate in that location c_i , covariates x_i and an error term. In the simplest setup, researchers model outcomes as a simple linear function of

⁹ This again includes earlier variants of the Hadley Model, superseded by more recent output from their team.

temperature and precipitation, $f(c_i) = \beta_1 T_i + \beta_2 P_i$, with the latter, for example, representing the average temperature or total precipitation over an agricultural growing season in a given location. The β terms are estimated using historical data, and then the projected impacts of climate change are calculated by multiplying these coefficient estimates by projected changes in the relevant climate variables over time (ΔT and ΔP here) as derived from global climate models.

The proper derivation of these changes is worth noting. For instance, ΔT by “end-of-century” (i.e. 2080-2100) is calculated by differencing climate model projected average temperature over 2080-2100 in a given area and projected average temperature in that area over the relevant period of historical data, say, 1980-2000. The latter are “projected” because climate model simulations typically exhibit biases for current climate in some regions, meaning observed present-day temperatures and modeled present-day temperatures might not be the same.

Differencing future model projected temperatures and current *observed* temperatures would introduce bias into estimates of temperature changes, and thus the commonly accepted approach is to difference future and current *modeled* temperature.¹⁰ To quantify climate uncertainty, this calculation is then repeated for each climate model in the IPCC “ensemble” mentioned above.

The implicit assumption in this approach is that past responses to climate as captured in the β 's reflect how outcomes will respond in the future to similar changes in climate, that is, that any future adaptations that agents are able to make in the face of a changing climate are fully reflected in their observed ability to adapt to past changes. While this assumption appears strong, scholars have noted that in at least two domains of interest – agricultural productivity and economic growth – there is surprisingly little evidence that outcomes are less sensitive to long-run shifts in climate than they are to short-run shifts, implying limited adaptation (Schlenker and

¹⁰See Auffhammer et al. (2011) for a recent discussion of the appropriate use of climate data.

Roberts 2009; Burke and Emerick 2013; Dell, Jones, and Olken 2012). Perhaps more importantly, it is in principle possible to assume *any* level of future adaptation that the analyst desires by scaling the β 's up or down to the desired level. For our purposes here, we follow the studies we review in assuming that future adaptation to climate is reflected in past climate sensitivities, and multiply the β 's estimated using historical data by future changes in climate to generate projected impacts.

3.2 Climate impacts on agriculture, economic growth, and civil conflict

We apply our approach to seven published studies. In keeping with the larger literature, most of the studies we examine focus on potential climate impacts on agriculture, but we also revisit studies that examine impacts on economic growth and civil conflict. Table 2 provides details on their outcome measures, sample, climate model choices, regressions specifications and functional form for historical climate (in columns 1-5). At the time of writing, these articles have been cited a collective total of over 2000 times.¹¹ We first provide a brief overview of the studies, and then demonstrate the importance of climate uncertainty for their projected impacts.

As noted above, the social science literature on climate impacts has focused disproportionately on agriculture (Table 1). This is particularly true in economics, where the most cited climate change impacts papers focus almost exclusively on potential damages in U.S. agriculture. Such a focus is understandable: temperature and precipitation enter directly into the agricultural production function, and while U.S. agriculture is not uniquely affected by climate, the U.S. is the world's largest exporter of agricultural goods and one of its largest overall

¹¹ Based on Google Scholar (as of October 2013).

producers.¹² The outsized impact that fluctuations in U.S. agricultural production have on global food markets thus makes climate impacts there a significant global public policy concern.

In a seminal paper, Mendelsohn, Nordhaus and Shaw (1994) (henceforth MNS) use a hedonic approach to relate agricultural land values in U.S. counties to average local climate. If land markets are well-functioning (which is a reasonable assumption in the U.S.), then the hedonic approach should capture the impact of changes in climate on agricultural production value, net of any adaptive measures that farmers can take in response to a changing climate (e.g., planting different crops or even switching to non-crop income sources). MNS find a muted response of land values to climate, and project that climate change could on net in fact benefit U.S. agriculture.

The limitation of this cross-sectional approach is that average local climate could correlate with many other unobserved factors that also affect land values, biasing coefficients on climate variables in an unknown direction. In follow-up work, Schlenker, Hanemann, and Fischer (2005) (henceforth SHF) show that irrigation was an important omitted variable in the MNS study, and that accounting for irrigation leads to much more negative projected climate impact estimates for U.S. agriculture. More recent work has used panel data to further address omitted variables concerns. Deschenes and Greenstone (2007) (henceforth DG) relate county-level deviations in weather to deviations in agricultural profits, finding a limited effect of weather on profits and thus small potential impacts of future climate change on U.S. agricultural profitability. Building on DG, Fisher, Hanemann, Roberts, and Schlenker (2012) (henceforth

¹² For instance, based on the most recent (2008) data from the UN Food and Agricultural Organization, the U.S. is the second largest cereal producer (behind China) and by far the largest exporter. See: <http://faostat.fao.org>.

FHRS) adopt DG's county fixed-effects strategy but take issue with DG's data and specification, and show that under alternate specifications and updated data, future climate impacts on productivity and profitability could be quite negative.¹³

Importantly, these four studies (MNS, SHF, DG, and FHRS) all appeared in the same leading economics research journal (the *American Economic Review*), and all projected impacts using a single climate model, the Hadley model. There remain substantial disagreements among these studies concerning the appropriate econometric specification of the historical relationship between climate and agricultural outcomes. However, we remain agnostic on these differences in this paper and quantify impacts as would have been obtained by the study authors themselves had they adopted our approach to dealing with climate uncertainty.

We also revisit three other papers examining potential impacts outside of U.S. agriculture. Schlenker and Lobell (2010) (henceforth SL) use a panel of African countries over 1961-2002 to estimate climate change impacts on the productivity of the primary African crops, finding large historical sensitivities to temperature increases and thus substantial potential losses under future climate change. Burke, Miguel, Satyanath, Dykema, and Lobell (2009) (BMSDL) also use a panel of African countries but explore the role of climate in civil war. They find that civil war has been strongly responsive to past variation in temperature in Africa, and that future warming could increase the incidence of war. Both SL and BMSDL use multiple climate models (16 and 20, respectively) to project impacts, but we can apply the same approach as in the other

¹³ In a response to FHRS, Deschenes and Greenstone (2012) defend their econometric specification choice of controlling for unobserved state-by-year shocks, although using updated data they find somewhat more negative projected climate impacts on agricultural profits than in their 2007 paper.

studies to quantify the importance of climate uncertainty in overall impact projections, and to get a sense of how SL and BMSDL's conclusions might have changed had they not used a large number of climate models.

Finally, Dell, Jones and Olken (2012) use a global panel of countries over 1950-2003 and document a strong negative relationship between economic growth and warmer-than-average temperatures in poor countries (but not rich countries). In the well-cited working paper version of the article (Dell et al. 2008), they project climate impacts on end-of-century GDP levels using a single climate model, finding large effects on per capita incomes in poor countries but limited overall impact on global GDP as a whole. (The lack of an effect on global GDP results from their finding that rich countries were largely unaffected by changes in temperature over their study period, and rich countries account for the vast majority of global income.)

3.3 Quantifying the importance of climate uncertainty

For each of the seven studies we re-examine, in Figure 3 we estimate the impacts by mid-century (2040-2060) associated with each of 15 to 18 different climate models for each of three emission scenarios, relative to a 1980-2000 baseline; note that not all climate models report projections for all emissions scenarios, leading to slight variation in the models by scenario. The Hadley model with an A1B emission scenario is highlighted as a dark vertical line given the prominence of this model-scenario combination in the literature (Table 1). Even ignoring regression uncertainty (as we do in this figure), there is a large range of projections owing to the different climate models.¹⁴

¹⁴ Emissions are a policy choice and as such are a different source of uncertainty, but as we show in Figure 3, no matter which emissions choice is made, climate model uncertainty remains very large. To quantify this uncertainty below, we mainly focus on the A1B scenario in Figure 4.

In three of the seven studies, the range of projected impacts (under the A1B scenario) includes both positive and negative estimated effects, as also shown in Table 2 (column 6).

We next quantify the role of climate uncertainty relative to regression uncertainty, by estimating the range of projected impacts when (i) climate is varied across models (running a given emissions scenario) but regression coefficients are fixed at their point estimates (as in Figure 3), (ii) climate is fixed at the model giving the median estimated impact for a given emissions scenario, but regression coefficients are resampled to reflect regression uncertainty (as estimated by bootstrapping the main specification in each study, sampling observations 1000 times with replacement), or (iii) both climate and regression coefficients are varied, to reflect uncertainty in both factors. For the A1B scenario which is reported by 18 models, (iii) is then a vector of 18,000 bootstrap replications (1000 per model), from which we take the 2.5th and 97.5th percentiles to calculate the range containing 95% of projected estimates.¹⁵ This is a natural set

¹⁵ We note that this interval could be disjoint in principle – e.g., the interval [-10%,-5%] could contain 95% of projected impacts for one climate model and [5%,10%] could contain 95% of projected impacts for a second model. In this case, focusing on the range from the 2.5th percentile to the 97.5th percentile across the two models would be highly misleading, incorrectly suggesting, for instance, that a zero effect of climate is likely. In this case, it would be appropriate to report the relevant disjoint intervals separately; we thank the editor David Lee for this point. However, in none of the empirical cases we examine in this paper is there an instance where the range containing 95% of projected estimates from for one model is disjoint from the range for the other models we consider. This is a result of the rather smooth distribution of temperature and precipitation projections across the full model ensemble (see figure 1), together

of values of consider given the equal weight we place on all climate models in the ensemble. To then measure how much climate uncertainty adds to the overall variation in projected effects beyond the effect of regression uncertainty alone, we compare the size of this interval to the comparable interval from (ii).¹⁶ These results are presented in Figure 4 and column 7 of Table 2.

The range containing 95% of estimates increases only moderately when climate uncertainty is accounted for in the two studies using African data. This mainly reflects the fact that regression uncertainty in the historical relationships was already quite large for those studies. For the four studies focused on U.S. agriculture impacts, however, the regression uncertainty was relatively small and accounting for climate uncertainty greatly increases the range containing 95% of projected impacts. In SHF and FHRS, this range for the mid-21st century projections increases five-fold when accounting for both climate and regression uncertainty (relative to when

with the fact that the historical relationships are quite imprecisely estimated in many cases, leading to extensive overlap.

¹⁶ Here, the overall variation in projected effects captures the range of projected impacts as evaluated from the bootstrap replications when both the regression coefficients and the climate projections are varied. This approach to the utilization of the climate projections from the 20 different climate models within the bootstrapping procedure is consistent with the assumption that these models represent independent samples of the underlying distribution of future climate. Treating an ensemble of models in this way is a well-studied means of facilitating a probabilistic approach to future projections in the climate science literature (CCSP, 2009), and in our case, provides a mean of quantitatively combining the variability derived from historical relationships and from climate projections.

focused solely on regression uncertainty). DJO is an intermediate case, with the range increasing by 30% when climate uncertainty is considered.

It is beyond the scope of this study to determine whether the increasing uncertainty generated by considering climate uncertainty should change the main conclusions or policy recommendations of the individual articles we re-examine. Yet we note that the broader implications of uncertainty will often depend on just how bad the “worst-case” outcomes are. Specifically, if increased uncertainty was entirely in the direction of more positive outcomes, then the increased uncertainty would likely reduce the perceived need for public action on climate change. However, if widening both “tails” of the distribution of projected outcomes increases the perceived risk of “catastrophic” left-tail outcomes, then additional uncertainty could imply a greater need for action (see Weitzman 2009, and the contrasting views in Weitzman 2011 and Pindyck 2011).

In column 8 of Table 2, we attempt to capture left-tail climate realizations by comparing the 2.5th percentile outcome that accounts for climate uncertainty versus that which does not. In four of the seven articles we re-examine, this “worst-case” outcome is at least twice as large in magnitude (and negative). For example, the 2.5th percentile outcome for corn yields in FHRS by mid-century decreases from -20% to nearly -50% when we account for climate uncertainty, and the shift is similarly large and negative for land values in MNS and SHF, and even larger for DG. Once again, the changes are less pronounced for the studies using African data.

4. Conclusion

A rapidly growing research literature estimates the future economic, political and social impacts of climate change. We survey the existing literature and find that very few studies employ

anything close to the full ensemble of approximately 20 climate change models that have undergone vigorous testing within the community of climate scientists. In fact, the median study uses just two such models, with the most influential recent studies on U.S. agriculture focusing on a single model (Hadley). As a result, most studies in the burgeoning literature on the economics of climate change do not capture the full range of plausible future climate variation, making their findings seem more precise than they actually are, and as a result making them less credible among climate scientists and potentially misleading for policymakers.

We feel that the methodological approach presented here addresses a fundamental shortcoming in this emerging literature. Using seven well-cited recent articles spanning a range of outcomes as examples, we show that failing to account for climate uncertainty can frequently lead to underestimating the range of projected climate impacts, especially when the underlying historical relationships are precisely estimated, as is often the case for studies using large high-quality historical datasets from the United States. One consequence is that analysts may severely underestimate the thickness of the tails of the distribution of future outcomes, with four out of the seven studies understating a “worst-case” (2.5th percentile) outcome by at least a factor of two when failing to consider climate uncertainty.

Fully accounting for climate uncertainty sometimes generates very wide ranges of estimated climate change impacts, but this greater degree of uncertainty is more defensible from the point of view of climate science. Studies that focus on a single or small handful of climate models generate a false sense of confidence about the likely future impacts of climate change, when in fact impacts are actually far less certain. The ability to choose among a wide set of critically evaluated climate models, with their often divergent projected temperature and

precipitation changes, could also leave researchers that select just one or a few such models open to the charge of cherry-picking.

We thus feel that the most valid analytical approach for future social science research on climate change impacts is the “democratic” standard we adopt in this paper, giving each IPCC model a single “vote” when carrying out the analysis, at least until such time when there is sufficient scientific consensus regarding the superiority of a particular model or set of models. Implementing the simple approach presented here should make future research on the economics of climate change more credible to the policymakers who depend on this growing body of research to make important public policy decisions, even if it means that the answers we researchers can provide are less certain.

References

- Auffhammer, Maximilian, Hsiang, Solomon M., Schlenker, Wolfram and Sobel, Adam. 2011. “Global Climate Models and Climate Data: A User Guide for Economists.” *Working Paper*.
- Burke, Marshall B., Miguel, Edward, Satyanath, Shanker, Dykema, John A., and Lobell, David B. 2009. “Warming Increases the Risk of Civil War in Africa.” *Proceedings of the National Academy of Sciences* 106 (49): 20670–20674.
- Burke, Marshall B., and Emerick, Kyle. 2013. “Adaptation to Climate Change: Evidence from US Agriculture.” *Working Paper*.
- CCSP. 2009: *Best Practice Approaches for Characterizing, Communicating, and Incorporating Scientific Uncertainty in Climate Decision Making*. U.S. Climate Change Science Program. , 96 pp.
- Dell, Melissa, Jones, Benjamin F., and Olken, Benjamin A. 2008. “Climate Shocks and Economic Growth: Evidence from the Last Half Century.” *NBER Working Paper #14132*.
- Dell, Melissa, Jones, Benjamin F., and Olken, Benjamin A. 2012. “Temperature Shocks and Economic Growth: Evidence from the Last Half Century.” *American Economic Journal: Macroeconomics* 4 (3): 66–95.
- Deschenes, Olivier, and Greenstone, Michael. 2007. “The Economic Impacts of Climate Change: Evidence from Agricultural Output and Random Fluctuations in Weather.” *American Economic Review* 97 (1): 354–385.

- Deschenes, Olivier, and Greenstone, Michael. 2012. "The Economic Impacts of Climate Change: Evidence from Agricultural Output and Random Fluctuations in Weather: Reply." *American Economic Review* 102 (7): 3761–3773.
- Fisher, Anthony C., Hanemann, Michael W., Roberts, Michael J., and Schlenker, Wolfram. 2012. "The Economic Impacts of Climate Change: Evidence from Agricultural Output and Random Fluctuations in Weather: Comment." *American Economic Review* 102 (7): 3749–3760.
- Gleckler, Peter J., Taylor, Karl E., and Doutriaux, Charles. 2008. "Performance Metrics for Climate Models." *Journal of Geophysical Research* 113 (D6): D06104.
- Gordon, Chris, Cooper, Claire, Senior, Catherine A, Banks, Helene, Gregory, Jonathan, Johns, Timonthy C., Mitchell, John F.B., and Wood, Richard A. 2000. "The Simulation of SST, Sea Ice Extents and Ocean Heat Transports in a Version of the Hadley Centre Coupled Model Without Flux Adjustments." *Climate Dynamics* 16 (2): 147–168.
- Johns, Tim C., Carnell, Ruth E., Crossley, Jenny F., Gregory, Jonathan M., Mitchell, John F.B., Senior, Catherine A., Tett, Simon F.B., and Wood, Richard A. 1997. "The Second Hadley Centre Coupled Ocean-atmosphere GCM: Model Description, Spinup and Validation." *Climate Dynamics* 13 (2): 103–134.
- Johns, Tim C., Durman, Chris F., Banks, Helene T., Roberts, Malcom J., McLaren, Alison J., Ridley, Jeff K., Senior, Catherine A., et al. 2006. "The New Hadley Centre Climate Model(HadGEM 1): Evaluation of Coupled Simulations." *Journal of Climate* 19 (7): 1327–1353.
- Knutti, Reto. 2010. "The End of Model Democracy?" *Climatic Change* 102: 1–10.

- Meehl, Gerald A., Stocker Thomas F., Collins, William D., Friedlingstein, Pierre, Gaye, Amadou T., Gregory, Jonathan M., Kitoh, Akio and Knutti, Reto. 2007. "Global Climate Projections." In *Climate Change 2007: The Physical Science Basis*, Chapter 10:747–845. Intergovernmental Panel on Climate Change.
- Mendelsohn, Robert, Nordhaus, William D., and Shaw, Daigee. 1994. "The Impact of Global Warming on Agriculture: a Ricardian Analysis." *American Economic Review* 84 (4): 753–771.
- Randall, David A., Wood, Richard A., Bony, Sandrine, Colman, Robert, Fichet, Thierry, Fyfe, John, Kattsov, Vladimir, et al. 2007. "Climate Models and Their Evaluation." In *Climate Change 2007: The Physical Science Basis*, Chapter 8:589–662. Intergovernmental Panel on Climate Change.
- Schlenker, Wolfram, Hanemann, Michael W., and Fisher, Anthony C. 2005. "Will US Agriculture Really Benefit from Global Warming? Accounting for Irrigation in the Hedonic Approach." *American Economic Review* 95 (1): 395–406.
- Schlenker, Wolfram, and Lobell, David B. 2010. "Robust and Potentially Severe Impacts of Climate Change on African Agriculture." *Environmental Research Letters* 5 (014010).
- Schlenker, Wolfram, and Roberts, Michael J. 2009. "Nonlinear Temperature Effects Indicate Severe Damages to US Crop Yields Under Climate Change." *Proceedings of the National Academy of Sciences* 106 (37): 15594.
- Stern, N.H. 2007. *The Economics of Climate Change: The Stern Review*. Cambridge Univ Press.
- Tebaldi, Claudia, and Knutti, Reto. 2007. "The Use of the Multi-model Ensemble in Probabilistic Climate Projections." *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* 365 (1857): 2053.

Weitzman, Martin L. 2009. "On Modeling and Interpreting the Economics of Catastrophic Climate Change." *The Review of Economics and Statistics* 91 (1): 1–19.

Table 1: Studies making quantitative climate change predictions regarding economic and social outcomes

Panel A: All studies	Number of studies	Median number of climate models used	Mean number of climate models used	% of studies that use Hadley Model	% of studies that use only Hadley Model
Total	188	2	4	40	13
By sector:	<i>(% of total)</i>				
Agriculture	53	3	4	37	12
Health	15	1	2	52	28
Water	6	2.5	5	58	0
Multiple	14	2	5	35	8
Other	12	1	3	32	14

Panel B: Studies since 2005

	Number of studies	Median number of climate models used	Mean number of climate models used	% of studies that use Hadley Model	% of studies that use only Hadley Model
Total	126	2	4.3	42	11
By sector:	<i>(% of total)</i>				
Agriculture	51	3	4	48	14
Health	13	1	2	38	19
Water	7	2	6	44	0
Multiple	14	2.5	6	39	6
Other	15	1	3	26	5

Note: The literature review was conducted through August 2012; see text for details. "Hadley Model" includes multiple versions of the Hadley Model.

Table 2: Articles re-examined in this study

Article (in chronological order)	Outcome (1)	Sample (2)	Climate	Regression	Functional form	Range of	(Climate +	(Climate +
			models	specification used to	for historical	estimates, climate	Regression	uncertainty)
			used	generate projections	climate	uncertainty	/	2.5 th
			(3)	(4)	(5)	alone, %	uncertainty, uncertainty	percentile /
			(6)	(7)	(8)			
Mendelsohn, Nordhaus and Shaw 1994 (MNS)	Farmland values	Cross-section of U.S. counties, 1982	1	Table 3, spec. 4: with crop revenue weights	Monthly temperature, precipitation	(-33, 37)	86%	2.0
Schlenker,	Farmland	Cross-section	1	Table 2, spec. 1:	Monthly	(-100, 18)	452%	2.5

Hanemann and Fisher 2005 (SHF)	values	of U.S. counties, 1982		dryland rural counties	temperature, precipitation			
Deschenes and Greenstone 2007 (DG)	Agricultural profits	Panel of U.S. counties, 1982-2002	1	Table 4, spec. 5: state x year FE with soil controls	Quadratic in growing degree days, total precipitation	(-6, 6)	367%	8.3
Burke, Miguel, Satyanath, Dykema and Lobell 2009 (BMSDL)	Civil war	Panel of African countries, 1981-2002	20	Table 1, spec. 1: country FE, quadratic time trend	Annual average temperature, total precipitation	(53, 117)	2%	1.0
Schlenker and Lobell 2010 (SL)	Corn yields	Panel of African countries, 1961-2002	16	Linear specification with temperature and precipitation, country FE, time	Annual average temperature, total precipitation	(-23, -9)	21%	1.1

trends

Fisher,								
Hanemann,		Panel of		Table 1, spec. 1b:	Quadratic in			
Roberts and	Corn yields	U.S. counties,	1	county and year FE	growing degree	(-47, -8)	462%	2.2
Schlenker 2010		1982-2002		with soil controls	days, total			
(FHRS)					precipitation			
Dell, Jones and		Panel of		Table 2, spec. 2:	Annual average			
Olken 2012	GDP	countries,	1	country FE, region	temperature,	(-50, -22)	28%	1.1
(DJO)	growth	1950-2008		x year FE, poor x	total			
				year FE	precipitation			

Notes: Cols. 6-8 are for the A1B scenario. In col. 7 we present the % increase in the range containing 95% of projected impacts for climate uncertainty plus regression uncertainty versus the range containing 95% of projected impacts under regression uncertainty alone. In col. 8 we present the ratio of the 2.5th percentile of the distribution of outcomes under climate uncertainty plus regression uncertainty versus the 2.5th percentile of outcomes under regression uncertainty al

Figure 1: Projections of end-of-century (2080-2100) climate change over U.S. corn growing area, by climate model and emissions scenario, relative to a 1980-2000 baseline.

White colors represent the B1 emissions scenario, light grey colors the A1B scenario, and dark grey the A2 scenario, with projections of change in growing season temperature (in deg C) on the X-axis and percent change in precipitation (% change) on the Y-axis. Lines connect the projections for a given model across the three emissions scenarios, with projections for the Hadley model (HadCM3 A1B) shown as triangles. Boxplots summarize the distribution of projected changes by scenario, with dark lines indicating the median projection, boxes the interquartile range, and whiskers the range containing 95% of estimates.

Figure 2: Use of climate model data in existing social science literature

Left panel: Cumulative number of studies making quantitative projections about climate impacts on socioeconomic outcomes, with agricultural studies in dark grey and other studies in light grey.

Right panel: mean (dashed line) and median (solid black line) number of climate models used by these studies over time (three-year moving average). The solid grey line represents the total number of climate models available to researchers since 2000, when quantifying their availability becomes tractable.

Figure 3: Projections of climate change impacts on outcomes across climate models and emissions scenarios by mid-century (2040-2060), relative to a 1980-2000 baseline.

Each grey vertical line represents projected impacts derived from a single climate model running a single emissions scenario, assuming perfect knowledge of how the outcome responds to

changes in climate (that is, no regression uncertainty). Dark black lines represent projected impacts from the Hadley model running the A1B scenario (HadCM3 A1B).

Figure 4: Importance of climate and regression uncertainty in projections of climate impacts, by mid-century (2040-2060) and end-of-century (2080-2100), relative to a 1980-2000 baseline.

White boxplots show the uncertainty in impact projections resulting from regression uncertainty in the historical relationship between the outcome and climate, with changes in climate fixed at the median projection. Light grey boxplots summarize projection uncertainty resulting from different model projections of how the climate will respond under the A1B emissions scenario, with responses to climate fixed at regression point estimates. Dark grey boxplots combine these two sources of uncertainty (climate plus regression uncertainty). Dark lines represent the median projection, the box the interquartile range, and whiskers the range containing 95% of projections. Numbers in brackets on the left of each panel show the percentage increase in the range containing 95% of estimates for climate plus regression uncertainty versus under regression uncertainty alone.

Appendix

Appendix Figure 1: Projections of end-of-century (2080-2100) climate change over African corn (maize) growing area, by climate model and emissions scenario, relative to a 1980-2000 baseline. White colors represent the B1 emissions scenario, light grey colors the A1B scenario, and dark grey the A2 scenario, with projections of change in growing season temperature (in deg C) on the X-axis and percent change in precipitation (% change) on the Y-axis. Lines connect the projections for a given model across the three emissions scenarios, with projections for the Hadley model (HadCM3 A1B) shown as triangles. Boxplots

summarize the distribution of projected changes by scenario, with dark lines indicating the median projection, boxes the interquartile range, and whiskers the range containing 95% of estimates.