

Lawrence Berkeley National Laboratory

Recent Work

Title

VECTOR ANALYZING POWER IN THE ${}^3\text{He}(d,{}^3\text{He})n\text{p}$ REACTION

Permalink

<https://escholarship.org/uc/item/4ns6r6t9>

Author

Roy, R.

Publication Date

1975-06-01

0 0 1 0 4 3 0 7 3 3 6

Presented at the 4th International
Symposium on Polarization Phenomena
in Nuclear Reactions, Zürich, Switzerland,
August 25 - 29, 1975

LBL-4041

c. |


VECTOR ANALYZING POWER IN THE ${}^3\text{He}(d, {}^3\text{He})np$ REACTION

R. Roy, F. N. Rad, H. E. Conzett, and F. Seiler

June 1975

Prepared for the U. S. Energy Research and
Development Administration under Contract W-7405-ENG-48

For Reference
Not to be taken from this room



LBL-4041
c. |

DISCLAIMER


This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

VECTOR ANALYZING POWER IN THE ${}^3\text{He}(\vec{d}, {}^3\text{He})\text{np}$ REACTION*

R. Roy[†], F. N. Rad, H. E. Conzett, and F. Seiler[†]
 Lawrence Berkeley Laboratory, University of California
 Berkeley, California 94720

During the past decade, substantial investigations of polarization effects have been made in the three-nucleon system¹⁾. The polarization in nucleon-deuteron elastic scattering has received the principal attention of both the experimental and theoretical effort, while the study of such effects in the breakup reaction has received very little attention. The exact three-body calculations using the Faddeev equations have shown a remarkably good agreement with the proton and deuteron analyzing powers in p-d elastic scattering¹⁾. However, in the breakup channel the theoretical calculations²⁾ have been restricted to the use of nucleon-nucleon S-wave forces and, therefore, cannot predict any polarizations. Until recently experimental measurements of polarization effects in the breakup reaction had yielded values which were very small or consistent with zero³⁾. The first evidence of significant polarizations was seen by Rad et al.^{4,5)} in their measurements of the vector analyzing power A_y for the transition to the np final state interaction (FSI) region. The ${}^1\text{H}(\vec{d}, \text{p})\text{np}$ and ${}^2\text{H}(\vec{p}, \text{p})\text{np}$ reactions, studied at the same center-of-mass energy, showed not only significant values of the vector analyzing powers, but also a definite similarity of its angular distribution with that of the elastic channel.

Since the spin structure of the deuteron breakup on ${}^3\text{He}$ and ${}^1\text{H}$ is the same, the nondynamical properties of the two reactions are identical. Thus, it is of interest to look for similar polarization effects in the ${}^3\text{He}(\vec{d}, {}^3\text{He})\text{d}^*$ reaction, where d^* denotes final-state np pairs with low relative energy E_{np} , in both singlet and triplet states. We report here measurements of the vector analyzing power A_y in this reaction at $E_d = 30, 35, \text{ and } 40$ MeV for $E_{\text{np}} < 2.0$ MeV. Our results are shown in fig. 1. The statistical errors are smaller than the symbols. For comparison, the analyzing powers in \vec{d} - ${}^3\text{He}$ elastic scattering at the same energies are shown as the smooth curves. It is seen that A_y in the ${}^3\text{He}(\vec{d}, {}^3\text{He})\text{d}^*$ reaction reaches substantial values and follows that of the elastic channel at d^* production angles beyond 90° c.m. The peak values near $\theta_{\text{cm}} = 135^\circ$ and 155° are quite constant in magnitude and position over the 10 MeV energy interval studied. In a comparison of our results with the previous measurements⁴⁾, near $\theta_{\text{cm}} = 135^\circ$ the ratio $A_y(\text{elastic})/A_y(\text{d}^*)$ is ≈ 3 in the ${}^3\text{He}(\vec{d}, \text{d}^*)$ ${}^3\text{He}$ and ${}^1\text{H}(\vec{d}, \text{d}^*)$ ${}^1\text{H}$ reactions respectively, and the ratio is ≈ 1.4 and ≈ 1.9 , respectively, near $\theta_{\text{cm}} = 155^\circ$. We are presently involved in a comparison of these data with DWBA calculations of $A_y(\theta)$ in transitions which produce both the ${}^1\text{S}_0$ and ${}^3\text{S}_1$ final state d^* .



XBL756382

References

- * Work performed under the auspices of the U.S. Energy Research and Development Administration.
 - + National Research Council of Canada, Postdoctoral Fellow.
 - † On leave of absence from the University of Basel, Switzerland.
- 1) H. E. Conzett, in Proc. Int'l Conf. on Few Body Problems in Nuclear and Particle Physics, Quebec, Canada, 27-31 August 1974 (to be published).
 - 2) R. T. Cahill and I. H. Sloan, Nucl. Phys. A165 (1971) 161; W. Ebenhöf, Nucl. Phys. A191 (1972) 97.
 - 3) F. N. Rad, L. C. Northcliffe, J. G. Rogers, and D. P. Saylor, Phys. Rev. Lett. 31 (1973) 57; Phys. Rev. C8 (1973) 1248; J. Arvieux, et al., Nucl. Phys. A150 (1970) 75; C. O. Blyth, et al., Proc. Int'l Conf. on Few Body Problems in Nuclear and Particle Physics, Quebec, Canada, 27-31 August 1974.
 - 4) F. N. Rad, R. Roy, H. E. Conzett, J. Birchall, F. Seiler and R. M. Larimer, Bull. Amer. Phys. Soc. 20 (1975) 578.
 - 5) F. N. Rad, H. E. Conzett, R. Roy and F. Seiler, Fourth Polarization Symposium.

LEGAL NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Energy Research and Development Administration, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

TECHNICAL INFORMATION DIVISION
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720