

UCSF

UC San Francisco Previously Published Works

Title

Educational attainment and obesity: a systematic review

Permalink

<https://escholarship.org/uc/item/5d44z08r>

Journal

Obesity Reviews, 14(12)

ISSN

1467-7881

Authors

Cohen, AK

Rai, M

Rehkopf, DH

et al.

Publication Date

2013-12-01

DOI

10.1111/obr.12062

Copyright Information

This work is made available under the terms of a Creative Commons Attribution-NonCommercial-NoDerivatives License, available at

<https://creativecommons.org/licenses/by-nc-nd/4.0/>

Peer reviewed



Published in final edited form as:

Obes Rev. 2013 December ; 14(12): 989–1005. doi:10.1111/obr.12062.

Educational attainment and obesity: A systematic review

Alison K. Cohen,

University of California Berkeley School of Public Health, Division of Epidemiology

Manisha Rai,

University of California Berkeley, Dept. of Molecular and Cell Biology

David H. Rehkopf, and

Stanford University School of Medicine, Department of General Medical Disciplines

Barbara Abrams

University of California Berkeley School of Public Health, Division of Epidemiology

Abstract

Background—Although previous systematic reviews considered the relationship between socioeconomic status and obesity, almost 200 peer-reviewed articles have been published since the last review on that topic, and this paper focuses specifically on education, which has different implications.

Methods—The authors systematically review the peer-reviewed literature from around the world considering the association between educational attainment and obesity. Databases from public health and medicine, education, psychology, economics, and other social sciences were searched, and articles published in English, French, Portuguese, and Spanish were included.

Results—This paper includes 289 articles that report on 410 populations in 91 countries. The relationship between educational attainment and obesity was modified by both gender and the country's economic development level: an inverse association was more common in studies of higher-income countries and a positive association was more common in lower-income countries, with stronger social patterning among women. Relatively few studies reported on lower-income countries, controlled for a comprehensive set of potential confounding variables, and/or attempted to assess causality through the use of quasi-experimental designs.

Conclusions—Future research should address these gaps to understand if the relationship between educational attainment and obesity may be causal, thus supporting education policy as a tool for obesity prevention.

Keywords

educational status; overweight; obesity; social class; review

Introduction

Education has been shown to be associated with health outcomes in developed countries since at least the latter half of the 20th century^{1,2}, and it is often used as an indicator of socioeconomic position³. However, there is interest in the causal relationship between education and health (e.g., ⁴), because education can be improved through policy

Corresponding author: Alison K. Cohen, akcohen@berkeley.edu, Division of Epidemiology, UC Berkeley School of Public Health, 103 Haviland Hall, Berkeley, CA, 94720.

No conflicts of interest to report.

channels^{5,6}. Education may be associated with health via adult socioeconomic status (e.g. income and occupation^{4,7}), but also via health literacy and health behaviors^{4,7-10} and sense of control and empowerment¹¹. There is also the possibility of reverse causation, that children with health problems may attain less education¹² and that education modifies the effect of other social determinants of health, like income¹³. These general education and health trends may also apply to obesity.

Reviews of the relationship between socioeconomic status and obesity^{14,15} include studies that use education as a proxy for socioeconomic status but conflate them with other measures of socioeconomic status when reporting findings, with only one review separately considering the socioeconomic status and obesity relationship by how socioeconomic status was measured (including education)¹⁶. Different socioeconomic measures^{14,17} appear to have different relationships with weight change¹⁸ and obesity¹⁶. No reviews to date have critically examined education as a conceptually unique predictor of obesity. Additionally, a substantial body of research has accumulated in the eight years since McLaren's review, which only included articles published between 1988 and 2004¹⁶.

This paper systematically reviews the literature to examine the relationship between an individual's educational status and obesity: in particular, if an association (direct or inverse) exists and if there is evidence of a causal relationship in either direction, using any type of study design. This study is different from McLaren's¹⁶ review in its search scope: we used additional databases (e.g., Cochrane Library, EconLit, IBSS, LILACS) in more languages (e.g., French, Portuguese, and Spanish) and include articles published before 1988 and after 2004 (in our review, 10 analyses were from articles published before 1988 and 203 analyses were from articles published after 2004); our search terms also identified articles that focused on educational status and may not have also been classified using a socioeconomic status-related keyword. This review is different from Parsons et al's study¹⁴ primarily because we do not restrict studies to having two measures of obesity, one from childhood and one from at least one year later. This review also offers a substantive update to Sobal and Stunkard's 1989 review¹⁵, given the burst of research conducted in the decades since, and because their article, like Parsons et al's¹⁴ conflated all measures of socioeconomic status when reviewing the relationship between socioeconomic status and obesity. Given that education as a potential social determinant of obesity is of great policy relevance, an updated review dedicated particularly to education is needed.

Methods

In conducting and reporting the results of our systematic review, we relied upon guidelines established by consensus groups¹⁹⁻²¹.

Inclusion and exclusion criteria

Research examining the relationship between educational status and obesity can be found in several fields: public health, psychology, education, and other social sciences (economics, sociology, and demography). As such, multiple databases were searched: PubMed, the Cochrane Library, and LILACS (public health), PsycINFO (psychology), ERIC (education), IBSS (International Bibliography of the Social Sciences), Social Sciences Citation Index, Social Services Abstracts, Sociological Abstracts, and EconLit. Cohen and Rai performed the literature searches. Table 1 shows the search terms used for each database and the corresponding number of papers collected on June 26, 2012 (note: many of these were duplicates), and figure 1 documents the flow chart of inclusion and exclusion. Cohen and Rai reviewed the abstracts and full papers for inclusion/exclusion decisions; when Cohen and Rai disagreed about inclusion/exclusion of a particular study, all four authors discussed until a consensus was reached. Articles in all languages were included in the search, and all

articles that were in English, French, Portuguese, or Spanish were included in the literature review. In addition, for each of the articles deemed relevant from the systematic search, the reference lists for each article were also reviewed to identify any additional relevant articles that had not been picked up in the search, leading to the addition of 41 articles. All human participant populations and research designs were eligible for inclusion in the review. The time period for which studies needed to be done was limited only by the databases searched; we included articles in our review published from 1977 to 2012. Inclusion criteria were: peer-reviewed, measured an individual's own educational status (rather than parents' education), and there was variability in educational attainment and obesity within the study population (e.g., if no variation existed because all subjects were overweight²², the paper would be excluded). If articles were not available through library or inter-library services, authors were contacted directly, with success (i.e., ²³).

Articles were excluded for several reasons. Despite efforts to include articles in non-English languages, we still had to exclude 9 articles that were in languages other than English, French, Portuguese, and Spanish: one Turkish²⁴, two Czech^{25,26}, two Polish^{27,28}, two German^{29,30}, and one Icelandic³¹. Other articles were excluded because they noted that education was an effect measure modifier (e.g., ^{32,33}) or confounder (e.g., ³⁴) of the relationship between an exposure of interest and obesity, or that obesity mediated the association between education and another outcome (e.g., ³⁵), but did not provide any information quantifying this effect. When our searches led us to narrative review articles that were related to a piece of our research question (e.g., ³⁶), we identified relevant articles from the references cited to include in our systematic review but did not include the review itself when reporting our findings.

Data abstraction

We used standardized data extraction forms and repeated coding of papers, as well as review of each entry by Cohen, to ensure intra- and inter-coder consistent abstraction. When papers reported several effect estimates for the same population, we abstracted the analysis that most closely estimated direct effects and adjusted for the largest number of covariates because this was typically the result the authors of the papers focused on and because we were interested in the extent to which the relationship between education and obesity persisted after controlling for both confounders and mediators. Body mass index or obesity (as defined by body mass index ≥ 30) was the preferred outcome if several measures of obesity were provided, but all measures of obesity and adiposity were acceptable.

Articles often reported effect estimates for several different study populations. If the paper stratified its results by year and/or country, we considered a “study population” to be year-specific and/or country-specific. These articles were split into as many data points as there were study populations, because each population had a unique estimation of the education-obesity relationship. For example, one paper³⁷ reported on data collected in 9 different countries, and so was split into 9 data points. Another article³⁸ reported on data from one country (Switzerland) that was collected in 1992, 1997, 2002, and 2007. This study stratified results by year, and was split into four data points (i.e., four study populations). Most notably, three papers³⁹⁻⁴¹ were split into 37, 34, and 19 data points, respectively. For qualities related to the study, we use the article as the unit of analysis (N = 289), but when characteristics vary within papers, our unit of analysis was the country-specific and year-specific study population (N= 410). This method is consistent with a related systematic review¹⁶.

The relationships between education and obesity were coded as *directly associated* (as education increases, so does odds or risk of obesity), *inversely associated* (as education decreases, odds or risk of obesity increases), *null* (no statistically significant relationship

observed between education and obesity ($P<0.05$), or *U-shaped* (if there appeared to be a curved relationship to the data). This was done manually by Cohen and Rai in consultation, since different studies employed different variations of exposures and outcomes.

We developed a study quality score to acknowledge and account for the spectrum of analyses reviewed inspired by other systematic reviews^{13,42-45} and refined for the specific context of these articles (for example, no apparent conflicts of interest were discerned, so this criterion was not used to differentiate articles), in an attempt to identify the highest quality articles from among those reviewed. A total score of up to 7 was possible, with points awarded as following: *high response rate* (1 point if response rate $\geq 70\%$, 0.5 if response rate 50-70%, 0 if response rate $<50\%$ or not reported); *nationally representative study population* (1 point; 0.5 points if clearly stated cohort but not necessarily externally valid to nation; 0 points if other or not reported); *large sample size* (1 point for $n \geq 10\,000$, 0.5 for $1000 < n < 10\,000$, 0 if $n < 1000$ or not reported); *weight measured by trained person* (1 point; 0 points if self-reported); *statistical test conducted* (1 point if analysis allowed for assessment of statistically significant associations; 0 points otherwise); *controlling for confounders* (1 point if controlled for any confounders or considered any effect measure modifiers in addition to gender; 0 if only did bivariate analysis); and *stratifying results by gender* (1 point if stratified results or specifically stated that a test had been done and gender was not an effect measure modifier in the population studied; 0 points if did not discuss).

Results

These 289 articles reported on 410 populations in 91 countries around the world, with each of the six populated continents represented (figure 2A identifies which countries were represented by at least one article, and figure 2B identifies countries based on number of articles).

The vast majority (92%) of the articles ($N=289$) included in this review were in public health and/or medical journals, with 7% from other social science journals (sociology, economics, education, or psychology) and 1% from other disciplines (e.g., transportation).

All of the studies were observational in design. The majority (88%) of the study populations ($N=410$) were cross-sectional (from one point in time, or pooled cross-sectional data from multiple time points). Ten percent had prospective longitudinal data, and the rest used case-control ($<1\%$) or ecological (1%) designs. Studies on the subject of education and obesity became increasingly common in the 1990s and 2000s, with cross-sectional studies appearing to peak in the 1990s, and longitudinal studies becoming more common over time (data available upon request). The data in the cross-sectional studies span from 1969 to 2010, and the data in the longitudinal cohort studies collected data as early as 1946 and as late as 2008.

Education was measured in several ways, including years of educational attainment, degree completion (e.g., high school degree, college degree), and achievement in school. There were also several weight-related measures used in these papers, including body mass index (a continuous variable), overweight (typically, but not uniformly, measured as $25 < \text{body mass index} < 30$), and obesity (typically, but again not uniformly, measured as $\text{body mass index} \geq 30$), as well as measures of skin-fold thickness and waist-hip ratio. A majority (64%) of the associations ($N=410$) used body mass index that had been measured by a trained observer (clinician, interviewer, etc) as compared to self-reported data. While the direction of the relationship between education and obesity in general was similar regardless of the specific measure used, some papers analyzed multiple measures (e.g., for education: years of education, degrees attained; for weight: continuous body mass index, categorical obesity, waist circumference, waist-hip ratio, percent body fat). Most papers found a consistent

relationship between education and obesity that was robust to whichever measure of obesity⁴⁶⁻⁶⁰ or education^{61,62} was used. However, a few papers found different (and sometimes opposite) relationships depending on how obesity^{17,63-65} and education^{18,66} were measured. For example, the relationship between educational attainment and obesity sometimes differed depending on whether obesity was measured using body mass index cut-offs or waist circumference⁶³.

Many discussions of the relationship between education and obesity included hypotheses about potential confounders or effect modifiers. For these analyses, covariates that were explicitly included in analytic models and covariates that were implicit based on study design (e.g., cohort of white women aged 40-50 would be considered to include gender, race, and age as effect modifiers) were counted. A majority (91%) of the 410 country-year analyses included gender in their model as a confounder or effect measure modifier. Gender emerged as a clear effect modifier: 34.9% of the 232 country-year analyses that considered both genders reported different directions of the association between education and obesity depending on gender (e.g., inverse for one gender and null for the other, or positive for one gender and inverse for the other). Age was another common covariate included in analyses: 62% of the 410 country-year analyses included age in their model. However, there was much more variation in the other types of explanatory variables that were included as covariates in the analyses. We identified the following categories of potential confounders or effect modifiers. Only 26% of the 410 country-year analyses considered socio-economic factors, including income, wealth, and occupation. A similarly low percentage (16%) controlled for race or ethnicity, either as a confounder or effect modifier. Measures of region and urbanicity were included in 16% of analyses. Other potential confounders included parental factors (including parental education or socioeconomic status) (1%), and intelligence (2%). In attempts to understand only the direct relationship between education and obesity, sometimes mediators were also included in multivariate models. Health behaviors were sometimes included: 5% controlled for nutrition-related factors, 14% controlled for physical activity (work-related and/or leisure-time), and 30% included other health-related factors (often tobacco or alcohol use). Other potential mediators sometimes included were marital status (12%) and parity (5%). Twenty nine percent of analyses included additional covariates, including year of data collection, school absenteeism, religion, self-esteem, and number of people in the household. However, articles only used approximately 3 (mean=2.8, median=3, range: 0-9) domains of covariates in their analyses out of the several outlined here.

Studies varied substantially in quality, so we now focus on a sub-analysis of the studies we determined to be of highest quality. When we calculated our study quality score for each study, only 55 out of 410 study populations included in this systematic review scored a six or higher (locations mapped in figure 3; study details provided in table 2)^{38,41,54,60,61,63,67-102}.

Out of the 55 high quality study populations identified, the relationship between education and obesity varied by gender and by country. An inverse association between education and obesity was observed for women in Argentina⁶³, Australia^{81,82} (although one⁸² found no difference in obesity between high school graduates versus university graduates), Brazil^{77,85}, Canada⁸⁸, Chile⁶³, Czech Republic⁹⁸, Ecuador⁶³, Finland^{54,96}, Greece (although there was a null association between education and overweight)⁷⁸, Iran⁹², Italy⁴¹, Korea^{60,75}, Mexico^{63,69,70}, Norway⁷⁴, Peru⁶³, Portugal^{41,61,73}, Poland⁹⁸, Russia⁹⁸, Spain^{71,90,93,97}, Sweden⁸⁶, Switzerland^{38,79}, Thailand⁶⁸, one United Kingdom study⁹⁴, and the United States^{89,91}. A null association was observed in Colombia⁶³, Germany⁷², Papua New Guinea⁸³, another United Kingdom study¹⁰⁰, for non-Hispanic black women in the United States during some time periods⁹¹, another United States study⁹⁵, and Venezuela⁶³.

A positive association between education and obesity was observed in Bahrain⁸⁰, India⁸⁷, and another Mexico study¹⁰³.

For men, there was much more variation, including within the same country. An inverse association was observed in Argentina⁶³, Australia^{81,82}, more developed regions of Brazil⁸⁵, Canada⁸⁸, Czech Republic⁹⁸, Finland^{54,96}, Iran⁹², Italy⁴¹, one Korea study⁷⁵, Norway⁷⁴, Poland⁹⁸, five Portugal studies^{41,61,73,102}, Spain^{71,90,93,97}, Sweden^{84,86}, Switzerland^{38,79}, one United Kingdom study⁹⁴, and the United States^{89,91}. A null association was observed in less developed regions of Brazil⁸⁵, Chile⁶³, Colombia⁶³, Ecuador⁶³, Greece⁷⁸, Kuwait⁶⁷, Mexico^{63,69,70,103}, another Korea study⁶⁰, Peru⁶³, Russia⁹⁸, other United Kingdom studies^{99,100}, non-Hispanic black men in the United States⁹¹, another United States study⁹⁵, and Venezuela⁶³. Positive associations were observed in Bahrain⁸⁰, other Brazil studies⁷⁷, Germany⁷², India⁸⁷, rural Mexico⁶⁹, Papua New Guinea⁸³, two other Portugal studies^{76,101}, and Thailand⁶⁸.

In addition to considering trends by quality, we also report trends by each study country's level of development. The association between educational attainment and obesity appeared to have a different direction depending on the economic development of the country for women and men (table 3): an inverse association was more common in studies of higher-income countries and a positive association was more common in lower-income countries. We observed similar trends among the subset of high-quality studies. Most of the studies have been done in higher-income countries, and there was only one high-quality study in a lower-income country.

Discussion

Our review agrees with other papers^{16,39,63} that the relationship between measures of socioeconomic status like educational attainment and obesity depends on the country's level of development, such that inverse associations are more common in more developed countries and positive associations are more common in less developed countries. Furthermore, within countries, the relationship between educational attainment and obesity often appears to differ by gender such that the association is often further from the null among women (if the association is more inverse or more positive may depend on the level of development in the country), which also supports findings of previous reviews of socioeconomic status and obesity¹⁶. This also highlights the importance of considering how other measures of socioeconomic position at both the individual and area levels may modify the association between educational attainment and obesity.

Around the world, many studies have found an inverse relationship between educational attainment and obesity, although direct, null, and U-shape associations have also been observed. The whole set of the studies reviewed has similar trends as the subset of studies we identified as high quality, but we posit that the high-quality studies provide more informative and accurate point estimates of the association. We also note that only two “high quality” studies^{83,87} were done of low-income countries (as defined by the World Bank), and only four studies^{39,63,104,105} have been done in low-income countries in general (one of which³⁹ contributed thirteen country-year analyses).

The papers reviewed consistently identified gender as an a priori effect measure modifier, but other effect measure modifiers have not been as thoroughly investigated. For example, the potential of race/ethnicity was explored in only a few studies (and primarily in the United States) and merits further inquiry. One study¹⁰⁶ found a linear relationship between education and obesity for white women but a curvilinear relationship for black women. Such effect measure modification could occur if members of certain racial or ethnic groups

received, on average, lower quality education¹⁰⁷. Additionally, other measures of socioeconomic status—especially poverty—may modify the effect. A more pronounced education-obesity association was observed among lower occupations than higher-status occupations^{54,108} and in high poverty school districts as compared to low-poverty districts¹⁰⁹. This is aligned with Mirowsky and Ross's¹¹ hypothesis that education exhibits a greater effect when other socioeconomic resources are low. However, in more extreme poverty situations, nutrition and physical activity may have a role. In one study of women in multiple developing countries³⁹, a positive association was observed for the lower-income countries and an inverse association was observed among the higher-income countries. Differences in parity, which is associated with both educational attainment and obesity, by country's level of development could also play a role¹¹⁰. We also posit that there may be age, period, or cohort effects for the relationship between education and obesity. However, in order to systematically understand if these phenomena may be occurring, researchers will need to use similar analytic strategies across comparable populations within countries. For example, a closer look at the studies in Spain suggests that trends there have been relatively consistent across recent decades¹¹¹.

While the relationship between education and obesity appeared to be largely robust to the measures used, there were a few studies that found different results depending on how they measured education and/or obesity. It is possible that these different measures are capturing different underlying constructs. This could also suggest that the assumption of linearity for both obesity and education should be checked, and both linear models and non-linear models should be considered when modeling the relationship between education and obesity. This may be especially an issue when there is a particularly large range in educational attainment. For example, some studies noted that illiterate groups and highly educated groups had the lowest prevalence of obesity¹¹²; this is hypothesized to be due to different physical labor patterns among the illiterate and obesity-preventing health behaviors among the highly educated. Only a few studies considered the possibility of a U-shaped (non-linear) relationship between educational attainment and obesity, leaving open the possibility of other studies finding non-significant results due to incorrect functional form specification. This is a hypothesis that merits further exploration, especially since obesity may not be linearly related to other health outcomes, including mortality¹¹³. Empirical work has shown a stronger association with degree than years of education for mortality, but it is unknown whether this same relationship exists for obesity or body mass index¹¹⁴.

We also encourage researchers to consider when obesity and educational attainment are measured: for example, one previous review has found a relatively weak association between childhood obesity and academic attainment,³⁰⁹ whereas other prior reviews have focused on adult obesity and educational attainment.¹⁴⁻¹⁶ Since the underlying causal processes for the education-obesity relationship likely differ between children and adults, we encourage future researchers with cohort studies to assess if different associations exist depending on whether obesity is measured in childhood, adolescence, or adulthood.

Two studies that analyze the same data with both ordinary least squares regression and fixed effects merit individual mention. When Lawlor et al¹¹⁵ analyze their full cohort using standard regression, they find an inverse association between education and obesity, but when they analyze a subsample of their cohort to consider within-sibling pairs using fixed effects, they find a null association. In a study of adolescents with data at multiple time points over the course of their schooling¹¹⁶, significant associations between education and obesity in ordinary least squares regression are null under fixed effects with the exception of the relationship between education and obesity among white females, for which an inverse (and larger) association remains. We encourage future researchers to use designs like these

that attempt to control for unmeasured confounders to further understand the potentially causal relationship between educational attainment and obesity.

Self-reported weight and height data have been found to be systematically biased, with overweight and obese (as defined by measured body mass index) people more likely to underreport weight, certain gender and racial/ethnic groups more likely to overreport height, and those who were more highly educated more likely to underestimate weight¹¹⁷. Although several papers included in this review operated under the assumption that everyone would equally underreport weight and overreport height, thereby creating a bias towards the null, more recent evidence suggests this is an inappropriate assumption, and self-reported data should be calibrated to account for such potential biases^{118,119}.

Our systematic review identified twelve common categories of covariates for which different studies controlled, yet studies in our review only controlled for covariates from 2-3 of those categories on average. Some of the articles reviewed note that associations between education and obesity appeared to be explained away when additional confounders (e.g., childhood socioeconomic status¹²⁰) were added to the model. Other sets of covariates, such as nutrition and physical activity (for which a small proportion of studies reviewed controlled), are likely mediators, and therefore are not needed to assess the total effect of education on obesity but are relevant for assessing the direct effect. Additionally, the relationship between intelligence and obesity has been reviewed¹²¹, but intelligence and educational attainment are distinct concepts¹²². Yet intelligence and educational attainment are still very much related, and adjusting for intelligence when considering the role of educational attainment would add to the body of research. We encourage future researchers to acknowledge and attempt to measure a wide array of potential confounders in their future work. By doing so, we will be able to better understand the major hypothesized pathways linking education and obesity that these papers identified—via income/wealth and/or health behaviors—but that we were unable to quantify systematically due to the heterogeneity of the individual papers' analytic techniques.

Notably, we scored studies as being of “high quality” regarding confounders if they controlled for any covariates besides gender, since many studies did not comply with this simple measure. An additional stratum of papers only adjusted for age and gender. The relationship between educational attainment and obesity is likely to be confounded by a number of other characteristics, and we encourage researchers to include these in their future analyses to better understand the unconfounded relationship between educational attainment and obesity. The limited extent to which even the higher-quality papers controlled for confounding may help explain why the trends observed in table 3 did not vary dramatically between the subset of high-quality studies and the set of all studies.

We acknowledge several limitations to this study. Most importantly, the heterogeneity in the way articles measured education and obesity and reported measures of association hampered our ability to summarize across the studies beyond direction of association, especially since some of the measures of association may have reported total effects and others reported only direct effects. An additional issue when considering the studies that reported direct effects is that none adjusted for all possible mediators, and these analyses, which adjusted for mediators using more traditional approaches, could actually lead to additional sources of bias.³⁰⁸ While expansive, our search strategy was also limited in two important ways. First, including articles in Portuguese especially but also Spanish and French widened the number of articles captured, but we were still forced to exclude articles in other world languages (Czech, German, Polish, Turkish, Icelandic). Second, some of the articles captured in our search of the reference lists of our original set of articles had used education as a measure of socioeconomic status but had discussed it purely within the context of socioeconomic status,

never education, and were therefore not detected in our search teams, and it is possible that other articles remain undetected for this reason. For example, in PubMed, MeSH terms varied in ways that limited our ability to identify articles (for some^{123,124}, ‘social class’ was the relevant MeSH term; for others^{106,125-127}, the MeSH term used was ‘socioeconomic factors’; one¹²⁸ had no MeSH terms referring to education or socioeconomic status, or had no MeSH terms listed at all¹²⁹). Fortunately, this was relatively rare (only 13% of the articles included in our review were identified through references rather than through our search terms), likely in part due to our use of multiple databases and several combinations of key words, but this also emphasizes that education is sometimes considered to be no different from other measures of socioeconomic position in the public health literature. We also note that this approach may be biased against the inclusion of more recent papers¹³⁰ that did not have appropriate keywords to be captured in our systematic search and were not yet cited in other papers we reviewed to be captured through searching references but nevertheless provide information on educational attainment and obesity.

Limitations aside, we note that education as a social determinant of obesity has clinical relevance. Cutler and Lleras-Muney⁷ note that the education gradient in health may be strongest when there are known methods to prevent or treat the health outcome. Given that obesity is a widely prevalent¹³¹ and widely-recognized health problem with well-known prevention approaches, it follows that a strong gradient is likely. For example, one study found that receiving dietary information as a way to reduce obesity was more effective among those with a higher education¹³². Alternatively, socioeconomic status may mediate the education-obesity relationship; most studies have not isolated the effects of education separately from other socioeconomic measures, including measures of income that may also be associated with obesity¹³³.

Conclusion

Our systematic review has highlighted a major gap in the extensive literature studying the relationship between educational attainment and obesity: while many studies account for gender and age, a majority fail to adjust for other potential confounders and effect modifiers, such as race/ethnicity, that may influence results. Only 10% of articles reviewed (N=289) fully or almost fully met our seven criteria for quality. However, there appears to be movement in the right direction: 76% of the study populations we scored as high quality (N = 55) in our review were published in 2005 or later. However, most of these high-quality studies controlled for a small and basic set of confounders. Future studies considering social determinants of obesity should include a wide array of covariates, including other measures of socioeconomic position and a wider range of potential mediators, along with more advanced mediation analysis techniques (e.g.,³⁰⁸) to better elucidate the direct and indirect effects of educational attainment on obesity.

Others have called for better understanding the causal nature of social determinants of health². There are many possible mechanisms by which educational attainment may affect health outcomes, and these mechanisms may change over time¹³⁴. Policy interventions could range from mandatory schooling policies¹³⁵ to increasing educational quality¹⁰⁷. Innovative causal modeling work has begun to be done looking at the relationship between education and health status (e.g.,^{4,10}), but a comparable body of literature does not yet exist considering the relationship between education and obesity based on the studies reviewed here.

Acknowledgments

This work was supported by the National Institute of Minority Health and Health Disparities at the National Institutes of Health (grant 5R01MD6104-2). We also acknowledge the research assistance of Chandni Kazi and methodological guidance of Benjamin Chaffee.

References

1. Kitagawa, EM.; Hauser, PM. Differential mortality in the United States. Cambridge, MA: Harvard Univ Press; 1973.
2. Adler NE, Rehkopf DH. U.S. disparities in health: descriptions, causes, and mechanisms. *Annual Review of Public Health*. 2008; 29:235–252.
3. Krieger N, Williams DR, Moss NE. Measuring social class in US public health research: concepts, methodologies, and guidelines. *Annual Review of Public Health*. 1997; 18:341–378.
4. Chandola T, Clarke P, Morris J, Blane D. Pathways between education and health: a causal modelling approach. *Journal of the Royal Statistical Society, Series A (Statistics in Society)*. 2006; 169(2):337–359.
5. Low M, Low B, Baumler E, Huynh P. Can education policy be health policy? Implications of research on the social determinants of health. *Journal of Health Politics, Policy and Law*. 2005; 30(6):1131–1162.
6. Woolf SH, Johnson RE, Phillips RL, Philipsen M. Giving everyone the health of the educated: An examination of whether social change would save more lives than medical advances. *American Journal of Public Health*. 2007; 97(4):679–683. [PubMed: 17329654]
7. Cutler D, Lleras-Muney A. Education and health: evaluating theories and evidence. NBER working paper series. 2006; No. 12352
8. Kenkel D. Health behavior, health knowledge, and schooling. *Journal of Political Economy*. 1991; 99(2):287–305.
9. Fletcher J, Frisvold D. Higher education and health investments: Does more schooling affect preventive health care use. *Journal of Human Capital*. 2009; 3(2):144–176. [PubMed: 22368727]
10. Lleras-Muney A. The relationship between education and adult mortality in the United States. *The Review of Economic Studies*. 2005; 72(1):189–221.
11. Mirowsky, J.; Ross, CE. Education, social status, and health. New York: Walter de Gruyter; 2003.
12. Fiscella K, Kitzman H. Disparities in academic achievement and health: The intersection of child education and health policy. *Pediatrics*. 2009; 123(3):1073–1080. [PubMed: 19255042]
13. Schnittker J. Education and the changing shape of the income gradient in health. *Journal of Health and Social Behavior*. 2004; 45:286–305. [PubMed: 15595508]
14. Parsons TJ, Power C, Logan S, Summerbell CD. Childhood predictors of adult obesity: a systematic review. *International Journal of Obesity*. 1999; 23:S1–S107. [PubMed: 10641588]
15. Sobal J, Stunkard A. Socioeconomic status and obesity: A review of the literature. *American Psychological Association*. 1989; 105(2):260–275.
16. McLaren L. Socioeconomic status and obesity. *Epi Rev*. 2007; 29:29–48.
17. Miech R, Hauser R. Socioeconomic status and health at midlife: A comparison of educational attainment with occupation-based indicators. *Annals of Epidemiology*. 2001; 11(2):75–84. [PubMed: 11164123]
18. Ball K, Crawford D. Socioeconomic status and weight change in adults: a review. *Social Science & Medicine*. 2005; 60(9):1987–2010. [PubMed: 15743649]
19. Oxman AD, Cook DJ, Guyatt GH, et al. Users' Guides to the Medical Literature VI. How to Use an Overview. *JAMA*. 1994; 272(17):1367–1371. [PubMed: 7933399]
20. Stroup DF, Berlin JA, Morton SC, et al. Meta-analysis of observational studies in epidemiology: a proposal for reporting. Meta-analysis Of Observational Studies in Epidemiology (MOOSE) group. *JAMA*. 2000; 283(15):2008–2012. [PubMed: 10789670]
21. Liberati A, Altman DG, Tetzlaff J, et al. The PRISMA Statement for Reporting Systematic Reviews and Meta-Analyses of Studies That Evaluate Health Care Interventions: Explanation and Elaboration. *PLoS Med*. 2009; 6(7):e1000100. [PubMed: 19621070]

22. Beebe DW, Ris MD, Kramer ME, Long E, Amin R. The association between sleep disordered breathing, academic grades, and cognitive and behavioral functioning among overweight subjects during middle to late childhood. *Sleep*. 2010; 33(11):1447–1456. [PubMed: 21102986]
23. Ortiz-Moncada R, Alvarez-Dardet C, Miralles-Bueno JJ, et al. Social determinants of overweight and obesity in Spain in 2006. *Medicina clinica*. 2011; 137(15):678–684. [PubMed: 21752409]
24. Kitis Y, Bilgili N, Hisar F, Ayaz S. Frequency and affecting factors of metabolic syndrome in women older than 20 years of age. *Anadolu kardiyoloji dergisi: AKD = the Anatolian journal of cardiology*. 2010; 10(2):111–119. [PubMed: 20382607]
25. Bobak M, Skodova Z, Pisa Z. Relation between educational level and prevalence of cardiovascular risk factors. *Casopis lekaru ceskych*. 1994; 133(20):627–632. [PubMed: 7954677]
26. Mullerova D, Aujezdska A, Zloch Z, Muller L, Matejkova D. Nutritional status and problems with obesity in relation to educational status in young people in the Czech Republic. *Sbornik lekarsky*. 2000; 101(1):51–54. [PubMed: 10953630]
27. Stelmach W, Bielecki W, Bryla M, Kaczmarczyk-Chalas K, Drygas W. The association between income, education, lifestyle and psychosocial stressor and obesity in elderly. *Wiadomosci lekarskie*. 2005; 58(9-10):481–490. [PubMed: 16529056]
28. Wagrowska H. Risk of developing coronary disease in relation to the level of education and type of work in a male population of Warsaw factories. I. Evaluation of the relation of the level of education and analyzed risk factors of coronary disease. *Kardiologia polska*. 1989; 32(Suppl 1): 51–56. [PubMed: 2638432]
29. Helmert U, Strube H. The development of obesity in Germany in the period from 1985 until 2000. *Gesundheitswesen*. 2004; 66(7):409–415. [PubMed: 15314732]
30. Muller H. Educational and occupational development of obese women. *Zeitschrift fur die gesamte innere Medizin und ihre Grenzgebiete*. 1969; 24(15):464–467. [PubMed: 5363184]
31. Steingrimsdottir L, Olafsdottir EJ, Jonsdottir LS, Sigurdsson R, Tryggvadottir L. Smoking, obesity and education of Icelandic women by rural-urban residence. *Laeknabladid*. 2010; 96(4):259–264. [PubMed: 20339165]
32. Cabrera C, Wilhelmson K, Allebeck P, Wedel H, Steen B, Lissner L. Cohort differences in obesity-related health indicators among 70-year olds with special reference to gender and education. *European Journal of Epidemiology*. 2003; 18(9):883–890. [PubMed: 14561048]
33. Schnohr C, Hojbjerg L, Riegels M, et al. Does educational level influence the effects of smoking, alcohol, physical activity, and obesity on mortality? A prospective population study. *Scand J Pub Health*. 2004; 32(4):250–256. [PubMed: 15370764]
34. Bigaard J, Christensen J, Tjonneland A, Thomsen BL, Overvad K, Sorensen TI. Influence of lifestyle aspects on the association of body size and shape with all-cause mortality in middle-aged men and women. *Obesity facts*. 2010; 3(4):252–260. [PubMed: 20823689]
35. Sainio P, Martelin T, Koskinen S, Heliovaara M. Educational differences in mobility: the contribution of physical workload, obesity, smoking and chronic conditions. *Journal of Epidemiology and Community Health*. 2007; 61(5):401–408. [PubMed: 17435206]
36. Taras H, Potts-Datema W. Obesity and student performance at school. *Journal of School Health*. 2005; 75(8):291–295. [PubMed: 16179079]
37. Roskam AJR, Kunst AE. The predictive value of different socio-economic indicators for overweight in nine European countries. *Public Health Nutrition*. 2008; 11(12):1256–1266. [PubMed: 18507887]
38. Faeh D, Braun J, Bopp M. Prevalence of obesity in Switzerland 1992-2007: The impact of education, income and occupational class. *Obes Rev*. 2011; 12(3):151–166. [PubMed: 20673278]
39. Monteiro CA, Conde WL, Lu B, Popkin BM. Obesity and inequities in health in the developing world. *International Journal of Obesity and Related Metabolic Disorders*. 2004; 28(9):1181–1186. [PubMed: 15211362]
40. Molarius A, Seidell JC, Sans S, Tuomilehto J, Kuulasmaa K. Educational level, relative body weight, and changes in their association over 10 years: an international perspective from the WHO MONICA Project. *American Journal of Public Health*. 2000; 90(8):1260–1268. [PubMed: 10937007]

41. Roskam AJR, Kunst AE, Van Oyen H, et al. Comparative appraisal of educational inequalities in overweight and obesity among adults in 19 European countries. *International Journal of Epidemiology*. 2010; 39(2):392–404. [PubMed: 19926664]
42. Chaffee BW, Weston SJ. Association between chronic periodontal disease and obesity: A systematic review and meta-analysis. *Journal of Periodontology*. 2010; 81(12):1708–1724. [PubMed: 20722533]
43. Sanderson S, Tatt ID, Higgins JP. Tools for assessing quality and susceptibility to bias in observational studies in epidemiology: A systematic review and annotated bibliography. *International Journal of Epidemiology*. 2007; 36(3):666–676. [PubMed: 17470488]
44. Katrak P, Bialocerkowski AE, Massy-Westropp N, Kumar S, Grimmer KA. A systematic review of the content of critical appraisal tools. *BMC Medical Research Methodology*. 2004; 4:22. [PubMed: 15369598]
45. Crowe M, Sheppard L. A review of critical appraisal tools show they lack rigor: Alternative tool structure is proposed. *J Clin Epi*. 2011; 64(1):79–89.
46. Alatupa S, Pulkki-Raback L, Hintsanen M, et al. School performance as a predictor of adulthood obesity: A 21-year follow-up study. *European Journal of Epidemiology*. 2010; 25(4):267–274. [PubMed: 20130965]
47. Brown DE, Hampson SE, Dubanoski JP, Murai AS, Hillier TA. Effects of ethnicity and socioeconomic status on body composition in an admixed, multiethnic population in Hawaii. *American Journal of Human Biology*. 2009; 21(3):383–388. [PubMed: 19213005]
48. Duvigneaud N, Wijndaele K, Matton L, et al. Socio-economic and lifestyle factors associated with overweight in Flemish adult men and women. *BMC Public Health*. 2007; 7:23. [PubMed: 17324255]
49. García-Alvarez A, Serra-Majem L, Ribas-Barba L, et al. Obesity and overweight trends in Catalonia, Spain (1992-2003): Gender and socio-economic determinants. *Public Health Nutrition*. 2007; 10(11A):1368–1378. [PubMed: 17988408]
50. Grievink L, Alberts JF, O'Neil J, Gerstenbluth I. Waist circumference as a measurement of obesity in the Netherlands Antilles; associations with hypertension and diabetes mellitus. *European Journal of Clinical Nutrition*. 2004; 58(8):1159–1165. [PubMed: 15054429]
51. Groth MV, Fagt S, Stockmarr A, Mattheussen J, Biloft-Jensen A. Dimensions of socioeconomic position related to body mass index and obesity among Danish women and men. *Scand J Pub Health*. 2009; 37(4):418–426. [PubMed: 19470691]
52. Gutierrez-Fisac JL, Lopez E, Banegas JR, Graciani A, Rodriguez-Artalejo F. Prevalence of overweight and obesity in elderly people in Spain. *Obesity Research*. 2004; 12(4):710–715. [PubMed: 15090641]
53. Kaluski DN, Chinich A, Leventhal A, et al. Overweight, stature, and socioeconomic status among women--cause or effect: Israel National Women's Health Interview Survey, 1998. *The journal of gender-specific medicine*. 2001; 4(4):18–24. [PubMed: 11727467]
54. Lahti-Koski M, Vartiainen E, Mannisto S, Pietinen P. Age, education and occupation as determinants of trends in body mass index in Finland from 1982 to 1997. *International Journal of Obesity and Related Metabolic Disorders*. 2000; 24(12):1669–1676. [PubMed: 11126222]
55. Marques-Vidal P, Bochud M, Mooser V, Paccaud F, Waeber G, Vollenweider P. Prevalence of obesity and abdominal obesity in the Lausanne population. *BMC Public Health*. 2008; 8:330. [PubMed: 18816372]
56. Mataix J, Lopez-Frias M, Martinez-de-Victoria E, Lopez-Jurado M, Aranda P, Llopis J. Factors associated with obesity in an adult Mediterranean population: influence on plasma lipid profile. *Journal of the American College of Nutrition*. 2005; 24(6):456–465. [PubMed: 16373942]
57. Nayga RM. Schooling, Health Knowledge and Obesity. *Applied Economics*. 2000; 32(7):815–822.
58. Seppanen-Nuijten E, Lahti-Koski M, Mannisto S, et al. Fat free mass and obesity in relation to educational level. *BMC Public Health*. 2009; 9:448. [PubMed: 19961589]
59. Shahraki M, Shahraki T, Ansari H. The effects of socio-economic status on BMI, waist:hip ratio and waist circumference in a group of Iranian women. *Public Health Nutrition*. 2008; 11(7):757–761. [PubMed: 18194587]

60. Yoon YS, Oh SW, Park HS. Socioeconomic status in relation to obesity and abdominal obesity in Korean adults: A focus on sex differences. *Obesity*. 2006; 14(5):909–919. [PubMed: 16855201]
61. do Carmo I, Santos Dos O, Camolas J, et al. Overweight and obesity in Portugal: National prevalence in 2003–2005. *Obesity Reviews*. 2008; 9(1):11–19. [PubMed: 18034792]
62. Laitinen J, Power C, Ek E, Sovio U, Jarvelin MR. Unemployment and obesity among young adults in a northern Finland 1966 birth cohort. *International Journal of Obesity and Related Metabolic Disorders*. 2002; 26(10):1329–1338. [PubMed: 12355341]
63. Boissonnet C, Schargrotsky H, Pellegrini F, et al. Educational inequalities in obesity, abdominal obesity, and metabolic syndrome in seven Latin American cities: The CARMELA Study. *European Journal of Cardiovascular Prevention and Rehabilitation*. 2011; 18(4):550–556. [PubMed: 21450632]
64. Papadimitriou A, Fytanidis G, Papadimitriou DT, Priftis KN, Nicolaidou P, Fretzayas A. Prevalence of overweight and obesity in young Greek men. *Obesity Reviews*. 2008; 9(2):100–103. [PubMed: 17961130]
65. Patt MR, Yanek LR, Moy TF, Becker DM. Sociodemographic, behavioral, and psychological correlates of current overweight and obesity in older, urban African American women. *Health Education & Behavior*. 2004; 31(4):57–68.
66. Sargent JD. Obesity and stature in adolescence and earnings in young adulthood: Analysis of a British birth cohort. *Archives of Pediatrics & Adolescent Medicine*. 1994; 148(7):681. [PubMed: 8019620]
67. Abdelalim A, Ajaj N, Al-Tmimy A, et al. Childhood obesity and academic achievement among male students in public primary schools in Kuwait. *Med Princ Pract*. 2012; 21(1):14–19. [PubMed: 22024698]
68. Aekplakorn W, Hogan MC, Chongsuvivatwong V, et al. Trends in obesity and associations with education and urban or rural residence in Thailand. *Obesity*. 2007; 15(12):3113–3121. [PubMed: 18198322]
69. Beltran-Sanchez H, Crimmins EM, Teruel GM, Thomas D. Links between childhood and adult social circumstances and obesity and hypertension in the Mexican population. *Journal of Aging and Health*. 2011; 23(7):1141–1165. [PubMed: 21948773]
70. Bутtenheim AM, Wong R, Goldman N, Pebley AR. Does social status predict adult smoking and obesity? Results from the 2000 Mexican National Health Survey. *Global Public Health*. 2010; 5(4):413–426. [PubMed: 19367478]
71. Gutierrez-Fisac JL, Guallar-Castillon P, Leon-Munoz LM, Graciani A, Banegas JR, Rodriguez-Artalejo F. Prevalence of general and abdominal obesity in the adult population of Spain, 2008–2010: the ENRICA study. *Obes Rev*. 2012; 13(4):388–392. [PubMed: 22151906]
72. Jurges H, Reinhold S, Salm M. Does schooling affect health behavior? Evidence from the educational expansion in Western Germany. *Economics of Education Review*. 2011; 30(5):862–872.
73. Marques-Vidal P, Paccaud F, Ravasco P. Ten-year trends in overweight and obesity in the adult Portuguese population, 1995 to 2005. *BMC Public Health*. 2011; 11:772. [PubMed: 21982584]
74. Meyer HE, Tverdal A. Development of body weight in the Norwegian population. *Prostaglandins, Leukotrienes, and Essential Fatty Acids*. 2005; 73(1):3–7.
75. Oh IH, Cho Y, Park SY, et al. Relationship between socioeconomic variables and obesity in Korean adolescents. *Journal of Epidemiology/Japan Epidemiological Association*. 2011; 21(4):263–270. [PubMed: 21532240]
76. Padez C. Trends in overweight and obesity in Portuguese conscripts from 1986 to 2000 in relation to place of residence and educational level. *Public Health*. 2006; 120(10):946–952. [PubMed: 16895735]
77. Sa NNB de, Moura EC de. Overweight: Socio-demographic and behavioral determinants in Brazilian adults, 2008. *Cad Saude Publica*. 2011; 27(7):1380–1392. [PubMed: 21808822]
78. Tzotzas T, Vlahavas G, Papadopoulou SK, Kapantais E, Kaklamanou D, Hassapidou M. Marital status and educational level associated to obesity in Greek adults: data from the National Epidemiological Survey. *BMC Public Health*. 2010; 10

79. Addor V, Wietlisbach V, Narring F, Michaud PA. Cardiovascular risk factor profiles and their social gradient from adolescence to age 74 in a Swiss region. *Preventive Medicine*. 2003; 36(2): 217–228. [PubMed: 12590997]
80. Al-Mahroos F, Al-Roomi K. Obesity among adult Bahraini population: Impact of physical activity and educational level. *Annals of Saudi Medicine*. 2001; 21(3-4):183–187. [PubMed: 17264547]
81. Bennett S. Cardiovascular risk factors in Australia: trends in socioeconomic inequalities. *Journal of Epidemiology and Community Health*. 1995; 49(4):363–372. [PubMed: 7650459]
82. Cameron AJ, Welborn TA, Zimmet PZ, et al. Overweight and obesity in Australia: The 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). *Medical Journal of Australia*. 2003; 178(9):427–432. [PubMed: 12720507]
83. Hodge AM, Dowse GK, Koki G, Mavo B, Alpers MP, Zimmet PZ. Modernity and obesity in coastal and Highland Papua New Guinea. *International Journal of Obesity and Related Metabolic Disorders*. 1995; 19(3):154–161. [PubMed: 7780490]
84. Karnehed N, Rasmussen F, Hemmingsson T, Tynelius P. Obesity and attained education: Cohort study of more than 700,000 Swedish men. *Obesity*. 2006; 14(8):1421–1428. [PubMed: 16988085]
85. Monteiro CA, Conde WL, Popkin BM. Independent effects of income and education on the risk of obesity in the Brazilian adult population. *The Journal of Nutrition*. 2001; 131(3):881S–886S. [PubMed: 11238779]
86. Nyholm M, Gullberg B, Haglund B, Rastam L, Lindblad U. Higher education and more physical activity limit the development of obesity in a Swedish rural population. The Skaraborg Project. *International Journal of Obesity*. 2008; 32(3):533–540. [PubMed: 18209739]
87. Shukla HC, Gupta PC, Mehta HC, Hebert JR. Descriptive epidemiology of body mass index of an urban adult population in western India. *Journal of Epidemiology and Community Health*. 2002; 56(11):876–880. [PubMed: 12388581]
88. Ward H, Tarasuk V, Mendelson R. Socioeconomic patterns of obesity in Canada: modeling the role of health behaviour. *Applied physiology, nutrition, and metabolism = Physiologie appliquee, nutrition et metabolisme*. 2007; 32(2):206–216.
89. Kahn HS, Williamson DF. Is race associated with weight change in US adults after adjustment for income, education, and marital factors? *The American Journal of Clinical Nutrition*. 1991; 53(6 Suppl):1566S–1570S. [PubMed: 2031489]
90. Tur JA, Serra-Majem L, Romaguera D, Pons A. Profile of overweight and obese people in a Mediterranean region. *Obesity Research*. 2005; 13(3):527–536. [PubMed: 15833938]
91. Yu Y. Educational differences in obesity in the United States: a closer look at the trends. *Obesity*. 2012; 20(4):904–908. [PubMed: 21996666]
92. Dastgiri S, Mahdavi R, TuTunchi H, Faramarzi E. Prevalence of obesity, food choices and socio-economic status: A cross-sectional study in the north-west of Iran. *Public Health Nutrition*. 2006; 9(8):996–1000. [PubMed: 17125562]
93. Gutierrez-Fisac JL, Regidor E, Rodriguez C. Trends in obesity differences by educational level in Spain. *J Clin Epi*. 1996; 49(3):351–354.
94. Heraclides A, Brunner E. Social mobility and social accumulation across the life course in relation to adult overweight and obesity: The Whitehall II study. *Journal of Epidemiology and Community Health*. 2010; 64(8):714–719. [PubMed: 19737739]
95. Judge S, Jahns L. Association of overweight with academic performance and social and behavioral problems: An update from the early childhood longitudinal study. *Journal of School Health*. 2007; 77(10):672–678. [PubMed: 18076412]
96. Kautiainen S, Koivisto AM, Koivusilta L, Lintonen T, Virtanen SM, Rimpela A. Sociodemographic factors and a secular trend of adolescent overweight in Finland. *International Journal of Pediatric Obesity*. 2009; 4(4):360–370. [PubMed: 19922053]
97. Martinez-Ros MT, Tormo MJ, Navarro C, Chirlaque MD, Perez-Flores D. Extremely high prevalence of overweight and obesity in Murcia, a Mediterranean region in south-east Spain. *International Journal of Obesity and Related Metabolic Disorders*. 2001; 25(9):1372–1380. [PubMed: 11571602]

98. Pikhart H, Bobak M, Malyutina S, Pajak A, Kubinova R, Marmot M. Obesity and education in three countries of the Central and Eastern Europe: The HAPIEE study. *Central European Journal of Public Health*. 2007; 15(4):140–142. [PubMed: 18251227]
99. Heraclides A, Witte D, Brunner EJ. The association between father's social class and adult obesity is not explained by educational attainment and an unhealthy lifestyle in adulthood. *European Journal of Epidemiology*. 2008; 23(8):573–579. [PubMed: 18409006]
100. Viner RM, Cole TJ. Adult socioeconomic, educational, social, and psychological outcomes of childhood obesity: A national birth cohort study. *BMJ (Clinical research ed)*. 2005; 330(7504): 1354.
101. Monteiro CA, Conde WL, de Castro IR. The changing relationship between education and risk of obesity in Brazil (1975-1997). *Cad Saude Publica*. 2003; 19(Suppl 1):S67–75. [PubMed: 12886437]
102. Moreira P, Padrao P. Educational, economic and dietary determinants of obesity in Portuguese adults: A cross-sectional study. *Eating Behaviors*. 2006; 7(3):220–228. [PubMed: 16843224]
103. Fernald LCH. Socio-economic status and body mass index in low-income Mexican adults. *Social Science & Medicine*. 2007; 64(10):2030–2042. [PubMed: 17368895]
104. Martorell R, Khan LK, Hughes ML, Grummer-Strawn LM. Obesity in Latin American women and children. *The Journal of Nutrition*. 1998; 128(9):1464–1473. [PubMed: 9732306]
105. Shafique S, Akhter N, Stallkamp G, de Pee S, Panagides D, Bloem MW. Trends of under- and overweight among rural and urban poor women indicate the double burden of malnutrition in Bangladesh. *International Journal of Epidemiology*. 2007; 36(2):449–457. [PubMed: 17242024]
106. Leigh JP, Fries JF, Hubert HB. Gender and race differences in the correlation between body mass and education in the 1971-1975 NHANES I. *Journal of Epidemiology and Community Health*. 1992; 46:191–196. [PubMed: 1645069]
107. Cohen AK, Syme SL. Education: A Missed Opportunity for Public Health Intervention. *American Journal of Public Health*. 2013; 103(6):997–1001. [PubMed: 23597373]
108. Galobardes B, Morabia A, Bernstein MS. The differential effect of education and occupation on body mass and overweight in a sample of working people of the general population. *Annals of Epidemiology*. 2000; 10(8):532–537. [PubMed: 11118933]
109. Calvez T, Higginbotham A. Childhood obesity, academic achievement, and school expenditures. *Public Finance Review*. 2010; 38(5):619–646.
110. Kim SA, Yount KM, Ramakrishnan U, Martorell R. The relationship between parity and overweight varies with household wealth and national development. *International Journal of Epidemiology*. 2006; 36(1):93–101. [PubMed: 17175546]
111. Cohen AK, Christine PJ, el-Sayed AM. Social patterning of obesity in Spain: A systematic review of the relationship between education and obesity. *Revista Española de Nutrición Humana y Dietética*. 2013; 17(2):47–53.
112. Amani R. Comparison between bioelectrical impedance analysis and body mass index methods in determination of obesity prevalence in Ahvazi women. *European Journal of Clinical Nutrition*. 2007; 61(4):478–482. [PubMed: 17063145]
113. Flegal KM, Graubard BI, Williamson DF, Gail MH. Excess deaths associated with underweight, overweight, and obesity. *JAMA*. 2005; 293(15):1861–1867. [PubMed: 15840860]
114. Backlund E, Sorlie PD, Johnson NJ. A comparison of the relationships of education and income with mortality: The national longitudinal mortality study. *Social Science & Medicine*. 1999; 49:1373–1384. [PubMed: 10509827]
115. Lawlor DA, Clark H, Smith GD, Leon DA. Childhood intelligence, educational attainment and adult body mass index: Findings from a prospective cohort and within sibling-pairs analysis. *International Journal of Obesity*. 2006; 30(12):1758–1765. [PubMed: 16552398]
116. Sabia JJ. The effect of body weight on adolescent academic performance. *Southern Economic Journal*. 2007; 73(4):871–900.
117. Stommel M, Schoenborn CA. Accuracy and usefulness of BMI measures based on self-reported weight and height: Findings from the NHANES & NHIS 2001-2006. *BMC Public Health*. 2009; 9(1):421. [PubMed: 19922675]

118. Thomas, D.; Frankenberg, E. The measurement and interpretation of health in social surveys. In: Lopez, AD.; Mathers, CD.; Murray, CJL.; Salomon, JA., editors. Summary measures of population health: Concepts, ethics, measurement, and applications World Health Organization. 2002. p. 387-420.
119. Strauss J, Thomas D. Measurement and mismeasurement of social indicators. *American Economic Review*. 1996; 86(2):30–34.
120. Laaksonen M, Sarlio-Lahteenkorva S, Lahelma E. Multiple dimensions of socioeconomic position and obesity among employees: The Helsinki Health Study. *Obesity Research*. 2004; 12(11):1851–1858. [PubMed: 15601982]
121. Yu ZB, Han SP, Cao XG, Guo XR. Intelligence in relation to obesity: A systematic review and meta-analysis. *Obes Rev*. 2010; 11(9):656–670. [PubMed: 19780990]
122. Deary IJ, Johnson W. Intelligence and education: Causal perceptions drive analytic processes and therefore conclusions. *International Journal of Epidemiology*. 2010; 39(5):1362–1369. [PubMed: 20504860]
123. Ball K, Mishra G. Who's socioeconomic status influences a woman's obesity risk: her mother's, her father's, or her own? *International Journal of Epidemiology*. 2006; 35(1):131–138. [PubMed: 16284404]
124. Sarlio-Lähteenkorva S, Silventoinen K, Lahelma E. Relative weight and income at different levels of socioeconomic status. *American Journal of Public Health*. 2004 Mar; 94(3):468–472. [PubMed: 14998816]
125. Datar A, Sturm R, Magnabosco JL. Childhood overweight and academic performance: National study of kindergartners and first-graders. *Obesity Research*. 2004; 12(1):58. [PubMed: 14742843]
126. Gupta R, Gupta VP, Sarna M, Prakash H, Rastogi S, Gupta KD. Serial epidemiological surveys in an urban Indian population demonstrate increasing coronary risk factors among the lower socioeconomic strata. *The Journal of the Association of Physicians of India*. 2003; 51(May):470. [PubMed: 12974428]
127. Stam-Moraga MC, Kolanowski J, Dramaix M, De Backer G, Kornitzer MD. Sociodemographic and nutritional determinants of obesity in Belgium. *International Journal of Obesity*. 1999; 23(Suppl 1):1–9. [PubMed: 10193855]
128. Hajian-Tilaki KO, Heidari B. Prevalence of obesity, central obesity and the associated factors in urban population aged 20-70 years, in the north of Iran: a population based study and regression approach. *Obes Rev*. 2007; 8(1):3–10. [PubMed: 17212790]
129. Molarius A. The contribution of lifestyle factors to socioeconomic differences in obesity in men and women- a population-based study in Sweden. *European Journal of Epidemiology*. 2003; 18(3):227. [PubMed: 12800947]
130. Gomez-Cabello A, Pedrero-Chamizo R, Olivares PR, et al. Prevalence of overweight and obesity in non-institutionalized people aged 65 or over from Spain: the elderly EXERNET multi-centre study. *Obesity Reviews*. 2011; 12(8):583–592. [PubMed: 21535360]
131. Wang Y, Beydoun MA. The obesity epidemic in the United States: Gender, age, socioeconomic, racial/ethnic, and geographic characteristics: A systematic review and meta-regression analysis. *Epi Rev*. 2007; 29(1):6–28.
132. Lecerof SS, Westerling R, Moghaddassi M, Ostergren PO. Health information for migrants: the role of educational level in prevention of overweight. *Scand J Pub Health*. 2011; 39(2):172–178. [PubMed: 21382855]
133. Cawley J. The economics of childhood obesity. *Health Affairs*. 2010; 29(3):364–371. [PubMed: 20194974]
134. Link BG, Phelan J. Social conditions as fundamental causes of disease. *Journal of Health and Social Behavior*. 1995; 35:80–94. Extra Issue. [PubMed: 7560851]
135. Glymour MM, Kawachi I, Jencks CS, Berkman LF. Does childhood schooling affect old age memory or mental status? Using state schooling laws as natural experiments. *Journal of Epidemiology and Community Health*. 2008; 62(6):532–537. [PubMed: 18477752]

136. Shapo L, Pomerleau J, McKee M, Coker R, Ylli A. Body weight patterns in a country in transition: a population-based survey in Tirana City, Albania. *Public Health Nutrition*. 2003; 6(5):471–477. [PubMed: 12943563]
137. Fleischer NL, Diez Roux AV, Alazraqui M, Spinelli H. Social patterning of chronic disease risk factors in a Latin American city. *Journal of Urban Health*. 2008; 85(6):923–937. [PubMed: 18830819]
138. Boyle CA, Dobson AJ, Egger G, Magnus P. Can the increasing weight of Australians be explained by the decreasing prevalence of cigarette smoking? *International Journal of Obesity and Related Metabolic Disorders*. 1994; 18(1):55–60. [PubMed: 8130816]
139. Siu J, Giskes K, Shaw J, Turrell G. Perceived weight status may contribute to education inequalities in five-year weight change among mid-aged women. *Aust N Z J Public Health*. 2011; 35(3):284–291. [PubMed: 21627730]
140. Kifle T, Desta IH. The relationship between body mass index and socioeconomic and demographic indicators: Evidence from Australia. *Int J Public Health*. 2012; 57(1):135–142. [PubMed: 21858459]
141. Stam-Moraga MC, Kolanowski J, Dramaix M, et al. Trends in the prevalence of obesity among Belgian men at work, 1977-1992. *International Journal of Obesity and Related Metabolic Disorders*. 1998; 22(10):988–992. [PubMed: 9806314]
142. Letamo G. The prevalence of, and factors associated with, overweight and obesity in Botswana. *Journal of Biosocial Science*. 2011; 43(1):75–84. [PubMed: 20846466]
143. Barbosa JM, Cabral PC, de Lira PI, Florencio TM. Socioeconomic factors associated with overweight in a low-income population of northeast Brazil. *Archivos Latinoamericanos de Nutricion*. 2009; 59(1):22–29. [PubMed: 19480340]
144. Tavares EL, Anjos LA. Anthropometric profile of the elderly Brazilian population: results of the National Health and Nutrition Survey, 1989. *Cad Saude Publica*. 1999; 15(4):759–768. [PubMed: 10633198]
145. Ziraba AK, Fotso JC, Ochako R. Overweight and obesity in urban Africa: A problem of the rich or the poor? *BMC Public Health*. 2009; 9:465. [PubMed: 20003478]
146. Cairney J, Wade TJ. Correlates of body weight in the 1994 National Population Health Survey. *International Journal of Obesity and Related Metabolic Disorders*. 1998; 22(6):584–591. [PubMed: 9665681]
147. Huot I, Paradis G, Ledoux M, group QHHDPR. Factors associated with overweight and obesity in Quebec adults. *International Journal of Obesity and Related Metabolic Disorders*. 2004; 28(6):766–774. [PubMed: 15079158]
148. Kaplan MS, Huguet N, Newsom JT, McFarland BH, Lindsay J. Prevalence and correlates of overweight and obesity among older adults: findings from the Canadian National Population Health Survey. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences*. 2003; 58(11):1018–1030.
149. Macdonald SM, Reeder BA, Chen Y, Despres JP. Obesity in Canada: A descriptive analysis. *Canadian Heart Health Surveys Research Group. Canadian Medical Association journal & equals; journal de l'Association medicale canadienne*. 1997; 157(Suppl 1):S3–9.
150. Millar WJ, Stephens T. Social status and health risks in Canadian adults: 1985 and 1991. *Health reports/Statistics Canada, Canadian Centre for Health Information = Rapports sur la sante/ Statistique Canada, Centre canadien d'information sur la sante*. 1993; 5(2):143–156.
151. Ostbye T, Pomerleau J, Speechley M, Pederson LL, Speechley KN. Correlates of body mass index in the 1990 Ontario Health Survey. *CMAJ: Canadian Medical Association journal = journal de l'Association medicale canadienne*. 1995; 152(11):1811–1817.
152. Torrance GM, Hooper MD, Reeder BA. Trends in overweight and obesity among adults in Canada (1970-1992): Evidence from national surveys using measured height and weight. *International Journal of Obesity and Related Metabolic Disorders*. 2002; 26(6):797–804. [PubMed: 12037650]
153. Ng C, Corey PN, Young TK. Socio-economic patterns of obesity among aboriginal and non-Aboriginal Canadians. *Canadian journal of public health/Revue canadienne de sante publique*. 2011; 102(4):264–268.

154. Vio F, Albala C, Kain J. Nutrition transition in Chile revisited: Mid-term evaluation of obesity goals for the period 2000-2010. *Public Health Nutrition*. 2008; 11(4):405–412. [PubMed: 17617931]
155. Li X. A study of intelligence and personality in children with simple obesity. *International Journal of Obesity*. 1995; 19(5):355–357. [PubMed: 7647829]
156. Zhang X, Sun Z, Zhang X, et al. Prevalence and associated factors of overweight and obesity in a Chinese rural population. *Obesity*. 2008; 16(1):168–171. [PubMed: 18223630]
157. Gilbert-Diamond D, Baylin A, Mora-Plazas M, Villamor E. Correlates of obesity and body image in Colombian women. *Journal of Womens Health*. 2009; 18(8):1145–1151.
158. Smoljanovic A, Vorko-Jovic A, Kolcic I, Bernat R, Stojanovic D, Polasek O. Micro-scale socioeconomic inequalities and health indicators in a small isolated community of Vis Island, Croatia. *Croatian medical journal*. 2007; 48(5):734–740. [PubMed: 17948960]
159. Arendt JN. Does education cause better health? A panel data analysis using school reforms for identification. *Economics of Education Review*. 2005; 24(2):149–160.
160. Halkjaer J, Sorensen TI. Psychosocial and demographic determinants of regional differences in the prevalence of obesity. *Journal of Biosocial Science*. 2004; 36(2):141–152. [PubMed: 15030012]
161. Sarlio-Lähteenkorva S, Lissau I, Lahelma E. The social patterning of relative body weight and obesity in Denmark and Finland. *Eur J Public Health*. 2006; 16(1):36–40. [PubMed: 16150814]
162. Klumbiene J, Petkeviciene J, Helasoja V, Prättälä R, Kasmel A. Sociodemographic and health behaviour factors associated with obesity in adult populations in Estonia, Finland and Lithuania. *Eur J Public Health*. 2004; 14(4):390–394. [PubMed: 15542875]
163. Fogelholm M, Kronholm E, Kukkonen-Harjula K, Partonen T, Partinen M, Harma M. Sleep-related disturbances and physical inactivity are independently associated with obesity in adults. *International Journal of Obesity*. 2007; 31(11):1713–1721. [PubMed: 17579634]
164. Lahti-Koski M, Harald K, Mannisto S, Laatikainen T, Jousilahti P. Fifteen-year changes in body mass index and waist circumference in Finnish adults. *European Journal of Cardiovascular Prevention and Rehabilitation*. 2007; 14(3):398–404. [PubMed: 17568239]
165. Lahti-Koski M, Pietinen P, Mannisto S, Vartiainen E. Trends in waist-to-hip ratio and its determinants in adults in Finland from 1987 to 1997. *The American Journal of Clinical Nutrition*. 2000; 72(6):1436–1444. [PubMed: 11101468]
166. Lahti-Koski M, Seppanen-Nuijten E, Mannisto S, et al. Twenty-year changes in the prevalence of obesity among Finnish adults. *Obesity Reviews*. 2010; 11(3):171–176. [PubMed: 19874529]
167. Mikkilä V, Lahti-Koski M, Pietinen P, Virtanen SM, Rimpelä M. Associates of obesity and weight dissatisfaction among Finnish adolescents. *Public Health Nutrition*. 2003; 6(1):49–56. [PubMed: 12581465]
168. Pietinen P, Vartiainen E, Mannisto S. Trends in body mass index and obesity among adults in Finland from 1972 to 1992. *International Journal of Obesity and Related Metabolic Disorders*. 1996; 20(2):114–120. [PubMed: 8646247]
169. Rissanen AM, Heliovaara M, Knekt P, Reunanen A, Aromaa A. Determinants of weight gain and overweight in adult Finns. *European Journal of Clinical Nutrition*. 1991; 45(9):419–430. [PubMed: 1959514]
170. Sarlio-Lahteenkorva S, Silventoinen K, Lahti-Koski M, Laatikainen T, Jousilahti P. Socio-economic status and abdominal obesity among Finnish adults from 1992 to 2002. *International Journal of Obesity*. 2006; 30(11):1653–1660. [PubMed: 16607386]
171. Wikström K, Lindström J, Tuomilehto J, et al. Socio-economic differences in dysglycemia and lifestyle-related risk factors in the Finnish middle-aged population. *Eur J Public Health*. 2011; 21(6):768–774. [PubMed: 21088078]
172. Chaix B, Bean K, Leal C, et al. Individual/neighborhood social factors and blood pressure in the RECORD Cohort Study: Which risk factors explain the associations? *Hypertension*. 2010 Mar; 55(3):769–775. [PubMed: 20100998]
173. Czernichow S, Bertrais S, Preziosi P, et al. Indicators of abdominal adiposity in middle-aged participants of the SU.VI.MAX study: relationships with educational level, smoking status and physical inactivity. *Diabetes & Metabolism*. 2004; 30(2):153–159. [PubMed: 15223987]

174. Dugravot A, Sabia S, Stringhini S, et al. Do socioeconomic factors shape weight and obesity trajectories over the transition from midlife to old age? Results from the French GAZEL cohort study. *The American Journal of Clinical Nutrition*. 2010; 92(1):16–23. [PubMed: 20484455]
175. Scali J, Siari S, Grosclaude P, Gerber M. Dietary and socio-economic factors associated with overweight and obesity in a southern French population. *Public Health Nutrition*. 2004; 7(4): 513–522. [PubMed: 15153257]
176. Singh-Manoux A, Gormelen J, Lajnef M, et al. Prevalence of educational inequalities in obesity between 1970 and 2003 in France. *Obesity Reviews*. 2009; 10(5):511–518. [PubMed: 19460112]
177. Vernay M, Malon A, Oleko A, et al. Association of socioeconomic status with overall overweight and central obesity in men and women: The French Nutrition and Health Survey 2006. *BMC Public Health*. 2009; 9:215. [PubMed: 19573222]
178. Kuntz B, Lampert T. Socioeconomic factors and obesity. *Deutsches Arzteblatt international*. 2010; 107(30):517–522. [PubMed: 20737057]
179. Nocon M, Keil T, Willich SN. Education, income, occupational status and health risk behaviour. *Journal of Public Health*. 2007; 15(5):401–405.
180. Dake FAA, Tawiah EO, Badasu DM. Sociodemographic correlates of obesity among Ghanaian women. *Public Health Nutrition*. 2011; 14(7):1285–1291. [PubMed: 21029510]
181. Panagiotakos DB, Pitsavos C, Chrysohoou C, et al. Epidemiology of overweight and obesity in a Greek adult population: The ATTICA Study. *Obesity Research*. 2004; 12(12):1914–1920. [PubMed: 15687390]
182. Sigfusdottir ID, Jenkins K, Allegrante JP. Health behaviour and academic achievement in Icelandic school children. *Health Education Research*. 2007; 22(1):70–80. [PubMed: 16766605]
183. Bharati S, Pal M, Bhattacharya BN, Bharati P. Prevalence and causes of chronic energy deficiency and obesity in Indian women. *Human Biology*. 2007; 79(4):395–412. [PubMed: 18075004]
184. Bakhshi E, Mohammad K, Eshraghian MR, Seifi B. Factors related to obesity among Iranian men: Results from the National Health Survey. *Public Health Nutrition*. 2010; 13(9):1389–1394. [PubMed: 20441659]
185. Janghorbani M, Amini M, Gouya MM. Association of body mass index and abdominal adiposity with educational level in Iranian adults. *Obesity and Metabolism*. 2007
186. Maddah M, Eshraghian MR, Djazayeri A, Mirdamadi R. Association of body mass index with educational level in Iranian men and women. *European Journal of Clinical Nutrition*. 2003; 57:819. [PubMed: 12821881]
187. Sotoudeh G, Khosravi S, Khajehnasiri F, Khalkhali HR. High prevalence of overweight and obesity in women of Islamshahr, Iran. *Asia Pacific Journal of Clinical Nutrition*. 2005; 14(2): 169–172. [PubMed: 15927935]
188. Kaluski DN, Mazengia GD, Shimony T, Goldsmith R, Berry EM. Prevalence and determinants of physical activity and lifestyle in relation to obesity among schoolchildren in Israel. *Public Health Nutrition*. 2009; 12(6):774–782. [PubMed: 18674392]
189. Iughetti L, De Simone M, Verrotti A, et al. Thirty-year persistence of obesity after presentation to a pediatric obesity clinic. *Annals of Human Biology*. 2008; 35(4):439–448. [PubMed: 18654874]
190. Ichinohe M, Mita R, Saito K, et al. The prevalence of obesity and its relationship with lifestyle factors in Jamaica. *The Tohoku Journal of Experimental Medicine*. 2005; 207(1):21–32. [PubMed: 16082152]
191. Reynolds SL, Hagedorn A, Yeom J, Saito Y, Yokoyama E, Crimmins EM. A tale of two countries--the United States and Japan: Are differences in health due to differences in overweight? *Journal of Epidemiology/Japan Epidemiological Association*. 2008; 18(6):280–290. [PubMed: 19057112]
192. al-Isa AN. Dietary and socio-economic factors associated with obesity among Kuwaiti college men. *The British Journal of Nutrition*. 1999; 82(5):369–374. [PubMed: 10673909]
193. Chee HL, Kandiah M, Khalid M, et al. Body mass index and factors related to overweight among women workers in electronic factories in Peninsular Malaysia. *Asia Pacific Journal of Clinical Nutrition*. 2004; 13(3):248–254. [PubMed: 15331336]

194. Buttenheim A, Goldman N, Pebley AR, Wong R, Chung C. Do Mexican immigrants “import” social gradients in health to the US? *Soc Sci Med*. 2010; 71(7):1268–1276. [PubMed: 20692753]
195. Neufeld LM, Hernandez-Cordero S, Fernald LC, Ramakrishnan U. Overweight and obesity doubled over a 6-year period in young women living in poverty in Mexico. *Obesity*. 2008; 16(3): 714–717. [PubMed: 18239585]
196. Benjelloun S. Nutrition transition in Morocco. *Public Health Nutrition*. 2002; 5(1A):135–140. [PubMed: 12027276]
197. Mokhtar N, Elati J, Chabir R, et al. Diet culture and obesity in northern Africa. *The Journal of nutrition*. 2001; 131(3):887S–892S. [PubMed: 11238780]
198. Baecke JA, Burema J, Frijters JE, Hautvast JG, van der Wiel-Wetzels WA. Obesity in young Dutch adults: I, socio-demographic variables and body mass index. *International Journal of Obesity*. 1983; 7(1):1–12. [PubMed: 6840962]
199. Kok FJ, Matroos AW, Hautvast JG, van den Ban A. Correlates of body mass index in 1926 Dutch men and women. *Human nutrition/Clinical nutrition*. 1982; 36(2):155–165.
200. van Lenthe FJ, Gevers E, Joung IMA, Bosma H, Mackenbach JP. Material and behavioral factors in the explanation of educational differences in incidence of acute myocardial infarction: The globe study. *Annals of Epidemiology*. 2002; 12(8):535–542. [PubMed: 12495826]
201. Visscher TL, Kromhout D, Seidell JC. Long-term and recent time trends in the prevalence of obesity among Dutch men and women. *International Journal of Obesity and Related Metabolic Disorders*. 2002; 26(9):1218–1224. [PubMed: 12187399]
202. Veldwijk J, Fries MCE, Bemelmans WJE, et al. Overweight and school performance among primary school children: The PIAMA birth cohort study. *Obesity*. 2012; 20(3):590–596. [PubMed: 22030985]
203. Dryson E, Metcalf P, Baker J, Scragg R. The relationship between body mass index and socioeconomic status in New Zealand: Ethnic and occupational factors. *The New Zealand Medical Journal*. 1992; 105(936):233–235. [PubMed: 1620497]
204. Abidoye RO, Izunwa RD, Akinkuade FO, Abidoye GO. Inter-relationships between lifestyle and diabetes mellitus, overweight/obesity and hypertension in Nigeria. *Nutrition and health*. 2002; 16(3):203–213. [PubMed: 12418804]
205. Kvaavik E, Tell GS, Klepp KI. Predictors and tracking of body mass index from adolescence into adulthood: Follow-up of 18 to 20 years in the Oslo Youth Study. *Archives of Pediatrics & Adolescent Medicine*. 2003; 157(12):1212–1218. [PubMed: 14662578]
206. Jacoby E, Goldstein J, Lopez A, Nunez E, Lopez T. Social class, family, and life-style factors associated with overweight and obesity among adults in Peruvian cities. *Preventive Medicine*. 2003; 37(5):396–405. [PubMed: 14572424]
207. Lipowicz A, Gronkiewicz S, Malina RM. Body mass index, overweight and obesity in married and never married men and women in Poland. *American Journal of Human Biology*. 2002; 14(4): 468–475. [PubMed: 12112568]
208. Rogucka E, Bielicki T. Social contrasts in the incidence of obesity among adult large-city dwellers in Poland in 1986 and 1996. *Journal of Biosocial Science*. 1999; 31(3):419–423. [PubMed: 10453251]
209. Szklarska A, Jankowska EA. Independent effects of social position and parity on body mass index among Polish adult women. *Journal of Biosocial Science*. 2003; 35(4):575–583. [PubMed: 14621253]
210. Zatonska K, Janik-Koncewicz K, Regulska-Ilow B, et al. Prevalence of obesity - baseline assessment in the prospective cohort “PONS” study. *Ann Agric Environ Med*. 2011; 18(2):246–250. [PubMed: 22216790]
211. Camoes M, Lopes C, Oliveira A, Santos AC, Barros H. Overall and central obesity incidence in an urban Portuguese population. *Preventive Medicine*. 2010; 50(1-2):50–55. [PubMed: 19945478]
212. Fonseca H, Matos MG, Guerra A, Gomes-Pedro J. How much does overweight impact the adolescent developmental process? *Child Care Health and Development*. 2011; 37(1):135–142.
213. Huffman SK, Rizov M. Determinants of Obesity in Transition Economies: The Case of Russia. *Economics & Human Biology*. 2007; 5(3):379–391. [PubMed: 17702676]

214. Marques-Vidal P, Dias CM. Trends in overweight and obesity in Portugal: The National Health Surveys 1995-6 and 1998-9. *Obesity Research*. 2005; 13(7):1141–1145. [PubMed: 16076982]
215. al-Nuaim AA, Bamgboye EA, al-Rubeaan KA, al-Mazrou Y. Overweight and obesity in Saudi Arabian adult population, role of socio-demographic variables. *Journal of Community Health*. 1997; 22(3):211–223. [PubMed: 9178120]
216. al-Nuaim AR, al-Rubeaan K, al-Mazrou Y, al-Attas O, al-Daghari N, Khoja T. High prevalence of overweight and obesity in Saudi Arabia. *International Journal of Obesity and Related Metabolic Disorders*. 1996; 20(6):547–552. [PubMed: 8782731]
217. Khalid ME. The prevalence of abdominal obesity and its associated risk factors in married, non-pregnant women born and living in high altitude, southwestern, Saudi Arabia. *Saudi Medical Journal*. 2007; 28(12):1875–1880. [PubMed: 18060220]
218. Sabanayagam C, Shankar A, Saw SM, Tai ES, Wong TY. The association between socioeconomic status and overweight/obesity in a Malay population in Singapore. *Asia-Pacific Journal of Public Health*. 2009; 21(4):487–496. [PubMed: 19661104]
219. Senekal M, Steyn NP, Nel JH. Factors associated with overweight/obesity in economically active South African populations. *Ethn Dis*. 2003; 13(1):109–116. [PubMed: 12723019]
220. Alcácer MA, Marques-Lopes I, Fajó-Pascual M, et al. Lifestyle Factors Associated with BMI in a Spanish Graduate Population: The SUN Study. *Obesity facts*. 2008; 1(2):80–87. [PubMed: 20054166]
221. Aranceta J, Perez-Rodrigo C, Serra-Majem L, et al. Influence of sociodemographic factors in the prevalence of obesity in Spain. The SEEDO'97 Study. *European Journal of Clinical Nutrition*. 2001; 55(6):430–435. [PubMed: 11423919]
222. Aranceta J, Rodrigo CP, Majem LS, et al. Prevalence of obesity in Spain: the SEEDO'97 study. *Medicina clinica*. 1998; 111(12):441–445. [PubMed: 9842529]
223. Aranceta J, Rodrigo CP, Majem LS, et al. Prevalencia de la obesidad en España: resultados del estudio SEEDO 2000. *Med Clin*. 2003; 120(16):608–612.
224. Rodríguez-Artalejo F, López García E, Gutiérrez-Fisac JL, Banegas Banegas JR, Lafuente Urdinguio PJ, Domínguez Rojas V. Changes in the prevalence of overweight and obesity and their risk factors in Spain, 1987-1997. *Preventive Medicine*. 2002; 34(1):72–81. [PubMed: 11749099]
225. Cirera L, Tormo MJ, Chirlaque MD, Navarro C. Cardiovascular risk factors and educational attainment in Southern Spain: A study of a random sample of 3091 adults. *European Journal of Epidemiology*. 1998; 14(8):755–763. [PubMed: 9928869]
226. Gutierrez-Fisac JL, Regidor E, Banegas Banegas JR, Rodriguez-Artalejo F. The size of obesity differences associated with educational level in Spain, 1987 and 1995/97. *Journal of Epidemiology and Community Health*. 2002; 56(6):457–460. [PubMed: 12011205]
227. Gutierrez-Fisac JL, Banegas JRB, Artalejo FR, Regidor E. Increasing prevalence of overweight and obesity among Spanish adults, 1987-1997. *International Journal of Obesity and Related Metabolic Disorders*. 2000; 24(12):1677–1682. [PubMed: 11126223]
228. Gutierrez-Fisac JL, Artalejo FR, Guallar-Castillon P, Banegas JRB, del Rey Calero J. Determinants of geographical variations in body mass index (BMI) and obesity in Spain. *International Journal of Obesity and Related Metabolic Disorders*. 1999; 23(4):342–347. [PubMed: 10340810]
229. Soriguer F, Rojo-Martinez G, de Antonio IE, et al. Prevalence of obesity in south-east Spain and its relation with social and health factors. *European Journal of Epidemiology*. 2004; 19(1):33–40. [PubMed: 15012020]
230. Sotillo C, López-Jurado M, Aranda P, López-Frías M, Sánchez C, Llopis J. Body composition in an adult population in southern Spain: Influence of lifestyle factors. *International Journal for Vitamin and Nutrition Research*. 2007; 77(6):406–414. [PubMed: 18622951]
231. Vioque J, Torres A, Quiles J. Time spent watching television, sleep duration and obesity in adults living in Valencia, Spain. *International Journal of Obesity and Related Metabolic Disorders*. 2000; 24(12):1683–1688. [PubMed: 11126224]

232. Katulanda P, Jayawardena MA, Sheriff MH, Constantine GR, Matthews DR. Prevalence of overweight and obesity in Sri Lankan adults. *Obesity Reviews*. 2010; 11(11):751–756. [PubMed: 20406417]
233. Eiben G, Dey DK, Rothenberg E, et al. Obesity in 70-year-old Swedes: secular changes over 30 years. *International Journal of Obesity*. 2005; 29(7):810–817. [PubMed: 15917864]
234. Kilander L, Nyman H, Boberg M, Lithell H. Cognitive function, vascular risk factors and education. A cross-sectional study based on a cohort of 70-year-old men. *Journal of Internal Medicine*. 1997; 242(4):313–321. [PubMed: 9366810]
235. Lahmann PH, Lissner L, Gullberg B, Berglund G. Sociodemographic factors associated with long-term weight gain, current body fatness and central adiposity in Swedish women. *International Journal of Obesity*. 2000; 24(6):685–694. [PubMed: 10878674]
236. Lindstrom M, Isacson SO, Merlo J. Increasing prevalence of overweight, obesity and physical inactivity: two population-based studies 1986 and 1994. *Eur J Public Health*. 2003; 13(4):306–312. [PubMed: 14703316]
237. Noppa H, Bengtsson C. Obesity in relation to socioeconomic status. A population study of women in Goteborg, Sweden. *Journal of Epidemiology and Community Health*. 1980; 34(2): 139–142. [PubMed: 7400727]
238. Novak M, Ahlgren C, Hammarstrom A. A life-course approach in explaining social inequity in obesity among young adult men and women. *International Journal of Obesity*. 2006; 30(1):191–200. [PubMed: 16172616]
239. Sjoberg A, Moraeus L, Yngve A, Poortvliet E, Al-Ansari U, Lissner L. Overweight and obesity in a representative sample of schoolchildren - exploring the urban-rural gradient in Sweden. *Obesity Reviews*. 2011; 12(5):305–314. [PubMed: 21348925]
240. Sundquist K, Qvist J, Johansson SE, Sundquist J. Increasing trends of obesity in Sweden between 1996/97 and 2000/01. *International Journal of Obesity*. 2004; 28(2):254–261. [PubMed: 14647184]
241. Sundquist J, Johansson SE. The influence of socioeconomic status, ethnicity and lifestyle on body mass index in a longitudinal study. *International Journal of Epidemiology*. 1998; 27(1):57–63. [PubMed: 9563694]
242. Chiolero A, Jacot-Sadowski I, Faeh D, Paccaud F, Cornuz J. Association of cigarettes smoked daily with obesity in a general adult population. *Obesity*. 2007; 15(5):1311–1318. [PubMed: 17495208]
243. Mo-Suwan L, Lebel L, Puetpaiboon A, Junjana C. School performance and weight status of children and young adolescents in a transitional society in Thailand. *International Journal of Obesity*. 1999; 23:272. [PubMed: 10193872]
244. Erem C, Arslan C, Hacıhasanoglu A, et al. Prevalence of obesity and associated risk factors in a Turkish population (trabzon city, Turkey). *Obesity Research*. 2004; 12(7):1117–1127. [PubMed: 15292476]
245. Simsek HG, Gunay T, Ucku R. Effects of social inequalities on coronary heart disease risk factors: A population-based, cross-sectional study in Izmir. *Anadolu kardiyoloji dergisi: AKD = the Anatolian journal of cardiology*. 2010; 10(3):193–201. [PubMed: 20538552]
246. Kilicarslan A, Isildak M, Guven GS, et al. Demographic, socioeconomic and educational aspects of obesity in an adult population. *Journal of the National Medical Association*. 2006; 98(8): 1313–1317. [PubMed: 16916129]
247. Carter AO, Saadi HF, Reed RL, Dunn EV. Assessment of obesity, lifestyle, and reproductive health needs of female citizens of Al Ain, United Arab Emirates. *Journal of Health, Population, and Nutrition*. 2004; 22(1):75–83.
248. Batty GD, Deary IJ, Macintyre S. Childhood IQ in relation to risk factors for premature mortality in middle-aged persons: The Aberdeen Children of the 1950s study. *Journal of Epidemiology and Community Health*. 2007; 61(3):241–247. [PubMed: 17325403]
249. Batty GD, Deary IJ, Schoon I, Gale CR. Mental ability across childhood in relation to risk factors for premature mortality in adult life: The 1970 British Cohort Study. *Journal of Epidemiology and Community Health*. 2007; 61(11):997–1003. [PubMed: 17933959]

250. Braddon FE, Rodgers B, Wadsworth ME, Davies JM. Onset of obesity in a 36 year birth cohort study. *BMJ*. 1986; 293(6542):299–303. [PubMed: 3089493]
251. Chandola T, Deary IJ, Blane D, Batty GD. Childhood IQ in relation to obesity and weight gain in adult life: The National Child Development (1958) Study. *International Journal of Obesity*. 2006; 30(9):1422–1432. [PubMed: 16520812]
252. Hardy R, Wadsworth M, Kuh D. The influence of childhood weight and socioeconomic status on change in adult body mass index in a British national birth cohort. *International Journal of Obesity*. 2000; 24(6):725–734. [PubMed: 10878679]
253. Wardle J, Waller J, Jarvis MJ. Sex differences in the association of socioeconomic status with obesity. *American Journal of Public Health*. 2002; 92(8):1299–1304. [PubMed: 12144988]
254. Allison S. Biographic and psychobehavioral influences on body mass index in a nursing sample. *Western Journal of Nursing Research*. 2005; 27(1):7–20. [PubMed: 15659583]
255. Baltrus PT, Everson-Rose SA, Lynch JW, Raghunathan TE, Kaplan GA. Socioeconomic position in childhood and adulthood and weight gain over 34 years: the Alameda County Study. *Annals of Epidemiology*. 2007; 17(8):608–614. [PubMed: 17521922]
256. Baughman K, Logue E, Sutton K, Capers C, Jarjoura D, Smucker W. Biopsychosocial characteristics of overweight and obese primary care patients: do psychosocial and behavior factors mediate sociodemographic effects? *Preventive Medicine*. 2003; 37(2):129–137. [PubMed: 12855212]
257. Bennett GG, Wolin KY, James SA. Lifecourse socioeconomic position and weight change among blacks: The Pitt County study. *Obesity*. 2007; 15(1):172–181. [PubMed: 17228045]
258. Bertakis KD, Azari R. Obesity and the use of health care services. *Obesity Research*. 2005; 13(2):372–379. [PubMed: 15800296]
259. Bodea TD, Garrow LA, Meyer MD, Ross CL. Socio-demographic and built environment influences on the odds of being overweight or obese: The Atlanta experience. *Transportation Research Part A-Policy and Practice*. 2009; 43(4):430–444.
260. Borders TF, Rohrer JE, Cardarelli KM. Gender-specific disparities in obesity. *Journal of Community Health*. 2006; 31(1):57–68. [PubMed: 16482766]
261. Burke GL, Savage PJ, Manolio TA, et al. Correlates of obesity in young black and white women: The CARDIA Study. *American Journal of Public Health*. 1992; 82(12):1621–1625. [PubMed: 1456336]
262. Burke GL, Jacobs DR Jr, Sprafka JM, Savage PJ, Sidney S, Wagenknecht LE. Obesity and overweight in young adults: The CARDIA study. *Preventive Medicine*. 1990; 19(4):476–488. [PubMed: 2204915]
263. Cottrell LA, Northrup K, Wittberg R. The extended relationship between child cardiovascular risks and academic performance measures. *Obesity*. 2007; 15:3170–3177. [PubMed: 18198328]
264. Croft JB, Freedman DS, Keenan NL, Sheridan DP, Macera CA, Wheeler FC. Education, health behaviors, and the black-white difference in waist-to-hip ratio. *Obesity Research*. 1996; 4(6):505–512. [PubMed: 8946435]
265. Croft JB, Strogatz DS, James SA, et al. Socioeconomic and behavioral correlates of body mass index in black adults: The Pitt County Study. *American Journal of Public Health*. 1992; 82(6):821–826. [PubMed: 1585962]
266. Crosnoe R. Gender, obesity, and education. *Sociology of Education*. 2007; 80(3):241–260.
267. Dai WS, Kuller LH, Miller G. Arterial blood pressure and urinary electrolytes. *Journal of Chronic Diseases*. 1984; 37(1):75–84. [PubMed: 6690462]
268. Datar A, Sturm R. Childhood overweight and elementary school outcomes. *International Journal of Obesity*. 2006; 30(9):1449–1460. [PubMed: 16534518]
269. de Castro AB, Gee GC, Takeuchi DT. Examining alternative measures of social disadvantage among Asian Americans: The relevance of economic opportunity, subjective social status, and financial strain for health. *Journal of Immigrant and Minority Health*. 2010; 12(5):659–671. [PubMed: 19434494]
270. Eaton DK, Kann L, Okoro CA, Collins J. Selected Health Status Indicators and Behaviors of Young Adults, United States-2003. *American Journal of Health Education*. 2007; 38(2):66–75.

271. Ettner SL, Grzywacz JG. Socioeconomic Status and Health Among Californians: An Examination of Multiple Pathways. *American Journal of Public Health*. 2003; 93(3):441–444. [PubMed: 12604492]
272. Flegal KM, Harlan WR, Landis JR. Secular trends in body mass index and skinfold thickness with socioeconomic factors in young adult men. *The American Journal of Clinical Nutrition*. 1988; 48(3):544–551. [PubMed: 3414569]
273. Flegal KM, Harlan WR, Landis JR. Secular trends in body mass index and skinfold thickness with socioeconomic factors in young adult women. *American Journal of Clinical Nutrition*. 1988; 48(3):535–543. [PubMed: 3414568]
274. Fowler-Brown AG, Ngo LH, Phillips RS, Wee CC. Adolescent obesity and future college degree attainment. *Obesity*. 2010; 18(6):1235–1241. [PubMed: 20035280]
275. Fuentes-Afflick E, Hessol NA. Acculturation and body mass among Latina women. *Journal of Womens Health*. 2008; 17(1):67–73.
276. Garn SM, Bailey SM, Cole PE, Higgins IT. Level of education, level of income, and level of fatness in adults. *The American Journal of Clinical Nutrition*. 1977; 30(5):721–725. [PubMed: 855814]
277. Garn SM, Sullivan TV, Hawthorne VM. Educational level, fatness, and fatness differences between husbands and wives. *The American Journal of Clinical Nutrition*. 1989; 50(4):740–745. [PubMed: 2801578]
278. Gaston MH, Porter GK, Thomas VG. Paradoxes in obesity with mid-life African American women. *Journal of the National Medical Association*. 2011; 103(1):17–25. [PubMed: 21329242]
279. Glass CM, Haas SA, Reither EN. The skinny on success: Body mass, gender and occupational standing across the life course. *Social Forces*. 2010; 88(4):1777–1806.
280. Gortmaker SL, Must A, Perrin JM, Sobol AM, Dietz WH. Social and economic consequences of overweight in adolescence and young adulthood. *NEJM*. 1993; 329(14):1008–1012. [PubMed: 8366901]
281. Harper S, Lynch J. Trends in socioeconomic inequalities in adult health behaviors among U.S. states, 1990–2004. *Public Health Reports*. 2007; 122(2):177–189. [PubMed: 17357360]
282. Houle B, Holt J, Gillespie C, Freedman DS, Reyes M. Use of density-equalizing cartograms to visualize trends and disparities in state-specific prevalence of obesity: 1996–2006. *American Journal of Public Health*. 2009; 99(2):308–312. [PubMed: 19059848]
283. Jackson JE, Doescher MP, Jerant AF, Hart LG. A national study of obesity prevalence and trends by type of rural county. *The Journal of Rural Health*. 2005; 21(2):140–148. [PubMed: 15859051]
284. Kaestner, R.; Grossman, M.; Yarnoff, B. Effects of weight on adolescent educational achievement. National Bureau of Economic Research; 2011.
285. Kahn HS, Williamson DF, Stevens JA. Race and weight change in US women: the roles of socioeconomic and marital status. *American Journal of Public Health*. 1991; 81(3):319–323. [PubMed: 2036117]
286. Menifield CE, Doty N, Fletcher A. Obesity in America. *The ABNF journal*. 2008; 19(3):83–88. [PubMed: 18717205]
287. Mensah GA, Mokdad AH, Ford ES, Greenlund KJ, Croft JB. State of disparities in cardiovascular health in the United States. *Circulation*. 2005; 111(10):1233–1241. [PubMed: 15769763]
288. Sharp DJ, Brownson RC, Wilkerson JC, Jackson-Thompson J, Davis JR, Smith CA. Patterns of obesity in Missouri. *Missouri Medicine*. 1993; 90(3):119–122. [PubMed: 8446089]
289. Shea S, Stein AD, Basch CE, et al. Independent associations of educational attainment and ethnicity with behavioral risk factors for cardiovascular disease. *American Journal of Epidemiology*. 1991; 134(6):567–582. [PubMed: 1951262]
290. Tershakovec AM, Weller SC, Gallagher PR. Obesity, school performance and behaviour of black, urban elementary school children. *International Journal of Obesity and Related Metabolic Disorders*. 1994; 18(5):323–327. [PubMed: 8061725]
291. Truong KD, Sturm R. Weight gain trends across sociodemographic groups in the United States. *American Journal of Public Health*. 2005; 95(9):1602–1606. [PubMed: 16051939]
292. Worthy SL, Lokken K, Pilcher K, Boeka A. Demographic and lifestyle variables associated with obesity. *Health Education Journal*. 2010; 69(4):372–380.

293. Yancey AK, Cochran SD, Corliss HL, Mays VM. Correlates of overweight and obesity among lesbian and bisexual women. *Preventive Medicine*. 2003; 36(6):676–683. [PubMed: 12744910]
294. Zhang Q, Wang Y. Trends in the association between obesity and socioeconomic status in U.S. adults: 1971 to 2000. *Obesity Research*. 2004; 12(10):1622–1632. [PubMed: 15536226]
295. Cutler DM, Lange F, Meara E, Richards-Shubik S, Ruhm CJ. Rising educational gradients in mortality: The role of behavioral risk factors. *Journal of Health Economics*. 2011; 30(6):1174–1187. [PubMed: 21925754]
296. Schafer MH, Ferraro KF. Distal and variably proximal causes: Education, obesity, and health. *Social Science & Medicine*. 2011; 73(9):1340–1348. [PubMed: 21920651]
297. Rosenberger PH, Ning Y, Brandt C, Allore H, Haskell S. BMI trajectory groups in veterans of the Iraq and Afghanistan wars. *Preventive Medicine*. 2011; 53(3):149–154. [PubMed: 21771610]
298. Abrevaya J, Tang H. Body mass index in families: Spousal correlation, endogeneity, and intergenerational transmission. *Empir Econ*. 2011; 41(3):841–864.
299. Florin TA, Shults J, Stettler N. Perception of overweight is associated with poor academic performance in US adolescents. *Journal of School Health*. 2011; 81(11):663–670. [PubMed: 21972986]
300. Anderson PM, Butcher KF, Cascio EU, Schanzenbach DW. Is being in school better? The impact of school on children's BMI when starting age is endogenous. *Journal of Health Economics*. 2011; 30(5):977–986. [PubMed: 21733588]
301. Salinas JJ, Rocha E, Abdelbary BE, Gay J, Sexton K. Impact of Hispanic ethnic concentration and socioeconomic status on obesity prevalence in Texas counties. *IJERPH*. 2012 Apr; 9(4):1201–1215. [PubMed: 22690191]
302. Villa VM, Wallace SP, Bagdasaryan S, Aranda MP. Hispanic Baby Boomers: Health inequities likely to persist in old age. *Gerontologist*. 2012; 52(2):166–176. [PubMed: 22399578]
303. Williams PT. Evidence that obesity risk factor potencies are weight dependent, a phenomenon that may explain accelerated weight gain in western societies. *PLoS ONE*. 2011; 6(11):e27657. [PubMed: 22132124]
304. Hoang VM, Byass P, Dao LH, Nguyen TK, Wall S. Risk factors for chronic disease among rural Vietnamese adults and the association of these factors with sociodemographic variables: Findings from the WHO STEPS survey in rural Vietnam, 2005. *Preventing Chronic Disease*. 2007; 4(2):A22. [PubMed: 17362613]
305. Nguyen MD, Beresford SA, Drewnowski A. Trends in overweight by socio-economic status in Vietnam: 1992 to 2002. *Public Health Nutrition*. 2007; 10(2):115–121. [PubMed: 17261219]
306. De Castro JJ, Baptista F, Dias JA, Nobre EL, Alves AC, Teles AG. Relationship between obesity and educational level in Portuguese young males in 1990. *Acta Medica Portuguesa*. 2000; 13(1-2):1–6. [PubMed: 11059048]
307. Wolff H, Delhumeau C, Beer-Borst S, Golay A, Costanza MC, Morabia A. Converging prevalences of obesity across educational groups in Switzerland. *Obesity*. 2006 Nov; 14(11):2080–2088. [PubMed: 17135626]
308. VanderWeele TJ. Mediation and mechanism. *European Journal of Epidemiology*. 2009; 24(5):217–224. [PubMed: 19330454]
309. Caird J, Kavanagh J, Oliver K, Oliver S, O'Mara A, Stansfield C, Thomas J. Childhood obesity and educational attainment: A systematic review. EPPI-Centre, Social Science Research Unit, Institute of Education University of London. 2011 report no 1901.




Figure 1. Flow chart of inclusion and exclusion of articles collected in systematic review.



Figure 2A.

Articles from 91 countries (shaded) were included in this systematic review. Note: the following countries were represented by the following studies: Albania¹³⁶, Argentina^{63,137}, Australia^{81,82,123,138-140}, Austria³⁷, Bahrain⁸⁰, Bangladesh¹⁰⁵, Belgium^{37,40,41,48,127,141}, Benin³⁹, Bolivia^{39,104}, Botswana¹⁴², Brazil^{39,77,104,143,144}, Burkina Faso^{39,145}, Cameroon³⁹, Canada^{88,146-153}, Central African Republic³⁹, Chile^{63,154}, China^{39,40,155,156}, Colombia^{39,63,104,157}, Cote d'Ivoire³⁹, Croatia¹⁵⁸, Czech Republic^{40,41}, Denmark^{37,40,41,51,159-161}, Dominican Republic^{39,104}, Ecuador⁶³, Egypt³⁹, Estonia^{41,162}, Finland^{37,40,41,46,62,96,120,124,161-171}, France^{40,41,172-177}, Germany^{40,41,72,178,179}, Ghana^{39,145,180}, Greece^{37,64,181}, Guatemala^{39,104}, Haiti^{39,104}, Honduras¹⁰⁴, Hungary⁴¹, Iceland^{40,182}, India^{39,126,183}, Iran^{59,87,92,112,128,184-187}, Ireland^{37,41}, Israel¹⁸⁸, Italy^{37,40,41,189}, Jamaica¹⁹⁰, Japan¹⁹¹, Jordan³⁹, Kazakhstan³⁹, Kenya^{39,145}, Kuwait^{67,192}, Kyrgyzstan³⁹, Latvia⁴¹, Lithuania^{41,162}, Madagascar³⁹, Malawi^{39,145}, Malaysia¹⁹³, Mali³⁹, Mexico^{39,63,69,70,103,104,194,195}, Morocco^{39,196,197}, Namibia³⁹, Netherlands^{41,50,198-202}, New Zealand²⁰³, Niger^{39,145}, Nigeria^{39,204}, Norway^{41,74,205}, Papua New Guinea⁸³, Peru^{39,63,104,206}, Poland^{40,207-210}, Portugal^{37,41,61,73,211,212}, Russia^{40,213,214}, Saudi Arabia²¹⁵⁻²¹⁷, Senegal^{39,145}, Singapore²¹⁸, Slovakia⁴¹, South Africa^{39,219}, South Korea^{60,75}, Spain^{23,37,40,41,49,52,56,71,90,93,97,220-231}, Sri Lanka²³², Sweden^{40,41,84,129,233-241}, Switzerland^{38,40,55,79,108,242}, Tanzania^{39,145}, Thailand²⁴³, Tunisia¹⁹⁷, Turkey^{39,244-246}, Uganda³⁹, United Arab Emirates²⁴⁷, United Kingdom^{40,41,66,94,100,248-253}, United States^{7,40,47,57,65,91,95,104,106,125,191,194,254-303}, Uzbekistan³⁹, Venezuela⁶³, Vietnam^{39,304,305}, Yugoslavia (at the time of the study)⁴⁰, Zambia³⁹, Zimbabwe³⁹.



Figure 2B. Countries are shaded darker in proportion to how many articles in this systematic review included data from that country. Note: the number of data points for each country ranged from 0 to 76 (United States).



Figure 3. The countries represented by the highest quality analyses (n=55); countries shaded darker in proportion to number of high quality analyses. The number of studies each country represented had ranged from 1-6.

Table 1

Databases searched, search terms used, and articles collected.

Database	Search term	Number of articles
Public health		
PubMed	Educational Status[Mesh] AND "Overweight" [Mesh]	953
	Educational Status[Mesh] AND "Obesity" [Mesh]	904
LILACS	[MH]"educational status" and [MH]"OVERWEIGHT"	6
	[MH]"educational status" and [MH]"OBESITY"	31
Cochrane Library	"educational status" AND "obesity" (in Title, Abstract, or Keywords)	22
	"educational status" AND "overweight" (in Title, Abstract, or Keywords)	6
Psychology		
PsycINFO	DE=("educational attainment") AND DE=obesity	20
	DE=("educational background") AND DE=obesity	10
Education		
ERIC	DE=("educational attainment") and DE=obesity	28
	DE=("educational background") AND DE=obesity	1
Social sciences		
IBSS	DE=(educational status) and DE=obesity	0
	DE=("educational attainment") and DE=obesity	0
	DE=("educational attainment level") AND DE=obesity	0
	DE=("educational level") and DE=obesity	0
Social Sciences Citation Index	Topic=("educational status") AND Topic=(obesity)	33
	Topic=("educational attainment") AND Topic=(obesity)	111
Social Services Abstracts	DE=("educational attainment") and DE=obesity	2
Sociological Abstracts	DE=("educational attainment") and DE=obesity	9
EconLit	DE=education and DE=obesity	34

Characteristics of high-quality studies

Table 2

Country	Association observed (women)	Association observed (men)	Study population	Sample size	Response rate	Height and weight measured by trained personnel	Covariates in model	Stratified results by gender	Conducted statistical test
High-income economies									
Australia ⁸¹	-	-	Systematic random sample of adults in each regional capital	19 315	75%	Y	Age	Y	Y
Australia ⁸²	-	-	Adults from randomly selected districts across the country	10 347	67% of those eligible completed initial survey; 55% of those surveyed were weighed	Y	age, smoking status, physical activity, television viewing, country of birth, weekly income, occupation skill level	Y	Y
Bahrain ⁸⁰	+	+	National systematic sample	2013	70%	Y	Age	Y	Y
Canada ⁸⁸	-	-	Multistage stratified cluster random sample of all non-institutionalized, civilian, not living in an Indian reserve Canadian adults	7590	76.50%	Y	Age	Y	Y
Czech Republic ⁹⁸	-	-	population based random sample of adults; baseline data of a longitudinal study	7081	not reported	Y	Age	Y	Y
Finland ⁹⁶	-	-	nationally representative sample of adolescents; pooled, repeated cross sectional	at least 42,000	66-88%	N	age, survey year	Y	Y
Finland ⁵⁴	-	-	Random sample of adults from Finland national population register	24 604	79.50%	Y	area, birth cohort	Y	Y
Germany ⁷²	0	+	German microcensus (1% of all Germans; participation is mandatory)	61 892	100%	N (self-report)	age, German nationality, state and cohort fixed effects	Y	Y
Greece ⁷⁸	-	0	Stratified random sample of all families with adolescents attending public schools	16 073	78.30%	Y	age	Y	Y
Italy ⁴¹	-	-	population based random sample of adults	41,613	90%	N	age	Y	Y
Korea (South) ⁷⁵	-	-	Cluster random sample of Korean adolescents	60 643	94.80%	N (self-report)	grade level, physical activity (vigorous, moderate), sedentaryness, diet (fruit, milk, fast-food, soft drink, routine breakfast consumption), weight control behavior, smoking, perceived stress, depressed mood, paternal education, maternal education, family affluence, subjective family economic status	Y	Y
Korea (South) ⁶⁰	-	0	Korean National Health and Nutrition Examination Survey (census-based sampling frame)	7962	90.80%	Y	age, area of residence, marital status, smoking, alcohol consumption, percentage of energy intake from fat, exercise, income	Y	Y
Kuwait ⁶⁷	n/a	0	Multistage cluster random sample of fifth-grade males in male public schools in all regions	1066	87.90%	Y	maternal educational attainment, paternal educational attainment, nationality	Y	Y
Norway ⁷⁴	-	-	Secondary data from multiple sources from multiple regions of the country	94 078	70%	Y	age	Y	N
Poland ⁹⁸	-	-	population based random sample of adults; baseline data of a longitudinal study	9 170	not reported	Y	age	Y	Y

Country	Association observed (women)	Association observed (men)	Study population	Sample size	Response rate	Height and weight measured by trained personnel	Covariates in model	Stratified results by gender	Conducted statistical test
Portugal ³⁰⁶	n/a	+	military census of adult males	70858	100%	Y		Y	
Portugal ⁶¹	-	-	Multistage proportional stratified sample nationwide	8116	80%	Y	age, civil status, gender, professionally active	Y	Y
Portugal ⁷³	-	-	National Health Survey	112 540	82%	N (self-report)	age, survey year	Y	Y
Portugal ⁴¹	-	-	national population based random sample of adults	12297	80%	N	age	Y	Y
Portugal ¹⁰²	-	-	nationally representative sample of adults	20977 women, 18663 men	82%	0	age, physical activity, and potentially smoking	Y	Y
Portugal ⁷⁶	n/a	+	Mandatory examination of all males (for military service)	850 081	100%	Y	year of examination	Y	Y
Spain ⁷¹	-	-	ENRICA study (representative of adult non-institutionalized population)	12 883	51%	Y	age	Y	Y
Spain ⁹³	-	-	national population based random sample of adults	30040	81%	0	physical activity at work, leisure time physical activity, tobacco consumption, presence of chronic condition, age, marital status, size of municipality of residence, time (1987 or 1995)	Y	Y
Spain ⁹⁷	-	-	population based random sample of adults in Murcia region of Spain	3091	61%	Y	age, employment situation, type of residence	Y	Y
Spain ⁹⁰	-	-	Random sample from official census population register	1200	80%	Y	age, marital status (for women, they also adjusted for frequent drinking, work related physical activity, and leisure physical activity)	Y	Y
Sweden ⁸⁴	-	-	national population based random sample of adult men	752283	67%	Y	intelligence, height, parental education, parental socioeconomic position, country of birth, conscription center, municipality	Y	Y
Sweden ⁸⁶	-	-	Stratified random sample of adults in one rural community	3365	75%	Y	age, leisure-time physical activity	Y	Y
Switzerland ³⁰⁷	-	-	systematic population based random sample of major city	6635 men, 6558 women	57-65%	Y	age	Y	Y
Switzerland ³⁸	-	-	national population based random sample	53588	71%	0	age, year of survey, inflation-adjusted household income tertiles, occupational class	Y	Y
Switzerland ⁷⁹	-	-	Population-based two-stage cluster sample in one region	5240	82%	Y	age	Y	Y
United Kingdom ¹⁰⁰	0	0	Population based systematic sample	8490	51%	Y	for OR's, included childhood variables (height at 10 years, maternal and paternal body mass index z scores, maternal education, and social class) and adult variables (height and social class) as potential confounding factors.	Y	Y
United Kingdom ⁹⁹	-	0	middle aged Caucasian sample, external validity possible	4598	73%	Y	obesity-related health behaviors, diet, physical activity, alcohol consumption, (ethnic minorities- excluded to avoid	Y	Y

Country	Association observed (women)	Association observed (men)	Study population	Sample size	Response rate	Height and weight measured by trained personnel	Covariates in model	Stratified results by gender	Conducted statistical test
United Kingdom ⁹⁴	-	-	middle aged Caucasian sample, external validity possible	4598 (3364 men and 1234 women)	73%	Y	confounding, socioeconomic position in adulthood (employment grade), smoking	Y	Y
United States ⁹¹	-(0 for black women)	-(0 for black men)	National Health Examination and Nutrition Survey	21 504	(missing)	Y	race/ethnicity	Y	Y
United States ⁹⁵	0	0	nationally representative sample of children in 4th year of school	13 080	not reported	Y	SES (family income, parents' education, parents' occupation), maternal education, race/ethnicity	Y	Y
United States ⁸⁹	-	-	National Health Examination and Nutrition Follow-up Survey	4836	76%	Y	race, family income, marital status, age, BMI at baseline, smoking, physical activity, parity, rural or urban background, region of the country	Y	Y
Upper-middle-income economies									
Argentina ⁶³	-	-	Population-based sample in capital city	1482	66%	Y	age	Y	Y
Brazil ⁷⁷	-	+	Multistage nationwide random sample	54 353	74-50%	N (self-report)	age, marital status, physical activity, overweight status at age 20	Y	Y
Brazil ⁸⁵	-	- in more developed/0 in less developed	Probabilistic multistage stratified cluster random sample from northeastern and southeastern regions	9397	85%	Y	age, ethnicity, urban or rural status, income, region's developmental level	Y	Y
Brazil ¹⁰¹	-	+	repeated cross-sectional nationally representative random sample	8971 in 1975, 14602 in 1989, 11033 in 1997	not reported	Y	age (categorical-age ranges), region (Northeast or Southeast), and residential location (urban or rural)	Y	Y
Chile ⁶³	-	0	Population-based sample in capital city	1655	64%	Y	age	Y	Y
Colombia ⁶³	0	0	Population-based sample in capital city	1553	64%	Y	age	Y	Y
Ecuador ⁶³	-	0	Population-based sample in capital city	1638	61%	Y	age	Y	Y
Iran ⁹²	-	-	population based random sample in major city	300	90%	Y	physical activity	Y	Y
Mexico ⁶⁹	-	0 (+ for rural areas)	Probabilistic stratified multistage cluster sampling design with oversample of rural areas (national sample)	14 280	71%	Y	Age, early life social experience (toilet at age 12, born in city, stunted growth)	Y	Y
Mexico ⁶³	-	0	Population-based sample in capital city	1722	74%	Y	age	Y	Y
Mexico ¹⁰³	+	0	random sample of adults; representative of poorest sector of country	12873 (2015 men, 6778 women in full model)	not reported	Y	occupation, housing conditions, household assets, household income, subjective social status	Y	Y
Mexico ⁷⁰	-	0	Representative sample of Mexicans (ENSA study)	38 901	86%	Y	Urban/rural residence, household assets	Y	Y
Peru ⁶³	-	0	Population-based sample in capital city	1652	64%	Y	age	Y	Y
Russia ⁹⁸	-	0	population based random sample of adults; baseline data of a longitudinal study	9231	not reported	Y	age	Y	Y
Thailand ²⁴³	- (not reported separately by gender)	-	random sampling of children in grades 3-6 in major city	1794	not reported	Y	gender, age, grades within the school itself, parental and family factors	N	Y

Country	Association observed (women)	Association observed (men)	Study population	Sample size	Response rate	Height and weight measured by trained personnel	Covariates in model	Stratified results by gender	Conducted statistical test
Thailand ⁶⁸	-	+	National multistage stratified cluster sample	22 531	79%	Y	Age, smoking status, marital status, geographic region	Y	Y
Venezuela ⁶³	-	0	Population-based sample in capital city	1848	90%	Y	age	Y	Y
Lower-middle-income economies									
India ⁸⁷	+	+	Within Mumbai, non-random selection of primary sampling unit (polling station); assumed complete electoral rolls	99 598	99%	Y	Age, tobacco use	Y	Y
Papua New Guinea ⁸³	0	+	national population based random sample of adults	1877	rates reported by community and gender, ranged from 46.8-88.5%	Y	type of housing, age, years in urban center, physical activity	Y	Y

Legend: - for inverse association, + for direct association, 0 for null (not statistically significant) association, n/a for not applicable (some studies were restricted to one gender). Y for yes, N for no.

Note: All of the papers in this table relied on self-reported educational attainment. The World Bank's economic classifications were used to organize the countries (see <http://data.worldbank.org/about/country-classifications/country-and-lending-groups> for full list). The World Bank also has a low-income economies category, but our review had no high-quality studies of education and obesity in low-income economies.

Table 3

Analyses of women

	High-income countries		Upper-middle-income countries		Lower-middle-income countries		Low-income countries	
	High-quality (n=18)	All (n=203)	High-quality (n=12)	All (n=60)	High-quality (n=1)	All (n=24)	High-quality (n=0)	All (n=15)
Inverse association	89%	87%	92%	77%	0%	13%	n/a	7%
Null association	6%	12%	8%	17%	0%	21%	n/a	0%
Positive association	6%	1%	0%	7%	100%	67%	n/a	93%
Analyses of men								
	High-income countries		Upper-middle-income countries		Lower-middle-income countries		Low-income countries	
	High-quality (n=20)	All (n=196)	High-quality (n=12)	All (n=37)	High-quality (n=1)	All (n=4)	High-quality (n=0)	All (n=0)
Inverse association	70%	64%	17%	19%	0%	0%	n/a	n/a
Null association	15%	29%	67%	62%	0%	50%	n/a	n/a
Positive association	15%	5%	17%	19%	100%	50%	n/a	n/a
Curvilinear (U-shaped) association	0%	2%	0%	0%	0%	0%	n/a	n/a

n/a means not applicable

Note: percents may not add up to 100% due to rounding.