

Lawrence Berkeley National Laboratory

LBL Publications

Title

Passive Analysis Capabilities of BLAST

Permalink

<https://escholarship.org/uc/item/5d59w0n2>

Authors

Kammerud, R

Place, W

Publication Date

1979-06-01

0 0 1 5 3 4 0 5 1 5 5


To be presented at the 4th National
Passive Solar Conference, Kansas
City, Kansas, October 3-5, 1979.

UC-95d
LBL-9296
Abstract

For Reference

Not to be taken from this room

Energy and Environment Division



Passive Analysis Capabilities of BLAST

R. Kammerud and W. Place

June 1979

Lawrence Berkeley Laboratory University of California/Berkeley

Prepared for the U.S. Department of Energy under Contract No. W-7405-ENG-48

LBL-9296

LEGAL NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

PASSIVE ANALYSIS CAPABILITIES OF BLAST*†

R. Kammerud and W. Place
Passive Solar Group
Lawrence Berkeley Laboratory
Berkeley, California 94720

BLAST is a state-of-the-art, user-oriented, public domain building energy analysis computer program which accounts for the energy consumption impacts of both architectural and engineering design features. The program incorporates a detailed, hour-by-hour thermal balance load calculation as well as an hourly simulation of the air handling system and central plant equipment operation. Because of these capabilities, the program is applicable to both residential and commercial buildings.

BLAST, which already possesses extensive capabilities for analyzing the thermal performance of conventional buildings, is currently being modified to provide passive solar analysis capabilities. Models which describe the unique heat transfer processes occurring in passive structures are being developed and incorporated in the program. The objectives of this work are (1) to provide a documented passive solar analysis program which is available to the building design industry and (2) to produce an analysis tool which can be used specifically to evaluate the applicability of passive solar design concepts to commercial-scale buildings.

Results will be presented on the validation of BLAST for south aperture, direct gain systems. This validation compares BLAST simulations to test cell measurements and has been extended to investigate the sensitivities of the simulation to a variety of assumptions that typically are part of passive solar analysis. Included in this sensitivity investigation are the effects of temperature dependent convection coefficients, solar irradiance distribution on internal surfaces, and solar absorption properties of internal and external surfaces. Additional capabilities for analyzing south aperture, indirect gain systems (single and multi-story), ventilation cooling, and movable glazing insulation systems will be described.

*BLAST is copyrighted by the Construction Engineering Research Laboratory, Department of the Army, Champaign, Illinois.

†This work has been supported by the Solar Heating and Cooling Research and Development Branch, Office of Conservation and Solar Applications, U.S. Department of Energy, under Contract No. W-7405-ENG-48.

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

Reference to a company or product name does not imply approval or recommendation of the product by the University of California or the U.S. Department of Energy to the exclusion of others that may be suitable.

TECHNICAL INFORMATION DIVISION
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720