

# Lawrence Berkeley National Laboratory

## Recent Work

### Title

Magnetic anisotropy and interfacial coupling in oxide thin films and heterostructures probed with soft x-ray dichroism

### Permalink

<https://escholarship.org/uc/item/6456v12w>

### Authors

Arenholz, Elke  
Laan, Gerrit van der

### Publication Date

2009-03-16

## **Magnetic anisotropy and interfacial coupling in oxide thin films and heterostructures probed with soft x-ray dichroism**

Elke Arenholz

Advanced Light Source, Lawrence Berkeley National Laboratory, Berkeley, CA 94720

Gerrit van der Laan

Diamond Light Source, Didcot, Oxfordshire OX11 0DE, UK

The combination of novel magnetic properties induced by reduced dimensionality and strong magnetic interactions across interfaces leads to intriguing new properties in magnetic hetero- and nanostructures not observed in the constituent materials in bulk form. It is the careful optimization of the characteristics of the individual layers as well as the magnetic coupling across the interface that allows us to control the magnetic properties and tailor them for devices, e.g., in information storage and processing technology.

Soft x-ray magnetic spectroscopies can make unique contributions to improving our understanding of complex magnetic nanostructures since these techniques provide elemental, valence- and site-symmetry specific information with high sensitivity and tunable probing depth. X-ray magnetic circular dichroism (XMCD) is sensitive to (unidirectional) ferromagnetic order, while x-ray magnetic linear dichroism (XMLD) can also detect (uniaxial) antiferromagnetic order. A crystalline electric field with cubic symmetry induces only a weak angular dependence in XMCD spectra but can cause a very pronounced anisotropy in XMLD spectra. Furthermore, non-magnetic sites with a distorted local cubic symmetry can give rise to an x-ray linear dichroism (XLD). In this presentation, we discuss how to distinguish between the individual contributions to soft x-ray dichroism spectra in order to extract the wealth of information about magnetic thin films, interfaces and hetero- and nanostructures contained in the data

We measured the asphericity and the energy splitting of the  $4f$  states in EuO thin films [1] – a material with fascinating properties and of technological importance for spintronics applications – using XMLD. Our measurements, which are confirmed by multiplet calculations, show that there is significant  $4f$  anisotropy. This suggests that pinning of the  $f$  states by the local environment becomes feasible and can be tuned by external conditions, chemical doping, and strain for use in device applications.

Revisiting previous XMLD studies of the Co/NiO(001) interface taking the impact of the crystal electric field on the XMLD into account for the first time, we show that NiO(001) exhibits a crystallographic and magnetic domain structure near the surface that is identical to that of the

bulk. Upon Co deposition perpendicular coupling of Co and Ni moments is observed [2, 3] that persists even in the presence of uncompensated interface moments.

Moreover, we discuss the impact of epitaxial strain on the magnetic properties and XMLD spectra of complex oxide thin films.

The Advanced Light Source is supported by the Director, Office of Science, Office of Basic Energy Sciences, of the U.S. Department of Energy under Contract No. DE-AC02-05CH11231.

[1] G. van der Laan *et al.*, Phys. Rev. Lett. **100**, 067403 (2008).

[2] E. Arenholz *et al.*, Phys. Rev. Lett. **98**, 197201 (2007).

[3] E. Arenholz *et al.*, Appl. Phys. Lett. **93**, 162506 (2008).