UC Davis UC Davis Previously Published Works

Title

Correction to: The LsVe1L allele provides a molecular marker for resistance to Verticillium dahliae race 1 in lettuce.

Permalink https://escholarship.org/uc/item/66h671rk

Journal BMC plant biology, 19(1)

ISSN 1471-2229

Authors

Inderbitzin, Patrik Christopoulou, Marilena Lavelle, Dean <u>et al.</u>

Publication Date 2019-08-01

DOI

10.1186/s12870-019-1966-9

Peer reviewed

CORRECTION

BMC Plant Biology

Open Access

Correction to: The *LsVe1L* allele provides a molecular marker for resistance to *Verticillium dahliae* race 1 in lettuce



Patrik Inderbitzin^{1,2†}, Marilena Christopoulou^{3†}, Dean Lavelle³, Sebastian Reyes-Chin-Wo³, Richard W. Michelmore^{3,4}, Krishna V. Subbarao^{1*} and Ivan Simko^{5*}

Correction to: BMC Plant Biol (2019) 19:305 https://doi.org/10.1186/s12870-019-1905-9

Following publication of the original article [1], the author reported a processing error in Fig. 5. This has been corrected in the original article.

The correct version of Fig. 5 is also shown in this correction.

In the Additional file 7, the sequence data for LsVe3L and LsVe4L were swapped. The correct Additional file 7 is shown in the Additional file section below.

Additional file

Additional file 7: Nucleotide sequences of six LsVe alleles from cultivars La Brillante (L) and Salinas (S). (DOCX 17.8 kb)

Author details

¹Department of Plant Pathology, University of California, Davis, CA 95616, USA. ²Present address: Indigo Ag, Charlestown, MA 02129, USA. ³Genome Center, University of California, Davis, CA 95616, USA. ⁴Departments of Plant Sciences, Molecular & Cellular Biology, Medical Microbiology & Immunology, University of California, Davis, CA 95616, USA. ⁵United States Department of Agriculture, Agricultural Research Service, Crop Improvement and Protection Research Unit, Salinas, CA 93905, USA.

Published online: 26 August 2019

Reference

 Inderbitzin P, et al. The LsVe1L allele provides a molecular marker for resistance to Verticillium dahliae race 1 in lettuce. BMC Plant Biol. 2019; 19:305. https://doi.org/10.1186/s12870-019-1905-9.

[†]Patrik Inderbitzin and Marilena Christopoulou contributed equally to this work. ¹Department of Plant Pathology, University of California, Davis, CA 95616, USA ⁵United States Department of Agriculture, Agricultural Research Service, Crop Improvement and Protection Research Unit, Salinas, CA 93905, USA Full list of author information is available at the end of the article



© The Author(s). 2019 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

^{*} Correspondence: kvsubbarao@ucdavis.edu; lvan.Simko@ars.usda.gov

11 12 10 5 9 2 3 4 6 7 8 1 R R Fig. 5 LsVe1L specific PCR assay is allele-specific. Shown are results of LsVe1L-specific PCR assays with selected lettuce accessions with known LsVe genotypes and resistance phenotypes. Resistance (R) and susceptibility (S) is indicated by capital letters for each accession. In all cases, the outcomes of the PCR assays were as expected from genome sequencing. Amplicon sizes are indicated by > and correspond to 200 and 500 bp. Lane numbers are: 1. 2-log ladder, 2. cultivar Balady Banha (Ve genotype: LsVe1L, LsVe3L, LsVe4L), 3. cultivar Lolla Rossa (LsVe1L, LsVe3L, LsVe4L), 4. cultivar Plymouth (LsVe1L, LsVe3L, LsVe4L), 5. cultivar Cobham Green (LsVe3L, LsVe4L, LsVe1S, LsVe2S), 6. cultivar Lee Tal (LsVe4L, LsVe1S, LsVe2S), 7. cultivar Margarita (LsVe4L,

LsVe15, LsVe25), 8. cultivar Anuenue (LsVe25, LsVe35), 9. cultivar Blonde Lente a Monter (LsVe15, LsVe25, LsVe35), 10. cultivar Primus (LsVe15, LsVe25, LsVe35), 10. cultivar Primus (LsVe15, LsVe35), 10. cultivar Primus (Ls

LsVe3S), 11. negative control, and 12. 2-log ladder. PCR conditions are described in Table 4