

Lawrence Berkeley National Laboratory

Lawrence Berkeley National Laboratory

Title

LOWER LEVEL INFERENCE CONTROL IN STATISTICAL DATABASE SYSTEMS

Permalink

<https://escholarship.org/uc/item/6g78p1f4>

Author

Lipton, D.L.

Publication Date

2009-04-16



Lawrence Berkeley Laboratory

UNIVERSITY OF CALIFORNIA

RECEIVED
LAWRENCE
BERKELEY LABORATORY

MAR 20 1984

LIBRARY AND
DOCUMENTS SECTION

Computing Division

To be presented at the IFIP Second International Conference on Computer Security, Toronto, Canada, September 10-12, 1984

LOWER LEVEL INFERENCE CONTROL IN STATISTICAL DATABASE SYSTEMS

D.L. Lipton and H.K.T. Wong

February 1984

TWO-WEEK LOAN COPY

This is a Library Circulating Copy which may be borrowed for two weeks. For a personal retention copy, call Tech. Info. Division, Ext. 6782.



LBL-17413
e-2

LOWER LEVEL INFERENCE CONTROL IN
STATISTICAL DATABASE SYSTEMS

David L. Lipton
Harry K.T. Wong

University of California
Lawrence Berkeley Laboratory
Berkeley, California 94720

February 1984

Submitted to IFIP Second International Conference on Computer Security,
Toronto, Canada, September 1984.

This research was supported by the Applied Mathematical Sciences
Research Program of Office of Energy Research, U.S. Dept. of Energy
under contract DE-AC03-76SF00098.

8

6

8

6

LOWER LEVEL INFERENCE CONTROL IN
STATISTICAL DATABASE SYSTEMS

David L. Lipton
Harry K.T. Wong†

Lawrence Berkeley Laboratory
University of California
Berkeley, California 94720

San Francisco State University
San Francisco, California 94132

February, 1984

ABSTRACT

An inference is the process of transforming unclassified data values into confidential data values. Most previous research in inference control has studied the use of statistical aggregates to deduce individual records.

However, several other types of inference are also possible. Unknown functional dependencies may be apparent to users who have "expert" knowledge about the characteristics of a population. Some correlations between attributes may be concluded from "commonly-known" facts about the world. To counter these threats, security managers should use random sampling of databases of similar populations, as well as expert systems.

"Expert" users of the DATABASE SYSTEM may form inferences from the variable performance of the user interface. Users may observe on-line turn-around time, accounting statistics, the error message received, and the point at which an interactive protocol sequence fails. One may obtain information about the frequency distributions of attribute values, and the validity of data object names from this information.

At the back-end of a database system, improved software engineering practices will reduce opportunities to bypass functional units of the database system.

The term "DATA OBJECT" should be expanded to incorporate these data object types which generate new classes of threats. The security of DATABASES and DATABASE SYSTEMS must be recognized as separate but related problems. Thus, by increased awareness of lower level inferences, system security managers may effectively nullify the threat posed by lower level inferences.

†Research supported by the Office of Energy Research, U.S. DOE under contract No. DE-AC03-78SF00098.

1. MOTIVATION

An inference is a process which transforms unclassified data values into protected data values.

Historically, the study of the inference problem in statistical database management systems, has been limited to threats which use statistical aggregates to identify individual record values. As a simple example, consider the following problem. A population database consists of four individual records.

Figure 1
Example of a Small Statistical Database

NAME	SEX	PROFESSION	SALARY
Dalton	F	EE	36
Jones	M	Programmer	20
Rankin	M	EE	18
Smith	F	Programmer	26

Let the salary attribute column be suppressed.

Release the following aggregate statistics:

SUM (Salary | Sex = all, Profession = all) = 100

MEAN (Salary | Sex = Male) = 19

MEAN (Salary | Profession = Programmer) = 23

By linear programming, Dalton's salary must be in the range [16,54]. Aggregates on additional attributes may be used to reduce this range further. A comprehensive survey of statistical inference methods and counter-measures is presented in [7].

This paper will identify several other types of inferences which may be formed in statistical database systems. Users who possess some preknowledge of characteristics of a population, may know that a strong correlation exists between the value of a released attribute and the value of a suppressed attribute. [22] Similarly, such correlations (or FUNCTIONAL DEPENDENCIES) may be apparent from "common knowledge". A third class of threats are possible from "expert" users of a database system, who form inferences from the variable behavior of the user interface.

Because these inferences require some preknowledge, they may be formed by a class of "expert" users at a lower level than that which is possible by the naive user of the database system.

The most important counter-measures to these threats are to expand the definition of "DATA OBJECT TYPES" which are logically known to the database system, and to increase the awareness of database designers that this is a security risk.

Section 2 will provide a theory for the lower level inference problem. Section 3 will illustrate applications of this theory to threats from unlimited access to database

documentation in a menu-driven system. Section 4 will discuss applications to threats which are caused by unrecognized variable behavior at the user interface level. Section 5 will suggest some design principles for database management systems, to prevent user-written programs from generating inferences by covert information flow.

2. PARTITIONING A DATABASE BY SECURITY CLASS

This section will introduce a theory of how data objects may be assigned to mutually exclusive groups, as a function of security class. FUNCTIONAL DEPENDENCIES (or correlations) between objects of different groups may exist. [4] One type of functional dependency (the EQUIVALENCE PATH) may allow users to infer the existence and value of objects in a partition to which access privileges have not been granted. [22] This section will present a series of transformations to optimize the partitioning scheme. The inference control problem will be reduced to the more manageable access control problem.

Consider a simplified READ-ONLY database. Let there be only two security classes: RELEASED and SUPPRESSED. Each ATOMIC (or logically indivisible) data object is assigned to exactly one of these security classes. The assignment may be a function of both the general data object definition and the value of a specific instance. [29]

Let k_i be a data object which is recorded (or "logically known") in the data object dictionary and in the security subsystem files.

Let U_i be a data object which is not so recorded (or "logically unknown").

NOTE: The data objects k_i and U_i need not be logically indivisible. They may be vectors, matrices, trees, or networks of data objects whose meaning is semantically valid to the database system.

Let FD_i be the description of a functional dependency which maps data object k_i to a unique data object k_j .

$$FD_i: k_i \Rightarrow k_j$$

Let \Rightarrow be a functional dependency which is known to the system security manager.

Let \dashrightarrow be a functional dependency which is unknown to the system security manager.

Let the function $released(k_i)$ imply that a data object is in the released partition of the space of data objects.

Let the function $suppressed(k_i)$ imply that a data object is in the suppressed partition of the space of data objects.

The following series of transformations will eliminate all EQUIVALENCE PATHS (or instances where the value of a suppressed data object may be determined from released data objects). Additional transformations will illustrate ways to minimize DATA LOSS. (This is the FALSE SUPPRESSION of non-confidential data objects to protect more highly classified objects.)

If an unknown data object U_i is identified and cataloged, then the unsafe case

(i) $released(U_i) \dashrightarrow suppressed(k_j)$

is transformed to the unsafe case

(ii) $released(k_i) \dashrightarrow suppressed(k_j)$

If an unknown functional dependency \rightarrow is identified by the system security manager, then the unsafe case
(iii) $\text{released}(k_i) \Rightarrow \text{suppressed}(k_j)$
is generated.

At this point, the space of data objects in the database may be repartitioned as either the safe case
(iv) $\text{released}(k_i) \Rightarrow \text{released}(k_j)$
or as the safe case
(v) $\text{suppressed}(k_i) \Rightarrow \text{suppressed}(k_j)$.

Thus, the data object space has been repartitioned such that no EQUIVALENCE PATHS remain.

The following example will illustrate this process. It will also informally introduce some inference techniques which will be discussed in later sections.

Consider the record definition for a small personnel database:

< NAME, SOC_SEC_NO, MARITAL_STAT, DWELLING_TYP, CAR, OCCUPATION, SALARY >

A specific application requires an EXTERNAL VIEW of this record in which the following attributes must be suppressed: NAME, SOC_SEC_NO, DWELLING_TYP, and SALARY. The system security manager must release as much information as possible without compromising the security of any suppressed data.

By statistical analysis of similar populations, it is discovered that the a large correlation exists as follows:

CAR \rightarrow SALARY

However, this analysis reveals that the "intuitively obvious" correlations:

OCCUPATION \rightarrow SALARY

OCCUPATION \rightarrow CAR

are both much weaker for similar populations. Therefore, only CAR need be suppressed at the attribute definition level.

It is also discovered that a strong correlation exists for

$(\text{MARITAL_STAT} = \text{single}) \rightarrow (\text{DWELLING_TYP} = \text{apartment})$

However, there are no dependencies observed between other values for MARITAL_STAT with any specific value for DWELLING_TYP. Therefore, suppress all attribute instance values for $(\text{MARITAL_STAT} = \text{single})$.

From "common knowledge", a user lists four possible values in the attribute domain for MARITAL_STAT:

$\text{MARITAL_STAT} \in \{\text{single, married, divorced, widowed}\}$

By observing that no instances of $(\text{MARITAL_STAT} = \text{single})$ appear, the user may conclude that many of the suppressed instances have this value. As a counter-measure, the released attribute value with the lowest frequency must also be suppressed. Such a measure prevents inference and minimizes data loss. [26]

Until this point, it has been assumed that functional dependencies exist only between atomic data objects. It has also been assumed that any suppression may be performed if it is logically necessary. Two exceptions to this case will be presented.

1. If the WORK FACTOR required for a user to compute the INFERENCE \Rightarrow in expression (iii)

is of exponential complexity, then no repartitioning need occur. As an example, consider the case

(vi) $\text{released}(\langle k_1, \dots, k_n \rangle) \Rightarrow \text{suppressed}(\text{FD}_1)$

where FD_1 may either be an encryption algorithm or an authentication test. In this latter example, the released vector of data objects, may be a request for authentication and an enciphered record of the user's response. As further suppressions would be impossible, the major counter-measure is to increase the complexity of the inference. [19] [11]

2. If the released data object k_i is composed of several functionally independent data objects which are logically known to the database system:

$$k_i = \langle k_{i_1}, \dots, k_{i_n} \rangle$$

then system security policy need only suppress a "sufficient" number of $k_{i_j} \in k_i$, such that the functional dependency \Rightarrow may not be computed. Symbolically, this repartitioning transforms the unsafe case

(vii) $\text{released}(\langle k_1, \dots, k_i, k_{i+1}, \dots, k_n \rangle) \Rightarrow \text{suppressed}(k_{n+1})$

to the safe case

$$\text{(viii) max}(i) \left\{ \begin{array}{l} [\text{released}(\langle k_1, \dots, k_i \rangle) \text{ and } \text{suppressed}(\langle k_{i+1}, \dots, k_n \rangle)] \Rightarrow \text{suppressed}(k_{n+1}) \\ \text{and} \\ \text{not } [\text{released}(\langle k_1, \dots, k_i \rangle) \Rightarrow \text{suppressed}(k_{n+1})] \end{array} \right\}$$

for some $0 \leq i < n$.

Without loss of generality, the class of cases where the dependent data object is a vector:

(ix) $k_1 \Rightarrow \langle k_2, \dots, k_n \rangle$

may be treated as a separate case for each dependent value k_i where $2 \leq i \leq n$. (Note that additional constraints may be introduced if dependencies exist between elements in the dependent vector.)

The inverse of case (iv),

(x) $\text{suppressed}(k_i) \Rightarrow \text{released}(k_j)$

is safe if the functional dependency \Rightarrow is not reversible.

Thus, these transformations have reduced the inference threat to an access control problem. To insure that an access control subsystem is adequate to prevent security violations, the following assumptions must be valid:

1. All data objects in a database must be listed in the data object dictionary and in the access control subsystem file.
2. All functional dependencies between data objects must be known to system security management.
3. No suppressed data object is functionally dependent on a released data object. (All EQUIVALENCE PATHS have been eliminated.) [22]

Subsequent sections will suggest methods for identifying and cataloging unknown data objects U_i and unknown functional dependencies \rightarrow . Optimal suppression mechanisms will be presented to minimize the amount of unclassified data which has been falsely suppressed.

The theory of secure partitioning is sufficiently general to transform a wide range of known inference problems into access control problems. Some original examples are presented to further illustrate its flexibility.

3. DOCUMENTATION

This section will present a survey of several types of inferences which may be formed from documentation in a menu-driven statistical database. This class of inferences is a function of data definitions and of the specific population represented in the database. Therefore, no security countermeasures may be implemented by the vendor of the database management system product. [17]

Counter-measures require that system security managers become "experts" on the population represented. This may require statistical analysis of databases of similar populations. System management may use expert systems to find new functional dependencies which are implied by record definitions. Additionally, system management should monitor any outside knowledge which specific users may have about populations or individual records.

Currently, there is a trend in the design of large statistical database systems to provide the user with as much documentation as possible about the population represented. Although such documentation (or METADATA) may be required for user-friendly on-line support, it also introduces a security problem. The secure design principle of LEAST PRIVILEGE requires that users be restricted to access requests within their NEED-TO-KNOW requirements. [25]

As an example, consider the SUBJECT statistical database system which was designed for public presentation of data from the 1980 U.S. Census. [2] This is a menu-driven system which is organized according to the hierarchical model for a database management system. [5] Extensive narrative documentation is provided for every node at every level. Several access paths may be possible to descend through the hierarchy to any node.

The command DOCUMENT in SUBJECT allows the user to read a narrative text file which contains information about all subtrees beneath a given node.

The command BROWSE in SUBJECT allows a user to randomly move up and down through levels of a menu.

Unlimited access to database documentation has been shown to create several new types of inference threats:

1. TYPE-R INFERENCES - "Obvious" functional dependencies between objects in different populations, or between attributes in a single record instance. [3]

EXAMPLE: There may be a functional dependency between the major businesses in an area and the most probable occupations of the area's population.

2. TYPE-S INFERENCES - Functional dependencies based upon knowledge of the hierarchical structure of the database. [3] This is a superset of the JOIN DEPENDENCIES in a relational database context. [5]

EXAMPLE:

COUNT(Male Programmers) = COUNT(Male Programmers over 30)

User Preknowledge: John Smith is a male programmer

Therefore, John Smith is over 30.

3. EQUIVALENCE PATHS - Users may have "expert" knowledge of a specific population. This may include knowledge of functional dependencies which exist in real data; but were not known to the formulators of system security policy. [22]

EXAMPLE: Pine Bluff, Arkansas has won the National Bowling Conference 25 times in the last 30 years. Therefore, an abnormally large percentage of the population has been operated on for dislocated shoulders. This inference may be formed without any knowledge of record instances of the form:

< NAME, ADDRESS ∈ Pine Bluff, Ark, NO_SHOULDER_OPERNS > 0 >

4. Users may form new statistical aggregate values by further analysis on individual records of the database system. †

Several counter-measures to these threats are possible. Documentation for the database should be partitioned by NEED-TO-KNOW requirements. System security management should become aware of new functional dependencies which exist in real data. Statistical analysis and expert systems should be used to discover these new relationships.

Two types of documentation objects will be studied in this paper: NARRATIVE TEXT FILES and MENUS OF CHILD NODES. Appropriate security mechanisms will be presented for each type.

Documentation data objects for the database should be grouped into COMPARTMENTS by the access control subsystem. [17] These compartments should be based upon the users' NEED-TO-KNOW. [6] Within each compartment, a scalar security clearance level may be assigned for the minimum read access privilege. As an additional constraint, an explicit access privilege grant may be required. In the latter case, the security class of the user and the data object become merely integrity constraints to determine if a grant should be issued. [18]

NARRATIVE DOCUMENTATION FILES should be segmented. Each partition should not discuss more than one child node in the menu. This prevents inferences which are based on the knowledge of nodes which are suppressed for a given user.

Compartments in unstructured text need not be separate paragraphs. Small, contiguous strings of text in a file may have different security values. Consider the security-oriented text processor proposed in the following example. [17]

This example will describe a text processor which allows database designers to prevent access to classified clauses in a sentence. A separate version of the sentence need not be stored for each security clearance level.

† However, individual records are usually not physically present in statistical database systems such as SUBJECT. Aggregates have been precomputed, and the individual record tapes have been destroyed. [10] Thus, algorithms for inference by performing relational algebraic operations on individual records (such as proposed by Denning, Denning, and Schwartz [9]) are not possible. Furthermore, most users do not possess the extensive preknowledge of individuals in a population. Thus, it is difficult to form inferences about arbitrary small subsets

Assume that when a new computer account is issued, the user is assigned a vector of maximum read access levels for each NEED-TO-KNOW compartment:

`< army_max_read_level, navy_max_read_level, air_force_max_read_level >`

Each element in this vector is a non-negative integer. [6] [18]

The following code listing represents a text file "big_pine_2". The text of this file is one highly classified sentence from a Defense Department database:

"The combat forces deployed in the operation included 5,182 men of the 101st airborne rangers, the battleship New Jersey, and six A-7 reconnaissance aircraft."

The assembler-like language of this text processor, sanitizes clauses of the sentence by the user's clearance level. The result is a syntactically correct natural language text from which no inference of the suppressed clauses may be formed.

To understand the programming language used in this example, a brief introduction is provided.

The BEGIN and END Operators

Each block of text must be framed by a pair of operators `<BEGIN,END>`. The operand for each is `text_type=text_name`. To simplify this example, the only two `text_types` which will be used are "FILE" and "SENTENCE".

The COMPARTMENT Operator

Each clause within a sentence is assigned a COMPARTMENT (or topic designation) regarding the type of information it contains. The operands may be literals or logical expressions of literals. In this example, literals include "army", "navy", and "air_force". The operand "ANY" is the logical INCLUSIVE-OR of all literal operand values.

The SEC_LEVEL Operator

Each clause within a sentence must be assigned a minimum read clearance level for the compartments designated. If the user's security class is lower than this level, then the clause is suppressed. The operand of SEC_LEVEL is a non-negative integer. The highest values represent more sensitive information.

The TEXT Operator

The operand of TEXT is a literal string of printable ASCII characters which is surrounded by double quotes.

The CONCATENATION Operator

Suppressed text should appear invisible to lower level users. This operator inserts natural language conjunctions in text as appropriate for syntactic correctness. Examples of such conjunctions are "and", "or", comma(,), and semi-colon(;).

The Null or Continuation Operator (*)

When operands or comments use extra lines, the asterisk indicates this to the assembler.

Comment Fields

The semi-colon(;) must be the leftmost character of the comment field on every line.

of individual records. [8]

Thus, the text file "big_pine_2" would be represented in this language as follows.

LABEL	OPERATOR	OPERAND	COMMENTS
big_pine_2	BEGIN	FILE="big_pine_2"	
sent_1	BEGIN	SENTENCE="sent_1"	
clause_1	COMPARTMENT	ANY	
*	SEC_LEVEL	1	;Allow read access for any user
*	*	*	;who has a read access maximum
*	*	*	;clearance level of at least 1
*	*	*	;in any NEED-TO-KNOW compartment
*	TEXT	"The combat forces deployed	
*	*	in the operation included"	
clause_2	COMPARTMENT	army	
*	SEC_LEVEL	2	
*	TEXT	"5,182 men of"	
clause_3	COMPARTMENT	army	
*	SEC_LEVEL	1	;SEC_LEVEL=2 > SEC_LEVEL=1
*	TEXT	"the 101st airborne rangers"	
*	CONCATENATION	"," "and"	;link clauses to form
*	*	*	;coherent natural language text
clause_4	COMPARTMENT	ANY	
*	SEC_LEVEL	1	
*	TEXT	"the battleship New Jersey"	
*	CONCATENATION	"," "and"	
clause_5	COMPARTMENT	air_force	
*	SEC_LEVEL	4	
*	TEXT	"six"	
clause_6	COMPARTMENT	air_force	
*	SEC_LEVEL	3	
*	TEXT	"A-7"	
clause_7	COMPARTMENT	air_force	
*	SEC_LEVEL	2	
*	TEXT	"reconnaissance aircraft"	
*	END	SENTENCE="sent_1"	
*	END	FILE="big_pine_2"	

If user_i wishes to read this file, the owner or administrator of "big_pine_2" must issue the command

```
PERMIT READ ACCESS ON big_pine_2 TO useri
to update the access control subsystem files. [28], [18], [20]
```

At run-time, the user types the command

```
PRINT big_pine_2
```


The following three cases illustrate the system's response as a function of the user's security class.

1. A user whose security vector is $\langle 1, 3, 3 \rangle$ will receive the text string:

"The combat forces deployed in the operation included the 101st airborne rangers, the battleship New Jersey, and A-7 reconnaissance aircraft."

2. A user whose clearance vector is $\langle 0, 0, 1 \rangle$ will receive:

"The combat forces deployed in the operation included the battleship New Jersey."

3. A user whose clearance vector is $\langle 0, 0, 0 \rangle$ will receive the message

"REQUEST DENIED".

This simple example of a security-oriented text processor, illustrates the power of a SANITIZER which is implemented below the level of expert systems. 50 distinct security class vectors are recognized for the file "big_pine_2". 12 possible combinations of clauses may be generated at run-time. As these values are clearly a combinatorial function of the file length, the efficiency of not storing all gradients of sanitized text is realized for larger files. [17]

In a menu-driven, hierarchical database system, MENU ENTRIES should also be selectively suppressed by the user's NEED-TO-KNOW.

The following HIERARCHY OF ACCESS FUNCTIONS to an arbitrary menu entry, ranks access requests by increasing security clearance level. [17]

1. Suppress information about the existence of this node in its parent's narrative documentation file.
2. Suppress printing of this node in a menu of its parent's children.
3. Print this node, but suppress its narrative documentation file.
4. Allow only queries which do not disaggregate this node.
5. Allow printing of the node's menu of children.
6. Allow queries which disaggregate the node by allowing proper subsets of its children.

Several types of MENU ENTRY NODES are used in the SUBJECT database management system: groups of files, file names, lists of attributes in a file record, lists of values for an attribute domain, and aggregate statistics for a given value of an attribute. [2] Because this hierarchy of access functions is sufficiently general, it may be used for any of these node types.

Linear access hierarchies have been shown to be less realistic representations of the world, than partially ordered lattices of vectors of access privileges. [7] In most cases, users may not be implicitly trusted with all of the access privileges which are ranked below the highest function which they have been granted. However, the total ordering described above, represents grants of successively greater knowledge about a subset of a given database. [17]

Another inference control technique, is the PARTIAL SUPPRESSION OF MENU ENTRIES. SUPPRESSION and AGGREGATION techniques may be successful if they do not force illogical ranges or illogical data distributions. [17] To motivate the need for a

variety of node suppression mechanisms, figure 2 illustrates some classifications of attribute domains. [27]

The following six menu entry suppression techniques may be implemented for appropriate types of attribute domains.

1. SUPPRESS ANY NON-ENUMERABLE CATEGORY NODE. This technique is possible for a domain of unrelated category names, if a count aggregate may not be logically formed at the parent node level. As an example, consider a domain which is a collection of files about logically unrelated topics. [17]

2. SUPPRESS LOW FREQUENCY NODES. This is possible for a domain of unrankable and non-enumerable elements (such as a list of surnames). Each menu entry in the list represents a set of individual records which have the given property. The EXPLICIT RISK ESTIMATE CRITERION is used to suppress groups which contain less than k elements or less than $L\%$ of the total elements in the database. [8] A formal statement is:

IF $3 \leq \text{MAX}(k, L\Sigma) \leq \text{group_size} \leq \text{MIN}(\Sigma - k, (1-L)\Sigma) \leq \Sigma - 3$
THEN process a query about this group
ELSE {inference violation} suppress this group;

where k is the MINIMUM GROUP SIZE about which information may be disclosed,
 L is the EXPLICIT RISK ESTIMATE parameter in the range $0 \leq L < 0.5$,
 Σ is the NUMBER OF INDIVIDUAL RECORDS in the database, or some local subset thereof.
(EXAMPLE: Σ may be the population of the United States, of a state, of a city, or of a census tract.)

The upper bound for GROUP-SIZE prevents inferences about small, excluded subsets.

The set of records in GROUP-SIZE may either be homogeneous, or may be the disjunction of all released sets.

The absolute bounds of 3 and $\Sigma - 3$ have been chosen because:

If $k = 0$, then a "NEGATIVE DISCLOSURE" will occur. (The knowledge that a set is empty may be useful to an imputer.)

If $k = 1$, then an individual record is uniquely identified. [26]

If $k = 2$, then a user who has preknowledge of one of the individual records, may ask queries which reveal additional information about the other individual.

3. SUPPRESS NODES AT END(S) OF THE SORT. Possible for an ordered domain if the end(s) of the range are not "commonly known". [17]

However, the major limitation of partial suppression techniques, is that a user may infer the existence and magnitude of a suppressed node if

$\text{COUNT}_{\text{INDIVID_RECS}}(\text{PARENT_NODE}) - \text{COUNT}_{\text{INDIVID_RECS}}(\text{RELEASED_CHILDREN}) > 0$

If the description of the suppressed node is obvious in such a case, then one of the

Figure 2
 TYPES OF ATTRIBUTE DOMAINS
 after [Wiederhold-1977]

SORTABILITY	MEASURABILITY	VALUE/ CHOICES	RANGE/ BOUNDING	SAMPLE DOMAINS	SUPPRESSION MECHANISM FOR DISAGGREGATE SUBSET
ranked	metric	continuous linear scale	known finite	human weight	rolling up
ranked	metric	continuous linear scale	not assignable	net personal wealth {+ or -}	1.rolling up 2.suppression of extreme values
ranked	metric	integer	known finite	human age	rolling up
ranked	metric	integer	upper bound not assignable	number of books read	1.rolling up 2.suppression of extreme upper values
ranked	ordinal	-----	-----	friendli- ness	1.rolling up 2.suppression of entire attribute
unranked	nominal	non- enumerable	logical dis- aggregation impossible	file (category)	suppression of any value possible
unranked	nominal	non- enumerable	logical dis- aggregation possible	surname	suppression of low frequency values
unranked	nominal	enumerable	-----	hair color	not possible; must suppress entire attribute
unranked	existential	-----	-----	sex	not possible; must suppress entire attribute

following mechanisms is appropriate:

4. FALSE SUPPRESSION. If only one menu entry node violates the EXPLICIT RISK ESTIMATE CRITERION, then suppress the two lowest frequency nodes. [26]

5. INCREASE PARTITION GRANULARITY (or ROLLING UP). In this technique, several similar domain elements are DISJOINED (or INCLUSIVELY ORed) into one menu entry. [24]

EXAMPLE:

state = {California, Northwest, Southwest, Texas, Rocky Mountains, Mississippi Valley, New York, East Coast}

6. PROHIBIT DISAGGREGATION. If unreasonable disjunctions of elementary sets imply low elementary set values, then suppress the entry menu. Allow only queries which do not disaggregate the menu's parent node.

EXAMPLES:

hair_color = {[black, red, bald], [brown], [blond]}

human_age = {[0-5], [6-80], [81-100], [100+]}

At a higher level of control, system security managers should identify new functional dependencies which exist in real data. Such correlations may not be verified by the INTEGRITY ANALYSIS mechanism when new records are inserted into a file.

Some general techniques for finding these functional dependencies or EQUIVALENCE PATHS include:

1. System security managers should analyze databases of similar populations to find such dependencies. [17]

2. System managers should recognize "obvious" functional dependencies when partitioning database objects by security class. [3]

3. Users should be denied access to subsets of the database about which they have some prior knowledge. [3]

EXAMPLE: A user may not read census data about the census tract in which he lives.

To reduce the complexity of finding new functional dependencies in real data: [17]

1. Monte-Carlo methods may be used to reduce the sample size

2. Accept correlations within a given confidence interval. Although a relationship in real data may not be valid for all record instances, it may be useful to an imputer.

Chin and Ozsoyoglu [3] have suggested that a theorem-prover be used to find inferences which are based on "well-known" facts. If feasible, expert systems should be developed and implemented as a required database design tool.

In conclusion, threats from uncontrolled read access to database documentation are dependent on the specific population represented. This class of inference control mechanisms cannot be implemented by the vendors of a database management system for all installations. Similarly, only measures to control the "obvious" functional dependencies may be implemented at the record definition level. The characteristics of each



local population must be evaluated individually. [17]

4. USER INTERFACE

The terminal interface provides several variables which may assist "expert" users to form inferences about real data and about security subsystem data.

This category of threats has traditionally been associated with the COVERT INFORMATION FLOW problem. [16] Trojan Horse procedures and other user-written routines may cause the flow of data or analogs of data to a user interface. However, this section will present a unified approach to some unintentional design weaknesses in statistical database systems, which cause covert flow. Section 5 will present some database design principles to block the implementation of such user-written procedures at run-time.

The most sensitive data value that may be inferred through the user interface, is a bound for the size of a set of homogeneous records. A user may know that several queries were rejected because the group-size parameters were outside of the range imposed by the EXPLICIT RISK ESTIMATE CRITERION. [17] This information allows the user to form a GENERAL TRACKER to isolate additional "small" subsets of records. [10]

The values of other sensitive parameters may also be inferred through the user interface. These include legitimate system user names, and verifications of the existence of a data object.

Therefore, inference control at the user interface, should attempt to conceal the QUERY FAILURE POINT. [17] As the query is being processed, it may fail for any of the following reasons:

1. Invalid user name at log-in
2. Invalid authentication parameters submitted at log-in
3. Syntax error in the query language statement
4. Invalid data object name referenced
5. Invalid access function referenced
6. Access privilege request has not been granted to this user
7. Invalid authentication parameters submitted for this access request
8. Flow policy violation
9. Statistical aggregate requested has not been pre-computed in a partitioned database
10. Statistical inference control violation detected

To reduce system processing costs, a user should know that an on-line terminal session was unsuccessful because of an improper log-in protocol sequence. (However, no failure reason need be given for a batched query submitted by an operator.) Similarly, on-line documentation should be provided by the database management system vendor, to assist in the formation of syntactically correct query statements.

An interactive user terminal interface provides four variables which allow "expert" users to form inferences:

1. On-line turnaround time [23]
2. Accounting statistics [16]
3. The error message received [27]
4. The failure point of an interactive protocol sequence [17]

The PERTURBATION and SUPPRESSION of these variables may be controlled through the front-end of a database management system.

The user may gain valuable information from the ON-LINE TURN-AROUND TIME. Morris and Thompson [23] observed this phenomenon when the log-in protocol

< user_name, literal_password >

was submitted to an early version of the UNIX operating system. The turn-around time was much faster for an invalid user name than for a valid user name and an invalid literal password.

To delay (or PERTURB) the on-line turn-around time, the system may execute a procedure of the form:

```
delay := 108 * (expected_turnaround_time - f(query_failure_point));
j := 0;
FOR i := 1 TO delay DO
  j := j + 1/i;
```

where f is a monotonically increasing function of the FAILURE_REASON_SEQUENCE_NUMBER, and need not be linear.

ACCOUNTING DATA may be used to read analogs of privileged information which are intentionally caused by COVERT FLOW. [16] However, several other types of inferences may be obtained from performance statistics:

1. Query failure point
2. Magnitude of a data object
3. The size of a set of records in a secondary storage data structure

As a counter-measure, end users who do not pay for computing resources, should either receive perturbed accounting statistics, or should not receive any such parameters.

A single error message "REQUEST DENIED" should be issued for all query failure reasons. Otherwise, a user may determine if the failure was caused by a non-existent data object, a non-existent access privilege grant, or a statistical inference violation. [27] †

Therefore, the following interactive sequence should be completed for all users for all queries. [17] Appropriate time delays should be induced between system prompts. This may be construed as suppression of the query failure point.

System: User name? [Log-in only]

User: My_name. [Log-in only]

System: Literal password? [Log-in only]

User: My_password. [Log-in only]

System: Response ∈ {"WELCOME", "REQUEST DENIED"} [Log-in only]

System: Query text?

User: My_query.

† However, if a query fails because of a syntax error or a system crash, then the user should know the exact

System: Transform $\langle a_1, \dots, a_n \rangle$

User: $f_{user}(a_1, \dots, a_n, current_time)$

System: Query_answer $\in \{Information_Requested, "REQUEST DENIED"\}$

The cost of inference controls at the user interface is justified by the PRINCIPLE OF INVISIBILITY: "Inaccessible data objects should be indistinguishable from non-existent data objects." [12]

Therefore, all four interface variables should behave in a time-independent and query-independent manner. The performance of the user-interface should be monitored and perturbed by a security subsystem at this level. Vendors of database management systems should produce products which provide protection at this level. [17],[18]

5. THE CONFINEMENT PROBLEM

COVERT FLOW is a generic term for information which flows from a privileged state through channels which are "not intended for information transfer". [16] The transmission may be of actual data values or of analogs. The processes of converting data to analogs and analogs to data, have been referred to as INFERENCES. [7] This section will briefly suggest ways in which improved software engineering practices may reduce the threat of covert flow in database management systems.

Techniques for covert flow by analog include reading the program status word, printing a variable number of carriage returns, and varying the system load as a boolean sequence over time. A Trojan Horse procedure may substitute analogs of protected values in place of accounting statistics. [16] These transmission channels should be regarded as data objects. Access to them should be controlled by system security policy.

The accepted counter-measures to covert flow, include program certification at compile-time, auditing, suppression of accounting data, increasing the band-width of the data paths, and periodic validation of the object module image in main memory.

In a database management system, user programs may attempt to generate analogs by unauthorized access to files or to functional units of the DBMS. To reduce the opportunities for this type of intruder, the following design principles should be implemented: [17]

1. Require that a main driver procedure access all DBMS functional units at a maximum distance of one subroutine call. This decreases the probability that implicit EXECUTE access grants will cause procedures to execute in an inappropriate sequence. †
2. Require that, when possible, absolute branch addresses should be substituted for subroutine call and return instructions. This measure also reduces the threat of implicit EXECUTE access grants to untrustworthy procedures.

reason.

† This principle reduces the flexibility of C.J.Date's [5] model of three layers of design independence in a commercial database system. Logically, Date implies that EXTERNAL VIEWS call the CONCEPTUAL LEVEL as a subroutine. Similarly, the CONCEPTUAL LEVEL calls the PHYSICAL LEVEL. The implementation of a driver at one level, requires a programming group which reports directly to the project manager. This unit of a database design project would serve as an interface for communication between the EXTERNAL, CONCEPTUAL, and PHYSICAL programming teams. Brooks [1] notes that the communications paths between functional units in a system, will resemble the communication paths between individuals in a programming project.

3. Database functional units should be required to SCRUB (or set to zero) all registers, variable storage blocks in main memory, and temporary disk files, when control is relinquished. This sanitization technique prevents covert flow through STORAGE CHANNELS. [13], [16]

The ultimate solution to the confinement problem, is a dedicated database machine. [21] However, the secure database kernel is a reasonable alternative for a multi-user system. [18]

6. CONCLUSIONS

An inference is the process of transforming unclassified data values into confidential data values. Most previous research in inference control has studied the use of statistical aggregates to deduce individual records.

However, several other types of inference are also possible. Unknown functional dependencies may be apparent to users who have "expert" knowledge about the characteristics of a population. Some correlations between attributes may be concluded from "commonly-known" facts about the world. Database security managers have ignored these "obvious" relationships. Similarly, within a single record structure, different populations may have extremely different characteristics. To counter this threat, security managers should use random sampling of databases of similar populations, as well as expert systems. [17]

"Expert" users of the DATABASE SYSTEM may form inferences from the variable performance of the user interface. Users may observe on-line turn-around time, accounting statistics, the error message received, and the point at which an interactive protocol aborts. One may obtain information such as the frequency of attribute values, and a negative verification of the existence of a data object.

At the back-end of a database system, covert flow of inferences may be induced by Trojan Horse procedures and other user-written procedures. As a counter-measure, improved software engineering practices will reduce opportunities to bypass functional units of the database system.

Most current implementations of security subsystems in database management systems, are weak and inflexible. [20] The original authorization control mechanisms have frequently been down-graded or eliminated to improve time and space complexity. [14], [15], [20]

The term "DATA OBJECT TYPE" has been narrowly defined to include only real data records in a database management system. [5]

The security of the DATABASE and the security of the DATABASE MANAGEMENT SYSTEM must be recognized as separate but related problems. [17]

Thus by broadening definitions and re-evaluating the cost of protection against the cost of compromise, database designers may reduce the threats caused by lower level inferences. [17]

BIBLIOGRAPHY

1. Brooks,F. "THE MYTHICAL MAN-MONTH". (Second Edition) Addison-Wesley. 1982.
2. Chan,P. and A. Shoshani. "SUBJECT: A DIRECTORY DRIVEN SYSTEM FOR LARGE STATISTICAL DATABASES" in "AN LBL PERSPECTIVE ON STATISTICAL DATABASE MANAGEMENT". Edited by H.K.T.Wong. Lawrence Berkeley Laboratory. Berkeley, California. December,1982.
3. Chin,F.Y. and G.Ozsoyoglu. "STATISTICAL DATABASE DESIGN". ACM TODS. Vol.6,No.1. pp.113-139. March,1981.
4. Codd,E.F. "FURTHER NORMALIZATION OF THE DATABASE RELATIONAL MODEL", in "DATABASE SYSTEMS". Courant Computer Science Symposia Series. Vol.6. Prentice-Hall. 1972.
5. Date,C.J. "AN INTRODUCTION TO DATABASE SYSTEMS". (Second and Third Editions) Addison-Wesley. 1977 and 1981.
6. Denning,D.E. "A LATTICE MODEL FOR SECURE INFORMATION FLOW". CACM. Vol.19,No.5. May,1976.
7. Denning,D.E. "CRYPTOGRAPHY AND DATA SECURITY". Addison-Wesley. Redding,Mass. 1982.
8. Denning,D.E. "A SECURITY MODEL FOR THE STATISTICAL DATABASE PROBLEM" in "PROCEEDINGS OF THE SECOND INTERNATIONAL WORKSHOP ON STATISTICAL DATABASE MANAGEMENT". Edited by R.Hammond and J.T.McCarthy. Lawrence Berkeley Laboratory. Berkeley,California. September,1983.
9. Denning,D.E.,P.J.Denning,and M.D.Schwartz. "THE TRACKER: A THREAT TO STATISTICAL DATABASE SECURITY". ACM TODS. Vol.4.No.1. March,1979.
10. Denning,D.E. and J.Schlorer. "A FAST PROCEDURE FOR FINDING A TRACKER IN A STATISTICAL DATABASE". ACM TODS. Vol.5,No.1. March,1980.
11. Earnst,L. Private communication to L.Hoffman in "COMPUTERS AND PRIVACY: A SURVEY" by L.Hoffman. ACM Computing Surveys. Vol.1,No.2. page 92. June,1969.
12. Fernandez,E.,R.C.Summers,and C.Woods. "DATABASE SECURITY AND INTEGRITY". Addison-Wesley. 1981.
13. Gold,B.,R.Linde,M.Schaeffer,and J.Scheid. "FINAL REPORT - PERIODS PROCESSING VS KVM/370". System Development Corporation. Technical Report. May,1977. Referenced in A.K. Jones. "PROTECTION MECHANISMS AND THE ENFORCEMENT OF SECURITY POLICY", in "OPERATING SYSTEMS: AN ADVANCED COURSE". Edited by R.Bayer, R.M.Graham, and G.Seegmuller. Springer-Verlag. New York. 1979.
14. Graham,G.S. and P.J.Denning. "PROTECTION: PRINCIPLES AND PRACTICES". AFIPS Conference Proceedings. 1972 SJCC.
15. Lampson,B.W. "PROTECTION". Proceedings of the Fifth Princeton Symposium on Information Sciences and Systems. Department of Computer Science. Princeton University. Princeton,New Jersey. March,1971. (Reprinted in ACM Operating System Review. Vol.8,No.1. January,1974.)

16. Lampson, B.W. "A NOTE ON THE CONFINEMENT PROBLEM". CACM. Vol.16, No.10. pp.613-615. October, 1973.
17. Lipton, D.L. and H.K.T. Wong. "LOWER LEVEL INFERENCES: SECURITY THREATS FROM OBJECTS LOGICALLY UNKNOWN TO A STATISTICAL DATABASE". Lawrence Berkeley Laboratory. Technical Report. 1984a. (To appear)
18. Lipton, D.L. and H.K.T. Wong. "A SECURE KERNEL FOR A DATABASE SYSTEM USING FLOW CONTROL FOR GRANT INTEGRITY". Lawrence Berkeley Laboratory. Technical Report. 1984b. (To appear)
19. Lipton, D.L. and H.K.T. Wong. "AN OPTIMAL IMPLEMENTATION OF AN AUTHENTICATION TEST". Lawrence Berkeley Laboratory. Technical Report. 1984c. (To appear)
20. Lipton, D.L. and H.K.T. Wong. "SECURITY OF DATABASE MANAGEMENT SYSTEMS: A FEATURE ANALYSIS OF SEVERAL COMMERCIALY AVAILABLE PRODUCTS". Lawrence Berkeley Laboratory. Technical Report. 1984d. (To appear)
21. Lipton, D.L. and H.K.T. Wong. "A DATABASE PERSPECTIVE ON COMPUTER SECURITY". Lawrence Berkeley Laboratory. Technical Report. 1984e. (To appear)
22. Michalewicz, Z. "FUNCTIONAL DEPENDENCIES IN STATISTICAL DATABASES". (Preliminary version). Department of Computer Science. Victoria University of Wellington. Wellington, New Zealand. 1983.
23. Morris, R. and K. Thompson. "PASSWORD SECURITY: A CASE HISTORY". Bell Laboratories. Murray Hill, New Jersey. April, 1978.
24. Olsson, L. "PROTECTION OF OUTPUT AND STORED DATA IN STATISTICAL DATABASES". ADB-Information, 4, Statistica Centralbyran, Stockholm, Sweden. 1975. in "CRYPTOGRAPHY AND DATA SECURITY" by D. Denning. Addison-Wesley. 1982.
25. Saltzer, J.M. and M.D. Schroeder. "THE PROTECTION OF INFORMATION IN COMPUTER SYSTEMS". Proc. IEEE. Vol.63, No.9. pp.1278-1308. September, 1975.
26. Schlorer, J. "IDENTIFICATION AND RETRIEVAL OF PERSONAL RECORDS FROM A STATISTICAL DATA BANK". Methods of Information in Medicine. Vol.14, No.1. 1975.
27. United States Department of Labor, Employment and Training Administration; Computing Division, Lawrence Berkeley Laboratory, University of California; and National Technical Information Service, U.S. Department of Commerce. "REPORT 3: SOCIAL INDICATORS FOR PLANNING AND EVALUATION, 1980 CENSUS OF POPULATION". Lawrence Berkeley Laboratory Technical Report. LBL-15850. April, 1982.
28. Wiederhold, G. "DATABASE DESIGN". McGraw-Hill. 1977.
29. Woodfill, J., P. Segal, J. Ranstrom, M. Meyer, and A. Allman. "INGRES VERSION 7 REFERENCE MANUAL". Memorandum No. UCB/ERL M81/61. Electronics Research Laboratory, College of Engineering, University of California. Berkeley. August 27, 1981.
30. Yu, C.T. and F.Y. Chin. "A STUDY ON THE PROTECTION OF STATISTICAL DATABASES". Proc. ACM SIGMOD International Conference on the Management of Data. pp.169-181. 1977.