

# UC Berkeley

## UC Berkeley Previously Published Works

### Title

Racial Discrimination, Social Disadvantage, and Racial-Ethnic Disparities in COVID-19 Vaccine Uptake

### Permalink

<https://escholarship.org/uc/item/6vb8v5bf>

### Journal

AJPM Focus, 2(2)

### ISSN

2773-0654

### Authors

Haro-Ramos, Alein Y  
Bacong, Adrian M  
Rodriguez, Hector P

### Publication Date

2023-06-01

### DOI

10.1016/j.focus.2023.100072

Peer reviewed



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

# AJPM FOCUS

INCLUSIVITY IN PEOPLE, METHODS, AND OUTCOMES

RESEARCH ARTICLE

## Racial Discrimination, Social Disadvantage, and Racial–Ethnic Disparities in COVID-19 Vaccine Uptake



Alein Y. Haro-Ramos, MPH,<sup>1</sup> Adrian M. Bacong, PhD, MPH,<sup>2</sup> Hector P. Rodriguez, PhD, MPH<sup>1</sup>

**Introduction:** Racial–ethnic disparities in COVID-19 vaccination are well documented. The extent to which racism, manifested at the individual and ZIP code levels, explains disparities in early vaccination uptake remains unclear.

**Methods:** Data from a statewide poll of California registered voters (N=10,256), conducted between April 29 and May 5, 2021, linked to area-level resource data, were analyzed. Weighted multivariable logistic regression models examined racial disparities in COVID-19 vaccination. Decomposition analyses quantified how much of the observed racial disparities in vaccination were explained by racial discrimination and social disadvantage (i.e., educational attainment, 2019 household income, and ZIP code social vulnerability).

**Results:** Latinx (64.6%) and Black (66.7%) adults were less likely to have at least 1 COVID-19 vaccine dose by April or May 2021 than White adults (74.7%). In adjusted analyses, Latinx (AOR=0.69, 95% CI=0.57, 0.84) and Black (AOR=0.51, 95% CI=0.37, 0.70) adults had a lower likelihood of being vaccinated than Whites. Social disadvantage accounted for 77.4% ( $p<0.05$ ) and 35.8% ( $p<0.05$ ) of the explainable variation in Latinx–White and Black–White disparities, respectively. Self-reported racial discrimination was not associated with COVID-19 vaccination in adjusted analyses.

**Conclusions:** Social disadvantage but not self-reported racial discrimination explained racial–ethnic disparities in COVID-19 vaccination in California. Removing resource-related barriers may help to increase the relatively low COVID-19 vaccination rates among Black and Latinx populations.

*AJPM Focus 2023;2(2):100072. © 2023 The Author(s). Published by Elsevier Inc. on behalf of The American Journal of Preventive Medicine Board of Governors. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).*

## INTRODUCTION

Racism has been deemed a root cause of racial–ethnic health disparities in the U.S.<sup>1,2</sup> During the pandemic, racial–ethnic disparities in coronavirus disease 2019 (COVID-19) infections, hospitalizations, and mortality<sup>3</sup> are stark examples of the consequences of racism on health.<sup>4</sup> Vaccination can reduce COVID-19 hospitalization and mortality rates, as highlighted in the 53.2 times

From the <sup>1</sup>Division of Health Policy and Management, School of Public Health, University of California, Berkeley, Berkeley, California; and <sup>2</sup>Division of Cardiovascular Medicine, Stanford University School of Medicine, Stanford, California

Address correspondence to: Alein Y. Haro-Ramos, MPH, Division of Health Policy and Management, School of Public Health, University of California, Berkeley, 2121 Berkeley Way #5427, Berkeley CA 94704. E-mail: [aleinharo@berkeley.edu](mailto:aleinharo@berkeley.edu).

2773-0654/\$36.00

<https://doi.org/10.1016/j.focus.2023.100072>

greater risk of death among unvaccinated than among fully vaccinated individuals.<sup>5</sup> However, early 2021 reports of COVID-19 vaccination uptake have documented much lower vaccination rates among Black and Latinx adults than among White and Asian adults.<sup>6</sup> Studies examining drivers of racial–ethnic disparities in vaccination have focused primarily on individual-level demographic and economic factors<sup>7</sup> or vaccine hesitancy,<sup>8</sup> excluding critical predictors of preventive healthcare access such as racism. Given the saliency of racial disparities in vaccination, studies have called for more attention to the distinct ways racism shapes COVID-19 vaccine disparities.<sup>9</sup> Understanding the multilevel drivers of racial disparities in early COVID-19 vaccination uptake can help to inform the targeting and tailoring of interventions and policies to address disparities in COVID-19 outcomes. Furthermore, examining the disparities in the early stages of vaccine availability is critical because this is the period where the most pervasive racial–ethnic disparities in COVID-19 vaccination uptake are likely to occur. Early disparities in access to COVID-19 vaccines can lead to racial differences in morbidity, mortality, and life expectancy because of COVID-19, perpetuating existing health inequities.

Fundamental Cause Theory (FCT) provides a valuable framework for understanding early racial disparities in COVID-19 vaccination. FCT focuses on the social causes of health inequities, which shape the flexible resources (i.e., power, prestige, and social connections) that allow advantaged groups to circumvent health risks, implement protective strategies for preventable diseases, and access novel health innovations.<sup>10</sup> Recently, the originators of the FCT proposed that racism is a fundamental cause because it operates through multiple pathways to shape SES and race-related flexible resources, which affect health, health behaviors, and healthcare access.<sup>11</sup> For example, Black and Latinx individuals are more likely to have lower educational attainment and household incomes<sup>12</sup>; work in precarious, low-wage jobs<sup>13,14</sup>; and live in disadvantaged communities burdened by poverty, unemployment, and crowded housing.<sup>15</sup> Social disadvantage places Black and Latinx individuals at risk of multiple disease outcomes, limits access to novel prophylactic measures such as the COVID-19 vaccine, and perpetuates racial health inequities.<sup>11,16</sup>

Beyond the unequal distribution of health-enhancing social resources, significant differences in race-related resources exist. For example, racial differences in prestige, including devaluation and adverse treatment, contribute to differences in health through racial discrimination.<sup>11</sup> Although growing evidence finds that SES is a critical pathway between racism and health,<sup>16</sup> the evidence on self-reported racial discrimination

remains mixed.<sup>17–19</sup> Some studies suggest that racial discrimination among individuals who have internalized racism or the acceptance of negative racial stereotypes by a member of a stigmatized racial group<sup>20</sup> is associated with negative health-related behaviors, including poor treatment adherence, risky coping strategies (i.e., substance use), and limited healthcare utilization.<sup>20</sup> In contrast, others find that personally mediated racism is not inherently detrimental and may be protective in some social contexts.<sup>21</sup> For instance, perceived racial discrimination is positively associated with cancer screening and early HIV infection screening among Black individuals once residential segregation is controlled.<sup>19,22</sup> In the COVID-19 context, however, it remains unclear the multiple ways that racism underlies COVID-19 vaccine disparities.

This study quantifies early racial–ethnic disparities in COVID-19 vaccination coverage and examines the extent to which social disadvantage, as a form of structural racism, and interpersonal racial discrimination contribute to these disparities. Using FCT as a framework, we hypothesize that (1) Black and Latinx adults will be less likely to have at least 1 dose of the COVID-19 vaccine than White adults and that (2) social disadvantage will account for a greater share of racial disparities in COVID-19 vaccination than personally mediated racial discrimination because of the greater impact of structural racism on health-enhancing resources.

## METHODS

### Study Sample

Data from the University of California Berkeley Institute for Governmental Studies (IGS) May 2021 poll of California registered voters were analyzed. The IGS poll is a deidentified survey of California's public opinion on policy and public matters. The web-based survey was administered in English and Spanish from April 29 to May 5, 2021 by distributing e-mail invitations to stratified random samples of the state's registered voters. The overall sample was stratified by age, gender, race–ethnicity, and language to obtain a proper balance of survey respondents across major segments of the registered voter population. Poststratification weights were applied to align the sample of registered voters to the population characteristics of the state's registered voters on the basis of age, race–ethnicity, gender, education, California region of residence, and party affiliation.

Data collection began 2 weeks after the COVID-19 vaccine became available to all California adults.<sup>23</sup> A total of 200,000 registered voters were invited; 16,400 participated (8.2% response rate),<sup>24</sup> and 10,289 submitted the survey (62.7% completion rate). This response

rate is consistent with those of other polls of registered voters.<sup>25</sup> ZIP code social vulnerability data (2018) from the Centers for Disease Control and Prevention Social Vulnerability Index (SVI) were linked to the poll data using each respondent's ZIP code. The analytic sample includes 10,256 adult participants with complete responses on key variables across 1,248 ZIP codes in California (mean adults per ZIP code=8.2, range=1–38). All analyses use sampling weights to generalize to the California registered voter population. All data are public and deidentified and do not constitute human subjects research.

### Measures

Our outcome is self-reported receipt of at least 1 dose of the COVID-19 vaccine. Respondents were asked, *Have you received the COVID-19 vaccine or not?* Vaccination was coded 1=Yes, at least one dose of the vaccine and 0=No.

The primary independent variable of interest is race–ethnicity. We conceptualize race–ethnicity as social categories that shape the distribution of discrimination, risks, and resources.<sup>26</sup> Respondents self-reported their race–ethnicity as Asian/Pacific Islander (PI), Black/African American (Black), Latina/o/x/Hispanic (Latinx), other race, Native American, and White. Given the small sample size, we combined Native Americans in the other-race category. We use White as the reference group, given this group's sample size and historical advantage in access to social resources relative to racially minoritized groups.

We considered 2 sets of explanatory variables: social disadvantage and self-reported racial discrimination in the past 3 years. Social disadvantage includes 2 independent individual-level SES variables (i.e., educational attainment and 2019 annual household income) and ZIP code–level social vulnerability. Educational attainment included high school or lower, some college, college, or postgraduate degree. Annual income categories included \$59,999 or less, \$60,000–\$129,999, over \$130,000, and missing. The SVI consists of 4 indices of area-level disadvantage (i.e., SES, household composition and disability, minority status and language, and housing type and transportation) to create a composite measure of community vulnerability in the event of a societal shock, including disease outbreaks.<sup>27,28</sup> The overall SVI is calculated by summing individual indices and converting the total score into a percentile rank ranging from 0 to 1, with higher values indicating greater vulnerability. We multiplied the percentile ranks by 10 (a 1-unit change refers to 0.1 on the original scale) to help with interpretation. Previous research described each index's composition and data source.<sup>27,28</sup> Racial

discrimination was asked as a single, dichotomous item: *In the past three years, have you been treated unfairly because of your race?* Racial discrimination was coded 1=Yes and 0=No.

We also considered several covariates previously associated with COVID-19 vaccination uptake.<sup>7</sup> These included age (continuous), gender (female/male), nativity (foreign born/U.S. born), and political party affiliation (Democrats, Republicans, Independent, something else). We include California region fixed effects to account for geographic variation in the distribution of vaccines and COVID-19 local-government responses.

### Statistical Analysis

Student's *t*-tests and chi-square tests were conducted to assess whether participants reported different results with respect to sociodemographic and other study variables by race–ethnicity. Descriptive analyses used sampling weights to yield representative estimates of California registered voters. We used weighted logistic regression models with cluster robust SEs at the ZIP code level to examine racial–ethnic disparities in COVID-19 vaccination uptake. Clustered SEs account for the grouping of racial–ethnic participants within ZIP codes.<sup>29</sup> Model 1 displayed the unadjusted association between race–ethnicity and COVID-19 vaccination to give us a baseline model. Model 2 examined the relationship between race–ethnicity and COVID-19 vaccination, accounting for demographics, including age, sex, region, nativity, and political party affiliation, which is a key predictor of COVID-19 vaccination uptake. In Models 3 and 4, we adjusted for hypothesized drivers of racial–ethnic inequities (i.e., individual-level and ZIP code–level social disadvantage and interpersonal racial discrimination, respectively) to determine whether racial–ethnic inequities in COVID-19 vaccination remain. In Model 3, we subsequently included educational attainment, household income, and ZIP code SVI. Model 4 then included an indicator for racial discrimination while accounting for all covariates used in Model 3.

On the basis of the final regression models, we implemented the Karlson–Holm–Breen (KHB) decomposition method<sup>30</sup> to assess whether social disadvantage as a form of structural racism or personally mediated racial discrimination better explained early racial–ethnic disparities in COVID-19 vaccination. KHB has been previously used to decompose social factors that explain health disparities by legal status.<sup>31</sup> All  $p < 0.05$  was considered statistically significant, whereas  $p < 0.10$  was considered marginally significant. We estimated the variance inflation factor to assess potential collinearity among the covariates in our models and assessed model

fit using the Akaike information criterion. Data were analyzed using Stata 17 (College Station, TX).<sup>32</sup>

## RESULTS

Table 1 shows the weighted sample characteristics for the entire sample and by race–ethnicity. Although 72.9% of participants received at least 1 COVID-19 vaccine dose, variation by race–ethnicity exists. Almost 3 in 4 (74.7%) White adults had at least 1 dose of the vaccine compared with 64.6% of Latinx and 66.7% of Black adults. Asian/PI adults had the highest rates (86.5%) of COVID-19 vaccination and had comparable education, income, and SVI levels with those of White respondents.

By contrast, Latinx and Black adults had lower educational attainment and annual income levels. SVI scores were higher among Latinx (mean=6.0, SD=1.98) and Black (mean=5.5, SD=2.15) adults than among Whites (mean=3.9, SD=1.94). Black adults (62%) were also more likely to have experienced racial discrimination, followed by Asian/PI (40.3%) and Latinx (32.6%) adults. Overall, most respondents identified as female (52.0%), White (57.5%), born in the U.S. (81.2%), and aged about 50 years on average.

Table 2 shows the results of the weighted logistic regression to examine the association between race–ethnicity and the odds of receiving at least 1 dose of the COVID-19 vaccine. The variance inflation factor of each

**Table 1.** Weighted Characteristics of the Study Population by Race–Ethnicity, IGS Poll 2021 (N=10,256)

Characteristics	White n=6,402, %	Latinx n=1,906, %	Asian/PI n=986, %	Black n= 608, %	Other n=387, %	Total n=10,256, %	p-Value
At least 1 dose of the COVID-19 vaccine	74.7	64.6	86.5	66.7	45.5	72.9	<0.001
Political party affiliation							
Democrat	35.9	47.4	45.1	51.7	18.4	40.0	<0.001
Independent	25.0	19.8	23.7	29.5	26.0	24.0	
Republican	24.7	12.1	14.5	6.1	21.4	19.5	
Something else	14.4	20.8	16.8	12.7	34.2	16.5	
Sex							
Female	51.6	53.6	50.8	52.4	51.5	52.0	0.020
Male	48.4	46.4	49.2	47.6	48.5	48.0	
Annual income							
≤\$59,999	29.1	53.0	29.7	41.9	38.3	35.3	<0.001
\$60,000–\$129,999	32.3	23.8	30.8	34.1	27.6	30.2	
≥\$130,000	30.5	10.1	29.8	15.0	10.7	24.6	
Missing	8.1	13.2	9.7	8.9	23.4	9.8	
Racial discrimination	19.0	32.6	40.3	62.0	6.4	26.7	<0.001
California region							
Bay area	21.8	9.5	36.3	21.9	18.5	20.8	<0.001
Central coast	7.8	4.6	2.1	1.7	3.3	5.9	
Inland empire	9.5	15.9	5.8	12.9	9.4	10.6	
Los Angeles	20.0	35.4	30.3	45.3	20.5	26.1	
North Coast/sierras	3.3	0.4	0.1	0.3	6.3	2.1	
Orange	8.4	6.7	11.2	1.8	6.1	8.0	
Sacramento valley	10.3	5.1	4.1	4.4	9.7	8.0	
San Diego	10.0	9.5	6.6	7.7	7.4	9.2	
San Joaquin valley	9.0	12.9	3.5	4.0	18.6	9.1	
Education							
High school or less	10.4	29.6	11.5	12.1	15.3	15.0	<0.001
Some college	39.9	49.7	31.0	57.2	61.6	42.4	
College degree	30.5	15.0	38.3	19.1	12.7	27.0	
Postgraduate	19.3	5.7	19.2	11.6	10.5	15.6	
Immigrant	7.8	34.1	47.2	11.8	4.7	18.8	<0.001
Age, years, mean (SD)	52.7 (18.0)	41.6 (15.9)	43.4 (17.1)	48.0 (17.1)	49.2 (17.1)	48.7 (18.1)	<0.001
SVI, mean (SD)	3.9 (1.9)	6.0 (2.0)	4.2 (2.0)	5.5 (2.2)	4.8 (2.2)	4.5 (2.2)	<0.001

Note: N is unweighted; range=0–10.

IGS, Institute for Governmental Studies; PI, Pacific Islander; SVI, Social Vulnerability Index.

**Table 2.** ORs for COVID-19 Vaccination Uptake (N=10,256)

Variables	Model 1, OR (95% CI)	Model 2, OR (95% CI)	Model 3, OR (95% CI)	Model 4, OR (95% CI)
Race—ethnicity (ref White)				
Latinx	<b>0.62***</b> (0.52, 0.73)	<b>0.69***</b> (0.57, 0.84)	0.91 (0.75, 1.12)	0.92 (0.75, 1.13)
Asian/PI	<b>2.17***</b> (1.69, 2.79)	<b>2.28***</b> (1.73, 3.02)	<b>2.34***</b> (1.76, 3.11)	<b>2.38***</b> (1.79, 3.17)
Black	<b>0.68**</b> (0.51, 0.90)	<b>0.51***</b> (0.37, 0.70)	<b>0.63**</b> (0.46, 0.86)	<b>0.66*</b> (0.48, 0.91)
Other race	<b>0.28***</b> (0.19, 0.43)	<b>0.32***</b> (0.21, 0.50)	<b>0.38***</b> (0.25, 0.58)	<b>0.38***</b> (0.25, 0.57)
Education (ref high school or lower)				
Some college			0.97 (0.78, 1.20)	0.98 (0.79, 1.21)
College degree			<b>1.39**</b> (1.10, 1.75)	<b>1.40**</b> (1.11, 1.76)
Postgraduate			<b>1.86***</b> (1.45, 2.38)	<b>1.87***</b> (1.46, 2.40)
Annual income (<\$59,999)				
\$60,000–\$129,999			<b>1.31**</b> (1.09, 1.56)	<b>1.31**</b> (1.09, 1.56)
≥\$130,000			<b>1.77***</b> (1.43, 2.20)	<b>1.77***</b> (1.43, 2.20)
Missing			1.19 (0.89, 1.61)	1.18 (0.87, 1.58)
SVI			<b>0.96*</b> (0.92, 1.00) <sup>a</sup>	<b>0.96*</b> (0.92, 1.00) <sup>a</sup>
Racial discrimination (ref none reported)				
				0.89 (0.76, 1.06)
Constant	2.95*** (2.69, 3.24)	2.44*** (1.82, 3.26)	1.95*** (1.33, 2.85)	2.01*** (1.37, 2.95)

Note: Boldface text indicates statistical significance (\*\*\**p*<0.001, \*\**p*<0.01, and \**p*<0.05).

The 95% CIs are in brackets; exponentiated coefficients are shown.

<sup>a</sup>Owing to rounding, the upper bound of the CI is 1.00. Model 1 is the unadjusted baseline model. Model 2 examines the relationship between race—ethnicity and COVID-19 vaccination, accounting for age, sex, region, political party affiliation, and nativity. Model 3 includes educational attainment, annual income, and SVI score. Model 4 adds an indicator for experiences of racial discrimination in the last 3 years.

PI, Pacific Islander; SVI, Social Vulnerability Index.

model, including the fully adjusted model, was <1.5, suggesting that multicollinearity was not an issue. Model 1 shows that Black (AOR=0.68, 95% CI=0.51, 0.90), Latinx (AOR=0.62, 95% CI=0.52, 0.73), and those in the other race category (AOR=0.28, 95% CI=0.19, 0.43) were less likely to have at least 1 dose of the vaccine than Whites. In contrast, Asian/PI (AOR=2.17, 95% CI=1.69, 2.79) participants were twice as likely as White respondents to have had at least 1 dose of the vaccine. In Models 2 and 3, these differences remained robust to the adjustment of covariates and social disadvantage (i.e., household income, education, and area-level SVI) for Black and Asian/PI participants. However, social disadvantage explained disparities in vaccination among Latinxs. Racial discrimination (Model 4) did not attenuate the magnitude of the coefficients for any racial—ethnic category. Respondents who reported racial discrimination

were less likely to have a dose of the COVID-19 vaccine (AOR=0.89, 95% CI=0.76, 1.06), albeit it is unclear whether a true difference exists.

Table 3 shows decomposition analyses results of social disadvantage as a form of structural racism (Panel A) and racial discrimination as a form of personally mediated racism (Panel B). Social disadvantage, including individual-level household income, educational attainment, and ZIP code SVI, explained a significant share of Black—White and Latinx—White COVID-19 vaccine disparities, as measured by the confounding percentage ( $confounding\ \% = \left[ \frac{indirect\ effect}{total\ effect} \times 100 \right]$ ). Using Latinxs as an example of how the confounding percentage is calculated, we begin with Panel A of Table 3. First, Latinx participants have a reduced log odds of vaccination by 0.39 compared with White participants (total effect).

**Table 3.** Vaccination Uptake Decomposition Results: Social Disadvantage and Interpersonal Racial Discrimination, IGS Poll, 2021 (N=10,256)

Decomposition of effects	Panel A: decomposition of social disadvantage on race–ethnicity and COVID-19 vaccination uptake			Panel B: decomposition of racial discrimination on race–ethnicity and COVID-19 vaccination uptake		
	$\beta$	SE	p-Value	$\beta$	SE	p-Value
Total Effect of race–ethnicity on COVID-19 vaccination uptake						
White (ref)						
Latinx	<b>−0.39***</b>	0.10	<0.001	−0.10	0.11	0.35
Asian/PI	<b>0.87***</b>	0.15	<0.001	<b>0.84***</b>	0.15	<0.001
Black	<b>−0.65***</b>	0.16	<0.001	<b>−0.47***</b>	0.16	<0.001
Other	<b>−1.18***</b>	0.21	<0.001	<b>−0.96***</b>	0.21	<0.001
Direct (unmediated) effect of race–ethnicity on COVID-19 vaccination uptake						
White (ref)						
Latinx	−0.09	0.11	0.42	−0.09	0.11	0.42
Asian/PI	<b>0.86***</b>	0.15	<0.001	<b>0.86***</b>	0.15	<0.001
Black	<b>−0.42**</b>	0.17	0.01	<b>−0.42**</b>	0.17	0.01
Other	<b>−0.98***</b>	0.22	<0.001	<b>−0.98***</b>	0.22	<0.001
Indirect (mediated) effect of race–ethnicity on COVID-19 vaccination uptake through social disadvantage						
White (ref)						
Latinx	<b>−0.30***</b>	0.06	<0.001	−0.01	0.01	0.25
Asian/PI	0.01	0.04	0.89	−0.02	0.02	0.21
Black	<b>−0.23***</b>	0.05	<0.001	−0.05	0.04	0.19
Other	<b>−0.21***</b>	0.05	<0.001	0.01	0.01	0.25
Summary of confounding						
	<b>Confounding %</b>			<b>Confounding %</b>		
White (ref)						
Latinx	77.36			13.1		
Asian/PI	0.69			−2.72		
Black	35.81			10.06		
Other	17.41			−1.49		

Note: Boldface indicates statistical significance (\*\*\* $p$ <0.001 and \*\* $p$ <0.01).

Panel A calculated the effects account for demographic variables (gender, age, nativity, political party affiliation); California region fixed effects; and social disadvantage, which includes area-level social vulnerability and individual-level SES. The ZIP code level SVI comprises 4 area-level indices (i. e., SES, household composition and disability, minority status and language, and housing type and transportation). Individual-level SES includes 2 independent indicators: educational attainment and 2019 household income. Panel B calculated effects account for demographic variables (gender, age, nativity, political party affiliation); California region fixed effects; and racial discrimination, which includes having experienced unfair treatment in the last 3 years owing to respondents' race. A negative confounding percentage indicates the mediators related to COVID-19 vaccination in a direction opposite to race–ethnicity.

IGS, Institute for Governmental Studies; PI, Pacific Islander; SVI, Social Vulnerability Index.

Controlling for social disadvantage at the individual and ZIP code levels, the effect of race–ethnicity for Latinx participants reduces to 0.09 (direct effect), yielding an indirect effect of 0.30 (total effect–direct effect). As such, social disadvantage at the individual and ZIP code levels explained 77.36% ( $p$ <0.001) of Latinx–White vaccine disparities. Furthermore, differences in social disadvantage explained 35.81% ( $p$ <0.001) of Black–White vaccine disparities. For Black participants, the direct effect results reveal that

race–ethnicity also has an independent association with COVID-19 vaccination independent of social disadvantage, suggesting that other factors may explain disparities in COVID-19 vaccination for this group. Notably, personally mediated racial discrimination did not explain racial–ethnic disparities in COVID-19 vaccination for any group ( $p$ >0.10). None of the main explanatory factors contributed to the explainable variation in vaccine coverage among Asian/PI participants.



## DISCUSSION

Our research study assessed the relative association of social disadvantage as a form of structural racism and personally mediated racial discrimination with racial–ethnic disparities in COVID-19 vaccination and the extent to which these factors explained disparities. Guided by FCT, we expected that Black and Latinx participants would be less likely than White participants to receive at least 1 dose of the COVID-19 vaccine because of their relatively limited access to flexible resources, hampering early access to the then-novel COVID-19 vaccine (Hypothesis 1). We posited that social disadvantage would explain a greater share of the disparities in vaccination than self-reported racial discrimination because of the greater impact of structural racism on health-enhancing resources (Hypothesis 2).

Consistent with our Hypothesis 1, Black and Latinx participants were less likely to receive at least 1 dose of the COVID-19 vaccine than White participants, and Asian participants were twice as likely as Whites to have been vaccinated. Our decomposition analyses of racial–ethnic disparities in COVID-19 vaccination provide evidence to support Hypothesis 2. Social disadvantage accounted for a statistically significant share of the explainable variation in racial–ethnic disparities in COVID-19 vaccination. Specifically, social disadvantage accounted for 77.4% of the explainable variation in COVID-19 vaccination disparities between Latinx and White participants, and the coefficient for the group was no longer statistically significant after adjusting for these. Furthermore, social disadvantage explained 35.8% of the disparities in COVID-19 vaccination between Black and White participants. Corroborating with other studies, we found that area-level social vulnerability and SES were key independent predictors of vaccination.<sup>7,8</sup>

Next, the Black–White gap remained despite accounting for important explanations of racial–ethnic disparities in COVID-19 vaccination. Black participants had a 34% lower likelihood of COVID-19 vaccine uptake than White participants, even after accounting for educational attainment, household income, social vulnerability, racial discrimination, and covariates. Other mechanisms may be driving disparities among Black participants. Recent qualitative studies, for instance, have found that Black communities report pervasive mistrust of the healthcare system owing to historical legacies of abuse and structural barriers impeding healthcare access as critical barriers to COVID-19 vaccination.<sup>33</sup> Our findings highlight that COVID-19 vaccination disparities, a vital component to controlling the pandemic and preventing deaths, reflect pre-existing

inequities in which disadvantaged groups are the least likely to benefit from novel health developments.

The results suggest that the racial–ethnic disparities in COVID-19 vaccine uptake are much more pronounced for Black and Latinx populations but not for Asian ones. The higher vaccine uptake among Asian individuals is noteworthy. Some studies suggest that attributing COVID-19 to Asian groups may result in some Asian individuals being more likely to receive the vaccine to combat COVID-19–related stereotypes.<sup>34</sup> Moreover, another possibility for the higher vaccination uptake among Asian participants may be related to the presence of this group in essential work and the healthcare sector. For instance, Asian people comprise about 8.5% of all healthcare workers.<sup>35</sup> Certain Asian ethnic groups, such as Filipinos, have been disproportionately represented in COVID-19 infection and mortality cases partly owing to their overrepresentation in the nursing workforce,<sup>36</sup> which may result in a greater willingness to vaccinate.<sup>34</sup>

Notably, self-reported racial discrimination in the last 3 years was not associated with a lower likelihood of having at least 1 dose of the vaccine (the magnitude of the coefficient is in the direction we expect but is not statistically significant) and did not explain any variation of the relationship between race–ethnicity and COVID-19 vaccination in the KHB analyses. A plausible explanation for this finding is that in a racially stratified society such as the U.S., personally mediated racism is highly prevalent, especially within more integrated communities where minoritized racial–ethnic groups have a greater risk of exposure to interracial interactions.<sup>19</sup> Given the pervasiveness of racism, minoritized racial–ethnic groups may have established ways to challenge rather than internalize racism.<sup>22</sup> Previous work has found that individuals who experience personally mediated racism may leverage resources,<sup>22</sup> such as social support, resiliency, or agency, to facilitate self-protective health behaviors. Others have established that having a greater sense of race and the role of racism in one's social context (i.e., race consciousness) is associated with health consciousness and the increased likelihood of protective behaviors.<sup>19</sup>

Our results align with multiple ecologic studies that have analyzed the geographic pattern of COVID-19 vaccination as a function of SVI<sup>8,37</sup> and those that focus on SES to explain racial–ethnic disparities in vaccination.<sup>7</sup> However, these studies do not simultaneously assess individual- and area-level factors influencing COVID-19 vaccination, obscuring key predictors of preventive health behaviors. Our analysis incorporates individual- and area-level explanatory variables to understand the divergent pathways through which social disadvantage

and racial discrimination shape early COVID-19 vaccination, providing a more comprehensive assessment of the relationship between racism, socioeconomic context, and vaccination coverage. Furthermore, consistent with studies of social disparities in the diffusion of medical innovations,<sup>38</sup> we find that Latinx and Black individuals are disproportionately less likely to benefit from the COVID-19 vaccine than their White counterparts. Early racial-ethnic disparities in COVID-19 vaccination uptake were primarily explained by social disadvantage at the individual and ZIP code levels, highlighting that socially advantaged people can more readily deploy their resources to access novel health developments. Our study results suggest that by examining mechanisms of racial-ethnic disparities at distinct levels of analysis, evidence of important health processes can be exposed.

The results have critical implications relevant to COVID-19, other preventable health conditions, and responses to future public health crises: first, making a medical innovation free does not warrant equal use across racial-ethnic groups, and additional efforts to remove access barriers should be a priority for public health practitioners. For example, minoritized racial-ethnic groups may have a greater uptake of future medical innovations if they are accessible and available in their community center/park and during after-work hours and provided alongside financial incentives. These strategies can help to overcome the lack of transportation and the inability to take paid time off from work while providing a small monetary incentive. Second, examining multiple explanatory factors associated with disadvantages at the individual and area levels is essential to address disparities in access to preventive treatments. These lessons learned from COVID-19 vaccination can help to align prevention strategies to better target marginalized and underserved communities for future epidemics.

### Limitations

These findings should be considered in light of some limitations. First, COVID-19 vaccination status was self-reported and thus subject to social desirability and recall bias. However, given the politicized nature of COVID-19-protective behaviors, our adjustment of political party affiliation, which is highly correlated with vaccine views, may partially mitigate social desirability bias. Regarding recall bias, the prevalence of self-reported COVID-19 vaccination status may be as accurate as that of the influenza vaccine, which was comparable with registry-based vaccination status.<sup>39</sup> Second, studies have documented geographic variation in COVID-19 vaccination uptake,<sup>37</sup> and our results may not generalize to states with populations with higher vaccine hesitancy.

Third, our sample only includes registered voters, limiting generalizability to nonregistered voters, such as permanent residents and undocumented individuals, and disenfranchised or previously incarcerated individuals. Registered voters may be more likely to have the assets needed to overcome personally mediated racism than nonregistered voters of the same race-ethnicity. Thus, our results may be conservative estimates of the relationship of interest given the exclusion of the most socioeconomically disadvantaged populations. Fourth, our single-item measure of racial discrimination lacks information on the frequency and complexity of experiences. Future studies should examine the settings in which racial discrimination occurs, the frequency, and perpetrator characteristics to clarify whether specific discrimination experiences are associated with COVID-19 vaccine access. Fifth, we do not adjust for potential confounders such as employment, health conditions, and insurance status. Despite this limitation, a significant advantage of analyzing the IGS poll data is that racial-ethnic disparities in COVID-19 vaccination uptake can be examined while accounting for political party affiliation, which is a key and strong predictor of COVID-19 vaccination in previous studies<sup>40,41</sup> and is not available in other data sources, including the U.S. Census Bureau Household Pulse Survey, National Health Interview Survey, and the California Health Interview Survey. Furthermore, although we use post-stratification weights to align the sample to California's registered voters, we cannot formally compare respondents and nonrespondents. Finally, the cross-sectional data cannot establish temporal ordering or causal relationships.

### CONCLUSIONS

Our findings underscore that structural racism in the form of social disadvantage helps to explain disparities in COVID-19 vaccination uptake among Black and Latinx Californians. This early analysis of the vaccine roll out allows us to better understand whether introducing new prophylactic measures against COVID-19 maintained a health advantage for those with the resources to gain access to the health innovation, despite the vaccine being free for all. Although social disadvantage is negatively associated with COVID-19 vaccination and explains a significant share of racial-ethnic disparities in vaccination, 22.6% of Latinx-White and 64.2% of Black-White disparities remain unexplained. More research on the role of social network factors and other forms of structural racism may elucidate strategies to reduce racial-ethnic disparities in COVID-19 vaccination. Healthcare organizations should be better prepared

to distribute other medical innovations for COVID-19 (i.e., Paxlovid, monoclonal antibodies) and other preventable conditions more equitably. Public health agencies can help to remove resource-related barriers to improve COVID-19 vaccination among racially minoritized populations, including navigation support, financial incentives, and community-based vaccine clinics. Furthermore, special efforts should be made to increase access to vaccination for workers in low-wage industries characterized by a lack of paid time off, including work-based clinics and after-hours appointment availabilities.

## ACKNOWLEDGMENTS

This work was supported by the Roberto Wood Johnson Foundation through its Health Policy Research Scholars Program and the California Initiative for Health Equity & Action, Berkeley, CA. Declarations of interest: The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## CREDIT AUTHOR STATEMENT

Alein Y. Haro-Ramos: Conceptualization, Formal analysis, Funding acquisition, Methodology, Project administration, Visualization, Writing - original draft, Writing - review & editing. Adrian M. Bacong: Methodology, Writing - review & editing. Hector P. Rodriguez: Validation, Writing - review & editing.

## REFERENCES

- Webb Hooper M, Nápoles AM, Pérez-Stable EJ. COVID-19 and racial/ethnic disparities. *JAMA*. 2020;323(24):2466–2467. <https://doi.org/10.1001/jama.2020.8598>.
- Racism and health, Centers for Disease Control and Prevention, 2021. <https://www.cdc.gov/healthequity/racism-disparities/index.html>. Accessed June 15, 2022.
- COVID-19 racial and ethnic health disparities. Centers for Disease Control and Prevention. <https://www.cdc.gov/coronavirus/2019-ncov/community/health-equity/racial-ethnic-disparities/index.html>. Updated August 2021. Accessed June 15, 2022.
- Arias E, Betzaida TV, Ahmad F, Kochanek K. Provisional life expectancy estimates for 2020, 2021, National Center for Health Statistics, Centers for Disease Control and Prevention; Atlanta, GA. <https://www.cdc.gov/nchs/data/vsrr/vsrr015-508.pdf>. Published July 2021. Accessed February 21, 2022.
- Johnson AG, Amin AB, Ali AR, et al. COVID-19 incidence and death rates among unvaccinated and fully vaccinated adults with and without booster doses during periods of delta and omicron variant emergence –25 U.S. Jurisdictions, April 4–December 25, 2021. *MMWR Morb Mortal Wkly Rep*. 2022;71(4):132–138. <https://doi.org/10.15585/mmwr.mm7104e2>.
- Reitsma MB, Goldhaber-Fiebert JD, Salomon JA. Quantifying and benchmarking disparities in COVID-19 vaccination rates by race and ethnicity [published correction appears in *JAMA Netw Open*. 2021;4(11):e2138575]. *JAMA Netw Open*. 2021;4(10):e2130343. <https://doi.org/10.1001/jamanetworkopen.2021.30343>.
- Williams AM, Clayton HB, Singleton JA. Racial and ethnic disparities in COVID-19 vaccination coverage: the contribution of socioeconomic and demographic factors. *Am J Prev Med*. 2022;62(4):473–482. <https://doi.org/10.1016/j.amepre.2021.10.008>.
- Crane MA, Faden RR, Romley JA. Disparities in county COVID-19 vaccination rates linked to disadvantage and hesitancy. *Health Aff (Millwood)*. 2021;40(11):1792–1796. <https://doi.org/10.1377/hlthaff.2021.01092>.
- Njoku A, Joseph M, Felix R. Changing the narrative: structural barriers and racial and ethnic inequities in COVID-19 vaccination. *Int J Environ Res Public Health*. 2021;18(18):9904. <https://doi.org/10.3390/ijerph18189904>.
- Link BG, Phelan J. Social conditions as fundamental causes of disease. *J Health Soc Behav*. 1995;80–94 (Spec No.). <https://doi.org/10.2307/2626958>.
- Phelan JC, Link BG. Is racism a fundamental cause of inequalities in health? *Annu Rev Sociol*. 2015;41(1):311–330. <https://doi.org/10.1146/annurev-soc-073014-112305>.
- Williams DR, Mohammed SA, Leavell J, Collins C. Race, socioeconomic status, and health: complexities, ongoing challenges, and research opportunities. *Ann N Y Acad Sci*. 2010;1186(1):69–101. <https://doi.org/10.1111/j.1749-6632.2009.05339.x>.
- del Río C, Alonso-Villar O. The evolution of occupational segregation in the United States, 1940–2010: gains and losses of gender–race/ethnicity groups. *Demography*. 2015;52(3):967–988. <https://doi.org/10.1007/s13524-015-0390-5>.
- Haro AY, Kuhn R, Rodriguez MA, Theodore N, Melendez E, Valenzuela A Jr. Beyond occupational hazards: abuse of day laborers and health. *J Immigr Minor Health*. 2020;22(6):1172–1183. <https://doi.org/10.1007/s10903-020-01094-3>.
- Berkowitz RL, Gao X, Michaels EK, Mujahid MS. Structurally vulnerable neighbourhood environments and racial/ethnic COVID-19 inequities. *Cities Health*. 2021;5(suppl 1):S59–S62. <https://doi.org/10.1080/23748834.2020.1792069>.
- Bailey ZD, Krieger N, Agénor M, Graves J, Linos N, Bassett MT. Structural racism and health inequities in the USA: evidence and interventions. *Lancet*. 2017;389(10077):1453–1463. [https://doi.org/10.1016/S0140-6736\(17\)30569-X](https://doi.org/10.1016/S0140-6736(17)30569-X).
- Shariff-Marco S, Klassen AC, Bowie JV. Racial/ethnic differences in self-reported racism and its association with cancer-related health behaviors. *Am J Public Health*. 2010;100(2):364–374. <https://doi.org/10.2105/AJPH.2009.163899>.
- Benjamins MR. Race/ethnic discrimination and preventive service utilization in a sample of Whites, Blacks, Mexicans, and Puerto Ricans. *Med Care*. 2012;50(10):870–876. <https://doi.org/10.1097/MLR.0b013e31825a8c63>.
- Ibekwe LN, Fernández-Esquer ME, Pruitt SL, Ranjit N, Fernández ME. Racism and cancer screening among low-income, African American women: A multilevel, longitudinal analysis of 2–1-1 Texas callers. *Int J Environ Res Public Health*. 2021;18(21):11267. <https://doi.org/10.3390/ijerph182111267>.
- Williams DR, Mohammed SA. Racism and health I: Pathways and scientific evidence. *Am Behav Sci*. 2013;57(8):1152–1173. <https://doi.org/10.1177/0002764213487340>.
- Gibbons FX, Stock ML. Perceived racial discrimination and health behavior: mediation and moderation. In: Major B, Dovidio JF, Link BG, eds. *The Oxford Handbook of Stigma, Discrimination, and Health*. Oxford, United Kingdom: Oxford University Press, 2018:355–378. <https://doi.org/10.1093/oxfordhob/9780190243470.013.17>.
- Ford CL, Daniel M, Earp JA, Kaufman JS, Golin CE, Miller WC. Perceived everyday racism, residential segregation, and HIV testing among patients at a sexually transmitted disease clinic. *Am J Public Health*. 2009;99(suppl 1):S137–S143. <https://doi.org/10.2105/AJPH.2007.120865>.

23. California Governor, All Californians 16+ now eligible for COVID-19 vaccines, 2021, California Governor; Sacramento, CA. <https://www.gov.ca.gov/2021/04/15/all-californians-16-now-eligible-for-covid-19-vaccines/>. Accessed February 25, 2022.
24. Standard definitions: final dispositions of case codes and outcome rates for surveys, 81, 2016, The American Association for Public Opinion Research [https://www-archive.aapor.org/AAPOR\\_Main/media/publications/Standard-Definitions20169theditionfinal.pdf](https://www-archive.aapor.org/AAPOR_Main/media/publications/Standard-Definitions20169theditionfinal.pdf). Accessed February 17, 2023.
25. Groves RM, Peytcheva E. The impact of nonresponse rates on nonresponse bias: a meta-analysis. *Public Opin Q.* 2008;72(2):167–189. <https://doi.org/10.1093/poq/nfn011>.
26. Jones CP. Invited commentary: “race,” racism, and the practice of epidemiology. *Am J Epidemiol.* 2001;154(4). 299–30. <https://doi.org/10.1093/aje/154.4.299>.
27. Flanagan BE, Gregory EW, Hallisey EJ, Heitgerd JL, Lewis B. A social vulnerability index for disaster management. *J Homeland Sec Emerg Manag.* 2011;8(1). Article 3. <https://doi.org/10.2202/1547-7355.1792>.
28. Flanagan BE, Hallisey EJ, Adams E, Lavery A. Measuring community vulnerability to natural and anthropogenic hazards: the Centers for Disease Control and Prevention’s social vulnerability index. *J Environ Health.* 2018;80(10):34–36.
29. Abadie A, Athey S, Imbens GW, Wooldridge J. *When should you adjust standard errors for clustering?* Cambridge, MA: National Bureau of Economic Research, 2017 Published November. <https://doi.org/10.3386/w24003>.
30. Breen R, Karlson KB, Holm A. Total, direct, and indirect effects in logit and probit models. *Sociol Methods Res.* 2013;42(2):164–191. <https://doi.org/10.1177/0049124113494572>.
31. Bacong A, Sohn H. Disentangling contributions of demographic, family, and socioeconomic factors on associations of immigration status and health in the United States. *J Epidemiol Community Health.* 2022 In press. Online November 25. <https://doi.org/10.1136/jech-2020-214245>.
32. StataCorp. *Stata Statistical Software. In: Release, 17.* College Station, TX: StataCorp: LLC, 2021.
33. Balasuriya L, Santilli A, Morone J, et al. COVID-19 vaccine acceptance and access among Black and Latinx communities. *JAMA Netw Open.* 2021;4(10):e2128575. <https://doi.org/10.1001/jamanetworkopen.2021.28575>.
34. Bacong AM, Haro-Ramos AY. Willingness to receive the COVID-19 vaccine in California: disparities by race and citizenship status. *J Racial Ethn Health Disparities.* 2022:1–10. <https://doi.org/10.1007/s40615-022-01468-3>.
35. New American Economy Research Fund, Asian Americans and Pacific Islander Americans on the frontlines, 2020, New American Economy Research Fund; New York, NY. <https://research.newamericaneconomy.org/report/aapi-americans-on-the-frontlines/>. Accessed November 6, 2022.
36. Monto MA, Marquez J. Data disaggregation reveals disproportionate levels of COVID-19 risk among Filipinx in the USA. *J Racial Ethn Health Disparities.* 2022:1–5. <https://doi.org/10.1007/s40615-022-01325-3>.
37. Karaye IM, Horney JA. The impact of social vulnerability on COVID-19 in the U.S.: an analysis of spatially varying relationships. *Am J Prev Med.* 2020;59(3):317–325. <https://doi.org/10.1016/j.amepre.2020.06.006>.
38. Chang VW, Lauderdale DS. Fundamental cause theory, technological innovation, and health disparities: the case of cholesterol in the era of statins. *J Health Soc Behav.* 2009;50(3):245–260. <https://doi.org/10.1177/002214650905000301>.
39. Irving SA, Donahue JG, Shay DK, Ellis-Coyle TL, Belongia EA. Evaluation of self-reported and registry-based influenza vaccination status in a Wisconsin cohort. *Vaccine.* 2009;27(47):6546–6549. <https://doi.org/10.1016/j.vaccine.2009.08.050>.
40. Albrecht D. Vaccination, politics and COVID-19 impacts. *BMC Public Health.* 2022;22(1):96. <https://doi.org/10.1186/s12889-021-12432-x>.
41. WA. Galston, For COVID-19 vaccinations, party affiliation matters more than race and ethnicity, *Brookings*, 2021. <https://www.brookings.edu/blog/fixgov/2021/10/01/for-covid-19-vaccinations-party-affiliation-matters-more-than-race-and-ethnicity/>. Accessed November 6, 2022.