Lawrence Berkeley National Laboratory

Recent Work

Title

Tracking the Sun: Pricing and Design Trends for Distributed Photovoltaic Systems in the United States, 2021 Edition

Permalink

<https://escholarship.org/uc/item/6w44f5fj>

Authors

Barbose, Galen L
Darghouth, Naïm R
O'Shaughnessy, Eric
et al.

Publication Date

2021-09-14

Peer reviewed

Tracking the Sun

Pricing and Design Trends for Distributed Photovoltaic
Systems in the United States

2021 Edition

**Galen Barbose¹, Naïm Darghouth¹,
Eric O'Shaughnessy, and Sydney Forrester**
Lawrence Berkeley National Laboratory

¹Corresponding authors

September 2021

trackingthesun.lbl.gov

This work was funded by the U.S. Department of Energy Solar Energy
Technologies Office, under Contract No. DE-AC02-05CH11231.

Disclaimer

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof, or The Regents of the University of California.

Ernest Orlando Lawrence Berkeley National Laboratory is an equal opportunity employer.

Copyright Notice

This document has been authored by an author at Lawrence Berkeley National Laboratory under Contract No. DE-AC02-05CH11231 with the U.S. Department of Energy. The U.S. Government retains, and the publisher, by accepting the article for publication, acknowledges, that the U.S. Government retains a non-exclusive, paid-up, irrevocable, worldwide license to publish or reproduce the published form of this manuscript, or allow others to do so, for U.S. Government purposes

Acknowledgements

For their support of this project, the authors thank Ammar Qusaibaty, Michele Boyd, and Becca Jones-Albertus of the U.S. Department of Energy Solar Energy Technologies Office. The authors also thank Stacy Sherwood and Will Cotton from Exeter Associates, for their assistance with data cleaning. And finally, the authors thank the many individuals from utilities, state agencies, and other organizations who contributed data to this report and who, in many cases, responded to numerous inquiries and requests. Without the contributions of these individuals and organizations, this report would not be possible.

Overview

Summarizes installed prices and other characteristics of grid-connected, distributed solar photovoltaic (PV) systems in the United States

- **Focuses on projects installed through 2020**
- **Describes trends related to:**
 - **Project characteristics**, including system size and design, ownership, customer segmentation, and other attributes
 - **Median installed price trends**, both long-term and recent trends, focusing on host-owned, stand-alone PV systems
 - **Variability in pricing** according to system size, state, installer, module efficiency, inverter technology, and non-residential customer type
- **Multi-variate regression further isolates the impact of individual pricing drivers**

Accompanying Data Products
available at trackingthesun.lbl.gov

1. **Summary brief:** A short narrative summary of the full slide-deck report
2. **Data visualization tool:** Allows users to create custom figures and explore the full *Tracking the Sun* dataset
3. **Public data file:** The underlying project-level dataset, excluding confidential data
4. **Summary tables:** All figures and underlying summary tables are available in a MS Excel workbook

Data Sources, Methods, and Market Coverage

Data Sources

***Tracking the Sun* relies on project-level data**

- Datasets provided by state agencies, utilities, and other organizations for systems participating in PV incentive programs, renewable energy credit registration systems, interconnection processes, and net metering programs
- Some of these data already exist in the public domain (e.g., California's Currently Interconnected Dataset), though LBNL may receive supplementary fields, often under non-disclosure agreements

63 entities spanning 30 states contributed data to this year's report (see Appendix)

- Some of these are legacy data sources that no longer contribute incremental data each year; incremental data for 2020 come from 26 states

Data sources have evolved over time, as incentive programs have phased out

- In many cases, utilities and agencies have opted to continue data collection through other channels

Key Definitions and Conventions

Customer Segments

- **Residential:** Single-family and, depending on the data provider, may also include multi-family
- **Small Non-Residential:** Non-residential systems $\leq 100 \text{ kW}_{\text{DC}}$
- **Large Non-Residential:** Non-residential systems $> 100 \text{ kW}_{\text{DC}}$ (and $\leq 5,000 \text{ kW}_{\text{AC}}$ if ground-mounted)
 - * *Independent of whether connected to the customer- or utility-side of the meter*

Units

- Real 2020 dollars
- Direct current (DC) Watts (W), unless otherwise noted

Installed Price: Up-front \$/W price paid by the PV system owner, prior to incentives

Sample Frames and Data Cleaning

Full Sample

*Used to describe system characteristics
The basis for the public dataset*

Installed-Price Sample

Used in analysis of installed prices

1. Remove systems with missing size or install date
2. Standardize installer, module, inverter names
3. Integrate equipment spec sheet data
 - Module efficiency and technology type
 - Inverter power rating
 - Flag microinverters or DC optimizers
4. Convert dollar and kW values to appropriate units, and compute other derived fields
5. Remove systems if:
 - Missing installed price data
 - Third-party owned (TPO)*
 - Battery storage co-installed
 - Self-installed

Sample Size Relative to Total U.S. Market

Full Sample

- **2.2 million** systems through 2020 (79% of U.S. market)
- 280,000 systems installed in 2020 (67% of U.S. market)

Installed-Price Sample

- **1.0 million** systems through 2020
- 150,000 systems installed in 2020

Gap between Full Sample and Total U.S. Market: Associated mostly with smaller and mid-sized state markets either missing or under-represented in the sample; see next slide

Gap between Installed-Price Sample and Full Sample: Primarily TPO systems and systems missing installed price data; several states included in the full sample provided no installed price data

State-Level Sample Distribution and Market Coverage

- Similar overall level of market coverage for both residential and non-residential
- CA dominates the sample, as in the larger U.S. market, but is over-represented in the sample
- In general, coverage among the larger state markets is fairly strong, with some notable gaps for TX and FL
- Smaller state markets (aggregated in the figures as “Others”) are under-represented in the sample

Cumulative Installs through 2020 (thousands)

Distributed PV System Characteristics

Based on Full Sample

System Size Trends

Residential System Size Time Trends

Non-Residential System Size Trends

- Residential system sizes have been rising over time, from a median of 2.4 kW in 2000 to 6.5 kW in 2020, driven by declining module costs and rising module efficiencies (esp. for space-constrained projects)
- Residential system sizes can vary widely (e.g., from roughly 4-10 kW between the 20-80th percentiles in 2020), reflecting differences in customer consumption levels, available roof space, net metering rules, etc.
- Non-residential sizes have generally been rising over time as well, especially at the upper end of the size range as large projects have become more common
- While the median non-residential systems size was just 42 kW in 2020, the distribution has a long upper tail, with 20% of systems in 2020 larger than 200 kW

System Size Comparisons by State

Residential System Sizes by State (2020)

Non-Residential System Sizes by State (2020)

- Residential system sizes vary significantly across states, from a median of 5.4 kW (CO) to 10.6 kW (OH) for systems installed in 2020
 - CA, by virtue of its large share of the sample and relatively small system sizes, pulls the aggregate US median down; most states have median sizes of at least 7.5 kW
 - Broad spread in system sizing prevalent across states
- State-level differences in non-residential system sizing are most notable at the upper end of the distributions
 - Five states (MA, NC, NY, OH, RI) had 80th percentile sizes greater than ~500 kW in 2020, indicating a relatively significant share of large systems
 - Most other states had 80th percentiles <100 kW
 - Note that these findings may be sensitive to the completeness of the non-res. sample in each state

Module Efficiency Trends

Module Efficiency Time Trends

Module Efficiency Distribution (2020)

- Module efficiencies have risen steadily over time: for example, among residential systems, median module efficiencies rose from 13.4% in 2002 to 19.8% in 2020, with similar rises for non-residential systems as well
- Rise in recent years partly reflects rapid increase in market share of mono-crystalline modules (79-94% share in 2020, depending on the segment), as well as other factors—e.g., increasing use of passivated emitter rear-cell (PERC) technology
- That said, a diversity of module technologies and efficiency levels are still in use, with efficiencies ranging anywhere from 16-22% among systems installed in 2020, with poly-silicon modules at the lower end and premium-efficiency mono modules at the upper end

Storage Attachment Rates

Percent of PV systems installed each year that include storage

Storage Attachment Rates over Time

Storage Attachment Rates by State (2020)

- Residential attachment rates have risen over time, reaching 8.1% of the sample in 2020 (overstating the U.S. market average—see notes)
- Non-residential attachment rates are lower, and trends for large systems reflect fluctuations in the CA market
- HI has, by far, the highest storage attachment rates of any state, driven partly by net metering reforms that incentivize self-consumption
- CA is home to the vast majority of paired systems, driven by storage rebates and resilience concerns
- Attachments rates outside of CA and HI are generally lower, though pockets of activity exist elsewhere (e.g., WA state, where the data come solely from Puget Sound Energy, and large non-res. systems in MA)

Inverter-Related Trends

Microinverter and DC Optimizer Trends

Inverter Loading Ratios (DC-to-AC Ratio)

- Module-level power electronics (MLPEs), which include both microinverters and DC optimizers, have continued to gain share across the sample
- MLPEs are almost universal within the residential sector (94% of systems in 2020) and dominant for small non-residential (71%), but considerably less common for large non-residential (26%)
- DC optimizers dominate MLPE growth since 2013, though 2020 saw a notable uptick in microinverter share
- Inverter-loading ratios (the ratio of module-to-inverter nameplate ratings) have generally grown over time with declining module costs; also tend to be higher for large non-residential systems and for systems with microinverters (depending on manufacturer)

Mounting Configuration and Panel Orientation

Ground-Mounting and Tracking Equipment (2020)

- Ground-mounting (as opposed to roof-mounting) is most prevalent among large non-residential systems, while use of tracking is limited
 - Almost half (48%) of large non-residential systems in 2020 are ground-mounted, while 10% have tracking
 - Ground-mounting much less common among residential and small non-residential systems, and negligible shares have tracking
- Panel orientations have become more diverse over time, though haven't changed much in recent years
 - 54% of systems installed in 2020 face south, 24% to the west, and most of the remainder to the east
 - Greater share of non-residential systems faces exactly due-south, likely due to greater prevalence of ground-mounting and flat rooftops than in residential sector

Panel Orientation

Third-Party Ownership Trends

Third-Party Ownership Trends

Third-Party Ownership by State (2020)

- Third-party ownership (TPO) in the residential sample has declined over time from its historical high of 59% in 2012 to 35% in 2020
 - Reflects emergence of residential loan products
- For the non-residential sample, TPO shares have remained comparatively steady and have historically been lower for small vs. large non-residential systems
- TPO shares at the state level vary substantially
 - Generally are higher among states with sizeable rebate programs (CT) or high solar renewable energy certificate prices (DC, MA, NJ)
 - Some states limit TPO or restrict eligibility for incentive programs to only host-owned systems

Non-Residential Customer Segmentation

Non-Res. Customer Segmentation Trends over Time

- For-profit commercial customers make up >70% of non-residential site hosts, with the remainder consisting of some combination of tax-exempt site hosts (schools, government, non-profits)
- Non-profits have been most prevalent among small non-residential systems, while schools and government facilities are more common within the large non-residential segment
- The overall mix of non-residential customer segments generally similar across states
- TPO considerably more prevalent among tax-exempt site hosts than for commercial hosts (57% vs. 12% in 2020), as TPO allows tax-exempt customers to monetize tax benefits

Non-Res. Customer Segmentation by State (2020)

Median Installed Price Trends

Based on Installed-Price Sample

A Few Notes on Installed-Price Data

- Differs from the underlying cost borne by the developer or installer (price $\neq$ cost)
- Unless otherwise noted, excludes TPO, battery storage, and self-installed systems
- Historical (i.e., systems installed through 2020) and therefore may not be representative of systems installed more recently or current quotes for prospective projects
- Self-reported by PV installers or customers; susceptible to inconsistent reporting practices

National Median Prices and Component Costs over Time

National Installed Prices over Time

Underlying Trends in Component Costs

- Over the last year of the analysis period (2019-2020), median U.S. prices for residential systems remained effectively flat at \$3.8/W, while falling by \$0.2/W for both small and large non-residential systems
- Over the long-term, median installed prices have fallen by roughly \$0.4/W per year, on average, but price declines have tapered off since 2014, after which price declines averaged \$0.1-0.2/W across segments
- That tapering off is partly a function of the underlying module-cost trajectory, but also reflects growing customer acquisition costs, loan fees, and other factors embedded in the “Residual BoS+soft costs” shown in the bottom figure (note: BoS = balance of systems)
- Over the long-term, these imputed BoS+soft costs have fallen by roughly \$0.1-0.2/W per year, but 2020 saw a slight uptick for residential systems

State-Level Trends in Median Installed Prices

Residential Annual Change in Median Prices

Non-Residential Annual Change in Median Prices

- Year-over-year (YoY) pricing trends at the state-level can deviate from national trends, but tend to converge over longer time frames
- National trends are driven strongly by CA, given its dominant share of the sample
- In the residential market, YoY trends range from a \$0.5/W increase for WI to a \$0.3/W decrease for DE
 - Over a longer 5-year timeframe, trends are more stable, with most states showing average annual declines of \$0.1-0.2/W per year
- Among non-residential systems, YoY changes in median prices range from a \$0.6/W decrease to a \$0.2/W increase
 - Over the past 5 years, median non-residential prices have fallen by \$0.1-0.3/W per year in most states

Comparison of PV Cost and Pricing Benchmarks

Notes: **LBNL** data are the median and 20th and 80th percentile values among projects installed in 2020. **SunPower**, **SunRun** and **Vivint** data are based on the companies' quarterly shareholder reports in 2020 (courtesy of D. Feldman, NREL) and are equal to the sum of reported average installation, sales, and general & administrative costs, averaged across the four quarters. **EnergySage** data are the median price quotes issued in 2020, calculated by Berkeley Lab from data provided by EnergySage. **NREL** data represent modeled turnkey costs in Q1 2020 for a 7 kW residential system and a 200 kW commercial system (Fu et al. 2020). **WoodMac** data are from the Solar Market Insight 2020 Year-in-Review, and are based on modeled turnkey prices, averaged across quarters.

- A variety of other PV cost and pricing benchmarks exist, based on differing methods and data sources, and serving different purposes
- National median installed prices from *Tracking the Sun* are similar to average costs reported by SunPower, SunRun, and Vivint and are also similar to non-residential price quotes from EnergySage
- In contrast, national median prices are considerably higher than bottom-up modeled prices from NREL and WoodMac (which may be more reflective of basic “turnkey” systems) and also diverge from residential price quotes from EnergySage
- In general, divergence across benchmarks reflects differences in factors such as vintage, location, price vs. cost, scope of costs included, installer characteristics, value-based pricing, system size and design

International Comparison

- Installed prices in the United States are more than double those in most other countries, as reported by IRENA
- Comparisons may not be totally “apples-to-apples” (e.g., type and depth of underlying data, treatment of VAT); but the basic trend is no doubt real
- Installed price differences primarily due to soft costs (as differences in hardware costs are much smaller than the installed price gaps shown here)
- Lower soft costs in other countries reflect differences in, for example: solar industry business models, permitting and interconnection processes, and labor rates, among other factors

Comparison of Installed Prices in 2020 across Countries

Notes: Installed prices for countries other than the USA are from the International Renewable Energy Agency (IRENA)'s “Renewable Power Generation Costs in 2020” report and are derived from IRENA's Renewable Cost Database. For the Non-Residential sector, data from IRENA generally refer to systems up to 500 kW in size, and thus encompass both the Small and some portion of the Large Non-Residential segment used within Tracking the Sun.

Side Bar: *Installed Prices Reported for TPO Systems*

- Depending on the particular project or firm, installed prices reported for TPO systems may represent:
 - An appraised value or fair-market value construct (as often used as the basis for federal tax credits)
 - An actual transaction price between the third-party financier and an independent installer, which may or may not reflect all soft costs
- As a precautionary step, pricing data reported for TPO systems are excluded from the installed-price analysis, on the grounds that they cannot be meaningfully compared to prices reported for host-owned systems
- Nevertheless, the data show that prices for TPO systems, in fact, correspond quite closely to those for host-owned systems

Installed Prices for TPO vs. Host-Owned Systems

Median Reported Installed Prices (2020\$/W_{DC})

Note: TPO systems not otherwise included in installed-price analysis; figure above for reference only

Variation in Installed Prices

Installed-Price Variation Across Systems

Installed-Price Distribution for Systems Installed in 2020

20th-to-80th Percentile Bands for Systems Installed in 2020

- \$3.0/W - \$4.6/W (residential)
- \$2.3/W - \$3.9/W (small non-residential)
- \$1.7/W - \$3.0/W (large non-residential)

- Wide pricing variability has persisted over time, despite continuing maturation of the U.S. PV market
- Reflects underlying differences in:
 - Project characteristics
 - Installer attributes and pricing strategy
 - Features of the local market, policy, and regulatory environment
- We explore a subset of pricing drivers in the following slides, through both descriptive analysis and a multi-variate regression model
 - Numerous other studies have also investigated pricing drivers, often leveraging TTS data

Economies of Scale for Residential and Non-Residential Systems

Residential Systems Installed in 2020

Median Installed Price and 20th/80th Percentiles (2020\$/W_{DC})

Non-Residential Systems Installed in 2020

Median Installed Price and 20th/80th Percentiles (2020\$/W_{DC})

- Among residential systems installed in 2020, median prices were roughly \$1/W lower for the largest (>12 kW) systems compared to the smallest (≤2 kW) systems
- Later regression analysis suggest that differences in system size are among the largest single drivers for pricing variability across residential systems, though quite a bit of variability clearly exists among systems of the same size
- Among non-residential systems, which span an even wider size range, median prices were ~\$2/W lower for systems >1,000 kW, compared to the smallest non-residential systems ≤10 kW (keeping in mind that ground-mounted systems in this report are capped at 5 MW_{AC})

State-Level Differences in Installed Prices

Residential Systems Installed in 2020

Median Installed Price and 20th/80th Percentiles (2020\$/W_{DC})

Non-Residential Systems Installed in 2020

Median Installed Price and 20th/80th Percentiles (2020\$/W_{DC})

- Median prices vary substantially across states within each of the customer segments; among residential systems, for example, median prices in 2020 ranged from \$2.9/W in DE to \$4.6/W in NC.
- Note that prices in CA are relatively high, pulling overall U.S. median prices upward, but most states exhibit lower prices
- Cross-state pricing differences reflect both idiosyncratic features of particular states (e.g., a single large installer with anomalous prices) as well as more-fundamental differences in market and policy conditions; the later regression analysis controls for some of those differences, though still shows substantial cross-state differences

Installer-Level Pricing Differences

Top-100 Host-Owned Residential Installers in 2020

Notes: Each dot represents the median installed price of an individual installer, ranked from lowest to highest, while the shaded band shows the 20th to 80th percentile range for that installer.

- Ignoring the tails, median prices across the top-100 residential installers in 2020 ranged from \$3.0/W to \$5.0/W, with half of these installers registering median prices above \$4.0/W
- Differences across installers can reflect features of the markets in which each firm operates as well firm-level attributes.
- For example, as the later regression analysis shows, firms with more cumulative experience generally have lower prices, though those differences are generally small (\$0.02/W per 1,000 systems installed)
- A significant amount of pricing variability also occurs across systems among individual installers, with most installers exhibiting a percentile band of at least \$1.1/W around their respective median

Installed-Price Differences by Non-Residential Customer Type

Tax-Exempt vs. Commercial Non-Res. Systems in 2020

Median Installed Price and 20th/80th Percentiles (2020\$/W_{DC})

Notes: Summary statistics are based on a somewhat narrow subset of data providers who provide customer segmentation details for non-residential systems.

- Installed prices are generally higher for tax-exempt site hosts (schools, government, non-profits), compared to prices for commercial site hosts
- Differences are most pronounced among large non-residential systems and in California (\$3.4/W vs. \$2.2/W)
- Higher prices for systems at tax-exempt customer sites may reflect a number of possible characteristics of tax-exempt customers, for example:
 - prevailing wage/union labor
 - requirements for domestically manufactured components
 - prevalence of shade or parking structures
 - lower borrowing costs (enabling higher-priced systems to pencil-out)

Installed-Price Differences by Module Efficiency

Installed Prices by Module Efficiency for 2020 Systems

Median Installed Price and 20th/80th Percentiles (2020\$/W_{DC})

- Higher efficiency modules can sell at a premium, but may also allow for savings on BoS costs
- Residential installed prices show no clear trend with module efficiency, though later regression model shows that systems with module efficiencies >21% tend to cost \$0.15/W more, on average, after controlling for other factors
- Non-residential systems also show a clear rise in pricing for systems with higher efficiency modules
- Almost all modules in the dataset with >21% efficiency are n-type mono-crystalline modules by SunPower or LG, which often sell at a substantial premium over lower efficiency mono modules

Installed-Price Differences by Inverter Technology

Installed Prices for 2020 Systems with and without MLPEs

Median Installed Price and 20th/80th Percentiles (2020\$/W_{DC})

- Installed-price differences by inverter technology type are small, but show a consistent pattern across all three customer segments
- In particular, installed prices are highest for systems with microinverters, lower for those with DC optimizers, and lowest for those without any MLPEs
- For example, among non-residential systems, median installed prices were \$3.9/W for microinverter systems, \$3.8/W for systems with DC optimizers, and \$3.6/W for those without any MLPEs; non-residential systems exhibit similar trends
- Later regression analysis results also show higher prices for systems with MLPEs, but the order is reversed, with the largest price premium for systems with DC optimizers, and a somewhat smaller premium for systems with microinverters

Econometric Analysis of Pricing Variability

2020 Host-Owned Residential Systems

Econometric Model Overview and Results

- We use a multi-variate linear regression to estimate the effects on PV prices from various system, market, and installer characteristics; the model also includes state and quarterly fixed effects variables
- Supplements preceding descriptive analysis by showing how individual factors affect installed prices, while holding all other factors constant
- Focuses in this edition of the report on host-owned, residential, stand-alone PV systems installed in 2020
- The coefficients in the table to the right represent the average change in PV system price (\$/W) given a unit change in each of the variables listed (or, for binary variables, if that variable is true); see Appendix for further discussion of these results
- For further details on the model specification and variable definitions, please see [Barbose, Darghouth et al. \(2019\)](#)**

Variable	Coefficient
System size (kW)	-0.21*
System size squared	0.01*
Premium efficiency module (>21%)	0.14*
Microinverter	0.14*
DC optimizer	0.24*
HHI (market concentration)	-0.01
HHI squared	0.34*
Market size (x1,000)	-0.03*
Installer experience (x1,000)	-0.02*
Population density (x1,000)	0.05*
Median income (x10,000)	-0.03*
New construction	-0.08*
Groundmount	0.40*
N	123,589
R ²	0.12

* p<0.05

**The only change from the approach outlined there is that the threshold for defining premium efficiency modules was increased from 20% to 21%.

Sensitivity of Installed Prices to Modeled Drivers

- Of the system-level pricing drivers, the largest effects are associated with system size (\$0.38/W range between the 20-80th percentile sizes) and ground-mounting (+\$0.40/W)
- Effects are smaller for premium efficiency modules (+\$0.14/W), microinverters (+\$0.14/W), DC optimizers (+\$0.24/W), and new construction (-\$0.08/W)
- Effects associated with the various market- and installer-related drivers are all relatively small (<\$0.2/W), but in general are directionally intuitive (e.g., lower prices in larger markets and for installers with more experience)
- Of particular note is the wide range across the state fixed-effects variables, suggesting the presence of strong state-level pricing drivers beyond those explicitly captured in the model (e.g., cost-of-living, retail rates, incentives, solar insolation, permitting processes)

State Fixed-Effects: Residual State-Level Pricing Differences After Controlling for Other Factors

State Fixed Effects Compared to Difference in Median Prices

Pricing Difference Relative to California (2020\$/W_{DC})

- State fixed effects represent difference in average price relative to California, after controlling for other variables
- Fixed effects are generally smaller than the pricing differences from the descriptive analysis, indicating that some of those price differences are related to the modeled pricing drivers
- That said, sizeable state fixed effects remain: most states are within a ~\$0.3/W band, but a few states exhibit much greater fixed effects
- Some of that may reflect the impact of significant unobserved pricing drivers, beyond the modeled variables; some of that may also be idiosyncratic (e.g., exceptionally high pricing by a few large volume installers states, as in RI)

For more information

Download the report, data, and other related materials:

<http://trackingthesun.lbl.gov>

Join our mailing list to receive notice of future publications:

<http://emp.lbl.gov/reports/re>

Follow us on Twitter @BerkeleyLabEMP

Contact the corresponding authors:

Galen Barbose (GLBarbose@lbl.gov, 510-495-2593)

Naïm Darghouth (NDarghouth@lbl.gov, 510-486-4570)

This work was funded by the U.S. Department of Energy Solar Energy Technologies Office, under Contract No. DE-AC02-05CH11231.

List of Entities Contributing Data

AR State Energy Office	FL Gainesville Regional Utilities	PA Sustainable Development Fund
AZ Ajo Improvement Company	FL Orlando Utilities Commission	RI National Grid
AZ Arizona Public Service	HI County of Honolulu (via Ohm Analytics)	RI Commerce Corporation
AZ Duncan Valley Electric Cooperative	IL Department of Commerce & Economic Opportunity	TX Austin Energy
AZ Mohave Electric Cooperative	IL Power Agency	TX CPS Energy
AZ Morenci Water and Electric	MA DOER	TX Frontier Associates
AZ Navopache Electric Cooperative	MA Clean Energy Center	UT Office of Energy Development
AZ Salt River Project	MD Energy Administration	VA Department of Mines, Minerals and Energy
AZ Sulfur Springs Valley Electric Cooperative	ME Efficiency Maine	VT Energy Action Network
AZ Trico Electric Cooperative	MN Department of Commerce	VT Energy Investment Corporation
AZ Tucson Electric Power	MN Xcel Energy/Northern States Power	WA Puget Sound Energy
AZ UniSource Energy Services	NC Sustainable Energy Association	WA Washington State University
CA Public Utilities Commission	NH Public Utilities Commission	WI Focus on Energy
CA Center for Sustainable Energy (Bear Valley Electric)	NJ Board of Public Utilities	
CA Center for Sustainable Energy (PacifiCorp)	NM Energy, Minerals & Natural Resources Department	
CA City of Palo Alto Utilities	NM Public Service Company of New Mexico	
CA Imperial Irrigation District	NM Xcel Energy	
CA Los Angeles Department of Water & Power	NV NV Energy	
CA Sacramento Municipal Utility District	NY State Energy Research and Development Authority	
CO Xcel Energy/Public Service Company of Colorado	OH Public Utilities Commission	
CT Green Bank	OR Energy Trust of Oregon	
CT Public Utilities Regulatory Authority	OR Department of Energy	
DC Public Service Commission	OR PacifiCorp	
DE Dept. of Natural Resources and Env. Control	PA Dept. of Community and Economic Development	
FL Energy & Climate Commission	PA Department of Environmental Protection	

Further Discussion of Regression Results

- **System size:** The negative coefficient on system size suggests that prices are generally lower for larger systems, consistent with economies of scale. The positive coefficient on system size square indicates that this effect is diminishing.^a
- **Equipment:** The model suggests that installed prices are generally higher for systems with premium modules (>21% efficient), microinverters, or DC optimizers.
- **Market structure:** The negative coefficient on HHI (a measure of market concentration) shows that prices are generally lower in more concentrated markets, meaning markets where a relatively small number of installers holds more market share. However, the positive coefficient on HHI squared shows that prices are generally higher in very concentrated markets.^b
- **Installer experience:** The model indicates that more experienced installers are associated with lower system prices, consistent with economic theory that suggests that experience results in lower costs.^c
- **New construction:** The model suggests that prices are generally lower for systems installed during new home construction, consistent with findings from previous research.^d

Additional Resources

For further reading on analyses of PV prices related to these findings, see: a) “Deconstructing Solar Photovoltaic Pricing.” 2016. The Energy Journal; b) “Non-monotonic effects of market concentration on prices for residential solar photovoltaics in the United States.” 2020. Energy Economics. ; c) “Learning-by-Doing in Solar Photovoltaic Installations.” 2019. Yale. ; and d) “Solar Economies of Scope through the Intersection of Four Industries.” 2018. NREL.