

Lawrence Berkeley National Laboratory

Recent Work

Title

EFFECT OF CHANNEL LENGTH ON THE FORCE EXERTED BY EFFUSING VAPORS

Permalink


<https://escholarship.org/uc/item/71x6z5p9>

Authors

Schulz, David.A.
Searcy, Alan W.

Publication Date

1962-07-11



TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545*

UCRL-10004
Rev.
C.2

UCRL 10004 Rev
C.2

UNIVERSITY OF CALIFORNIA
Lawrence Radiation Laboratory
Berkeley, California

Contract No. W-7405-eng-48

EFFECT OF CHANNEL LENGTH ON
THE FORCE EXERTED BY EFFUSING VAPORS

David A. Schulz and Alan W. Searcy

July 11, 1962

EFFECT OF CHANNEL LENGTH ON THE FORCE EXERTED BY EFFUSING VAPORS*

David A. Schulz and Alan W. Searcy

Lawrence Radiation Laboratory and Department of Mineral Technology
University of California, Berkeley, California

July 11, 1962

For molecular streaming conditions, Clausing has calculated values of the ratio $\underline{K}$ of the number of molecules that escape through an orifice of finite length ℓ to the number that escape through an orifice of infinitesimal length, but the same radius $\underline{r}$.¹ Provided that the cosine distribution law is valid, the method is exact and yields values of $\underline{K}$ that can be calculated to any desired limits of uncertainty.²

Clausing has provided an alternate derivation which yields values of the ratio $\underline{K}'$ that are strictly valid only for $\ell/\underline{r}$ vanishingly small but which Clausing declared for $\ell = \underline{r}$ to be "valid to a very high degree of approximation, and probably so even for $\ell = 4\underline{r}$."³ From this approximate equation, Freeman and Searcy have calculated the fraction of molecules that escape through various solid angles made with the orifice axis.⁴ By a simple modification, they were also able to calculate the ratio $\underline{f}$

* This work was supported by the U.S. Atomic Energy Commission.

1. P. Clausing, Ann. Physik 12, 961 (1932).
2. W.C. DeMarcus and E.H. Hopper, J. Chem. Phys. 23, 1344 (1955).
3. P. Clausing, Z. Physik 66, 471 (1930).
4. R.D. Freeman and A.W. Searcy, J. Chem. Phys. 22, 1137 (1954).

of the force of molecules that escape through an orifice of finite l/r to the force if r were the same, but l were zero.⁵ Values of f are required for determination of vapor pressures by the torsion effusion, or direct, method.^{6,7}

Because of the tediousness of the numerical integrations by Simpson's method, Freeman and Searcy used angular increments of 15 deg in evaluation of K' and f . The practical validities of Clausius's approximate equation and of the numerical integration were demonstrated for values of l/r between 0 and 2 by agreement to within 0.5% in the calculated values of K' with Clausius's K values.

We have extended the calculations of K' and of f to $l/r = 10.0$. The calculation was performed on an IBM 704 computer with 0.1-deg intervals in the Simpson method integration, thus bringing the above-mentioned agreement to within 0.1% over the range of l/r from 0 to 4. A further decrease in summation interval by a factor of 10 produced no change in sample l/r calculations, indicating that the limit of precision of this method had been reached.

Detkov⁸ has recently claimed that a molecular distribution equation of Vlasov⁹ yields better number and force corrections for short orifices than are obtainable from the Clausius approximate equation.

5. R. D. Freeman and A. W. Searcy, J. Chem. Phys. 22, 762 (1954).

6. H. Mayer, Z. Physik 67, 240 (1931).

7. M. Volmer, Z. Physik. Chem. Bodenstein Festband, 863 (1931).

8. S. P. Detkov, Zhur. Fiz. Khim. 34, 1634 (1960).

9. O. Ye. Vlasov, Izvesti. Vsesoyuz. Teplotekh. Inst. im. Feliksa Dzerzhinskogo 44, 1 (1929).

DeMarcus has obtained refined values of $\underline{K}$ from Clausing's exact equation.¹⁰ In Fig. 1 are plotted deviations (in percent) of these values from Detkov's values, K_d , and of our refined values, $\underline{K}'$, from the approximate Clausing equation. Both approximations show maximum experimental deviations of 0.12 in the range of $\ell/\underline{r}$ values up to 2.9. From $\ell/\underline{r} = 2.9$ to the limit of Detkov's calculations, $\ell/\underline{r} = 4$, our approximation gives markedly better agreement.

Values of $\underline{K}'$ and $\underline{f}$ and, for comparison, Detkov's values f_d are presented in Table I. At $\ell/\underline{r} = 4.0$, where our $\underline{K}'$ and Detkov's K_d differ by 1.16%, the values of $\underline{f}$ and f_d differ by less than 0.1% because the force equations are insensitive to the assumed behavior of molecules that travel at high angles to the orifice axis. Deviations of our value of $\underline{K}'$ from the exact equation value reaches -1.14% at $\ell/\underline{r} = 7.0$, and -2.32 at $\ell/\underline{r} = 10.0$. These deviations are within the confidence limits of present effusion measurements,¹¹ and the force corrections should be closer to the true values than are the corresponding values of $\underline{K}'$.

Table II contains tabulated values of the correction factors calculated in the present work for $\ell/\underline{r}$ from 0.00 to 10.00 in 0.01 intervals.

10. W. C. DeMarcus, Oak Ridge Gaseous Diffusion Plant Report K-1302, Part 3 (1957).

11. K. D. Carlson, Argonne National Laboratory Report ANL-6156 (Thesis), April 1960.

Table I. Comparison of correction factors

l/r	Number correction Factor	Force correction Factor (This research)	Force correction factor (Defkov)
	K'	f	f_d
0.0	1.00000	1.00000	1.0000
0.1	0.95238	0.96832	--
0.2	0.90922	0.93731	0.9373
0.3	0.86993	0.90730	--
0.4	0.83409	0.87848	0.8784
0.5	0.80128	0.85094	--
0.6	0.77116	0.82473	0.8247
0.7	0.74344	0.79984	--
0.8	0.71784	0.77625	0.7762
0.9	0.69412	0.75390	--
1.0	0.67209	0.73275	0.7326
1.1	0.65157	0.71272	--
1.2	0.63240	0.69376	0.6935
1.3	0.61446	0.67580	--
1.4	0.59763	0.65876	0.6584
1.5	0.58179	0.64260	--
1.6	0.56686	0.62724	0.6267
1.7	0.55275	0.61263	--
1.8	0.53940	0.59873	0.5981
1.9	0.52675	0.58548	--
2.0	0.51472	0.57282	0.5721
2.2	0.49238	0.54918	0.5485
2.4	0.47203	0.52751	0.5269
2.6	0.45340	0.50756	0.5071
2.8	0.43626	0.48913	0.4889
3.0	0.42044	0.47203	0.4722
3.2	0.40577	0.45613	0.4569
3.4	0.39212	0.44129	0.4425
3.6	0.37938	0.42741	0.4293
3.8	0.36747	0.41439	0.4169
4.0	0.35630	0.40215	0.4056
5.0	0.30937	0.35047	--
6.0	0.27341	0.31057	--
7.0	0.24493	0.27881	--
8.0	0.22182	0.25291	--
9.0	0.20268	0.23140	--
10.0	0.18656	0.21324	--

TABLE II

Table of Correction Factors

$\frac{l}{r}$	K^*	f	$\frac{l}{r}$	K^*	f
0.00	1.00000	1.00000	0.40	0.83409	0.87848
0.01	0.99504	0.99682	0.41	0.83068	0.87566
0.02	0.99010	0.99364	0.42	0.82729	0.87286
0.03	0.98520	0.99046	0.43	0.82394	0.87008
0.04	0.98039	0.98728	0.44	0.82062	0.86730
0.05	0.97562	0.98411	0.45	0.81732	0.86454
0.06	0.97089	0.98094	0.46	0.81405	0.86179
0.07	0.96619	0.97778	0.47	0.81082	0.85906
0.08	0.96155	0.97462	0.48	0.80762	0.85634
0.09	0.95695	0.97146	0.49	0.80444	0.85363
0.10	0.95238	0.96832	0.50	0.80128	0.85094
0.11	0.94789	0.96518	0.51	0.79815	0.84826
0.12	0.94343	0.96205	0.52	0.79505	0.84559
0.13	0.93901	0.95893	0.53	0.79197	0.84293
0.14	0.93463	0.95581	0.54	0.78893	0.84029
0.15	0.93029	0.95270	0.55	0.78591	0.83767
0.16	0.92599	0.94961	0.56	0.78291	0.83505
0.17	0.92173	0.94652	0.57	0.77994	0.83245
0.18	0.91752	0.94344	0.58	0.77699	0.82986
0.19	0.91336	0.94037	0.59	0.77406	0.82729
0.20	0.90922	0.93731	0.60	0.77116	0.82473
0.21	0.90512	0.93426	0.61	0.76829	0.82218
0.22	0.90106	0.93122	0.62	0.76544	0.81965
0.23	0.89704	0.92819	0.63	0.76261	0.81712
0.24	0.89305	0.92517	0.64	0.75981	0.81462
0.25	0.88911	0.92216	0.65	0.75702	0.81212
0.26	0.88521	0.91917	0.66	0.75426	0.80964
0.27	0.88134	0.91618	0.67	0.75152	0.80717
0.28	0.87750	0.91321	0.68	0.74880	0.80471
0.29	0.87370	0.91025	0.69	0.74611	0.80227
0.30	0.86993	0.90730	0.70	0.74344	0.79984
0.31	0.86619	0.90436	0.71	0.74079	0.79742
0.32	0.86250	0.90143	0.72	0.73816	0.79502
0.33	0.85884	0.89852	0.73	0.73555	0.79263
0.34	0.85521	0.89562	0.74	0.73296	0.79025
0.35	0.85160	0.89273	0.75	0.73038	0.78788
0.36	0.84804	0.88985	0.76	0.72783	0.78553
0.37	0.84450	0.88699	0.77	0.72530	0.78319
0.38	0.84099	0.88414	0.78	0.72280	0.78086
0.39	0.83752	0.88130	0.79	0.72031	0.77855

TABLE II (Continued)

ℓ/r	K^*	f	ℓ/r	K^*	f
0.80	0.71784	0.77625	1.20	0.63240	0.69376
0.81	0.71538	0.77396	1.21	0.63056	0.69192
0.82	0.71295	0.77168	1.22	0.62873	0.69009
0.83	0.71053	0.76941	1.23	0.62690	0.68827
0.84	0.70813	0.76716	1.24	0.62509	0.68646
0.85	0.70575	0.76492	1.25	0.62329	0.68466
0.86	0.70339	0.76269	1.26	0.62150	0.68287
0.87	0.70105	0.76048	1.27	0.61973	0.68109
0.88	0.69872	0.75827	1.28	0.61796	0.67931
0.89	0.69641	0.75608	1.29	0.61621	0.67755
0.90	0.69412	0.75390	1.30	0.61446	0.67580
0.91	0.69184	0.75173	1.31	0.61274	0.67405
0.92	0.68958	0.74957	1.32	0.61102	0.67232
0.93	0.68734	0.74743	1.33	0.60931	0.67059
0.94	0.68511	0.74530	1.34	0.60761	0.66888
0.95	0.68290	0.74318	1.35	0.60592	0.66717
0.96	0.68071	0.74107	1.36	0.60424	0.66547
0.97	0.67853	0.73897	1.37	0.60257	0.66378
0.98	0.67637	0.73689	1.38	0.60091	0.66210
0.99	0.67422	0.73481	1.39	0.59926	0.66042
1.00	0.67209	0.73275	1.40	0.59763	0.65876
1.01	0.66997	0.73069	1.41	0.59600	0.65711
1.02	0.66787	0.72865	1.42	0.59439	0.65546
1.03	0.66578	0.72662	1.43	0.59278	0.65383
1.04	0.66371	0.72461	1.44	0.59118	0.65220
1.05	0.66165	0.72260	1.45	0.58959	0.65058
1.06	0.65961	0.72060	1.46	0.58801	0.64896
1.07	0.65758	0.71862	1.47	0.58644	0.64736
1.08	0.65556	0.71664	1.48	0.58488	0.64576
1.09	0.65356	0.71468	1.49	0.58333	0.64418
1.10	0.65157	0.71272	1.50	0.58179	0.64260
1.11	0.64959	0.71078	1.51	0.58026	0.64103
1.12	0.64763	0.70885	1.52	0.57873	0.63946
1.13	0.64569	0.70693	1.53	0.57722	0.63791
1.14	0.64375	0.70502	1.54	0.57572	0.63636
1.15	0.64183	0.70311	1.55	0.57422	0.63482
1.16	0.63992	0.70122	1.56	0.57273	0.63329
1.17	0.63802	0.69934	1.57	0.57125	0.63177
1.18	0.63614	0.69747	1.58	0.56978	0.63025
1.19	0.63426	0.69561	1.59	0.56831	0.62874

TABLE II (Continued)

ℓ/r	K^*	f	ℓ/r	K^*	f
1.60	0.56686	0.62724	2.00	0.51472	0.57282
1.61	0.56541	0.62574	2.01	0.51355	0.57159
1.62	0.56397	0.62426	2.02	0.51239	0.57037
1.63	0.56254	0.62278	2.03	0.51123	0.56914
1.64	0.56112	0.62131	2.04	0.51008	0.56793
1.65	0.55971	0.61985	2.05	0.50893	0.56672
1.66	0.55830	0.61839	2.06	0.50779	0.56551
1.67	0.55690	0.61694	2.07	0.50665	0.56431
1.68	0.55551	0.61550	2.08	0.50552	0.56312
1.69	0.55413	0.61406	2.09	0.50440	0.56193
1.70	0.55275	0.61263	2.10	0.50328	0.56074
1.71	0.55139	0.61121	2.11	0.50216	0.55956
1.72	0.55002	0.60980	2.12	0.50105	0.55839
1.73	0.54867	0.60839	2.13	0.49995	0.55722
1.74	0.54733	0.60699	2.14	0.49885	0.55605
1.75	0.54599	0.60560	2.15	0.49776	0.55490
1.76	0.54466	0.60421	2.16	0.49667	0.55375
1.77	0.54334	0.60283	2.17	0.49559	0.55260
1.78	0.54202	0.60146	2.18	0.49452	0.55146
1.79	0.54071	0.60009	2.19	0.49344	0.55032
1.80	0.53940	0.59873	2.20	0.49233	0.54918
1.81	0.53811	0.59738	2.21	0.49131	0.54806
1.82	0.53682	0.59603	2.22	0.49025	0.54693
1.83	0.53554	0.59469	2.23	0.48920	0.54581
1.84	0.53426	0.59335	2.24	0.48816	0.54470
1.85	0.53299	0.59202	2.25	0.48711	0.54359
1.86	0.53173	0.59070	2.26	0.48607	0.54249
1.87	0.53047	0.58938	2.27	0.48504	0.54139
1.88	0.52922	0.58808	2.28	0.48401	0.54029
1.89	0.52798	0.58677	2.29	0.48299	0.53920
1.90	0.52675	0.58548	2.30	0.48197	0.53812
1.91	0.52552	0.58418	2.31	0.48095	0.53704
1.92	0.52429	0.58290	2.32	0.47995	0.53596
1.93	0.52307	0.58162	2.33	0.47894	0.53489
1.94	0.52186	0.58034	2.34	0.47794	0.53382
1.95	0.52066	0.57908	2.35	0.47694	0.53276
1.96	0.51946	0.57781	2.36	0.47595	0.53170
1.97	0.51826	0.57656	2.37	0.47496	0.53065
1.98	0.51707	0.57531	2.38	0.47398	0.52960
1.99	0.51589	0.57406	2.39	0.47300	0.52855

TABLE II (Continued)

ℓ/r	K^*	f	ℓ/r	K^*	f
2.40	0.47203	0.52751	2.80	0.43626	0.48913
2.41	0.47106	0.52648	2.81	0.43544	0.48824
2.42	0.47009	0.52544	2.82	0.43462	0.48736
2.43	0.46913	0.52441	2.83	0.43381	0.48648
2.44	0.46817	0.52339	2.84	0.43300	0.48560
2.45	0.46722	0.52237	2.85	0.43219	0.48473
2.46	0.46627	0.52135	2.86	0.43139	0.48386
2.47	0.46532	0.52034	2.87	0.43058	0.48300
2.48	0.46438	0.51934	2.88	0.42979	0.48214
2.49	0.46345	0.51833	2.89	0.42899	0.48128
2.50	0.46251	0.51734	2.90	0.42820	0.48042
2.51	0.46159	0.51634	2.91	0.42741	0.47957
2.52	0.46066	0.51535	2.92	0.42662	0.47872
2.53	0.45974	0.51436	2.93	0.42584	0.47788
2.54	0.45882	0.51338	2.94	0.42506	0.47703
2.55	0.45791	0.51240	2.95	0.42428	0.47619
2.56	0.45700	0.51142	2.96	0.42351	0.47535
2.57	0.45609	0.51045	2.97	0.42274	0.47452
2.58	0.45519	0.50949	2.98	0.42197	0.47369
2.59	0.45429	0.50852	2.99	0.42120	0.47286
2.60	0.45340	0.50756	3.00	0.42044	0.47203
2.61	0.45251	0.50660	3.01	0.41968	0.47121
2.62	0.45162	0.50565	3.02	0.41892	0.47039
2.63	0.45074	0.50470	3.03	0.41817	0.46957
2.64	0.44986	0.50376	3.04	0.41742	0.46876
2.65	0.44898	0.50282	3.05	0.41667	0.46795
2.66	0.44811	0.50188	3.06	0.41592	0.46714
2.67	0.44724	0.50095	3.07	0.41518	0.46634
2.68	0.44638	0.50002	3.08	0.41444	0.46553
2.69	0.44552	0.49909	3.09	0.41370	0.46474
2.70	0.44466	0.49817	3.10	0.41297	0.46394
2.71	0.44380	0.49725	3.11	0.41224	0.46315
2.72	0.44295	0.49633	3.12	0.41151	0.46236
2.73	0.44210	0.49542	3.13	0.41078	0.46157
2.74	0.44126	0.49451	3.14	0.41006	0.46079
2.75	0.44042	0.49362	3.15	0.40933	0.46000
2.76	0.43958	0.49270	3.16	0.40862	0.45922
2.77	0.43875	0.49180	3.17	0.40790	0.45845
2.78	0.43792	0.49091	3.18	0.40719	0.45767
2.79	0.43709	0.49002	3.19	0.40648	0.45690

TABLE II (Continued)

ℓ/r	K^*	f	ℓ/r	K^*	f
3.20	0.40577	0.45613	3.60	0.37938	0.42741
3.21	0.40506	0.45536	3.61	0.37877	0.42674
3.22	0.40436	0.45460	3.62	0.37816	0.42607
3.23	0.40366	0.45384	3.63	0.37755	0.42540
3.24	0.40296	0.45308	3.64	0.37694	0.42474
3.25	0.40226	0.45233	3.65	0.37633	0.42408
3.26	0.40157	0.45157	3.66	0.37573	0.42342
3.27	0.40088	0.45082	3.67	0.37513	0.42276
3.28	0.40019	0.45007	3.68	0.37452	0.42210
3.29	0.39950	0.44933	3.69	0.37393	0.42145
3.30	0.39882	0.44858	3.70	0.37333	0.42080
3.31	0.39814	0.44784	3.71	0.37274	0.42015
3.32	0.39746	0.44710	3.72	0.37214	0.41950
3.33	0.39678	0.44637	3.73	0.37155	0.41885
3.34	0.39611	0.44564	3.74	0.37096	0.41821
3.35	0.39544	0.44491	3.75	0.37038	0.41757
3.36	0.39477	0.44418	3.76	0.36979	0.41693
3.37	0.39410	0.44345	3.77	0.36921	0.41629
3.38	0.39344	0.44273	3.78	0.36863	0.41565
3.39	0.39278	0.44201	3.79	0.36805	0.41502
3.40	0.39212	0.44129	3.80	0.36747	0.41439
3.41	0.39146	0.44058	3.81	0.36689	0.41376
3.42	0.39081	0.43986	3.82	0.36632	0.41313
3.43	0.39015	0.43915	3.83	0.36575	0.41250
3.44	0.38950	0.43844	3.84	0.36518	0.41188
3.45	0.38885	0.43774	3.85	0.36461	0.41126
3.46	0.38821	0.43703	3.86	0.36404	0.41064
3.47	0.38756	0.43633	3.87	0.36348	0.41002
3.48	0.38692	0.43563	3.88	0.36291	0.40940
3.49	0.38628	0.43493	3.89	0.36235	0.40879
3.50	0.38564	0.43424	3.90	0.36179	0.40817
3.51	0.38501	0.43354	3.91	0.36123	0.40756
3.52	0.38437	0.43285	3.92	0.36068	0.40695
3.53	0.38374	0.43216	3.93	0.36012	0.40635
3.54	0.38311	0.43148	3.94	0.35957	0.40574
3.55	0.38249	0.43079	3.95	0.35902	0.40514
3.56	0.38186	0.43011	3.96	0.35847	0.40454
3.57	0.38124	0.42943	3.97	0.35793	0.40394
3.58	0.38062	0.42875	3.98	0.35738	0.40334
3.59	0.38000	0.42808	3.99	0.35684	0.40274

TABLE II (Continued)

l/r	K^e	f	l/r	K^e	f
4.00	0.35630	0.40215	4.40	0.33590	0.37974
4.01	0.35576	0.40156	4.41	0.33542	0.37921
4.02	0.35522	0.40097	4.42	0.33494	0.37869
4.03	0.35468	0.40038	4.43	0.33446	0.37816
4.04	0.35414	0.39979	4.44	0.33399	0.37764
4.05	0.35361	0.39920	4.45	0.33351	0.37711
4.06	0.35308	0.39862	4.46	0.33304	0.37659
4.07	0.35255	0.39804	4.47	0.33257	0.37607
4.08	0.35202	0.39746	4.48	0.33210	0.37556
4.09	0.35149	0.39688	4.49	0.33163	0.37504
4.10	0.35096	0.39630	4.50	0.33116	0.37452
4.11	0.35044	0.39572	4.51	0.33069	0.37401
4.12	0.34992	0.39515	4.52	0.33023	0.37350
4.13	0.34940	0.39458	4.53	0.32977	0.37299
4.14	0.34888	0.39401	4.54	0.32930	0.37248
4.15	0.34836	0.39344	4.55	0.32884	0.37197
4.16	0.34784	0.39287	4.56	0.32838	0.37146
4.17	0.34733	0.39231	4.57	0.32793	0.37096
4.18	0.34681	0.39174	4.58	0.32747	0.37045
4.19	0.34630	0.39118	4.59	0.32701	0.36995
4.20	0.34579	0.39062	4.60	0.32656	0.36945
4.21	0.34528	0.39006	4.61	0.32610	0.36895
4.22	0.34477	0.38950	4.62	0.32565	0.36845
4.23	0.34427	0.38895	4.63	0.32520	0.36795
4.24	0.34376	0.38839	4.64	0.32475	0.36746
4.25	0.34326	0.38784	4.65	0.32430	0.36696
4.26	0.34276	0.38729	4.66	0.32386	0.36647
4.27	0.34226	0.38674	4.67	0.32341	0.36598
4.28	0.34176	0.38619	4.68	0.32297	0.36549
4.29	0.34126	0.38564	4.69	0.32252	0.36500
4.30	0.34077	0.38510	4.70	0.32208	0.36451
4.31	0.34028	0.38456	4.71	0.32164	0.36403
4.32	0.33978	0.38402	4.72	0.32120	0.36354
4.33	0.33929	0.38348	4.73	0.32076	0.36306
4.34	0.33880	0.38294	4.74	0.32033	0.36258
4.35	0.33832	0.38240	4.75	0.31989	0.36210
4.36	0.33783	0.38187	4.76	0.31946	0.36162
4.37	0.33734	0.38133	4.77	0.31902	0.36114
4.38	0.33686	0.38080	4.78	0.31859	0.36066
4.39	0.33638	0.38027	4.79	0.31816	0.36018

TABLE II (Continued)

ℓ/r	K^0	f	ℓ/r	K^0	f
4.80	0.31773	0.35971	5.20	0.30143	0.34169
4.81	0.31730	0.35924	5.21	0.30105	0.34126
4.82	0.31687	0.35876	5.22	0.30066	0.34083
4.83	0.31645	0.35829	5.23	0.30028	0.34041
4.84	0.31602	0.35782	5.24	0.29990	0.33999
4.85	0.31560	0.35735	5.25	0.29952	0.33956
4.86	0.31517	0.35689	5.26	0.29914	0.33914
4.87	0.31475	0.35642	5.27	0.29876	0.33872
4.88	0.31433	0.35596	5.28	0.29838	0.33830
4.89	0.31391	0.35549	5.29	0.29800	0.33788
4.90	0.31349	0.35503	5.30	0.29762	0.33747
4.91	0.31307	0.35457	5.31	0.29725	0.33705
4.92	0.31266	0.35411	5.32	0.29687	0.33663
4.93	0.31224	0.35365	5.33	0.29650	0.33622
4.94	0.31183	0.35319	5.34	0.29612	0.33580
4.95	0.31142	0.35273	5.35	0.29575	0.33539
4.96	0.31100	0.35228	5.36	0.29538	0.33498
4.97	0.31059	0.35182	5.37	0.29501	0.33457
4.98	0.31018	0.35137	5.38	0.29464	0.33416
4.99	0.30978	0.35092	5.39	0.29427	0.33375
5.00	0.30937	0.35047	5.40	0.29390	0.33334
5.01	0.30896	0.35002	5.41	0.29354	0.33294
5.02	0.30856	0.34957	5.42	0.29317	0.33253
5.03	0.30815	0.34912	5.43	0.29281	0.33213
5.04	0.30775	0.34868	5.44	0.29244	0.33172
5.05	0.30735	0.34823	5.45	0.29208	0.33132
5.06	0.30694	0.34779	5.46	0.29172	0.33092
5.07	0.30654	0.34734	5.47	0.29136	0.33052
5.08	0.30614	0.34690	5.48	0.29099	0.33012
5.09	0.30575	0.34646	5.49	0.29064	0.32972
5.10	0.30535	0.34602	5.50	0.29028	0.32932
5.11	0.30495	0.34558	5.51	0.28992	0.32892
5.12	0.30456	0.34515	5.52	0.28956	0.32853
5.13	0.30416	0.34471	5.53	0.28921	0.32813
5.14	0.30377	0.34427	5.54	0.28885	0.32774
5.15	0.30338	0.34384	5.55	0.28850	0.32734
5.16	0.30299	0.34341	5.56	0.28814	0.32695
5.17	0.30260	0.34298	5.57	0.28779	0.32656
5.18	0.30221	0.34255	5.58	0.28744	0.32617
5.19	0.30182	0.34212	5.59	0.28709	0.32578

TABLE II (Continued)

l/r	K^0	f	l/r	K^0	f
5.60	0.28674	0.32539	6.00	0.27341	0.31057
5.61	0.28639	0.32500	6.01	0.27309	0.31022
5.62	0.28604	0.32462	6.02	0.27277	0.30987
5.63	0.28569	0.32423	6.03	0.27246	0.30952
5.64	0.28535	0.32385	6.04	0.27214	0.30917
5.65	0.28500	0.32346	6.05	0.27183	0.30882
5.66	0.28466	0.32308	6.06	0.27151	0.30847
5.67	0.28431	0.32270	6.07	0.27120	0.30812
5.68	0.28397	0.32231	6.08	0.27089	0.30777
5.69	0.28363	0.32193	6.09	0.27058	0.30742
5.70	0.28328	0.32155	6.10	0.27027	0.30708
5.71	0.28294	0.32118	6.11	0.26996	0.30673
5.72	0.28260	0.32080	6.12	0.26965	0.30639
5.73	0.28226	0.32042	6.13	0.26934	0.30604
5.74	0.28193	0.32004	6.14	0.26903	0.30570
5.75	0.28159	0.31967	6.15	0.26872	0.30536
5.76	0.28125	0.31929	6.16	0.26842	0.30502
5.77	0.28092	0.31892	6.17	0.26811	0.30467
5.78	0.28058	0.31855	6.18	0.26781	0.30433
5.79	0.28025	0.31818	6.19	0.26750	0.30400
5.80	0.27991	0.31781	6.20	0.26720	0.30366
5.81	0.27958	0.31744	6.21	0.26689	0.30332
5.82	0.27925	0.31707	6.22	0.26659	0.30298
5.83	0.27892	0.31670	6.23	0.26629	0.30265
5.84	0.27859	0.31633	6.24	0.26599	0.30231
5.85	0.27826	0.31597	6.25	0.26569	0.30198
5.86	0.27793	0.31560	6.26	0.26539	0.30164
5.87	0.27760	0.31524	6.27	0.26509	0.30131
5.88	0.27727	0.31487	6.28	0.26479	0.30098
5.89	0.27695	0.31451	6.29	0.26449	0.30064
5.90	0.27662	0.31415	6.30	0.26420	0.30031
5.91	0.27630	0.31379	6.31	0.26390	0.29998
5.92	0.27597	0.31343	6.32	0.26360	0.29965
5.93	0.27565	0.31307	6.33	0.26331	0.29932
5.94	0.27533	0.31271	6.34	0.26301	0.29899
5.95	0.27501	0.31235	6.35	0.26272	0.29867
5.96	0.27469	0.31199	6.36	0.26243	0.29834
5.97	0.27437	0.31164	6.37	0.26213	0.29801
5.98	0.27405	0.31128	6.38	0.26184	0.29769
5.99	0.27373	0.31093	6.39	0.26155	0.29736

TABLE II (Continued)

l/r	K^*	f	l/r	K^*	f
6.40	0.26126	0.29704	6.80	0.25015	0.28463
6.41	0.26097	0.29672	6.81	0.24988	0.28434
6.42	0.26068	0.29639	6.82	0.24961	0.28404
6.43	0.26039	0.29607	6.83	0.24935	0.28375
6.44	0.26010	0.29575	6.84	0.24909	0.28345
6.45	0.25982	0.29543	6.85	0.24882	0.28316
6.46	0.25953	0.29511	6.86	0.24856	0.28286
6.47	0.25924	0.29479	6.87	0.24830	0.28257
6.48	0.25896	0.29447	6.88	0.24803	0.28228
6.49	0.25867	0.29415	6.89	0.24777	0.28198
6.50	0.25839	0.29384	6.90	0.24751	0.28169
6.51	0.25810	0.29352	6.91	0.24725	0.28140
6.52	0.25782	0.29320	6.92	0.24699	0.28111
6.53	0.25754	0.29289	6.93	0.24673	0.28082
6.54	0.25726	0.29258	6.94	0.24647	0.28053
6.55	0.25698	0.29226	6.95	0.24622	0.28024
6.56	0.25670	0.29195	6.96	0.24596	0.27996
6.57	0.25642	0.29164	6.97	0.24570	0.27967
6.58	0.25614	0.29133	6.98	0.24545	0.27938
6.59	0.25586	0.29101	6.99	0.24519	0.27910
6.60	0.25558	0.29070	7.00	0.24493	0.27881
6.61	0.25530	0.29040	7.01	0.24468	0.27852
6.62	0.25503	0.29009	7.02	0.24442	0.27824
6.63	0.25475	0.28978	7.03	0.24417	0.27796
6.64	0.25448	0.28947	7.04	0.24392	0.27767
6.65	0.25420	0.28916	7.05	0.24366	0.27739
6.66	0.25393	0.28886	7.06	0.24341	0.27711
6.67	0.25365	0.28855	7.07	0.24316	0.27683
6.68	0.25338	0.28825	7.08	0.24291	0.27655
6.69	0.25311	0.28794	7.09	0.24266	0.27627
6.70	0.25284	0.28764	7.10	0.24241	0.27599
6.71	0.25256	0.28734	7.11	0.24216	0.27571
6.72	0.25229	0.28703	7.12	0.24191	0.27543
6.73	0.25202	0.28673	7.13	0.24166	0.27515
6.74	0.25175	0.28643	7.14	0.24141	0.27487
6.75	0.25148	0.28613	7.15	0.24117	0.27459
6.76	0.25121	0.28583	7.16	0.24092	0.27432
6.77	0.25095	0.28553	7.17	0.24067	0.27404
6.78	0.25068	0.28523	7.18	0.24043	0.27377
6.79	0.25041	0.28493	7.19	0.24018	0.27349

TABLE II (Continued)

ℓ/r	K^*	f	ℓ/r	K^*	f
7.20	0.23993	0.27322	7.60	0.23052	0.26268
7.21	0.23969	0.27294	7.61	0.23030	0.26242
7.22	0.23945	0.27267	7.62	0.23007	0.26217
7.23	0.23920	0.27240	7.63	0.22985	0.26192
7.24	0.23896	0.27212	7.64	0.22962	0.26167
7.25	0.23872	0.27185	7.65	0.22940	0.26142
7.26	0.23847	0.27158	7.66	0.22917	0.26117
7.27	0.23823	0.27131	7.67	0.22895	0.26091
7.28	0.23799	0.27104	7.68	0.22873	0.26067
7.29	0.23775	0.27077	7.69	0.22851	0.26042
7.30	0.23751	0.27050	7.70	0.22828	0.26017
7.31	0.23727	0.27023	7.71	0.22806	0.25992
7.32	0.23703	0.26997	7.72	0.22784	0.25967
7.33	0.23679	0.26970	7.73	0.22762	0.25942
7.34	0.23655	0.26943	7.74	0.22740	0.25918
7.35	0.23631	0.26916	7.75	0.22718	0.25893
7.36	0.23608	0.26890	7.76	0.22696	0.25868
7.37	0.23584	0.26863	7.77	0.22674	0.25844
7.38	0.23560	0.26837	7.78	0.22652	0.25819
7.39	0.23537	0.26810	7.79	0.22631	0.25795
7.40	0.23513	0.26784	7.80	0.22609	0.25770
7.41	0.23490	0.26758	7.81	0.22587	0.25746
7.42	0.23466	0.26732	7.82	0.22565	0.25722
7.43	0.23443	0.26705	7.83	0.22544	0.25697
7.44	0.23420	0.26679	7.84	0.22522	0.25673
7.45	0.23396	0.26653	7.85	0.22500	0.25649
7.46	0.23373	0.26627	7.86	0.22479	0.25625
7.47	0.23350	0.26601	7.87	0.22457	0.25601
7.48	0.23327	0.26575	7.88	0.22436	0.25577
7.49	0.23304	0.26549	7.89	0.22415	0.25553
7.50	0.23280	0.26523	7.90	0.22393	0.25529
7.51	0.23257	0.26498	7.91	0.22372	0.25505
7.52	0.23234	0.26472	7.92	0.22351	0.25481
7.53	0.23212	0.26446	7.93	0.22329	0.25457
7.54	0.23189	0.26420	7.94	0.22308	0.25433
7.55	0.23166	0.26395	7.95	0.22287	0.25410
7.56	0.23143	0.26369	7.96	0.22266	0.25386
7.57	0.23120	0.26344	7.97	0.22245	0.25362
7.58	0.23098	0.26318	7.98	0.22224	0.25339
7.59	0.23075	0.26293	7.99	0.22203	0.25315

TABLE II (Continued)

ℓ/r	K^*	f	ℓ/r	K^*	f
8.00	0.22182	0.25291	8.40	0.21374	0.24385
8.01	0.22161	0.25268	8.41	0.21355	0.24363
8.02	0.22140	0.25245	8.42	0.21336	0.24341
8.03	0.22119	0.25221	8.43	0.21316	0.24319
8.04	0.22098	0.25198	8.44	0.21297	0.24298
8.05	0.22078	0.25174	8.45	0.21278	0.24276
8.06	0.22057	0.25151	8.46	0.21258	0.24254
8.07	0.22036	0.25128	8.47	0.21239	0.24233
8.08	0.22016	0.25105	8.48	0.21220	0.24211
8.09	0.21995	0.25082	8.49	0.21201	0.24189
8.10	0.21974	0.25059	8.50	0.21182	0.24169
8.11	0.21954	0.25036	8.51	0.21162	0.24146
8.12	0.21933	0.25013	8.52	0.21143	0.24125
8.13	0.21913	0.24990	8.53	0.21124	0.24104
8.14	0.21892	0.24967	8.54	0.21105	0.24082
8.15	0.21872	0.24944	8.55	0.21086	0.24061
8.16	0.21852	0.24921	8.56	0.21068	0.24040
8.17	0.21831	0.24898	8.57	0.21049	0.24018
8.18	0.21811	0.24875	8.58	0.21030	0.23997
8.19	0.21791	0.24853	8.59	0.21011	0.23976
8.20	0.21771	0.24830	8.60	0.20992	0.23955
8.21	0.21751	0.24807	8.61	0.20973	0.23934
8.22	0.21730	0.24785	8.62	0.20955	0.23913
8.23	0.21710	0.24762	8.63	0.20936	0.23892
8.24	0.21690	0.24740	8.64	0.20917	0.23871
8.25	0.21670	0.24717	8.65	0.20899	0.23850
8.26	0.21650	0.24695	8.66	0.20880	0.23829
8.27	0.21630	0.24672	8.67	0.20862	0.23808
8.28	0.21610	0.24650	8.68	0.20843	0.23787
8.29	0.21591	0.24628	8.69	0.20825	0.23767
8.30	0.21571	0.24605	8.70	0.20806	0.23746
8.31	0.21551	0.24583	8.71	0.20788	0.23725
8.32	0.21531	0.24561	8.72	0.20769	0.23705
8.33	0.21511	0.24539	8.73	0.20751	0.23684
8.34	0.21492	0.24517	8.74	0.20733	0.23663
8.35	0.21472	0.24495	8.75	0.20715	0.23643
8.36	0.21453	0.24472	8.76	0.20696	0.23622
8.37	0.21433	0.24450	8.77	0.20678	0.23602
8.38	0.21413	0.24428	8.78	0.20660	0.23581
8.39	0.21394	0.24407	8.79	0.20642	0.23561

TABLE II (Continued)

ℓ/r	K'	f
8.80	0.20624	0.23540
8.81	0.20606	0.23520
8.82	0.20587	0.23500
8.83	0.20569	0.23480
8.84	0.20551	0.23459
8.85	0.20533	0.23439
8.86	0.20516	0.23419
8.87	0.20498	0.23399
8.88	0.20480	0.23379
8.89	0.20462	0.23359
8.90	0.20444	0.23339
8.91	0.20426	0.23319
8.92	0.20409	0.23299
8.93	0.20391	0.23279
8.94	0.20373	0.23259
8.95	0.20355	0.23239
8.96	0.20338	0.23219
8.97	0.20320	0.23199
8.98	0.20303	0.23179
8.99	0.20285	0.23160
9.00	0.20268	0.23140
9.01	0.20250	0.23120
9.02	0.20233	0.23101
9.03	0.20215	0.23081
9.04	0.20198	0.23061
9.05	0.20181	0.23042
9.06	0.20163	0.23022
9.07	0.20146	0.23003
9.08	0.20129	0.22983
9.09	0.20111	0.22964
9.10	0.20094	0.22945
9.11	0.20077	0.22925
9.12	0.20060	0.22906
9.13	0.20043	0.22887
9.14	0.20026	0.22867
9.15	0.20009	0.22849
9.16	0.19991	0.22829
9.17	0.19974	0.22810
9.18	0.19957	0.22791
9.19	0.19941	0.22772

ℓ/r	K'	f
9.20	0.19924	0.22753
9.21	0.19907	0.22734
9.22	0.19890	0.22715
9.23	0.19873	0.22696
9.24	0.19856	0.22677
9.25	0.19839	0.22658
9.26	0.19823	0.22639
9.27	0.19806	0.22620
9.28	0.19789	0.22601
9.29	0.19773	0.22582
9.30	0.19756	0.22564
9.31	0.19739	0.22545
9.32	0.19723	0.22526
9.33	0.19706	0.22508
9.34	0.19690	0.22489
9.35	0.19673	0.22470
9.36	0.19657	0.22452
9.37	0.19640	0.22433
9.38	0.19624	0.22415
9.39	0.19607	0.22396
9.40	0.19591	0.22378
9.41	0.19575	0.22359
9.42	0.19558	0.22341
9.43	0.19542	0.22323
9.44	0.19526	0.22304
9.45	0.19510	0.22286
9.46	0.19493	0.22268
9.47	0.19477	0.22250
9.48	0.19461	0.22231
9.49	0.19445	0.22213
9.50	0.19429	0.22195
9.51	0.19413	0.22177
9.52	0.19397	0.22159
9.53	0.19381	0.22141
9.54	0.19365	0.22123
9.55	0.19349	0.22105
9.56	0.19333	0.22087
9.57	0.19317	0.22069
9.58	0.19301	0.22051
9.59	0.19285	0.22033

TABLE II (Continued)

$\underline{l/r}$	$\underline{K^*}$	$\underline{E}$
9.60	0.19269	0.22015
9.61	0.19254	0.21997
9.62	0.19238	0.21980
9.63	0.19222	0.21962
9.64	0.19206	0.21944
9.65	0.19191	0.21926
9.66	0.19175	0.21909
9.67	0.19159	0.21891
9.68	0.19144	0.21873
9.69	0.19128	0.21856
9.70	0.19112	0.21838
9.71	0.19097	0.21821
9.72	0.19081	0.21803
9.73	0.19066	0.21786
9.74	0.19050	0.21768
9.75	0.19035	0.21751
9.76	0.19019	0.21733
9.77	0.19004	0.21716
9.78	0.18989	0.21699
9.79	0.18973	0.21681
9.80	0.18958	0.21664
9.81	0.18943	0.21647
9.82	0.18927	0.21630
9.83	0.18912	0.21612
9.84	0.18897	0.21595
9.85	0.18882	0.21578
9.86	0.18866	0.21561
9.87	0.18851	0.21544
9.88	0.18836	0.21527
9.89	0.18821	0.21510
9.90	0.18806	0.21493
9.91	0.18791	0.21476
9.92	0.18776	0.21459
9.93	0.18761	0.21442
9.94	0.18746	0.21425
9.95	0.18735	0.21408
9.96	0.18716	0.21391
9.97	0.18701	0.21374
9.98	0.18686	0.21357
9.99	0.18671	0.21341
10.00	0.18656	0.21324

FIGURE LEGEND

1. Percent deviation of $\underline{K'}$ and K_d from K .




Fig. 1.

61316-1

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that proper record-keeping is essential for transparency and accountability, particularly in financial matters. The text suggests that organizations should implement robust systems to track every aspect of their operations, from procurement to sales, to ensure that all data is reliable and accessible.

2. The second part of the document focuses on the role of technology in modern business operations. It highlights how digital tools and software can streamline processes, reduce errors, and improve overall efficiency. The author argues that embracing technology is not just a competitive advantage but a necessity for staying relevant in today's fast-paced market. Examples of various digital solutions are provided, along with their potential benefits and challenges.

3. The third part of the document addresses the issue of human resources and talent management. It discusses the importance of attracting, developing, and retaining skilled employees. The text suggests that organizations should invest in training and development programs to enhance the capabilities of their workforce. Additionally, it emphasizes the need for a positive work environment that fosters collaboration and innovation.

4. The fourth part of the document explores the concept of sustainability and its impact on business performance. It argues that sustainable practices are no longer just a moral obligation but a strategic imperative. By adopting sustainable operations, companies can reduce costs, mitigate risks, and build a strong reputation. The text provides insights into various sustainable practices, such as energy conservation and waste reduction, and how they can be integrated into business strategies.

5. The fifth and final part of the document discusses the importance of effective communication and leadership. It suggests that clear communication is the foundation of any successful organization. Leaders should be able to articulate a vision, inspire their teams, and make informed decisions. The text provides practical tips for improving communication skills and effective leadership practices, emphasizing the importance of listening and empathy.