

UC Irvine

Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health

Title

A Missed Meal, A Missed Diagnosis: Why Emergency Departments Must Lead on Food Insecurity Screening

Permalink

<https://escholarship.org/uc/item/743972z2>

Journal

Western Journal of Emergency Medicine: Integrating Emergency Care with Population Health, 26(4)

ISSN

1936-900X

Authors

Cisneros, Victor

Olliffe, Ian

Assaf, Raymen R.

Publication Date

2025-07-11

DOI

10.5811/westjem.47454

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

A Missed Meal, A Missed Diagnosis: Why Emergency Departments Must Lead on Food Insecurity Screening

Victor Cisneros, MD, MPH, CPH*
Ian Olliffe, BS†
Raymen R. Assaf, MD, MPH, MA‡

*Eisenhower Health, Department of Emergency Medicine, Rancho Mirage, California
†University of California, Irvine, Department of Emergency Medicine, Irvine, California
‡Rady Children's Health, Emergency Medicine Specialists of Orange County, Department of Emergency Medicine, Orange, California

Section Editor: Mark I Langdorf, MD, MHPE

Submission history: Submitted May 15, 2025; Accepted May 15, 2025

Electronically published July 10, 2025

Full text available through open access at http://escholarship.org/uc/uciem_westjem

DOI 10.5811/westjem.47454

[West J Emerg Med. 2025;26(4)1120–1121.]

To the Editor:

The recent recommendation by the US Preventive Services Task Force (USPSTF) concluding that there is “insufficient evidence” to assess the benefits and harms of food insecurity screening in the primary care setting may inadvertently stall momentum in addressing one of the most pressing social drivers of health: food insecurity,^{1,4} which affected 12.8% of US households in 2022. It disproportionately impacts Black (22.4%) and Hispanic (20.8%) families, demonstrating profound associations with adverse health outcomes, including increased number of emergency department (ED) visits, hospitalizations, worse chronic disease management, and mental health comorbidities.^{1-2,5-6} The ED serves as an entry point to healthcare for patients facing economic hardship⁷ and often provides the main contact some families have with the healthcare system.⁸⁻⁹

Each year 155 million Americans visit the ED, representing about 47% of the population, and these patients are disproportionately underinsured.¹⁰⁻¹¹ Emergency physicians frequently observe the impacts of food insecurity when managing conditions such as uncontrolled diabetes or asthma exacerbations,¹² where food insecurity significantly contributes to poor outcomes by hindering effective management, often due to resource trade-offs between food and essential medications.¹³⁻¹⁵

Over the past three years, we have led feasibility studies and implemented screening across adult and pediatric EDs. We found that 21.8% of caregivers screened positive for food or housing insecurity in a pediatric ED.¹⁶ In an adult ED, 16.9% of patients reported food insecurity.¹⁷ Furthermore, findings from our adult ED study—in which the participants we followed showed improved food security scores after receiving resource information—support the plausibility of ED-based interventions helping to alleviate food insecurity.¹⁷

The ED serves high volumes of underinsured, unhoused, and high-acuity patients.^{7,18} Preventive care gaps are the norm, and the ED often functions as the default site for both clinical and social triage.^{8,19}

Emergency department-based screening tools can identify food insecurity among patients not captured through primary care screening; these include individuals without a primary care physician whose housing may be sporadic or who are living in resource deserts. The ED is far more than a safety net; it mirrors the state of community health, where upstream failures surface downstream with consequences of poorer health incomes and higher healthcare costs. In contrast, the evidence gap cited by the USPSTF reflects the known structural limitations in that setting: variable visit frequency; under-resourced clinics, and reimbursement models that do not support social screening.^{1,20}

We call on healthcare leaders, policymakers, and emergency physicians to consider the ED not as a place where food insecurity screening is “optional,” but where it is **essential**. Federal and state policy should incentivize ED-based screening workflows, fund navigator roles, and hospitals should integrate social determinants of health into the electronic health record. Medical education and residency training programs must prepare future clinicians to view food insecurity as an integral component of healthcare.

Address for Correspondence: Victor Cisneros, MD, MPH, Eisenhower Health, Department of Emergency Medicine, Rancho Mirage, California, 72780 Country Club Drive, Rancho Mirage, CA 92270. Email: victor.m.cisneros@gmail.com.

Conflicts of Interest: By the WestJEM article submission agreement, all authors are required to disclose all affiliations, funding sources and financial or management relationships that could be perceived as potential sources of bias. No author has professional or financial relationships with any companies that are relevant to this study. There are no conflicts of interest or sources of funding to declare.

Copyright: © 2025 Cisneros et al. This is an open access article distributed in accordance with the terms of the Creative Commons Attribution (CC BY 4.0) License. See: <http://creativecommons.org/licenses/by/4.0/>

REFERENCES

1. Nicholson WK, Silverstein M, Wong JB, et al. Screening for Food Insecurity: US Preventive Services Task Force Recommendation Statement. *JAMA*. 2025;333(15):1333-9.
2. Rabbitt MP, Hales LJ, Burke MP, et al. Household Food Security in the United States in 2022. 2023. Available at: <https://www.ers.usda.gov/publications/pub-details?pubid=107702>. Accessed May 2, 2025.
3. Office of Disease Prevention and Health Promotion. Social Determinants of Health. 2025. Available at: <https://odphp.health.gov/healthypeople/priority-areas/social-determinants-health>. Accessed May 2, 2025.
4. Berkowitz SA, Basu S, Gundersen C, et al. State-level and county-level estimates of health care costs associated with food insecurity. *Prev Chronic Dis*. 2019;16:E90.
5. Berkowitz SA, Seligman HK, Meigs JB, et al. Food insecurity, healthcare utilization, and high cost: a longitudinal cohort study. *Am J Manag Care*. 2018;24(9):399.
6. Peltz A and Garg A. Food insecurity and health care use. *Pediatrics*. 2019;144(4).
7. Guleria I, Campbell JA, Thorgerson A, et al. Relationship between social risk factors and emergency department use: National Health Interview Survey 2016–2018. *West J Emerg Med*. 2024;26(2).
8. Wallace AS, Luther B, Guo JW, et al. Implementing a social determinants screening and referral infrastructure during routine emergency department visits, Utah, 2017–2018. *Prev Chronic Dis*. 2020;17:E45.
9. Fortuna RJ, Robbins BW, Mani N, et al. Dependence on emergency care among young adults in the United States. *J Gen Intern Med*. 2010;25(7):663-9.
10. Cairns C, Ashman JJ, Kang K. Emergency Department Visit Rates by Selected Characteristics: United States, 2022. NCHS Data Brief. 2024;(503):10.15620/cdc/159284.
11. Fingar KR, Cutler E, Jiang HJ, et al. Utilization of inpatient and emergency department care following medicaid expansion: a comparison between safety-net and non-safety-net hospitals. 2020. Available at: www.hcup-us.ahrq.gov/reports.jsp. Accessed May 11, 2025.
12. Nhung HK, Goyal M, Cacciapuoti M, et al. Food insecurity and insulin use in hyperglycemic patients presenting to the emergency department. *West J Emerg Med*. 2020;21(4):959-63.
13. Sullivan AF, Clark S, Pallin DJ, et al. Food security, health, and medication expenditures of emergency department patients. *J Emerg Med*. 2010;38(4):524-8.
14. Berkowitz sa, meigs jb, dewalt d, et al. material need Insecurities, Control of Diabetes Mellitus, and Use of Health Care Resources. *JAMA Intern Med*. 2015;175(2):257.
15. Heflin C, Arteaga I, Hodges L, et al. SNAP benefits and childhood asthma. *Soc Sci Med*. 2019;220:203-11.
16. Assaf RR, Knudsen-Robbins C, Heyming T, et al. Food and housing insecurity, resource allocation, and follow-up in a pediatric emergency department. *West J Emerg Med*. 2025;26(2):326-37.
17. Cisneros V, Olliffe IDC, Esteban MS, et al. Feasibility of an emergency department-based food insecurity screening and referral program. *West J Emerg Med*. 2025. In press.
18. Ku BS, Scott KC, Kertesz SG, et al. Factors associated with use of urban emergency departments by the U.S. homeless population. *Public Health Rep*. 2010;125(3):398-405.
19. Burke G & Paradise J. Safety-Net Emergency Departments - Issue Brief - 8696 | KFF. KFF. 2015. Available at: <https://www.kff.org/report-section/safety-net-emergency-departments-issue-brief/>. Accessed May 2, 2025.
20. Jordanova KE, Suresh A, Canavan CR, et al. Addressing food insecurity in rural primary care: a mixed-methods evaluation of barriers and facilitators. *BMC Prim Care*. 2024;25(1).