UC Riverside

International Organization of Citrus Virologists Conference Proceedings (1957-2010)

Title

Citrus Variegated Chlorosis (CVC) in Brazil—An Overview

Permalink

<https://escholarship.org/uc/item/75n9x8g3>

Journal

International Organization of Citrus Virologists Conference Proceedings
(1957-2010), 14(14)

ISSN

2313-5123

Author

Rosetti, V.

Publication Date

2000

DOI

10.5070/C575n9x8g3

Peer reviewed

Citrus Variegated Chlorosis (CVC) in Brazil— An Overview

V. Rossetti

ABSTRACT. Citrus variegated chlorosis is currently the most serious disease of citrus in Brazil. It was first observed in São Paulo and Minas Gerais States in 1987, where trees showing decline, leaf drop, nutritional problems and small fruit were reported. In 1989, large numbers of the bacterium, *Xylella fastidiosa*, were found in xylem tissues. Several species of sharpshooters have since been identified as vectors. Attempted control measures include pruning disease branches, replanting orchards with certified healthy trees, and controlling vector numbers. A genome project to completely sequence the pathogen genome has also been initiated.

In 1987 a previously unknown citrus disease was observed in the Brazilian States of São Paulo and Minas Gerais (15). Trees were collapsing, there was significant leaf drop and apparent nutritional problems. The disease was named citrus variegated chlorosis (CVC). Since then, the disease has spread rapidly in Brazil, and has been reported in Paraguay and Argentina (3).

SYMPTOMS

Sparse chlorotic spots appear on the upper surface of the leaves, corresponding to brown gummy spots on the underside (15). Nutritional deficiency symptoms resembling zinc, potassium and boron are also present. A certain percentage of the fruit are small and hard, and have an intense yellow color. Diseased trees are stunted, with protruding branches. Young trees less than 5 to 6 yr old are more susceptible than older trees.

All sweet orange varieties are highly susceptible. Some mandarins and tangelos (Campeona, Clementine, Monreal, King) are tolerant, and initial studies indicate that pummelos, citrons and lemons are also tolerant (11).

CAUSAL ORGANISM

Initially there was concern that the disease may have been huanglongbing (greening), since the psyllid vector *Diaphorina citri* is present in Brazil (9). Samples were sent to

INRA in France where in 1989 large numbers of organisms similar in appearance to *Xylella fastidiosa* were observed in the xylem (17). The presence of bacteria in the xylem was confirmed in Brazil (5), and in 1993 it was isolated in pure culture and identified as a strain of *X. fastidiosa*, similar to the causal organism of Pierce's disease of grapevine (12, 14).

TRANSMISSION AND PROPAGATION

CVC can be transmitted by grafting from diseased trees, by approach grafting (16) and by natural root grafts (13). The isolated bacterium has also been successfully inoculated into healthy plants. Re-isolation from these plants completed Koch's postulates (6). In the field, CVC is transmitted by several species of xylem-feeding sharpshooters. The main ones identified thus far are *Dilobopterus costalimai*, *Acrogonia terminalis*, *Oncometopia facialis*, *Bucephalogonia xantopis* and *Plesiommata corniculata* (10).

DETECTION

X. fastidiosa can be detected by ELISA (8, 14), DIBA (14) and by PCR (1).

TENTATIVE CONTROL MEASURES

Some growers have been pruning diseased trees, removing the dis-

eased branches 20, 50 or more cm below where leaf symptoms occur (2). This has reduced levels of infection in some orchards. Root applications of oxytetracycline were not effective.

Because of the large numbers of infected orchards, it has been recommended that new orchards should only be established from healthy material from registered nurseries which must have their trees in pots under insect-proof screen protection (4).

CURRENT RESEARCH

New studies on the epidemiology, distribution of the bacteria in the

plant and effects of endophytes are under way, as are improved screening methods for tolerance and resistance. A genome project for *X. fastidiosa* is now underway in several laboratories in Brazil sponsored by the Fundação de Amparo a Pesquisa do Estado de São Paulo (FAPESP).

ACKNOWLEDGMENT

The Author is thankful to FUNDECITRUS and to the National Council for Scientific Research for the help received to carry out the research work cited in this paper, and to Dr. John da Graça for reviewing this manuscript.

LITERATURE CITED

1. Beretta, M. J. G., G. A. Barthe, T. L. Ceccardi, R. F. Lee, and K. S. Derrick
1997. A survey for strains of *Xylella fastidiosa* in citrus affected by citrus variegated chlorosis and citrus blight in Brazil. *Plant Dis.* 81: 1196-1198.
2. Beretta, M. J. G., V. Rodas, A. Garcia Junior, and K. S. Derrick
1996. Control of citrus variegated chlorosis by pruning. In: *Proc. 13th Conf. IOCV*, 378-379. IOCV, Riverside, CA.
3. Brlinsky, R. H., C. L. Davis, L. W. Timmer, D. S. Howd, and J. Contreras
1991. Xylem-limited bacteria in citrus from Argentina with symptoms of citrus variegated chlorosis. *Phytopathology* 81: 1210.
4. Carvalho, S. A., M. A. Machado, F. F. Laranjeira, J. Téofilo Sobrinho, and H. D. Coletta Filho
2000. Production of *Xylella fastidiosa*-free budwood in an insect-proof greenhouse in São Paulo, Brazil. In: *Proc. 14th Conf. IOCV*, 405-407. IOCV, Riverside, CA.
5. Chagas, C. M., V. Rossetti, and M. J. G. Beretta
1992. Electron microscopy studies of a xylem-limited bacterium in sweet orange affected with citrus variegated chlorosis disease in Brazil. *J. Phytopathol.* 134: 306-312.
6. Chang, C. J., M. Garnier, L. Zreik, V. Rossetti, and J. M. Bové
1993. Citrus variegated chlorosis (CVC): Cultivation of the CVC bacterium and attempts to experimentally reproduce the disease. In: *Proc. 12th Conf. IOCV*, 294-300. IOCV, Riverside, CA.
7. Chang, C. J., M. Garnier, L. Zreik, V. Rossetti, and J. M. Bové
1993. Culture and serological detection of the xylem-limited bacterium causing citrus variegated chlorosis and its identification as a strain of *Xylella fastidiosa*. *Curr. Microbiol.* 27: 137-142.
8. Garnier, M., C. J. Chang, L. Zreik, V. Rossetti, and J. M. Bové
1993. Citrus variegated chlorosis: Serological detection of *Xylella fastidiosa*, the bacterium associated with the disease. In: *Proc. 13th Conf. IOCV*, 301-305. IOCV, Riverside, CA.
9. Gravena, S., M. J. G. Beretta, P. E. B. Paiva, R. Gallão, and P. T. Yamamoto
Seasonal abundance and natural enemies of *Diaphorina citri* (Hemiptera: Psyllidae) in citrus orchards of São Paulo state, Brazil (Abstr.). In: *Proc. 13th Conf. IOCV*, 414. IOCV, Riverside, CA.
10. Gravena, S., J. R. S. Lopes, P. E. B. Paiva, P. T. Yamamoto, and S. R. Roberto
1998. The *Xylella fastidiosa* vectors. In: *Citrus Variegated Chlorosis*, 36-53. Bebedouro-SP.
11. Laranjeira, F. F., J. Pompeu Junior, R. Harakava, J. O. Figueiredo, S. A. Carvalho, and H. D. Coletta Filho
1998. Cultivares e espécies cítricas hospedeiras de *Xylella fastidiosa* em condição de campo. *Fitopatol. Bras.* 23: 147-154.

12. Hartung, J. S., M. J. G. Beretta, R. H. Brlansky, J. Spisso, and R. F. Lee
1994. Citrus variegated chlorosis bacterium: Axenic culture, pathogenicity and serological relationship to other strains of *Xylella fastidiosa*. *Phytopathology* 84: 591-597.
13. He, C. X., W. B. Li, A. J. Ayres, J. S. Hartung, V. S. Miranda, and D. C. Teixeira
2000. Distribution of *Xylella fastidiosa* in citrus rootstocks and transmission of citrus variegated chlorosis between sweet orange plants through natural root grafts. *Plant Dis.* 84: 622-626.
14. Lee, R. F., M. J. G. Beretta, J. S. Hartung, M. E. Hooker, and K. S. Derrick
1993. Citrus variegated chlorosis: Confirmation of a *Xylella fastidiosa* as the causal agent. *Summa Phytopathol.* 19: 123-125.
15. Lee, R. F., K. S. Derrick, M. J. G. Beretta, C. M. Chagas, and V. Rossetti
1991. Citrus variegated chlorosis: A new destructive disease of citrus in Brazil. *Citrus Ind.* 72(10): 12-13,15.
16. Rossetti, V.
1990. Citrus variegated chlorosis in Brazil. A review (Abstr.). In: *Intern. Citrus Symp. China*, 1329.
17. Rossetti, V., M. Garnier, J. M. Bové, M. J. G. Beretta, A. R. R. Teixeira, J. A. Quaggio, and D. De Negri
1990. Présence de bactéries dans le xylème d'orangers atteint de chlorose variégée, une nouvelle maladie des agrumes au Brésil. *C.R. Acad. Sci. Ser. III* 310: 345-349.