

UCSF

UC San Francisco Previously Published Works

Title

Polytobacco Use and Nicotine Dependence Symptoms Among US Adults, 2012–2014

Permalink

<https://escholarship.org/uc/item/769555c9>

Journal

Nicotine & Tobacco Research, 20(suppl_1)

ISSN

1462-2203

Authors

Sung, Hai-Yen

Wang, Yingning

Yao, Tingting

et al.

Publication Date

2018-08-14

DOI

10.1093/ntr/nty050

Peer reviewed

Supplementary Table 1. Prevalence of and Characteristics Associated with Sometimes Waking up at Night in Order to Have a Cigarette or Other Tobacco Product: Multivariable Logistic Regression Analysis

	Among current cigarette smokers (N=15,495)			Among current cigar smokers (N=4,276)			Among current pipe smokers (N=765)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	15,495	20.6	...	4,276	18.1	...	765	22.9	...
Polytobacco use status									
Sole use	9,983	18.9	REF	1,576	4.3	REF	181	1.4	REF
Poly use	5,512	23.2	1.52 (1.34-1.72)	2,700	24.3	7.04 (4.70-10.56)	584	26.3	15.53 (3.64-66.31)
Frequency of use									
Nondaily*	3,799	10.8	REF	3,710	17.1	REF	633	22.0	REF
Daily	11,696	23.7	2.63 (2.24-3.09)	566	25.3	1.44 (1.02-2.04)	132	28.8	2.69 (0.89-8.09)
Gender									
Male	7,650	20.7	1.00 (0.89-1.13)	3,621	16.1	0.72 (0.53-0.97)	686	21.2	0.65 (0.31-1.37)
Female	7,845	20.4	REF	655	29.1	REF	79	36.1	REF
Age									
18-24	1,348	18.0	REF	661	19.0	REF	119	30.9	REF
25-29	1,213	18.5	1.13 (0.85-1.51)	441	19.4	1.13 (0.70-1.81)	59	22.5	0.72 (0.26-1.94)
30-44	3,613	20.8	1.38 (1.10-1.73)	1,047	18.0	1.15 (0.77-1.74)	149	22.5	0.75 (0.32-1.73)
45-64	6,702	23.3	1.56 (1.24-1.94)	1,572	19.3	1.59 (1.05-2.40)	251	24.3	0.54 (0.24-1.22)
65+	2,619	13.9	0.83 (0.63-1.09)	555	7.5	0.57 (0.32-1.02)	187	5.8	0.12 (0.04-0.39)
Race/ethnicity									
Non-Hispanic White	10,888	18.2	REF	3,052	14.2	REF	546	19.6	REF
Hispanic	1,230	20.1	1.20 (0.97-1.48)	370	23.3	1.83 (1.22-2.72)	57	24.3	0.88 (0.36-2.13)
Non-Hispanic Black	1,663	32.5	2.16 (1.83-2.55)	415	30.2	2.41 (1.70-3.42)	40	36.5	2.39 (0.84-6.78)
Non-Hispanic Asian	188	16.7	1.20 (0.66-2.20)	33	6.0	0.38 (0.07-2.09)	8	44.2	3.01 (0.66-13.68)
Non-Hispanic Other	1,526	21.2	1.12 (0.91-1.37)	406	22.5	1.27 (0.82-1.97)	114	29.4	0.96 (0.43-2.18)
Education									
Less than HS	2,094	28.5	REF	423	30.7	REF	96	38.5	REF
HS graduate	5,195	21.0	0.71 (0.60-0.83)	1,221	20.3	0.79 (0.55-1.14)	205	25.1	0.63 (0.29-1.35)
Some college	4,537	18.6	0.64 (0.54-0.76)	1,197	16.3	0.60 (0.42-0.88)	190	14.0	0.30 (0.13-0.71)
College graduate	3,669	13.0	0.47 (0.39-0.58)	1,435	8.6	0.45 (0.29-0.71)	274	16.1	0.49 (0.21-1.13)
Household income									
<\$30,000	4,407	28.0	REF	890	31.3	REF	188	37.1	REF
\$30,000-49,999	3,514	20.6	0.76 (0.65-0.90)	839	19.2	0.62 (0.43-0.89)	154	20.2	0.45 (0.20-1.03)
\$50,000-99,999	3,410	15.2	0.57 (0.48-0.68)	1,044	13.0	0.56 (0.38-0.83)	208	15.2	0.35 (0.17-0.75)
≥\$100,000	1,354	12.1	0.52 (0.40-0.68)	820	6.4	0.31 (0.19-0.53)	95	8.5	0.18 (0.05-0.64)
Unknown	2,810	19.9	0.70 (0.59-0.83)	683	19.2	0.64 (0.43-0.94)	120	27.7	0.72 (0.33-1.57)
Marital status									
Married	7,091	17.6	REF	2,181	13.7	REF	359	16.8	REF
W/D/S	4,757	23.5	1.27 (1.10-1.46)	857	23.3	1.14 (0.81-1.59)	204	28.2	1.25 (0.59-2.63)
Single	3,647	23.2	1.37 (1.17-1.59)	1,238	21.7	1.15 (0.83-1.61)	202	28.5	0.99 (0.49-2.00)
Year									
2012-2013	6,649	20.6	REF	1,759	18.5	REF	328	26.9	REF
2013-2014	8,846	20.5	0.93 (0.82-1.05)	2,517	17.8	0.91 (0.70-1.19)	437	18.7	0.53 (0.31-0.92)

Note. AOR = adjusted odds ratio; CI = confidence interval; HS = high school; N = unweighted sample size for the denominator; W/D/S = widowed/divorced/separated; %Poly = prevalence of dependence symptom. Ellipsis indicates not included in the model. Statistically significant AOR results are noted in bold.

*For non-cigarette tobacco users, this category includes some-day and rare users.

^aNot included in the model as a covariate because of small sample size.

Supplementary Table 1

(continued)

	Among current hookah users (N=2,349)			Among current e-cigarette users (N=4,583)			Among current smokeless tobacco users (N=3,097)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	2,349	10.0	...	4,583	16.7	...	3,097	12.3	...
Polytobacco use status									
Sole use	969	0.8	REF	923	3.2	REF	1,691	4.8	REF
Poly use	1,380	16.3	20.79 (8.63-50.08)	3,660	19.9	7.04 (4.41-11.24)	1,046	19.0	4.92 (3.32-7.30)
Frequency of use									
Nondaily*	2,308	9.3	REF	3,593	17.9	REF	1,534	14.8	REF
Daily	41	44.5	^a	990	11.9	0.87 (0.64-1.17)	1,563	9.4	1.03 (0.73-1.44)
Gender									
Male	1,442	11.1	1.10 (0.73-1.67)	2,323	16.7	1.19 (0.94-1.51)	2,879	11.6	0.52 (0.29-0.92)
Female	907	8.1	REF	2,260	16.7	REF	218	22.3	REF
Age									
18-24	1,326	7.6	REF	863	12.0	REF	549	12.3	REF
25-29	524	10.9	1.46 (0.88-2.41)	518	15.3	1.52 (0.94-2.47)	341	13.5	1.58 (0.86-2.87)
30-44	373	15.4	1.65 (0.95-2.87)	1,180	17.7	2.00 (1.37-2.92)	889	12.6	1.79 (1.10-2.91)
45-64	110	23.1	2.13 (0.91-4.95)	1,589	22.0	2.56 (1.74-3.79)	954	12.4	2.16 (1.27-3.68)
65+	16	41.3	2.01 (0.29-13.94)	433	10.0	0.88 (0.46-1.68)	364	7.2	1.13 (0.54-2.38)
Race/ethnicity									
Non-Hispanic White	1,410	8.6	REF	3,394	15.3	REF	2,461	11.6	REF
Hispanic	410	11.6	1.43 (0.84-2.42)	420	17.7	1.20 (0.79-1.83)	160	11.6	0.74 (0.36-1.49)
Non-Hispanic Black	222	15.2	2.73 (1.50-4.96)	250	25.1	1.65 (1.07-2.53)	132	16.0	1.22 (0.59-2.53)
Non-Hispanic Asian	105	6.3	1.68 (0.55-5.12)	82	13.5	1.19 (0.41-3.43)	18	16.6	1.34 (0.31-5.90)
Non-Hispanic Other	202	10.6	1.18 (0.63-2.21)	437	21.2	1.39 (0.94-2.05)	326	16.2	1.10 (0.66-1.82)
Education									
Less than HS	134	22.3	REF	418	30.9	REF	369	19.3	REF
HS graduate	706	11.0	0.55 (0.31-0.99)	1,477	17.3	0.52 (0.36-0.74)	1,060	13.7	0.74 (0.47-1.17)
Some college	745	8.5	0.43 (0.23-0.80)	1,565	13.9	0.41 (0.28-0.58)	798	10.5	0.53 (0.32-0.90)
College graduate	764	5.3	0.30 (0.15-0.62)	1,123	9.6	0.25 (0.17-0.39)	870	6.8	0.36 (0.20-0.64)
Household income									
<\$30,000	374	16.9	REF	1,028	25.9	REF	499	21.5	REF
\$30,000-49,999	521	10.2	0.54 (0.31-0.95)	1,039	15.5	0.64 (0.46-0.90)	626	12.0	0.56 (0.35-0.90)
\$50,000-99,999	632	7.7	0.45 (0.26-0.79)	1,161	12.7	0.52 (0.37-0.74)	901	9.9	0.52 (0.32-0.85)
≥\$100,000	374	6.0	0.40 (0.18-0.90)	557	10.5	0.50 (0.32-0.80)	568	7.6	0.49 (0.26-0.93)
Unknown	448	10.2	0.69 (0.37-1.27)	798	17.3	0.80 (0.56-1.15)	503	13.2	0.67 (0.40-1.12)
Marital status									
Married	663	15.1	REF	2,160	15.5	REF	1,733	8.6	REF
W/D/S	152	17.0	0.73 (0.35-1.50)	1,090	22.2	1.36 (1.01-1.83)	572	18.3	1.74 (1.16-2.61)
Single	1,534	7.2	0.49 (0.32-0.76)	1,333	15.2	1.12 (0.82-1.51)	792	15.5	1.75 (1.15-2.65)
Year									
2012-2013	832	10.3	REF	1,451	19.2	REF	1,317	10.7	REF
2013-2014	1,517	9.7	0.70 (0.46-1.06)	3,132	15.1	0.71 (0.55-0.92)	1,780	89.3	0.82 (0.58-1.16)

Supplementary Table 2. Prevalence of and Characteristics Associated with Having a Strong Craving to Use Tobacco Product of Any Kind during the Past 30 Days: Multivariable Logistic Regression Analysis

	Among current cigarette smokers (N=15,495)			Among current cigar smokers (N=4,276)			Among current pipe smokers (N=765)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	15,495	62.2	...	4,276	47.5	...	765	50.8	...
Polytobacco use status									
Sole use	9,983	61.0	REF	1,576	15.0	REF	181	13.2	REF
Poly use	5,512	39.0	1.72 (1.55-1.91)	2,700	61.9	9.04 (7.06-11.56)	584	56.7	10.20 (5.40-19.30)
Frequency of use									
Nondaily*	3,799	24.5	REF	3,710	45.8	REF	633	49.7	REF
Daily	11,696	75.5	2.34 (2.10-2.61)	566	58.6	2.23 (1.60-3.12)	132	58.0	2.35 (1.22-4.53)
Gender									
Male	7,650	55.3	0.77 (0.70-0.85)	3,621	45.0	0.67 (0.52-0.88)	686	50.3	1.09 (0.56-2.11)
Female	7,845	44.7	REF	655	60.6	REF	79	54.4	REF
Age									
18-24	1,348	13.0	REF	661	49.8	REF	119	52.7	REF
25-29	1,213	11.3	0.98 (0.79-1.22)	441	51.3	1.13 (0.80-1.60)	59	45.9	0.85 (0.35-2.08)
30-44	3,613	31.9	1.00 (0.83-1.20)	1,047	53.0	1.43 (1.05-1.95)	149	62.2	1.62 (0.80-3.30)
45-64	6,702	36.0	0.90 (0.75-1.08)	1,572	40.5	0.94 (0.68-1.28)	251	48.3	0.77 (0.38-1.56)
65+	2,619	79	0.62 (0.50-0.76)	555	32.6	0.72 (0.47-1.11)	187	33.3	0.56 (0.24-1.31)
Race/ethnicity									
Non-Hispanic White	10,888	64.3	REF	3,052	47.7	REF	546	51.0	REF
Hispanic	1,230	12.4	0.52 (0.45-0.62)	370	44.4	0.73 (0.53-1.02)	57	41.1	0.42 (0.20-0.90)
Non-Hispanic Black	1,663	13.1	0.63 (0.45-0.73)	415	46.8	0.78 (0.57-1.07)	40	49.8	0.74 (0.29-1.86)
Non-Hispanic Asian	188	1.3	0.33 (0.22-0.50)	33	34.1	0.39 (0.11-1.35)	8	65.9	1.11 (0.23-5.30)
Non-Hispanic Other	1,526	8.9	0.92 (0.78-1.09)	406	52.9	0.79 (0.58-1.09)	114	55.9	0.85 (0.41-1.76)
Education									
Less than HS	2,094	20.6	REF	423	59.7	REF	96	58.8	REF
HS graduate	5,195	36.5	1.34 (1.16-1.55)	1,221	50.3	0.87 (0.62-1.22)	205	56.8	1.11 (0.55-2.26)
Some college	4,537	26.1	1.63 (1.41-1.90)	1,197	47.8	0.77 (0.55-1.08)	190	46.2	0.73 (0.34-1.53)
College graduate	3,669	16.9	1.55 (1.32-1.83)	1,435	34.4	0.67 (0.47-0.95)	274	41.2	0.78 (0.37-1.64)
Household income									
<\$30,000	4,407	27.3	REF	890	61.6	REF	188	63.4	REF
\$30,000-49,999	3,514	23.4	1.07 (0.93-1.23)	839	53.4	0.83 (0.61-1.12)	154	45.4	0.44 (0.22-0.86)
\$50,000-99,999	3,410	22.3	1.13 (0.98-1.29)	1,044	45.2	0.75 (0.56-1.01)	208	48.1	0.43 (0.22-0.84)
≥\$100,000	1,354	8.6	1.16 (0.95-1.41)	820	29.7	0.44 (0.31-0.62)	95	33.7	0.26 (0.11-0.58)
Unknown	2,810	18.5	0.79 (0.69-0.91)	683	43.3	0.55 (0.40-0.76)	120	54.5	0.87 (0.44-1.70)
Marital status									
Married	7,091	48.2	REF	2,181	42.9	REF	359	47.8	REF
W/D/S	4,757	24.9	1.04 (0.92-1.17)	857	54.4	0.99 (0.76-1.31)	204	55.7	0.96 (0.53-1.72)
Single	3,647	26.9	0.95 (0.84-1.07)	1,238	50.2	0.90 (0.70-1.15)	202	51.6	0.70 (0.39-1.24)
Year									
2012-2013	6,649	50.7	REF	1,759	48.1	REF	328	53.1	REF
2013-2014	8,846	49.4	0.91 (0.82-0.99)	2,517	46.7	0.95 (0.78-1.15)	437	48.3	0.91 (0.59-1.41)

Note. AOR = adjusted odds ratio; CI = confidence interval; HS = high school; N = unweighted sample size for the denominator; W/D/S = widowed/divorced/separated; %Poly = prevalence of dependence symptom. Ellipsis indicates not included in the model. Statistically significant AOR results are noted in bold.

*For non-cigarette tobacco users, this category includes some-day and rare users.

^aNot included in the model as a covariate because of small sample size.

Supplementary Table 2

(continued)

	Among current hookah users (N=2,349)			Among current e-cigarette users (N=4,583)			Among current smokeless tobacco users (N=3,097)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	2,349	34.0	...	4,583	59.7	...	3,097	56.2	...
Polytobacco use status									
Sole use	969	6.0	REF	923	22.9	REF	1,691	46.9	REF
Poly use	1,380	53.3	15.64 (10.43-23.47)	3,660	66.9	5.69 (4.56-7.10)	1,046	64.6	3.14 (2.46-4.00)
Frequency of use									
Nondaily*	2,308	33.5	REF	3,593	60.7	REF	1,534	51.0	REF
Daily	41	60.3	^a	990	55.3	1.23 (0.99-1.53)	1,563	61.9	2.48 (1.96-3.14)
Gender									
Male	1,442	36.8	0.91 (0.69-1.21)	2,323	57.7	0.91 (0.76-1.08)	2,879	56.4	0.98 (0.65-1.49)
Female	907	29.6	REF	2,260	62.2	REF	218	52.6	REF
Age									
18-24	1,326	29.5	REF	863	48.5	REF	549	57.1	REF
25-29	524	37.1	1.38 (0.98-1.95)	518	61.2	1.51 (1.11-2.07)	341	57.5	1.09 (0.75-1.59)
30-44	373	43.4	1.54 (1.04-2.27)	1,180	64.3	1.80 (1.38-2.36)	889	58.4	1.07 (0.77-1.49)
45-64	110	55.7	1.98 (1.10-3.55)	1,589	64.4	1.63 (1.23-2.14)	954	54.1	0.99 (0.70-1.39)
65+	16	75.7	2.76 (0.57-13.42)	433	56.8	1.15 (0.78-1.70)	364	46.1	0.74 (0.49-1.12)
Race/ethnicity									
Non-Hispanic White	1,410	38.7	REF	3,394	62.9	REF	2,461	57.6	REF
Hispanic	410	25.7	0.49 (0.34-0.71)	420	45.0	0.51 (0.39-0.68)	160	47.1	0.68 (0.45-1.02)
Non-Hispanic Black	222	30.0	0.85 (0.50-1.42)	250	56.1	0.76 (0.54-1.07)	132	49.6	0.92 (0.56-1.50)
Non-Hispanic Asian	105	17.3	0.76 (0.33-1.76)	82	36.4	0.37 (0.20-0.72)	18	32.7	0.40 (0.12-1.33)
Non-Hispanic Other	202	39.5	0.91 (0.58-1.41)	437	64.5	0.98 (0.71-1.35)	326	55.9	0.86 (0.59-1.24)
Education									
Less than HS	134	46.4	REF	418	61.9	REF	369	59.6	REF
HS graduate	706	39.5	1.00 (0.60-1.68)	1,477	59.0	0.90 (0.66-1.22)	1,060	56.4	0.79 (0.56-1.12)
Some college	745	32.0	0.74 (0.44-1.24)	1,565	58.8	0.87 (0.64-1.19)	798	59.9	0.99(0.69-1.42)
College graduate	764	23.2	0.53 (0.31-0.91)	1,123	60.9	0.85 (0.61-1.08)	870	49.3	0.69(0.47-0.99)
Household income									
<\$30,000	374	40.7	REF	1,028	61.8	REF	499	54.5	REF
\$30,000-49,999	521	39.2	1.00 (0.66-1.52)	1,039	61.8	1.11 (0.86-1.45)	626	59.6	1.22(0.86-1.72)
\$50,000-99,999	632	34.6	0.91 (0.61-1.37)	1,161	64.0	1.15 (0.89-1.49)	901	56.9	1.08(0.78-1.50)
≥\$100,000	374	23.1	0.53 (0.33-0.86)	557	55.7	0.96 (0.70-1.33)	568	54.2	1.07(0.74-1.55)
Unknown	448	30.9	0.82 (0.52-1.29)	798	50.9	0.82 (0.61-1.09)	503	54.0	0.98(0.69-1.40)
Marital status									
Married	663	40.4	REF	2,160	62.1	REF	1,733	56.7	REF
W/D/S	152	53.9	1.30 (0.69-2.44)	1,090	65.6	1.16 (0.91-1.49)	572	57.3	0.95(0.72-1.27)
Single	1,534	29.5	0.77 (0.57-1.03)	1,333	52.4	0.84 (0.67-1.05)	792	54.5	0.81(0.61-1.06)
Year									
2012-2013	832	35.0	REF	1,451	66.4	REF	1,317	56.1	REF
2013-2014	1,517	33.2	0.82 (0.63-1.07)	3,132	55.5	0.68 (0.56-0.82)	1,780	56.2	1.03 (0.84-1.26)

Supplementary Table 3. Prevalence of and Characteristics Associated with Feeling Really Needed to Use a Tobacco Product during the Past 30 Days: Multivariable Logistic Regression Analysis

	Among current cigarette smokers (N=15,495)			Among current cigar smokers (N=4,276)			Among current pipe smokers (N=765)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	15,495	65.1	...	4,276	46.8	...	765	49.5	...
Polytobacco use status									
Sole use	9,983	61.4	REF	1,576	13.8	REF	181	11.7	REF
Poly use	5,512	71.0	1.59 (1.43-1.77)	2,700	61.5	10.21 (7.94-13.11)	584	55.5	10.05 (5.34-18.91)
Frequency of use									
Nondaily*	3,799	46.7	REF	3,710	44.8	REF	633	48.2	REF
Daily	11,696	71.1	2.66 (2.38-2.96)	566	60.7	2.53 (1.80-3.56)	132	58.1	2.71 (1.34-5.46)
Gender									
Male	7,650	60.4	0.60 (0.55-0.67)	3,621	43.5	0.53 (0.40-0.69)	686	47.6	0.70 (0.35-1.38)
Female	7,845	70.9	REF	655	64.5	REF	79	64.2	REF
Age									
18-24	1,348	65.5	REF	661	48.9	REF	119	55.2	REF
25-29	1,213	62.5	0.89 (0.71-1.11)	441	52.2	1.31 (0.92-1.86)	59	40.4	0.69(0.30-1.55)
30-44	3,613	67.8	1.11 (0.92-1.35)	1,047	51.5	1.44 (1.06-1.96)	149	59.9	1.66 (0.79-3.51)
45-64	6,702	65.9	0.96 (0.79-1.16)	1,572	40.2	1.02 (0.74-1.39)	251	45.5	0.70 (0.33-1.45)
65+	2,619	54.0	0.57 (0.46-0.71)	555	32.4	0.81 (0.53-1.26)	187	34.7	0.70 (0.30-1.63)
Race/ethnicity									
Non-Hispanic White	10,888	70.0	REF	3,052	46.1	REF	546	47.0	REF
Hispanic	1,230	49.3	0.52 (0.45-0.62)	370	42.7	0.72 (0.32-0.99)	57	42.5	0.50 (0.22-1.13)
Non-Hispanic Black	1,663	56.7	0.66 (0.57-0.77)	415	51.3	1.02 (0.74-1.41)	40	55.3	0.96 (0.38-2.42)
Non-Hispanic Asian	188	43.2	0.40 (0.26-0.60)	33	49.3	0.88 (0.23-3.37)	8	62.8	1.10 (0.23-5.24)
Non-Hispanic Other	1,526	67.3	0.88 (0.74-1.04)	406	51.0	0.75 (0.54-1.03)	114	62.4	1.35 (0.63-2.93)
Education									
Less than HS	2,094	59.6	REF	423	58.8	REF	96	65.8	REF
HS graduate	5,195	66.9	1.23 (1.06-1.43)	1,221	51.6	1.06 (0.75-1.48)	205	54.1	0.67 (0.32-1.38)
Some college	4,537	68.2	1.31 (1.13-1.53)	1,197	47.7	0.85 (0.61-1.18)	190	44.2	0.50 (0.23-1.08)
College graduate	3,669	63.3	1.14 (0.96-1.35)	1,435	30.4	0.59 (0.41-0.84)	274	35.7	0.47 (0.22-0.99)
Household income									
<\$30,000	4,407	66.7	REF	890	63.1	REF	188	60.9	REF
\$30,000-49,999	3,514	66.4	0.98 (0.85-1.23)	839	50.3	0.69 (0.51-0.93)	154	47.8	0.61 (0.32-1.18)
\$50,000-99,999	3,410	67.8	0.97 (0.84-1.13)	1,044	42.2	0.67 (0.49-0.90)	208	43.2	0.52 (0.27-1.02)
≥\$100,000	1,354	63.9	0.91 (0.75-1.10)	820	30.0	0.49 (0.35-0.69)	95	34.2	0.39 (0.17-0.87)
Unknown	2,810	58.5	0.74 (0.64-0.85)	683	45.2	0.58 (0.42-0.80)	120	55.7	0.98 (0.50-1.90)
Marital status									
Married	7,091	66.1	REF	2,181	41.0	REF	359	42.6	REF
W/D/S	4,757	66.2	1.01 (0.89-1.14)	857	55.4	1.11 (0.84-1.47)	204	57.0	1.28 (0.73-2.28)
Single	3,647	62.4	0.97 (0.86-1.10)	1,238	50.4	0.94 (0.73-1.19)	202	54.7	1.17 (0.65-2.13)
Year									
2012-2013	6,649	65.5	REF	1,759	46.9	REF	328	48.7	REF
2013-2014	8,846	64.7	0.94 (0.85-1.04)	2,517	46.7	0.97 (0.80-1.18)	437	50.4	1.27 (0.82-1.97)

Note. AOR = adjusted odds ratio; CI = confidence interval; HS = high school; N = unweighted sample size for the denominator; W/D/S = widowed/divorced/separated; %Poly = prevalence of dependence symptom. Ellipsis indicates not included in the model. Statistically significant AOR results are noted in bold.

*For non-cigarette tobacco users, this category includes some-day and rare users.

^aNot included in the model as a covariate because of small sample size.

Supplementary Table 3

(continued)

	Among current hookah users (N=2,349)			Among current e-cigarette users (N=4,583)			Among current smokeless tobacco users (N=3,097)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	2,349	32.6	...	4,583	60.7	...	3,097	54.1	...
Polytobacco use status									
Sole use	969	4.8	REF	923	29.9	REF	1,691	42.6	REF
Poly use	1,380	51.6	19.30 (12.84-29.02)	3,660	67.9	6.15 (4.87-7.75)	1,046	64.5	3.57 (2.81-4.54)
Frequency of use									
Nondaily*	2,308	32.3	REF	3,593	61.2	REF	1,534	50.5	REF
Daily	41	48.0	^a	990	58.6	1.42 (1.13-1.79)	1,563	58.0	2.23 (1.77-2.82)
Gender									
Male	1,442	34.1	0.73 (0.55-0.97)	2,323	55.9	0.66 (0.55-0.80)	2,879	53.9	0.75 (0.49-1.14)
Female	907	30.1	REF	2,260	66.8	REF	218	57.3	REF
Age									
18-24	1,326	28.7	REF	863	47.0	REF	549	54.0	REF
25-29	524	32.8	1.18 (0.83-1.68)	518	62.1	1.71 (1.24-2.36)	341	56.3	1.19 (0.82-1.72)
30-44	373	43.8	1.71 (1.15-2.53)	1,180	66.7	2.20 (1.68-2.89)	889	58.5	1.25 (0.90-1.75)
45-64	110	49.7	1.56 (0.82-2.97)	1,589	66.3	1.89 (1.43-2.49)	954	48.7	0.94 (0.67-1.33)
65+	16	75.7	3.60 (0.71-18.21)	433	58.0	1.25 (0.85-1.84)	364	47.3	0.93 (0.61-1.42)
Race/ethnicity									
Non-Hispanic White	1,410	37.0	REF	3,394	64.2	REF	2,461	55.7	REF
Hispanic	410	25.8	0.53 (0.37-0.77)	420	44.5	0.48 (0.35-0.64)	160	41.2	0.54 (0.36-0.82)
Non-Hispanic Black	222	27.5	0.81 (0.52-1.26)	250	55.9	0.69 (0.49-0.97)	132	50.2	0.97 (0.57-1.63)
Non-Hispanic Asian	105	13.0	0.59 (0.25-1.38)	82	48.2	0.67 (0.39-1.17)	18	36.0	0.48 (0.15-1.55)
Non-Hispanic Other	202	38.0	0.92 (0.59-1.45)	437	64.2	0.91 (0.61-1.24)	326	53.1	0.79 (0.55-1.15)
Education									
Less than HS	134	42.6	REF	418	63.4	REF	369	54.8	REF
HS graduate	706	38.4	1.12 (0.67-1.89)	1,477	61.0	0.95 (0.69-1.29)	1,060	57.2	1.04 (0.73-1.47)
Some college	745	32.6	0.93 (0.55-1.57)	1,565	60.4	0.88 (0.64-1.20)	798	55.7	1.04 (0.73-1.50)
College graduate	764	19.4	0.49 (0.28-0.85)	1,123	58.3	0.71 (0.50-0.99)	870	45.9	0.74 (0.51-1.07)
Household income									
<\$30,000	374	40.1	REF	1,028	65.6	REF	499	57.1	REF
\$30,000-49,999	521	38.1	1.01 (0.66-1.54)	1,039	64.5	1.10 (0.84-1.44)	626	55.7	0.92 (0.65-1.29)
\$50,000-99,999	632	30.9	0.77 (0.51-1.15)	1,161	62.4	0.92 (0.71-1.20)	901	56.5	0.96 (0.69-1.33)
≥\$100,000	374	23.1	0.59 (0.36-0.94)	557	52.4	0.74 (0.54-1.01)	568	49.7	0.83 (0.57-1.19)
Unknown	448	30.0	0.82 (0.53-1.27)	798	53.0	0.77 (0.58-1.03)	503	49.1	0.73 (0.51-1.04)
Marital status									
Married	663	40.6	REF	2,160	64.0	REF	1,733	53.9	REF
W/D/S	152	48.7	0.90 (0.49-1.63)	1,090	67.0	1.06 (0.83-1.35)	572	57.7	1.03 (0.77-1.37)
Single	1,534	27.7	0.66 (0.48-0.90)	1,333	52.0	0.82 (0.65-1.02)	792	52.1	0.81 (0.61-1.06)
Year									
2012-2013	832	33.8	REF	1,451	66.2	REF	1,317	55.1	REF
2013-2014	1,517	31.5	0.75 (0.57-0.98)	3,132	57.2	0.71 (0.58-0.86)	1,780	53.0	0.97 (0.80-1.20)

Supplementary Table 4. Prevalence of and Characteristics Associated with Wanting to Use a Tobacco Product So Much That It Was Difficult to Think of Anything Else during the Past 30 Days: Multivariable Logistic Regression Analysis

	Among current cigarette smokers (N=15,495)			Among current cigar smokers (N=4,276)			Among current pipe smokers (N=765)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	15,495	20.5	...	4,276	16.4	...	765	23.0	...
Polytobacco use status									
Sole use	9,983	18.0	REF	1,576	4.1	REF	181	0.8	REF
Poly use	5,512	24.4	1.49 (1.32-1.68)	2,700	21.9	5.36 (3.38-8.51)	584	26.5	33.37 (6.88-161.80)
Frequency of use									
Nondaily*	3,799	12.2	REF	3,710	15.7	REF	633	23.0	REF
Daily	11,696	23.2	2.06 (1.77-2.40)	566	21.5	1.39 (0.97-1.99)	132	22.6	1.70 (0.83-3.50)
Gender									
Male	7,650	19.4	0.85 (0.75-0.95)	3,621	14.6	0.71 (0.52-0.97)	686	21.2	0.64 (0.32-1.28)
Female	7,845	21.9	REF	655	25.8	REF	79	36.8	REF
Age									
18-24	1,348	20.5	REF	661	16.0	REF	119	26.0	REF
25-29	1,213	20.4	1.05 (0.81-1.37)	441	19.0	1.36 (0.85-2.17)	59	21.4	0.71 (0.23-2.21)
30-44	3,613	23.2	1.24 (0.99-1.53)	1,047	19.2	1.57 (1.05-2.34)	149	28.1	1.35 (0.57-3.19)
45-64	6,702	19.7	0.95 (0.77-1.18)	1,572	14.2	1.17 (0.77-1.78)	251	22.5	0.55 (0.23-1.35)
65+	2,619	13.2	0.59 (0.45-0.76)	555	7.4	0.62 (0.35-1.08)	187	9.0	0.28 (0.09-0.86)
Race/ethnicity									
Non-Hispanic White	10,888	21.0	REF	3,052	14.5	REF	546	20.7	REF
Hispanic	1,230	16.4	0.76 (0.61-0.95)	370	16.7	1.05 (0.69-1.60)	57	19.7	0.71 (0.26-1.92)
Non-Hispanic Black	1,663	19.1	0.93 (0.77-1.12)	415	21.5	1.23 (0.86-1.77)	40	28.1	1.68 (0.65-4.36)
Non-Hispanic Asian	188	15.7	0.82 (0.47-1.42)	33	8.0	0.49 (0.12-1.94)	8	23.3	0.55 (0.04-7.40)
Non-Hispanic Other	1,526	25.8	1.22 (1.01-1.48)	406	23.0	1.25 (0.83-1.89)	114	33.6	1.16 (0.54-2.50)
Education									
Less than HS	2,094	25.7	REF	423	26.8	REF	96	43.3	REF
HS graduate	5,195	20.5	0.74 (0.62-0.87)	1,221	17.6	0.76 (0.52-1.09)	205	21.3	0.41 (0.19-0.88)
Some college	4,537	17.8	0.75 (0.63-0.90)	1,197	15.8	0.66 (0.45-0.97)	190	9.7	0.15 (0.06-0.38)
College graduate	3,669	18.7	0.61 (0.50-0.74)	1,435	8.2	0.46 (0.30-0.71)	274	21.6	0.64 (0.29-1.40)
Household income									
<\$30,000	4,407	25.7	REF	890	29.0	REF	188	39.2	REF
\$30,000-49,999	3,514	20.5	0.79 (0.67-0.93)	839	18.2	0.65 (0.46-0.93)	154	19.9	0.40 (0.18-0.90)
\$50,000-99,999	3,410	17.8	0.68 (0.57-0.81)	1,044	11.8	0.50 (0.33-0.74)	208	16.4	0.31 (0.14-0.67)
≥\$100,000	1,354	18.7	0.80 (0.63-1.02)	820	6.5	0.32 (0.20-0.52)	95	15.1	0.28 (0.10-0.75)
Unknown	2,810	16.9	0.63 (0.53-0.75)	683	14.5	0.50 (0.34-0.74)	120	18.4	0.37 (0.16-0.84)
Marital status									
Married	7,091	19.0	REF	2,181	12.9	REF	359	18.4	REF
W/D/S	4,757	23.2	1.27 (1.11-1.47)	857	20.4	1.12 (0.80-1.56)	204	28.9	1.11 (0.53-2.35)
Single	3,647	20.7	1.13 (0.97-1.31)	1,238	19.2	1.18 (0.85-1.62)	202	25.7	0.96 (0.45-2.02)
Year									
2012-2013	6,649	20.9	REF	1,759	16.9	REF	328	25.9	REF
2013-2014	8,846	20.1	0.92 (0.82-1.04)	2,517	15.9	0.92 (0.71-1.18)	437	19.9	0.85 (0.50-1.45)

Note. AOR = adjusted odds ratio; CI = confidence interval; HS = high school; N = unweighted sample size for the denominator; W/D/S = widowed/divorced/separated; %Poly = prevalence of dependence symptom. Ellipsis indicates not included in the model.

Statistically significant AOR results are noted in bold.

*For non-cigarette tobacco users, this category includes some-day and rare users.

^aNot included in the model as a covariate because of small sample size.

Supplementary Table 4

(continued)

	Among current hookah users (N=2,349)			Among current e-cigarette users (N=4,583)			Among current smokeless tobacco users (N=3,097)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	2,349	11.0	...	4,583	19.5	...	3,097	15.7	...
Polytobacco use status									
Sole use	969	1.2	REF	923	5.6	REF	1,691	7.7	REF
Poly use	1,380	17.7	13.79 (5.69-33.42)	3,660	22.8	4.83 (3.35-6.96)	1,046	22.9	4.16 (3.05-5.67)
Frequency of use									
Nondaily*	2,308	10.5	REF	3,593	20.3	REF	1,534	16.9	REF
Daily	41	39.6	^a	990	16.2	1.03 (0.79-1.34)	1,563	14.3	1.46 (1.10-1.94)
Gender									
Male	1,442	11.9	0.94 (0.63-1.41)	2,323	17.8	0.88 (0.71-1.09)	2,879	14.8	0.43 (0.25-0.71)
Female	907	9.6	REF	2,260	21.6	REF	218	29.7	REF
Age									
18-24	1,326	8.8	REF	863	14.8	REF	549	18.0	REF
25-29	524	11.9	1.43 (0.87-2.38)	518	20.1	1.34 (0.89-2.03)	341	18.1	1.40 (0.82-2.38)
30-44	373	18.1	2.06 (1.21-3.51)	1,180	21.4	1.47 (1.05-2.06)	889	15.0	1.11 (0.71-1.72)
45-64	110	11.0	0.74 (0.31-1.79)	1,589	22.0	1.36 (0.96-1.94)	954	14.5	1.29 (0.79-2.11)
65+	16	46.7	3.24 (0.51-20.85)	433	16.4	0.90 (0.54-1.49)	364	9.7	0.75 (0.38-1.46)
Race/ethnicity									
Non-Hispanic White	1,410	11.7	REF	3,394	19.9	REF	2,461	14.8	REF
Hispanic	410	8.9	0.68 (0.40-1.18)	420	12.4	0.57 (0.37-0.87)	160	20.4	1.23 (0.71-2.13)
Non-Hispanic Black	222	10.3	0.98 (0.54-1.76)	250	22.1	1.10 (0.75-1.60)	132	17.2	1.11 (0.55-2.23)
Non-Hispanic Asian	105	4.7	0.80 (0.27-2.32)	82	19.1	1.26 (0.56-2.84)	18	4.3	0.21 (0.03-1.82)
Non-Hispanic Other	202	15.8	1.36 (0.77-2.38)	437	25.2	1.27 (0.89-1.80)	326	19.8	1.15 (0.75-1.77)
Education									
Less than HS	134	17.0	REF	418	28.3	REF	369	23.7	REF
HS graduate	706	13.4	0.87 (0.49-1.53)	1,477	19.5	0.65 (0.46-0.92)	1,060	16.3	0.68 (0.45-1.01)
Some college	745	9.5	0.62 (0.33-1.16)	1,565	17.7	0.58 (0.41-0.82)	798	15.8	0.65 (0.41-1.01)
College graduate	764	6.8	0.48 (0.24-0.98)	1,123	16.1	0.50 (0.34-0.73)	870	8.9	0.38 (0.23-0.63)
Household income									
<\$30,000	374	18.1	REF	1,028	26.4	REF	499	21.2	REF
\$30,000-49,999	521	11.0	0.55 (0.32-0.95)	1,039	19.6	0.78 (0.57-1.06)	626	17.3	0.91 (0.59-1.42)
\$50,000-99,999	632	9.2	0.48 (0.28-0.81)	1,161	18.8	0.74 (0.54-0.99)	901	13.1	0.75 (0.49-1.15)
≥\$100,000	374	8.6	0.56 (0.29-1.08)	557	12.6	0.53 (0.36-0.77)	568	12.5	0.87 (0.52-1.47)
Unknown	448	9.3	0.57 (0.32-1.02)	798	16.7	0.70 (0.50-0.98)	503	16.5	0.82 (0.51-1.32)
Marital status									
Married	663	14.0	REF	2,160	19.3	REF	1,733	12.7	REF
W/D/S	152	18.8	1.05 (0.53-2.09)	1,090	25.0	1.29 (1.00-1.67)	572	21.8	1.60 (1.12-2.28)
Single	1,534	9.0	0.75 (0.48-1.56)	1,333	16.4	0.91 (0.68-1.21)	792	17.6	1.17 (0.79-1.75)
Year									
2012-2013	832	11.4	REF	1,451	22.0	REF	1,317	15.4	REF
2013-2014	1,517	10.7	0.84 (0.58-1.22)	3,132	17.9	0.81 (0.65-1.01)	1,780	16.0	1.15 (0.86-1.54)

Supplementary Table 5. Prevalence of and Characteristics Associated with Often/Always Feeling Irritable or Restless When Not Using Tobacco for a While: Multivariable Logistic Regression Analysis

	Among current cigarette smokers (N=15,495)			Among current cigar smokers (N=4,276)			Among current pipe smokers (N=765)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	15,495	38.2	...	4,276	28.3	...	765	35.4	...
Polytobacco use status									
Sole use	9,983	35.4	REF	1,576	5.9	REF	181	8.14	REF
Poly use	5,512	42.5	1.37 (1.24-1.52)	2,700	38.3	9.00 (6.51-12.44)	584	39.7	6.35 (2.85-14.16)
Frequency of use									
Nondaily*	3,799	16.8	REF	3,710	27.2	REF	633	34.8	REF
Daily	11,696	45.1	3.72 (3.25-4.25)	566	36.3	1.80 (1.28-2.53)	132	39.3	2.12 (0.99-4.53)
Gender									
Male	7,650	36.6	0.88 (0.80-0.97)	3,621	26.1	0.70 (0.53-0.92)	686	33.4	0.67 (0.34-1.31)
Female	7,845	40.1	REF	655	40.2	REF	79	50.4	REF
Age									
18-24	1,348	36.0	REF	661	29.0	REF	119	37.7	REF
25-29	1,213	33.9	0.94 (0.75-1.17)	441	27.4	0.95 (0.65-1.39)	59	31.5	0.82 (0.35-1.95)
30-44	3,613	42.5	1.32 (1.09-1.60)	1,047	32.8	1.31 (0.95-1.81)	149	43.9	1.46 (0.69-3.08)
45-64	6,702	39.2	1.06 (0.88-1.28)	1,572	25.6	0.94 (0.67-1.31)	251	34.8	0.72 (0.34-1.52)
65+	2,619	25.6	0.54 (0.43-0.67)	555	16.9	0.56 (0.34-0.92)	187	17.5	0.33 (0.13-0.88)
Race/ethnicity									
Non-Hispanic White	10,888	42.1	REF	3,052	29.4	REF	546	35.7	REF
Hispanic	1,230	28.4	0.60 (0.50-0.72)	370	24.2	0.64 (0.45-0.90)	57	25.8	0.42 (0.18-1.00)
Non-Hispanic Black	1,663	27.2	0.54 (0.46-0.64)	415	26.1	0.67 (0.47-0.95)	40	21.3	0.39 (0.13-1.11)
Non-Hispanic Asian	188	25.9	0.58 (0.34-0.99)	33	9.4	0.21 (0.05-0.87)	8	21.0	0.25 (0.03-2.35)
Non-Hispanic Other	1,526	41.5	0.92 (0.78-1.09)	406	31.7	0.73 (0.52-1.03)	114	47.7	1.07 (0.50-2.31)
Education									
Less than HS	2,094	42.8	REF	423	42.3	REF	96	53.3	REF
HS graduate	5,195	39.0	0.79 (0.68-0.92)	1,221	31.1	0.77 (0.55-1.07)	205	39.1	0.63 (0.30-1.32)
Some college	4,537	37.5	0.77 (0.66-0.90)	1,197	28.2	0.65 (0.46-0.91)	190	23.7	0.28 (0.13-0.61)
College graduate	3,669	31.9	0.65 (0.55-0.77)	1,435	14.8	0.40 (0.28-0.59)	274	27.5	0.49 (0.243-1.03)
Household income									
<\$30,000	4,407	43.1	REF	890	43.4	REF	188	52.5	REF
\$30,000-49,999	3,514	39.1	0.86 (0.75-0.98)	839	31.5	0.68 (0.50-0.92)	154	35.1	0.48 (0.24-0.94)
\$50,000-99,999	3,410	36.5	0.73 (0.64-0.85)	1,044	23.7	0.55 (0.40-0.76)	208	31.1	0.38 (0.19-0.76)
≥\$100,000	1,354	33.4	0.73 (0.60-0.88)	820	14.4	0.38 (0.26-0.56)	95	14.5	0.14 (0.05-0.39)
Unknown	2,810	34.0	0.72 (0.62-0.84)	683	25.7	0.53 (0.37-0.74)	120	30.9	0.52 (0.27-1.00)
Marital status									
Married	7,091	39.0	REF	2,181	26.1	REF	359	32.4	REF
W/D/S	4,757	40.3	1.04 (0.92-1.17)	857	36.4	1.01 (0.76-1.33)	204	41.6	0.91 (0.50-1.68)
Single	3,647	34.7	0.94 (0.83-1.08)	1,238	27.3	0.70 (0.54-0.92)	202	35.3	0.70 (0.37-1.32)
Year									
2012-2013	6,649	39.1	REF	1,759	28.0	REF	328	39.4	REF
2013-2014	8,846	37.3	0.89 (0.81-0.99)	2,517	28.7	1.01 (0.81-1.25)	437	31.1	0.80 (0.51-1.26)

Note. AOR = adjusted odds ratio; CI = confidence interval; HS = high school; N = unweighted sample size for the denominator; W/D/S = widowed/divorced/separated; %Poly = prevalence of dependence symptom. Ellipsis indicates not included in the model. Statistically significant AOR results are noted in bold.

*For non-cigarette tobacco users, this category includes some-day and rare users.

^aNot included in the model as a covariate because of small sample size.

Supplementary Table 5

(continued)

	Among current hookah users (N=2,349)			Among current e-cigarette users (N=4,583)			Among current smokeless tobacco users (N=3,097)		
	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)	N	Prev%	AOR (95% CI)
Overall	2,349	16.5	...	4,583	33.7	...	3,097	32.9	...
Polytobacco use status									
Sole use	969	1.3	REF	923	12.6	REF	1,691	24.6	REF
Poly use	1,380	26.9	20.49 (10.28-40.86)	3,660	38.7	4.76 (3.56-6.36)	1,046	40.5	2.86 (2.29-3.57)
Frequency of use									
Nondaily*	2,308	16.1	REF	3,593	34.1	REF	1,534	30.6	REF
Daily	41	34.3	^a	990	32.1	1.24 (0.99-1.56)	1,563	35.6	1.86 (1.49-2.32)
Gender									
Male	1,442	18.7	1.17 (0.84-1.63)	2,323	31.7	0.92 (0.77-1.10)	2,879	32.6	0.76 (0.49-2.32)
Female	907	12.9	REF	2,260	36.3	REF	218	37.6	REF
Age									
18-24	1,326	13.7	REF	863	24.7	REF	549	31.3	REF
25-29	524	17.2	1.32 (0.87-2.01)	518	30.6	1.26 (0.90-1.78)	341	28.2	1.02 (0.68-1.54)
30-44	373	23.6	1.74 (1.11-2.73)	1,180	38.8	1.92 (1.44-2.55)	889	38.6	1.65 (1.17-2.33)
45-64	110	28.2	1.50 (0.74-3.05)	1,589	38.7	1.71 (1.28-2.30)	954	30.5	1.25 (0.87-1.81)
65+	16	52.8	2.86 (0.43-19.20)	433	29.2	1.03 (0.68-1.57)	364	28.5	1.10 (0.69-1.74)
Race/ethnicity									
Non-Hispanic White	1,410	19.3	REF	3,394	35.5	REF	2,461	33.4	REF
Hispanic	410	11.8	0.51 (0.32-0.80)	420	24.4	0.62 (0.45-0.86)	160	30.2	0.82 (0.53-1.28)
Non-Hispanic Black	222	10.7	0.53 (0.30-0.96)	250	27.8	0.66 (0.44-0.99)	132	35.4	1.12 (0.66-1.91)
Non-Hispanic Asian	105	7.1	0.76 (0.27-2.13)	82	26.6	0.80 (0.41-1.57)	18	16.1	0.44 (0.11-1.79)
Non-Hispanic Other	202	22.4	1.13 (0.70-1.84)	437	39.5	1.10 (0.82-1.48)	326	31.3	0.81 (0.56-1.17)
Education									
Less than HS	134	31.5	REF	418	41.9	REF	369	42.4	REF
HS graduate	706	18.9	0.58 (0.34-1.01)	1,477	33.2	0.72 (0.53-0.97)	1,060	32.5	0.64 (0.45-0.90)
Some college	745	15.0	0.46 (0.26-0.82)	1,565	33.1	0.70 (0.52-0.95)	798	34.2	0.73 (0.51-1.05)
College graduate	764	8.4	0.25 (0.14-0.48)	1,123	29.7	0.55 (0.39-0.76)	870	25.8	0.52 (0.36-0.77)
Household income									
<\$30,000	374	22.5	REF	1,028	39.6	REF	499	35.0	REF
\$30,000-49,999	521	19.8	0.86 (0.54-1.37)	1,039	34.2	0.91 (0.70-1.18)	626	37.5	1.17 (0.82-1.67)
\$50,000-99,999	632	17.0	0.73 (0.46-1.18)	1,161	33.0	0.80 (0.62-1.03)	901	31.8	0.92 (0.65-1.31)
≥\$100,000	374	9.8	0.46 (0.26-0.83)	557	26.9	0.70 (0.51-0.96)	568	28.3	0.86 (0.58-1.27)
Unknown	448	12.5	0.57 (0.35-0.92)	798	31.8	0.92 (0.70-1.21)	503	32.0	0.89 (0.61-1.30)
Marital status									
Married	663	22.0	REF	2,160	35.4	REF	1,733	32.2	REF
W/D/S	152	27.5	0.94 (0.53-1.68)	1,090	40.3	1.15 (0.92-1.44)	572	37.1	1.04 (0.78-1.39)
Single	1,534	13.2	0.66 (0.46-0.96)	1,333	27.2	0.83 (0.66-1.05)	792	31.8	0.98 (0.61-1.30)
Year									
2012-2013	832	17.3	REF	1,451	38.3	REF	1,317	32.5	REF
2013-2014	1,517	15.7	0.84 (0.61-1.15)	3,132	30.9	0.73 (0.60-0.88)	1,780	33.4	1.09 (0.88-1.34)