

UC Berkeley

Berkeley Scientific Journal

Title

How Do Cavities Form?: The Role of S. mutans, Protective Power of Fluoride, and Smart Dietary Choices

Permalink

<https://escholarship.org/uc/item/77c112m5>

Journal

Berkeley Scientific Journal, 30(1)

ISSN

1097-0967

Author

Wang, Audrey

Publication Date

2026-10-30

DOI

10.5070/BS3.69885

Copyright Information

This work is made available under the terms of a Creative Commons Attribution-NonCommercial-NoDerivatives License, available at <https://creativecommons.org/licenses/by-nc-nd/4.0/>

HOW DO CAVITIES FORM?

The Role of *S. mutans*, Protective Power of Fluoride, and Smart Dietary Choices

BY: AUDREY WANG



INTRODUCTION

That sudden jolt of pain from a sip of cold water or a bite of something sweet is the first unwelcome sign that a cavity has won a major battle. This discomfort is the tangible outcome of a stealthy biological process that begins long before symptoms appear.

Cavities are among the most common diseases in the world, yet they're also one of the most preventable.⁴

They affect people of all ages, from young children whose first teeth are just emerging to adults striving to preserve their long-term oral health. Cavities are fixed by costly procedures like fillings, crowns, or even root canals. These treatments not only strain patients financially but also permanently weaken the affected teeth, since repaired enamel never fully regains its original strength. The culprit behind this disease is a bacterium called *Streptococcus mutans* (*S. mutans*), a bacterium that metabolizes dietary sugars into enamel-damaging acids. The unique properties of *S. mutans* enable it to build a sticky, protective biofilm over a person's teeth—often impenetrable by toothbrushing alone.

Understanding how this pathogen grows, survives, and damages the oral environment is critical for effectively preventing cavities. This process begins with examining how a healthy mouth maintains balance before *S. mutans* disrupts it.

THE SCIENCE BEHIND CAVITIES

THE SETTING: A BALANCED ORAL ECOSYSTEM

A healthy mouth depends on balance between bacterial activity and enamel protection within the dental biofilm (or plaque), which is a thin film of bacteria, saliva, and food debris that coats tooth surfaces.⁶ Saliva is the mouth's first line of defense. It cleans the mouth by washing away food particles and also acts as a chemical buffer, neutralizing acids that are produced by bacteria in the plaque. Saliva is also rich in calcium and phosphate ions, both of which are essential minerals that continually strengthen and rebuild enamel.^{1, 6} This cycle of cleansing, neutralizing, and rebuilding protects the teeth from daily acid attacks and keeps the enamel strong.

THE DISRUPTION: INTRODUCING DIETARY SUGARS TO THE ORAL ECOSYSTEM

The formation of cavities begins with

the consumption of carbohydrate-rich foods, particularly sugary snacks and drinks. *S. mutans* digests these dietary sugars (like sucrose, glucose, and fructose) to generate energy through a process called fermentation, a chemical reaction in which bacteria break down sugars and release acids as byproducts.⁷ During the process of fermentation, lactic acid is specifically generated as a byproduct. This acid is highly potent and rapidly lowers the pH of the tooth surface, creating an acidic environment that weakens and dissolves the enamel over time.⁹

FORTIFYING THE ENEMY: BIOFILM FORMATION AND ACID TRAPPING

Biofilms are a natural component of the oral ecosystem. However, problems arise when plaque becomes dominated by *S. mutans*, which disrupts the mouth's equilibrium via a twofold disruption mechanism. First, *S. mutans* directly erodes enamel through its lactic acid production. Its effectiveness, however, depends on a second, structural mechanism: the production of sticky extracellular polysaccharides from sucrose (long sugar-based molecules secreted by bacteria that comprise part of the biofilm).² These polysaccharides act like biological glue, reinforcing the plaque biofilm and creating

a shield-like structure that traps bacteria and their acids against the tooth surface. This combination of acid generation and entrapment leads to prolonged demineralization of enamel—eventually forming a cavity.

THE ATTACK: ENAMEL DEMINERALIZATION

This sustained, localized acid attack will lower the overall plaque pH. Once this pH reaches below the critical threshold of 5.5, which is a significant deviation from the mouth's normal pH of 6.7, the enamel begins to demineralize.⁹ This involves dissolution of the tooth's hydroxyapatite crystals, which are the primary minerals that strengthen enamel. As a result of demineralization, white spot lesions (weak spots on the enamel) will form and eventually turn into cavities.^{1,6}

S. MUTANS'S ADVANTAGE: SURVIVAL IN AN ACIDIC ENVIRONMENT

Unlike many other oral bacteria, *S. mutans* is extremely acid-tolerant, meaning




Figure 2: Timeline of Cavity Formation. Plaque can mature into an acid-producing biofilm dominated by *S. mutans* in a short period of time, demonstrating the importance of daily habits in interrupting the demineralization process before irreversible decay occurs.^{1,6,9}

it can survive and actively metabolize carbohydrates even when the biofilm pH is very low.³ This property allows *S. mutans* to outcompete other beneficial bacteria in the mouth.⁵



Figure 1: Progression of a Cavity. A healthy tooth gradually develops plaque biofilm. Bacterial fermentation of dietary sugars lowers pH and removes calcium and phosphate from enamel, leading to demineralization and formation of a cavity.¹³

CAVITY PREVENTION USING FLUORIDE

Fluoride offers more than one-time protection; it offers continuous defense and repair against bacterial overgrowths and acid attacks.¹¹

THE PROTECTIVE SHIELD: FORMATION OF THE FLUORIDE RESERVOIR

During and immediately after brushing with fluoride toothpaste (or receiving a professional treatment), fluoride assembles its defense. Calcium fluoride deposits form on the enamel surface and become incorporated into surrounding plaque. Under neutral pH conditions, this reservoir remains stable, serving as a fluoride “bank” that stays ready to release fluoride for protection when acidity rises.¹¹

ON-DEMAND COUNTERATTACK

Once the pH falls below the critical threshold, often following sugar metabolism and lactic acid production, the calcium fluoride reservoir dissolves and releases a surge of free fluoride ions into the surrounding environment. These ions bind to the enamel surface

and form a protective layer around the hydroxyapatite crystals. The released fluoride ions then act as a powerful catalyst by dramatically accelerating the process of remineralization: positively charged calcium and phosphate ions are rapidly guided back into the enamel lattice (due to attraction to negatively charged fluoride). During this repair process, fluoride also becomes incorporated into the crystal structure, forming a new, more acid-resistant mineral called fluorapatite.¹¹ This process repairs previous acidification damage while also fortifying the enamel from future acid attacks.

THE LONG-TERM FORTIFICATION

Sustained remineralization and reservoir replenishment are benefits of repeated use of fluoride. The newly formed fluorapatite is a lasting enhancement of enamel composition to the enamel surface, making it more resilient.¹¹ Furthermore, with consistent daily use of fluoride toothpaste, the protective reservoir is continually being replenished, ensuring that this defense system is always prepared. This ongoing cycle of demineralization and remineralization fueled by fluoride is the key to long-term cavity prevention.⁶

DIETARY DEFENSE: STARVING THE PATHOGEN AND DISRUPTING ITS STRATEGY

While fluoride repairs enamel, our dietary choices directly influence the battlefield inside the mouth. Some nutrients work to starve *S. mutans*, reduce its acid production, and disrupt its ability to build a destructive biofilm.⁸

THE PRIMARY TARGET: LIMITING FERMENTABLE CARBOHYDRATES




Figure 3: Demineralization vs. Remineralization of Enamel. Acidic conditions draw calcium and phosphate out of enamel, while saliva returns these ions to the tooth surface.^{1,6,11}

The most direct strategy is to reduce the fuel for *S. mutans*. This bacterium relies almost exclusively on fermentable carbohydrates for energy and for constructing its sticky biofilm scaffold.⁴

Reduce Sugar Intake Amount: Table sugar (sucrose) is uniquely cavity-inducing. *S. mutans* uses sucrose not only for energy but also as the specific building block for extracellular polysaccharides that fortify its biofilm.¹³ Limiting sucrose intake reduces the bacterium's ability to create its protective, acid-trapping shield.

Reduce Sugar Intake Frequency: The number of daily sugar exposures is as critical as the total amount. Each snack or sugary drink initiates a new acid attack, dropping the plaque pH and restricting the remineralization cycle. Limiting sugars to mealtimes gives saliva the necessary window to neutralize acids and initiate repair.^{6,9}

DIETARY SUBSTITUTIONS: USING NON-CARIOGENIC SWEETENERS

Replacing sucrose with non-fermentable alternatives can satisfy a sweet tooth without feeding the enemy.

Xylitol: Sugar alcohols like xylitol cannot be metabolized by *S. mutans* for energy. More importantly, when bacterium takes in xylitol, it disrupts its metabolic pathways. This "futile cycle" impairs acid production and reduces the synthesis of the sticky glucans that form the biofilm matrix.⁷

FOODS THAT ACTIVELY INHIBIT BIOFILM

Certain foods and beverages contain compounds that can directly interfere with the harmfulness of *S. mutans*.

Polyphenol-Rich Foods: Green tea contains compounds called polyphenols that help fight cavity-causing bacteria. One major polyphenol, EGCG, can slow the growth of *S. mutans* and reduce the thickness and stickiness of the dental biofilm it forms by blocking enzymes that *S. mutans* uses to make glucans.^{8,12}

Dairy Products: Foods rich in calcium and phosphate, such as cheese and milk, help boost saliva's natural remineralizing capacity. Consuming dairy products after sugary food helps neutralize plaque acid and provide a direct source of the ions needed for enamel repair.⁶

By making informed dietary choices, people can shift the oral environment from one that promotes overgrowth of *S. mutans* to one that promotes ecological balance and long-term dental health. 5, 6

ACKNOWLEDGEMENTS

I would like to sincerely thank Professor Kathleen Ryan of UC Berkeley's Department of Plant and Microbial Biology, who generously reviewed my article and offered insightful guidance to enhance my article.

REFERENCES

1. Amaechi, B., Ahamed, A., Alshareif, D., Shehata, M., Lima, P., Abdollahi, A., Kalkhorani, P., & Evans, V. (2019). Comparative efficacy of a hydroxyapatite and a fluoride toothpaste for prevention and remineralization of dental caries in children. *BDJ Open*, 5(18), 18. <https://doi.org/10.1038/s41405-019-0026-8>
2. Bhavitavya Nijampatnam, Parmanand Ahirwar, Piyasuda Pukkanasut, Womack, H., Casals, L., Zhang, H., Cai, X., Michalek, S. M., Wu, H., & Velu, S. E. (2020). Discovery of Potent Inhibitors of *Streptococcus mutans*



Figure 4: Dietary Influence on Cavity Risk. Foods rich in fiber, dairy minerals, and polyphenols support enamel and healthy saliva flow, while sugary, acidic, or dehydrating items promote bacterial growth and enamel erosion.^{6,8}

- Biofilm with Antivirulence Activity. *ACS Medicinal Chemistry Letters*, 12(1), 48–55. <https://doi.org/10.1021/acsmchemlett.0c00373>
3. Fang, Y., Chen, X., Chu, C. H., Yu, O. Y., He, J., & Li, M. (2024). Roles of *Streptococcus mutans* in human health: beyond dental caries. *Frontiers in Microbiology*, 15. <https://doi.org/10.3389/fmicb.2024.1503657>
 4. Forssten, S. D., Björklund, M., & Ouwehand, A. C. (2010). *Streptococcus mutans*, Caries and Simulation Models. *Nutrients*, 2(3), 290–298. <https://doi.org/10.3390/nu2030290>
 5. Gabrijela Begić, Ivana Jelovica Badovinac, Ljerka Karleuša, Kralik, K., Olga Cvijanović Pelozo, Davor Kuiš, & Gobin, I. (2023). *Streptococcus salivarius* as an Important Factor in Dental Biofilm Homeostasis: Influence on *Streptococcus mutans* and *Aggregatibacter actinomycetemcomitans* in Mixed Biofilm. *International Journal of Molecular Sciences*, 24(8), 7249–7249. <https://doi.org/10.3390/ijms24087249>
 6. García-Godoy, F., & Hicks, M. J. (2008). Maintaining the integrity of the enamel surface: The role of dental biofilm, saliva and preventive agents in enamel demineralization and remineralization. *The Journal of the American Dental Association*, 139(2), 25S34S. <https://doi.org/10.14219/jada.archive.2008.0352>
 7. Jurakova, V., Farková, V., Kucera, J., Katerina Dadakova, Zapletalova, M., Katerina Paskova, Reminek, R., Glatz, Z., Lydie Izakovicova Holla, Ruzicka, F., Lochman, J., & Petra Borilova Linhartova. (2023). Gene expression and metabolic activity of *Streptococcus mutans* during exposure to dietary carbohydrates glucose, sucrose, lactose, and xylitol. *Molecular Oral Microbiology*, 38(5), 424–441. <https://doi.org/10.1111/omi.12428>
 8. Kamarehei, F., Mehdiabadi, M., & Naderi, F. (2022). Antibacterial effects of natural compounds on biofilm formation of *Streptococcus mutans*. *Clinical and Experimental Dental Research*, 8(6), 1426–1433. <https://doi.org/10.1002/cre2.673>
 9. Lingström, P., van Ruyven, F. O., van Houte, J., & Kent, R. (2000). The pH of dental plaque in its relation to early enamel caries and dental plaque flora in humans. *Journal of Dental Research*, 79(2), 770–777. <https://doi.org/10.1177/00220345000790021101>
 10. Nanik Zubaidah, Nur Dianawati, Rini Devijanti Ridwan, Shirakawa, T., Kuntaman Kuntaman, Ernie Maduratna Setiawatie, Muhammad Iqbal Tanzil, & Sri Kunarti. (2022). The Clinical Pattern and Prevalence of *Streptococcus mutans* and *Streptococcus sobrinus* among Adult and Children Patients with Dental Caries. *Pesquisa Brasileira Em Odontopediatria E Clínica Integrada*, 22. <https://doi.org/10.1590/pboci.2022.029>
 11. Rošin-Grget, K. (2013). The cariostatic mechanisms of fluoride. *Acta Medica Academica*, 42(2), 179–188. <https://doi.org/10.5644/ama2006-124.85>
 12. Zayed, S. M., Aboulwafa, M. M., Hashem, A. M., & Saleh, S. E. (2021). Biofilm formation by *Streptococcus mutans* and its inhibition by green tea extracts. *AMB Express*, 11(1). <https://doi.org/10.1186/s13568-021-01232-6>
 13. Zheng, T., Jing, M., Gong, T., Yan, J., Wang, X., Xu, M., Zhou, X., Zeng, J., & Li, Y. (2023). Regulatory mechanisms of exopolysaccharide synthesis and biofilm formation in *Streptococcus mutans*. *Journal of Oral Microbiology*, 15(1). <https://doi.org/10.1080/20002297.2023.2225257>

IMAGE REFERENCES

1. Dr Lavanya Dental Clinic. (2021, December 30). Tooth Decay Causes, Symptoms, Diagnosis & Treatment. Lavanya Dental Clinic. <https://lavanyadentalclinic.com/tooth-decay-causes-symptoms-diagnosis-treatment/>
2. Rowe, D. E. (2025, May 16). How Long It Takes to Get a Cavity—and How to Stop It Early. Vitadent Labs. <https://www.vitadentlabs.com/how-long-does-it-take-for-a-cavity-to-form/>
3. California Dental Group. (2021, August 9). Your Teeth Could Be Being Eaten Away by Acid Erosion without You Know It - California Dental Group. California Dental Group. <https://www.cadentalgroup.com/your-teeth-could-be-being-eaten-away-by-acid-erosion-without-you-know-it/>
4. Dental Experts Guatemala. (2018, June 28). Explore a Dental Friendly Diet | Dental Experts Recommendations. Dental Experts Guatemala. <https://dentalexpertsguatemala.com/dental-friendly-diet/>