

Lawrence Berkeley National Laboratory

LBL Publications

Title

Range-Energy Tables

Permalink

<https://escholarship.org/uc/item/7k2420zw>

Authors

Rich, Marvin

Madey, Richard

Publication Date

1954-03-01

UCRL-2301
c.2 ~~apl~~

UNITED STATES ATOMIC ENERGY COMMISSION

UCRL-2301

RANGE-ENERGY TABLES

By
Marvin Rich
Richard Madey


RECEIVED
LAWRENCE
BERKELEY LABORATORY

AUG 21 1987

LIBRARY AND
DOCUMENTS SECTION

March 1954

Radiation Laboratory
University of California
Berkeley, California



Technical Information Service, Oak Ridge, Tennessee

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.*

UCRL-2301 c.2
apl.

Subject Category, PHYSICS.

Work performed under Contract No. W-7405-eng-48.

Issuance of this document does not constitute authority for declassification of classified material of the same or similar content and title by the same authors.

This report has been reproduced with minimum alteration directly from manuscript provided the Technical Information Service in an effort to expedite availability of the information contained herein.

Reproduction of this information is encouraged by the United States Atomic Energy Commission. Arrangements for your republication of this document in whole or in part should be made with the author and the organization he represents.

Printed in USA, Price \$2.55 cents. Available from the Office of Technical Services, Department of Commerce, Washington 25, D. C.

erated by the
Un. rsity of Califor.
for the U. S. Atomic Energy C. sion

UCRL-2301

AEC, Oak Ridge, Tenn.-W45050

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

UCRL-2301

RANGE-ENERGY TABLES

By Marvin Rich and Richard Madey

March 1954

TABLE OF CONTENTS

INTRODUCTION 5

REFERENCES 8

TABLES A-E I-V

MASSES OF VARIOUS PARTICLES 9

I. ENERGY AND MOMENTUM TABLES 10

 Particles

 Pions 11

 Protons 13

 Deuterons 15

 H³ 17

 He³ 19

 Alpha Particles 21

II. PROTON RANGE-ENERGY DATA. 23

 Stopping Medium:

 Be 24

 C 29

 Al 34

 Cu 39

 Pb 44

 H₂ 49

 D₂ 54

 Air 59

 CH 64

 CH₂ 69

 CD₂ 74

 H₂O 79

 D₂O 84

 C₅H₈O₂ (Plexiglas). 89

 Stilbene 94

 Phenyl Cyclohexane. 99

III. PION RANGE-ENERGY DATA. 104

 Stopping Medium:

 Be 105

 C 110

 Al 115

Cu	120
Pb	125
H ₂	130
D ₂	135
Air	140
CH ₂	145
CD ₂	150
H ₂ O	155
D ₂ O	160
C ₅ H ₈ O ₂ (Plexiglas)	165
Stilbene	170
Phenyl Cyclohexane	175

IV. DEUTERON RANGE-ENERGY DATA 180

Stopping Medium:

Be	181
C	186
Al	191
Cu	196
Pb	201
H ₂	206
D ₂	211
Air	216
CH ₂	221
CD ₂	226
H ₂ O	231
D ₂ O	236
C ₅ H ₈ O ₂ (Plexiglas)	241
Stilbene	246
Phenyl Cyclohexane	251

V. H³ RANGE-ENERGY DATA 256

Stopping Medium:

Be	257
C	263
Al	269

Cu	275
Pb	281
H ₂	285
D ₂	291
Air	297
CH ₂	303
CD ₂	309
H ₂ O	315
D ₂ O	321
C ₅ H ₈ O ₂ (Plexiglas)	327
Stilbene.	333
Phenyl Cyclohexane	339
VI. He ³ RANGE-ENERGY DATA.	345
Stopping Medium:	
Be	346
C	352
Al	358
Cu	364
Pb	370
H ₂	374
D ₂	380
Air	386
CH ₂	392
CD ₂	398
H ₂ O	404
D ₂ O	410
C ₅ H ₈ O ₂ (Plexiglas).	416
Stilbene.	422
Phenyl Cyclohexane.	428

Preface

It seems worthwhile to reissue this report in the face of later, more correct work because of the convenience of the graphical presentations of the data for rough estimation. This has proven particularly useful for experimentalists although the results are in error by several percent.

For more precise values, based on the best current experiments, the user should refer to three articles by R. M. Sternheimer:

"Range-Energy Relations for Protons in Be, C, Al, Cu, Pb, and Air",
Phys. Rev. 115 137 (1959).

"Range Straggling of Charged Particles in Be, C, Al, Cu, Pb, and Air",
Phys. Rev. 117 485 (1960).

"Range-Energy Relations for Protons in Various Substances", Phys. Rev.
118 1045 (1960).

Walter Aron
Livermore, California
July 7, 1960

RANGE-ENERGY TABLES

Marvin Rich and Richard Madey

Radiation Laboratory, Department of Physics
 University of California, Berkeley, California
 March, 1954

INTRODUCTION

The tables and graphs of this publication are essentially an expansion of the "Range-Energy Curves" of Aron, Hoffman, and Williams (AECU-663). The original work of Aron et al is extended to include pions, protons, deuterons, tritons, and He³ particles in selected absorber elements and in some compounds that are useful either as target materials or as scintillating materials. This extension is an outgrowth of needs that arose during the course of certain experiments that have been carried on for the past several years at the University of California Radiation Laboratory at Berkeley. Some of the work was done in a random fashion as needed chiefly for pion production experiments with scintillation counters. It seemed worthwhile to unify and complete this work for its utilitarian value to experimenters in high-energy physics, who have found similar needs.

The stopping media included in this publication are Be, C, Al, Cu, Pb, H₂, D₂, air, CH, CH₂, CD₂, H₂O, D₂O, plexiglass (C₅H₈O₂) trans-stilbene (C₁₄H₁₂), and phenyl-cyclo-hexane (C₁₂H₁₆). The proton range-energy data for each element except aluminum were taken from Aron et al; that for aluminum from the article by J. H. Smith, Phys. Rev. 11, 32 (1947).

If the energy loss $-\frac{dT}{dx}$ has the same velocity dependence for different particles, then the range in a given absorber is given by $R = \frac{M}{Z^2} F(v)$,

where R is the range, M the mass, and Z the charge of the particle, and where F(v) is some function of the velocity of the particle. Two or more different particles moving in a given absorber will have the same F(v) if they have the same value of $\frac{T}{M}$, where T is the kinetic energy. Thus, for a singly charged

particle of mass, M, the range and the energy loss in a given medium was obtained from that for protons in this medium by the relations

$$T = \frac{M}{M_{\text{proton}}} \quad T_{\text{proton}} = \frac{1}{r} \quad T_{\text{proton}} \quad r = \frac{M_{\text{proton}}}{M} ,$$

$$R(T) = \frac{M}{M_{\text{proton}}} \quad R_{\text{proton}} \left(T_{\text{proton}} \right) = \frac{1}{r} \quad R_{\text{proton}} \left(r T_{\text{proton}} \right) ,$$

$$\left(\frac{dT}{dx} \right)_T = \frac{1}{r} \quad T_{\text{proton}} = \left(\frac{dT}{dx} \right)_{T_{\text{proton}}} ,$$

For doubly charged particles, the relations are

$$T = \frac{M}{M_{\text{proton}}} \quad T_{\text{proton}} = \frac{1}{r} \quad T_{\text{proton}} \quad r = \frac{M_{\text{proton}}}{M} ,$$

$$R(T) = \frac{1}{4r} \quad R_{\text{proton}} (rT),$$

$$\left(\frac{dT}{dx} \right)_T = \frac{1}{r} \quad T_{\text{proton}} = 4 \left(\frac{dT}{dx} \right)_{T_{\text{proton}}} ,$$

The stopping power of molecular compounds for charged particles was obtained by assuming that each individual atom acts independently of all others in stopping the incident charged particle.¹ Since chemical binding energies of atoms bound in molecules are very small in comparison with the energy levels of the electrons in the absorber, the shifts in the energy levels should be small compared to the energies of the atomic levels themselves; thus, the effects of chemical binding on the stopping power should be small and it should be a good approximation to add atomic stopping powers. Proton ranges were obtained by numerical integration; the starting range was obtained first by extrapolating smoothly to zero the curve of $d\xi/dT$ versus T , and then by integrating this curve for the molecular compound in question. The tables for the other particles were obtained as explained above.

The masses used in the various calculations are listed on page 8, except in the cases of pions in carbon, aluminum, and copper, where the pion mass was taken in these very early calculations as $276 M_e$.

In order to avoid possible confusion or error in using this report, the following facts should be noted. First, the unit for the rate of energy loss in these tables and graphs are Mev per gram-cm⁻² and is denoted by $-\frac{dT}{d\xi} = -\frac{1}{\rho} \frac{dT}{dx}$,

where ξ is the thickness in grams per cm², and x is the thickness in cm, and ρ is the density in grams per cm³. Second, for each range-energy graph, note that the number on the horizontal range scale must be multiplied by the proper factor of ten, given at the right hand end of that curve, to obtain the actual range. Finally, as explained in the Aron report (AECU-663), the values computed have been the rate of energy loss and range corresponding to a loss of energy by ionization only. There are a number of neglected effects such as nuclear interactions, meson production, bremsstrahlung, and polarization effects, which will play an increasingly important role at higher energies. In the tables of Aron, et al, the mean excitation potential, I , of the atoms in the absorber was chosen to be 17.5 ev for hydrogen and 44 ev for helium, in accordance with the theoretical calculation of Williams²; for all other elements, the mean excitation potential was taken proportional to Z , in accordance with Bloch's theory³, which is based on the Fermi-Thomas model of the atom with several electrons. The value of the Bloch constant I/Z was taken to be 11.5 ev in accordance with measurements by Wilson⁴. Recent measurements⁵⁻¹¹ of the mean excitation potential and of ranges have indicated that this value may be considerably in error. For example, the various measurements of the mean excitation potential, I , of Be seem to be between 59 ev and 64 ev, whereas the value used in the calculations for the Aron report is 46 ev. Thus, although the tables in this report are calculated on the basis of the Aron report (AECU-663) to four significant figures, the tabulated values may differ from the experimental values by several percent. The order of magnitude of the discrepancies between the measured range, R_M , and the interpolated tabulated range, R_T , for protons at various energies and absorbers may be seen from Table A. Another estimate of the errors in the tabulated values can be obtained by comparing them directly with some later tabulated values; these newer tabulated values were recalculated by Aron¹² with values of the mean excitation potential, I , that were obtained by Bakker and Segre⁶ and by Mather and Segre.⁷ This comparison is made in Table B through Table E for Be, C, Cu, and Pb as a function of proton energy. The manner of graphical presentation of the range-energy curves is due to Dr. W. J. Frank.

We wish to thank Dr. W. A. Aron and Dr. H. Bichsel for their interest and constructive criticism of the introduction to this work; to acknowledge the work done by Mr. Richard Mitchell in performing the numerical integrations; and finally, to express our gratitude to Dr. B. J. Moyer for his support of this program.

This work was performed under the auspices of the Atomic Energy Commission.

REFERENCES

1. T. J. Thompson, UCRL-1910 (1952).
2. E. J. Williams, Proc. Camb. Phil. Soc. 33, 179 (1937).
3. F. Bloch, Z. Physik 81, 363 (1938).
4. R. R. Wilson, Phys. Rev. 60, 749 (1941).
5. C. P. Madsen and P. Venkateswarlu, Phys. Rev. 74, 648 (1948).
6. C. J. Bakker and E. Segrè, Phys. Rev. 81, 489 (1951).
7. R. Mather and E. Segrè, Phys. Rev. 84, 191 (1951).
8. N. Bloembergen and P. J. VanHeerden, Phys. Rev. 83, 563 (1951).
9. E. L. Hubbard and K. R. MacKenzie, Phys. Rev. 85, 107 (1952).
10. D. C. Sachs and J. R. Richardson, Phys. Rev. 89, 1163 (1953).
11. H. Bichsel and R. F. Mozley, Bull. Am. Phys. Soc. 29 (1), 27 (1954).
12. W. A. Aron, UCRL-1325 (May, 1951).

TABLE A

A comparison of the measured range, R_M , with the interpolated tabulated range, R_T , for protons at various energies in certain absorbers.

Proton Energy	Absorber	R_M	R_T	$R_M - R_T$	$\frac{R_M - R_T}{R_T}$	Reference
(Mev)		g/cm^2	g/cm^2	g/cm^2	Per-cent	
17.35	^4Be	0.3992	0.380	0.019	5.0	11
17.85	^{13}Al	0.4667	0.465	0.002	0.43	11
17.91	^{29}Cu	0.5887	0.580	0.009	1.5	11
18.00	^{13}Al	0.4470	0.469	0.022	4.7	9
35-52	^{13}Al	---	---	---	~1.5	8
56-76	^{13}Al	---	---	---	~1.0	8
73-90	^{29}Cu	---	---	---	~1.5	8
96-114	^{29}Cu	---	---	---	~1.0	8
339.7	^4Be	76.73	74.57	2.16	2.9	7
339.7	^6C	70.03	69.40	0.63	0.91	7
339.7	^{13}Al	79.42	79.40	0.02	0.0025	7
338.5	^{13}Al	78.63	78.95	-0.32	-0.40	7
337.9	^{29}Cu	91.84	92.72	-0.88	-0.95	7
338.5	^{29}Cu	91.77	93.01	-1.24	-1.3	7
339.7	^{29}Cu	92.69	93.51	-0.84	-0.89	7
339.7	^{82}Pb	124.37	127.15	-2.78	-2.2	7
338.5	^{82}Pb	122.76	126.45	-3.69	-2.9	7

TABLE B

The difference between the range and the energy loss of protons in beryllium with a mean excitation potential, I, of 59 ev and that with a mean excitation potential of 46 ev.

BERYLLIUM: I = 59 ev I = 46 ev

T	$\left(\frac{dT}{d\xi}\right)$	$\left(\frac{dT}{d\xi}\right)$	$\frac{\Delta}{\left(\frac{dT}{d\xi}\right)}$	$\frac{\Delta}{\left(\frac{dT}{d\xi}\right)}$	R'	R	$\frac{\Delta R}{R' - R}$	$\frac{R' - R}{R}$
	I=59 ev	I = 46 ev	$\left(\frac{dT}{d\xi}\right)$		I=59 ev	I=46 ev	R' - R	R
Mev	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Per-cent	gm/cm ²	gm/cm ²	gm/cm ²	Per-cent
10	38.306	39.9217	-1.616	-4.04	.14521	.13888	0.00633	4.60
20	21.694	22.514	-0.820	-3.65	.50819	.488079	0.02011	3.95
50	10.295	10.638	-0.343	-3.22	2.6816	2.5882	0.0934	3.61
100	6.0090	6.1938	-0.1848	-2.98	9.3342	9.0360	0.2982	3.30
200	3.6948	3.8005	-0.1057	-2.77	31.493	30.561	0.932	3.06
500	2.2509	2.3100	-0.0591	-2.56	142.40	138.54	3.94	2.85
1000	1.8121	1.8564	-0.0442	-2.38	396.61	386.504	10.11	2.66
2000	1.6755	1.7132	-0.0377	-2.25	978.98	955.61	23.37	2.44
5000	1.7407	1.7754	-0.0347	-1.95	2746.6	2686.8	59.8	2.21
10000	1.8776	1.9118	-0.0342	-1.79	5505.2	5394.2	111.0	2.06

-III-
TABLE C

UCRL-2301

The difference between the range and the energy loss of protons
in carbon with a mean excitation potential, I , of 74.44 ev and
that with a mean excitation potential of 69 ev.

CARBON: $I = 74.44$ ev $I = 69$ ev

T	$\left(\frac{dT}{d\xi}\right)'$	$\left(\frac{dT}{d\xi}\right)$	$\Delta \Xi$	Δ	R'	R	Δ_R	$\frac{R'-R}{R}$
	I=74.44 ev	I=69 ev	$\left(\frac{dT}{d\xi}\right)'$	$\left(\frac{dT}{d\xi}\right)$			I=74.44 ev	I=69 ev
Mev	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Per- cent	gm/cm ²	gm/cm ²	gm/cm ²	Per- cent
10	41.452	42.007	-0.555	-1.32	0.13488	0.13294	0.00194	1.47
20	23.575	23.856	-0.281	-1.18	0.46943	0.46336	0.00607	1.31
50	11.235	11.353	-0.118	-1.04	2.4638	2.4360	0.0278	1.14
100	6.5747	6.6382	-0.0635	-0.96	8.5499	8.4620	0.0879	1.05
200	4.0508	4.0873	-0.0365	-0.89	28.777	28.545	0.232	0.82
500	2.4736	2.4939	-0.0203	-0.81	129.79	128.65	1.14	0.89
1000	1.9948	2.0100	-0.0152	-0.76	360.89	357.94	2.95	0.82
2000	1.8477	1.8607	-0.0130	-0.70	889.38	882.62	6.76	0.77
5000	1.9243	1.9363	-0.0120	-0.62	2489.9	2472.7	17.2	0.70
10000	2.0793	2.0910	-0.0117	-0.56	4983.0	4951.0	32.0	0.65

TABLE D

The difference between the range and the energy loss of protons in copper with a mean excitation potential, I, of 309.9 ev and that with a mean excitation potential of 333.5 ev.

COPPER: I = 309.9 ev I = 333.5 ev

T	$\left(\frac{dT}{d\xi}\right)'$	$\left(\frac{dT}{d\xi}\right)$	$\Delta \equiv$	$\frac{\Delta}{\left(\frac{dT}{d\xi}\right)'$	R'	R	Δ_R	$\frac{R'-R}{R}$
	I=309.9 ev	I=333.5 ev	$\left(\frac{dT}{d\xi}\right)'$ - $\left(\frac{dT}{d\xi}\right)$	$\left(\frac{dT}{d\xi}\right)'$	I=309.9 ev	I=333.5 ev	R'-R	
Mev	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Per- cent	gm/cm ²	gm/cm ²	gm/cm ²	Per- cent
10	28.29	27.80	0.49	1.76	0.2103	0.2134	-0.0031	-1.45
20	16.67	16.42	0.23	1.40	0.6898	0.7007	-0.0109	-1.54
50	8.223	8.119	0.004	0.049	3.447	3.495	-0.049	-1.41
100	4.908	4.852	0.056	1.15	11.663	11.810	-0.15	-1.27
200	3.072	3.040	0.032	1.05	38.50	38.50	-0.44	-1.13
500	1.909	1.891	0.018	0.95	170.28	172.02	-1.74	-1.01
1000	1.558	1.545	0.013	0.84	467.64	472.07	-4.43	-0.94
2000	1.463	1.452	0.011	0.75	1139.3	1149.2	-9.9	-0.86
5000	1.551	1.540	0.011	0.71	3140.7	3165.1	-24.4	-0.78
10000	1.695	1.685	0.010	0.59	6214.2	6258.5	-44.3	-0.71

TABLE E

The difference between the range and the energy loss of protons in lead with a mean excitation potential, I, of 810.79 ev and that with a mean excitation potential of 943 ev.

LEAD: I = 810.79 ev I = 943 ev

T	$\left(\frac{dT}{d\xi}\right)'$	$\left(\frac{dT}{d\xi}\right)$	$\Delta =$ $\left(\frac{dT}{d\xi}\right)'$	Δ $\left(\frac{dT}{d\xi}\right)$	R'	R	Δ_R $=$ R' - R	$\frac{R' - R}{R}$
	I=810.79 ev	I= 943 ev	$\left(\frac{dT}{d\xi}\right)'$		I=810.79 ev	I=943 ev		
Mev	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Mev/gm cm ⁻²	Per- cent	gm/cm ²	gm/cm ²	gm/cm ²	Per- cent
10	19.082	18.207	0.875	4.58	0.32755	0.34055	-0.01300	-3.82
20	11.659	11.215	0.444	3.81	1.0225	1.0652	-0.0427	-4.00
50	5.9480	5.7620	0.1860	3.13	4.8791	5.0560	-0.1769	-3.50
100	3.6198	3.5197	0.1001	2.76	16.100	16.612	-0.512	-3.08
200	2.3001	2.2428	0.0573	2.49	52.151	53.624	-1.473	-2.85
500	1.4522	1.4202	0.0320	2.21	226.39	231.98	-5.59	-2.41
1000	1.1994	1.1755	0.0239	2.00	614.69	628.56	-13.87	-2.21
2000	1.1390	1.1185	0.0205	1.80	1481.7	1512.2	-30.5	-2.02
5000	1.2251	1.2062	0.0189	1.54	4030.5	4103.6	-73.1	-1.78
10000	1.3529	1.3344	0.0185	1.37	7898.8	8028.5	-129.7	-1.62

MASSES OF VARIOUS PARTICLES

1.	Mass of proton	=	m_p	=	938.17 Mev.	(1)
2.	Mass of neutron	=	m_n	=	939.43 Mev.	(1)
3.	Mass of deuteron	=	m_o	=	1875.38 Mev.	(2)
4.	Mass of H^3	=	m_T	=	2808.54 Mev.	(3)
5.	Mass of He^3	=	m_{He}	=	2808.04 Mev.	(3)
6.	Mass of positive pion	=	m_{π^+}	=	139.71 Mev.	(4)

REFERENCES:

- (1) Physical Constants UCRL-422 (1949)
 (2) From Snow: Phys. Rev. 78, 21 the binding energy of deuterium is 2.225 Mev. Thus

$$m_o = m_p + m_n - 2.225 = 1875.38 \text{ Mev.}$$

- (3) From Blatt and Weisskoff: Theoretical Nuclear Physics, page 204 the binding energies of H^3 and He^3 are

$$B_{H^3} = 8.492 \text{ Mev.} \quad \text{and} \quad B_{He^3} = 7.728 \text{ Mev.}$$

Thus

$$m_T = m_p + 2m_n - B_{H^3} = 2808.54 \text{ Mev.}$$

$$m_{He} = 2m_p + m_n - B_{He^3} = 2808.04 \text{ Mev.}$$

- (4) From W. Barkas (June 1953):

$$m_{\pi^+} = 273.5 \pm 1.2 \text{ electron masses}$$

I. ENERGY AND MOMENTUM TABLES

Kinetic Energy Range: 10^1 Mev. to 10^4 Mev.

ENERGY AND MOMENTUM DATA FOR PIONS
 MASS 139.71 MEV

T	E	CP	β	γ	$\frac{1}{\beta C} \times 10^2$
Mev	Mev	Mev			m μ sec/cm
10	149.71	53.7978	.35935	1.07158	9.2829
12	151.71	59.1358	.38980	1.08589	8.5577
15	154.71	66.4553	.42955	1.10736	7.7658
20	159.71	77.3848	.48453	1.14315	6.8846
25	164.71	87.2382	.52965	1.17894	6.2981
30	169.71	96.3462	.56771	1.21473	5.8759
35	174.71	104.903	.60044	1.25052	5.5556
40	179.71	113.035	.62898	1.28631	5.3035
45	184.71	120.826	.65414	1.32210	5.0995
50	189.71	128.340	.67651	1.35788	4.9309
60	199.71	142.707	.71457	1.42946	4.6683
70	209.71	156.395	.74577	1.50104	4.4730
80	219.71	169.569	.77178	1.57261	4.3222
90	229.71	182.340	.79378	1.64419	4.2024
100	239.71	194.787	.81259	1.71577	4.1051
120	259.71	218.930	.84298	1.85892	3.9572
150	289.71	253.797	.87604	2.07365	3.8078
200	339.71	309.651	.91152	2.43154	3.6596
250	389.71	363.806	.93353	2.78942	3.5733
300	439.71	416.924	.94818	3.14730	3.5181
350	489.71	469.358	.95844	3.50519	3.4804
400	539.71	521.314	.96592	3.86307	3.4535
450	589.71	572.922	.97153	4.22096	3.4336
500	639.71	624.268	.97586	4.57884	3.4183
600	739.71	726.397	.98200	5.29461	3.3969

T	E	P	β	γ	$\frac{1}{\beta C}$
Mev	Mev	Mev - cm			$\mu\text{ sec/cm}$
700	839.71	828.006	.98606	6.01038	3.3830
800	939.71	929.266	.98888	6.72615	3.3733
900	1039.71	1030.281	.99093	7.44192	3.3663
1000	1139.71	1131.115	.99246	8.15768	3.3612
1200	1339.71	1332.405	.99455	9.58922	3.3541
1500	1639.71	1633.747	.99636	11.7365	3.3480
2000	2139.71	2135.144	.99787	15.3154	3.3429
2500	2639.71	2636.010	.99860	18.8942	3.3405
3000	3139.71	3136.600	.99901	22.4731	3.3391
3500	3639.71	3637.028	.99926	26.0519	3.3383
4000	4139.71	4137.352	.99943	29.6307	3.3377
4500	4639.71	4637.606	.99955	33.2096	3.3373
5000	5139.71	5137.811	.99963	36.7884	3.3371
6000	6139.71	6138.120	.99974	43.9461	3.3367
7000	7139.71	7138.343	.99981	51.1039	3.3365
8000	8139.71	8138.511	.99985	58.2615	3.3363
9000	9139.71	9138.642	.99988	65.4192	3.3362
10000	10139.71	10138.747	.99991	72.5768	3.3361

ENERGY AND MOMENTUM DATA FOR PROTONS

MASS 938.17 MEV

T	E	P	β	γ	$\frac{1}{\beta C}$
Mev	Mev	<u>Mev</u>			$m\mu$ sec/cm
10	948.17	137.344	0.14485	1.01066	23.029
12	950.17	150.533	0.15843	1.01279	21.056
15	953.17	168.434	0.17671	1.01599	18.877
20	958.17	194.748	0.20325	1.02132	16.412
25	963.17	218.022	0.22636	1.02665	14.737
30	968.17	239.145	0.24701	1.03198	13.505
35	973.17	258.644	0.26577	1.03731	12.551
40	978.17	276.864	0.28304	1.04264	11.786
45	983.17	294.041	0.29907	1.04797	11.154
50	988.17	310.350	0.31407	1.05330	10.621
60	998.17	340.852	0.34148	1.06395	9.7687
70	1008.17	369.112	0.36612	1.07461	9.1113
80	1018.17	395.610	0.38855	1.08527	8.5853
90	1028.17	420.679	0.40915	1.09593	8.1531
100	1038.17	444.560	0.42822	1.10659	7.7900
120	1058.17	489.449	0.46254	1.12791	7.2120
150	1088.17	551.318	0.50665	1.15989	6.5841
200	1138.17	644.413	0.56618	1.21318	5.8918
250	1188.17	729.099	0.61363	1.26648	5.4362
300	1238.17	808.024	0.65260	1.31977	5.1116
350	1288.17	882.734	0.68526	1.37307	4.8679
400	1338.17	954.220	0.71308	1.42636	4.6781
450	1388.17	1023.158	0.73706	1.47966	4.5259
500	1438.17	1090.033	0.75793	1.53295	4.4012
600	1538.17	1218.936	0.79246	1.63954	4.2094

ENERGY AND MOMENTUM DATA FOR PROTONS
 MASS 938.17 MEV (Sheet 2)

T	E	P	β	γ	$\frac{1}{\beta C}$
Mev	Mev	<u>Mev</u>			$m\mu$ sec/cm
700	1638.17	1342.922	0.81977	1.74613	4.0692
800	1738.17	1463.240	0.84183	1.85272	3.9626
900	1838.17	1580.730	0.85995	1.95931	3.8791
1000	1938.17	1695.978	0.87504	2.06591	3.8121
1200	2138.17	1921.356	0.89860	2.27909	3.7123
1500	2438.17	2250.447	0.92301	2.59886	3.6141
2000	2938.17	2784.364	0.94765	3.13181	3.5201
2500	3438.17	3307.696	0.96205	3.66476	3.4674
3000	3938.17	3824.790	0.97121	4.19772	3.4347
3500	4438.17	4337.879	0.97740	4.73067	3.4129
4000	4938.17	4848.233	0.98179	5.26362	3.3977
4500	5438.17	5356.634	0.98501	5.79657	3.3866
5000	5938.17	5863.591	0.98744	6.32953	3.3782
6000	6938.17	6874.448	0.99082	7.3954	3.3667
7000	7938.17	7882.536	0.99299	8.4613	3.3594
8000	8938.17	8888.797	0.99448	9.5272	3.3543
9000	9938.17	9893.789	0.99553	10.5931	3.3508
10000	10938.17	10897.862	0.99631	11.6591	3.3482

ENERGY AND MOMENTUM DATA FOR DEUTERONS

MASS 1875.38 MEV

T	E	P	β	γ	$\frac{1}{\beta c}$
Mev	Mev	<u>Mev</u>			$m\mu$ sec/cm
10	1885.38	193.9268	0.10286	1.005332	32.430
12	1887.38	212.4928	0.11259	1.006399	29.628
15	1890.38	237.6687	0.12573	1.007998	26.53
20	1895.38	274.6183	0.14489	1.010665	23.023
25	1900.38	307.2361	0.16167	1.013331	20.633
30	1905.38	336.7830	0.17675	1.015997	18.873
35	1910.38	364.0077	0.19054	1.018663	17.507
40	1915.38	389.3975	0.20330	1.02133	16.408
45	1920.38	413.2907	0.21521	1.02400	15.501
50	1925.38	435.9335	0.22641	1.02666	14.734
60	1935.38	478.1691	0.24707	1.03199	13.501
70	1945.38	517.1588	0.26584	1.03733	12.548
80	1955.38	553.5890	0.28311	1.04266	11.788
90	1965.38	587.9357	0.29915	1.04799	11.151
100	1975.38	620.5449	0.31414	1.05332	10.619
120	1995.38	681.5359	0.34156	1.06399	9.7664
150	2025.38	764.9274	0.37767	1.07998	8.8327
200	2075.38	888.9049	0.42831	1.10665	7.7883
250	2125.38	1000.0950	0.47055	1.13331	7.0892
300	2175.38	1102.374	0.50675	1.15997	6.5828
350	2225.38	1198.026	0.53835	1.18663	6.1964
400	2275.38	1288.528	0.56629	1.21329	5.8907
450	2325.38	1374.897	0.59126	1.23995	5.6419
500	2375.38	1457.869	0.61374	1.26661	5.4353
600	2475.38	1615.691	0.65270	1.31994	5.1108

ENERGY AND MOMENTUM DATA FOR DEUTERONS

MASS 1875.38 MEV (Sheet 2)

T	E	P	β	γ	$\frac{1}{\beta C}$
Mev	Mev	<u>Mev</u>			$m\mu$ sec/cm
700	2575.38	1765.087	0.68537	1.37326	4.8671
800	2675.38	1908.038	0.71318	1.42658	4.6774
900	2775.38	2045.895	0.73716	1.47990	4.5253
1000	2875.38	2179.624	0.75803	1.53323	4.4007
1200	3075.38	2437.399	0.79255	1.63987	4.2089
1500	3375.38	2806.446	0.83145	1.79984	4.0121
2000	3875.38	3391.389	0.87511	2.06645	3.8119
2500	4375.38	3953.087	0.90348	2.33306	3.6921
3000	4875.38	4500.253	0.92306	2.59968	3.6139
3500	5375.38	5037.624	0.93717	2.86629	3.5595
4000	5875.38	5568.037	0.94769	3.13290	3.5199
4500	6375.38	6093.309	0.95576	3.39951	3.4902
5000	6875.38	6614.666	0.96208	3.66613	3.4673
6000	7875.38	7648.827	0.97123	4.19935	3.4347
7000	8875.38	8674.982	0.97742	4.73258	3.4128
8000	9875.38	9695.673	0.98180	5.26580	3.3976
9000	10875.38	10712.462	0.98502	5.79903	3.3865
10000	11875.38	11726.363	0.98745	6.33225	3.3782

ENERGY AND MOMENTUM DATA FOR H^3 MASS 2808.54 MEV

T	E	P	β	γ	$\frac{1}{\beta C}$
Mev	Mev	<u>Mev</u>			$m\mu$ sec/cm
10	2818.54	237.2147	0.084163	1.003561	39.636
12	2820.54	259.9019	0.092146	1.004273	36.201
15	2823.54	290.6565	0.10294	1.005341	32.405
20	2828.54	335.7702	0.11871	1.007121	28.101
25	2833.54	375.5689	0.13254	1.008901	25.168
30	2838.54	411.5974	0.14500	1.010682	23.006
35	2843.54	444.7728	0.15642	1.012462	21.326
40	2848.54	475.6923	0.16700	1.01424	19.975
45	2853.54	504.7708	0.17689	1.01602	18.858
50	2858.54	532.3101	0.18622	1.01780	17.913
60	2868.54	583.6307	0.20346	1.02136	16.395
70	2878.54	630.9482	0.21919	1.02492	15.219
80	2888.54	675.1047	0.23372	1.02848	14.273
90	2898.54	716.6849	0.24726	1.03205	13.491
100	2908.54	756.1137	0.25996	1.03561	12.832
120	2928.54	829.7286	0.28333	1.04273	11.774
150	2958.54	930.0871	0.31437	1.05341	10.611
200	3008.54	1078.6176	0.35852	1.07121	9.3044
250	3058.54	1211.103	0.39597	1.08901	8.4244
300	3108.54	1332.338	0.42861	1.10682	7.7829
350	3158.54	1445.157	0.45754	1.12462	7.2908
400	3208.54	1551.397	0.48352	1.14242	6.8990
450	3258.54	1652.327	0.50708	1.16023	6.5785
500	3308.54	1748.868	0.52859	1.17803	6.3108
600	3408.54	1931.385	0.56663	1.21363	5.8871

ENERGY AND MOMENTUM DATA FOR H^3 MASS 2808.54 MEV (Sheet 2)

T	E	P	β	γ	$\frac{1}{\beta C}$
Mev	Mev	<u>Mev</u>			$m\mu \text{ sec/cm}$
700	3508.54	2102.845	0.59935	1.24924	5.5657
800	3608.54	2265.759	0.62789	1.28485	5.3127
900	3708.54	2421.853	0.65305	1.32045	5.1081
1000	3808.54	2572.369	0.67542	1.35606	4.9389
1200	4008.54	2860.157	0.71352	1.42727	4.6752
1500	4308.54	3267.357	0.75834	1.53409	4.3988
2000	4808.54	3903.096	0.81170	1.71211	4.1097
2500	5308.54	4504.742	0.84858	1.89014	3.9311
3000	5808.54	5084.411	0.87533	2.06817	3.8109
3500	6308.54	5648.874	0.89543	2.24620	3.7254
4000	6808.54	6202.283	0.91096	2.42423	3.6619
4500	7308.54	6747.359	0.92321	2.60226	3.6133
5000	7808.54	7285.973	0.93308	2.78028	3.5751
6000	8808.54	8348.801	0.94781	3.13634	3.5195
7000	9808.54	9397.849	0.95813	3.49240	3.4816
8000	10808.54	10437.272	0.96565	3.84846	3.4545
9000	11808.54	11469.687	0.97130	4.20451	3.4344
10000	12808.54	12496.832	0.97566	4.56067	3.4190

ENERGY AND MOMENTUM DATA FOR He³MASS 2808.04 MEV

T	E	P	β	γ	$\frac{1}{\beta C}$
Mev	Mev	<u>Mev</u>			m μ sec/cm
10	2818.04	237.1936	0.084170	1.0035612	39.632
12	2820.04	259.8788	0.92154	1.004273	36.198
15	2823.04	290.6307	0.10295	1.005342	32.402
20	2828.04	335.7404	0.11872	1.007122	28.098
25	2833.04	375.5356	0.13256	1.008903	25.165
30	2838.04	411.5609	0.14502	1.01068	23.002
35	2843.04	444.7334	0.15643	1.01246	21.325
40	2848.04	475.6503	0.16701	1.01424	19.974
45	2853.04	504.7263	0.17691	1.01603	18.856
50	2858.04	532.2631	0.18623	1.01781	17.912
60	2868.04	583.5793	0.20348	1.02137	16.394
70	2878.04	630.8927	0.21921	1.02493	15.217
80	2888.04	675.0455	0.23374	1.02849	14.271
90	2898.04	716.6221	0.24728	1.03205	13.490
100	2908.04	756.0476	0.25999	1.03561	12.831
120	2928.04	829.6563	0.28335	1.04273	11.773
150	2958.04	930.0065	0.31440	1.05342	10.610
200	3008.04	1078.525	0.35855	1.07122	9.3036
250	3058.04	1211.000	0.39601	1.08903	8.4236
300	3108.04	1332.225	0.42864	1.10684	7.7823
350	3158.04	1445.036	0.45757	1.12464	7.2903
400	3208.04	1551.26	0.48356	1.14245	6.8985
450	3258.04	1652.191	0.50711	1.16025	6.5781
500	3308.04	1748.725	0.52863	1.17806	6.3103
600	3408.04	1931.230	0.56667	1.21367	5.8867

ENERGY AND MOMENTUM DATA FOR He³MASS 2808.04 MEV (Sheet 2)

T	E	P	β	γ	$\frac{1}{\beta c}$
Mev	Mev	<u>Mev</u>			mp sec/cm
700	3508.04	2102.678	0.59939	1.24928	5.5654
800	3608.04	2265.583	0.62793	1.28490	5.3124
900	3708.04	2421.667	0.65309	1.32051	5.1077
1000	3808.04	2572.174	0.67546	1.35612	4.9386
1200	4008.04	2859.947	0.71355	1.42734	4.6750
1500	4308.04	3267.127	0.75838	1.53418	4.3986
2000	4808.04	3902.840	0.81173	1.71224	4.1095
2500	5308.04	4504.464	0.84861	1.89030	3.9309
3000	5808.04	5084.116	0.87536	2.06836	3.8108
3500	6308.04	5648.564	0.89545	2.24642	3.7253
4000	6808.04	6201.961	0.91098	2.42448	3.6618
4500	7308.04	6747.026	0.92323	2.60254	3.6132
5000	7808.04	7285.630	0.93309	2.78060	3.5750
6000	8808.04	8348.442	0.94782	3.13672	3.5195
7000	9808.04	9397.476	0.95814	3.49284	3.4816
8000	10808.04	10436.888	0.96566	3.84896	3.4544
9000	11808.04	11469.295	0.97131	4.20508	3.4344
10000	12808.04	12496.431	0.97567	4.56120	3.4190

ENERGY AND MOMENTUM DATA FOR ALPHA PARTICLES

MASS 3727.07 MEV

T	E	P	β	$\frac{1}{\beta C}$	γ
Mev	Mev	<u>Mev</u>		m μ sec/cm	
10	3737.07	273.2060	0.073107	45.629	1.00268
12	3739.07	299.3222	0.080053	41.670	1.00322
15	3742.07	334.7196	0.089448	37.293	1.00402
20	3747.07	386.6302	0.10318	32.330	1.00537
25	3752.07	432.4102	0.11525	28.944	1.00671
30	3757.07	473.8400	0.12612	26.450	1.00805
35	3762.07	511.9766	0.13609	24.5119	1.00939
40	3767.07	547.5086	0.14534	22.952	1.01073
45	3772.07	580.9143	0.15400	21.661	1.01207
50	3777.07	612.5415	0.16217	20.570	1.01342
60	3787.07	671.4525	0.17730	18.815	1.01610
70	3797.07	725.7340	0.19113	17.453	1.01878
80	3807.07	776.3577	0.20393	16.358	1.02146
90	3817.07	823.9980	0.21587	15.453	1.02415
100	3827.07	869.1456	0.22710	14.689	1.02683
120	3847.07	953.3608	0.24781	13.461	1.03220
150	3877.07	1067.999	0.27547	12.110	1.04025
200	3927.07	1237.266	0.31506	10.588	1.05366
250	3977.07	1387.817	0.34895	9.5596	1.06708
300	4027.07	1525.202	0.37874	8.8077	1.08049
350	4077.07	1652.710	0.40537	8.2291	1.09391
400	4127.07	1772.472	0.42947	7.7673	1.10732
450	4177.07	1885.965	0.45150	7.3883	1.12074
500	4227.07	1994.259	0.47178	7.0707	1.13415
600	4327.07	2198.291	0.50803	6.5662	1.16098

ENERGY AND MOMENTUM DATA FOR ALPHA PARTICLES

MASS 3727.07 MEV(Sheet 2)

T	E	P	β	$\frac{1}{\beta C}$	γ
Mev	Mev	<u>Mev</u>		m μ sec/cm	
700	4427.07	2389.121	0.53966	6.1813	1.18782
800	4527.07	2569.691	0.56763	5.8768	1.21465
900	4627.07	2742.030	0.59261	5.6290	1.24148
1000	4727.07	2907.600	0.61510	5.4232	1.26831
1200	4927.07	3222.572	0.65405	5.1003	1.32197
1500	5227.07	3664.875	0.70113	4.7578	1.40246
2000	5727.07	4348.365	0.75927	4.3935	1.53661
2500	6227.07	4988.522	0.80110	4.1640	1.67077
3000	6727.07	5600.216	0.83249	4.0070	1.80492
3500	7227.07	6191.889	0.85676	3.8935	1.93908
4000	7727.07	6768.793	0.87598	3.8081	2.07323
4500	8227.07	7334.414	0.89150	3.7418	2.20738
5000	8727.07	7891.179	0.90422	3.6892	2.34154
6000	9727.07	8984.700	0.92368	3.6114	2.60984
7000	10727.07	10058.776	0.93770	3.5574	2.87815
8000	11727.07	11119.044	0.94815	3.5182	3.14646
9000	12727.07	12169.111	0.95616	3.4888	3.41477
10000	13727.07	13211.412	0.96243	3.4660	3.68307

II. PROTON RANGE-ENERGY DATA
Kinetic Energy Range: 1 Mev. to 10^4 Mev.

RANGE OF PROTONS IN BERYLLIUM


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.910×10^{-3}	247.0
2	8.428	145.9
3	1.654×10^{-2}	106.0
4	2.719	84.27
5	4.025	70.38
6	5.560	60.69
7	7.319	53.51
8	9.296	47.96
9	1.149×10^{-1}	43.54
10	1.389	39.92
12	1.931	34.35
14	2.553	30.24
16	3.253	27.08
18	4.029	24.56
20	4.881	22.51
30	1.022×10^0	16.12
40	1.725	12.74
50	2.588	10.64
60	3.602	9.197
70	4.760	8.145
80	6.056	7.342
90	7.483	6.707
100	9.036	6.194

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
150	1.853×10^1	4.614
200	3.056	3.800
250	4.473	3.304
300	6.073	2.972
350	7.830	2.734
400	9.724	2.556
450	1.174×10^2	2.419
500	1.385	2.310
600	1.835	2.150
700	2.313	2.039
800	2.814	1.960
900	3.332	1.901
1000	3.865	1.856
2000	9.556	1.713
3000	1.540×10^3	1.716
4000	2.118	1.744
5000	2.687	1.775
6000	3.245	1.806
7000	3.794	1.836
8000	4.335	1.863
9000	4.868	1.888
10000	5.394	1.912

Range of Protons in Beryllium

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$


Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$



MU-6243


Range of Protons in Beryllium


Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



Range in gm/cm²

MU-6244





RANGE OF PROTONS IN CARBON


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.760×10^{-3}	241.8
2	8.113	149.7
3	1.598×10^{-2}	109.8
4	2.629	87.58
5	3.888	73.40
6	5.358	63.45
7	7.039	56.06
8	8.924	50.34
9	1.101×10^{-1}	45.76
10	1.329	42.01
12	1.844	36.21
14	2.433	31.93
16	3.096	28.63
18	3.830	26.00
20	4.634	23.86
30	9.658	17.14
40	1.627×10^0	13.58
50	2.436	11.35
60	3.386	9.827
70	4.469	8.711
80	5.680	7.858
90	7.012	7.184
100	8.462	6.638

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
150	1.731×10^1	4.956
200	2.854	4.087
250	4.167	3.557
300	5.655	3.202
350	7.286	2.947
400	9.038	2.757
450	1.090×10^2	2.610
500	1.286	2.494
600	1.703	2.323
700	2.145	2.205
800	2.608	2.120
900	3.087	2.057
1000	3.579	2.010
2000	8.826	1.861
3000	1.420×10^3	1.868
4000	1.951	1.900
5000	2.473	1.936
6000	2.984	1.974
7000	3.487	2.005
8000	3.982	2.036
9000	4.470	2.064
10000	4.951	2.091

Range of Protons in Carbon

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$


Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU-6245


Range of Protons in Carbon

Scale I: $100 \text{ mev} \leq T_p \leq 1000 \text{ mev}$
 Scale II: $1000 \text{ mev} \leq T_p \leq 10000 \text{ mev}$



MU-6246





RANGE OF PROTONS IN ALUMINUM


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	3.45×10^{-3}	
1.5	6.69	
2	1.08×10^{-2}	115
2.5	1.56	98.5
3	2.10	86.2
4	3.45	69.6
5	5.03	58.8
6	6.91	51.2
7	9.00	45.5
8	1.132×10^{-1}	41.0
9	1.388	37.5
10	1.667	34.5
12	2.290	29.9
15	3.393	25.18
21	6.143	19.30
25	8.369	16.82
30	1.157×10^0	14.56
35	1.523	12.89
40	1.933	11.60
45	2.385	10.58
50	2.878	9.743
60	3.983	8.458
70	5.240	7.516
80	6.642	6.794
90	8.182	6.222

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
100	9.854×10^0	5.757
120	1.358×10^1	5.047
160	2.240	4.136
200	3.284	3.576
250	4.787	3.120
300	6.480	2.813
350	8.334	2.593
400	1.033×10^2	2.428
500	1.467	2.201
600	1.938	2.054
700	2.438	1.952
800	2.961	1.879
900	3.501	1.826
1000	4.055	1.785
1250	5.484	1.721
1500	6.952	1.688
2000	9.941	1.664
3000	1.594×10^3	1.677
4000	2.185	1.710
5000	2.763	1.747
6000	3.330	1.782
7000	3.886	1.815
8000	4.432	1.845
9000	4.970	1.873
10000	5.501	1.898

Range of Protons in Aluminum

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$


Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU-6248

Range of Protons in Aluminum


Scale I: $100 \text{ mev} \leq T_p \leq 1000 \text{ mev}$
 Scale II: $1000 \text{ mev} \leq T_p \leq 10000 \text{ mev}$



MU-6247



MU-6474



RANGE OF PROTONS IN COPPER


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	4.50×10^{-3}	
2	1.430×10^{-2}	
3	2.840	
4	4.666	
5	6.848	46.08
6	9.170	40.46
8	1.470×10^{-1}	32.81
10	2.134	27.80
12	2.907	24.24
16	4.761	19.48
20	7.007	16.42
26	1.107×10^0	13.42
30	1.423	12.02
35	1.866	10.67
40	2.360	9.629
45	2.904	8.798
50	3.496	8.119
60	4.820	7.072
70	6.321	6.300
80	7.992	5.706
90	9.824	5.235
100	1.181×10^1	4.852
120	1.622	4.254
150	2.385	3.661
200	3.894	3.040

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
250	5.660×10^1	2.659
300	7.644	2.402
350	9.814	2.213
400	1.214×10^2	2.081
450	1.461	1.975
500	1.720	1.891
600	2.268	1.768
700	2.849	1.683
800	3.455	1.623
900	4.080	1.578
1000	4.721	1.545
1200	6.036	1.501
1500	8.055	1.468
2000	1.149×10^3	1.452
2500	1.493	1.456
3000	1.835	1.470
3500	2.174	1.486
4000	2.508	1.504
4500	2.838	1.522
5000	3.165	1.540
6000	3.807	1.574
7000	4.436	1.605
8000	5.054	1.634
9000	5.661	1.661
10000	6.258	1.685

Range of Protons in Copper

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$

Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU-6249


Range of Protons in Copper

Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$


Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



MW-6250



MU-6476



RANGE OF PROTONS IN LEAD


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	7.90 x 10 ⁻³	61.81
2	2.51 x 10 ⁻²	46.98
3	4.98	38.53
4	8.167	32.76
6	1.515 x 10 ⁻¹	25.50
8	2.382	21.08
10	3.406	18.21
12	4.577	16.08
16	7.345	13.15
20	1.065 x 10 ⁰	11.21
24	1.447	9.833
30	2.112	8.361
35	2.745	7.472
40	3.449	6.777
45	4.220	6.220
50	5.056	5.762
60	6.915	5.051
70	9.011	4.522
80	1.133 x 10 ¹	4.113
90	1.387	3.787
100	1.661	3.520
120	2.268	3.108
160	3.691	2.575
200	5.362	2.243
250	7.750	1.971

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
300	1.042 x 10 ²	1.787
350	1.333	1.655
400	1.645	1.557
450	1.975	1.480
500	2.320	1.420
600	3.048	1.332
700	3.818	1.272
800	4.618	1.229
900	5.443	1.198
1000	6.286	1.175
1200	8.011	1.146
1600	1.155 x 10 ³	1.122
2000	1.512	1.118
2500	1.958	1.127
3000	2.399	1.141
3500	2.834	1.157
4000	3.263	1.174
4500	3.686	1.190
5000	4.104	1.206
6000	4.922	1.236
7000	5.722	1.264
8000	6.505	1.290
9000	7.273	1.313
10000	8.028	1.334

Range of Protons in Lead

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$


Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU-6251

Range of Protons in Lead


Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



MU-6252



MU-6478




RANGE OF PROTONS IN H₂

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	8.542×10^{-4}	690.7
3	5.884×10^{-3}	283.4
5	1.483×10^{-2}	185.2
6	2.068	159.0
7	2.741	139.6
8	3.500	124.8
9	4.344	112.9
10	5.270	103.3
12	7.369	88.54
14	9.786	77.71
16	1.251×10^{-1}	69.41
18	1.555	62.83
20	1.888	57.48
30	3.985	40.87
40	6.766	32.17
50	1.019×10^0	26.78
60	1.423	23.09
70	1.884	20.41
80	2.402	18.37
90	2.972	16.76
100	3.594	15.46

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	1.226×10^1	9.418
250	1.798	8.172
300	2.446	7.337
350	3.158	6.740
400	3.927	6.295
450	4.746	5.902
500	5.608	5.678
600	7.438	5.277
700	9.391	4.999
800	1.143×10^2	4.798
900	1.355	4.649
1000	1.573	4.536
2000	3.910	4.159
3000	6.323	4.150
4000	8.718	4.205
5000	1.108×10^3	4.272
6000	1.339	4.340
7000	1.568	4.404
8000	1.794	4.464
9000	2.016	4.520
10000	2.236	4.572

Range of Protons in H₂


Scale I : 1 mev. ≤ T_p ≤ 10 mev.
 Scale II : 10 mev. ≤ T_p ≤ 100 mev.




Range of Protons in H_2


Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



MU-6266





RANGE OF PROTONS IN D₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	1.707×10^{-3}	345.6
3	1.176×10^{-2}	141.8
5	2.964	92.69
6	4.133	79.54
7	5.478	69.86
8	6.994	62.42
9	8.690	56.51
10	1.053×10^{-1}	51.70
12	1.473	44.30
14	1.956	38.88
16	2.501	34.73
18	3.107	31.44
20	3.773	28.76
30	7.964	20.45
40	1.352×10^0	16.10
50	2.037	13.40
60	2.843	11.56
70	3.766	10.21
80	4.800	9.191
90	5.940	8.386
100	7.183	7.735

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	2.450×10^1	4.712
250	3.593	4.089
300	4.888	3.671
350	6.311	3.373
400	7.847	3.150
450	9.484	2.953
500	1.121×10^2	2.841
600	1.486	2.640
700	1.877	2.501
800	2.285	2.401
900	2.708	2.326
1000	3.143	2.270
2000	7.815	2.081
3000	1.264×10^3	2.077
4000	1.742	2.104
5000	2.214	2.138
6000	2.676	2.172
7000	3.134	2.204
8000	3.584	2.234
9000	4.029	2.262
10000	4.469	2.288

Range of Protons in D_2

Scale I: 1 mev. $\leq T_p \leq 10$ mev.

Scale II: 10 mev. $\leq T_p \leq 100$ mev.




Range in gm/cm²

MU-6257


Range of Protons in D_2


Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



HU - 6258






RANGE OF PROTONS IN AIR

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.82×10^{-3}	
2	8.70	
3	1.729×10^{-2}	102.0
4	2.832	81.73
5	4.138	68.68
6	5.701	59.38
7	7.448	51.71
8	9.465	46.00
9	1.160×10^{-1}	42.09
10	1.404	38.82
12	1.941	33.93
15	2.924	29.15
21	5.307	22.19
25	7.246	19.28
30	1.004×10^0	16.64
35	1.325	14.69
40	1.664	13.19
45	2.083	12.01
50	2.517	11.03
60	3.493	9.568
70	4.605	8.483
80	5.847	7.662
90	7.212	7.010
100	8.698	6.479
120	1.201×10^1	5.669

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
160	1.987×10^1	4.631
200	2.922	3.996
250	4.269	3.479
300	5.788	3.132
350	7.454	2.876
400	9.249	2.698
500	1.315×10^2	2.442
600	1.741	2.275
700	2.192	2.161
800	2.665	2.077
900	3.153	2.016
1000	3.656	1.971
1250	4.950	1.896
1500	6.284	1.857
2000	9.004	1.827
2500	1.174×10^3	1.825
3000	1.448	1.835
4000	1.988	1.868
5000	2.518	1.904
6000	3.039	1.940
7000	3.549	1.973
8000	4.053	2.004
9000	4.548	2.033
10000	5.036	2.059

Range of Protons in Air

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$
 Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$





MU-6253


Range of Protons in Air

Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$








RANGE OF PROTONS IN CH

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.246 x 10 ³	276.3
2	7.038	168.6
3	1.407 x 10 ²	123.1
4	2.324	98.02
5	3.444	82.00
6	4.762	70.80
7	6.268	62.49
8	7.961	56.06
9	9.834	50.93
10	1.189 x 10 ⁻¹	46.72
12	1.651	40.24
15	2.472	33.50
20	4.166	26.44
25	6.248	22.02
30	8.732	18.96
35	1.152 x 10 ⁰	16.72
40	1.468	15.01
45	1.818	13.64
50	2.200	12.54
60	3.061	10.85
70	4.042	9.611
80	5.140	8.667
90	6.348	7.921
100	7.663	7.317
125	1.139 x 10 ¹	6.210
150	1.570	5.456

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	2.586 x 10 ¹	4.497
250	3.784	3.912
300	5.137	3.520
350	6.620	3.239
400	8.216	3.029
450	9.914	2.863
500	1.170 x 10 ²	2.739
600	1.549	2.550
700	1.952	2.420
800	2.374	2.326
900	2.811	2.257
1000	3.260	2.204
1500	5.606	2.074
2000	8.048	2.038
2500	1.050 x 10 ³	2.034
3000	1.296	2.043
3500	1.539	2.059
4000	1.782	2.077
4500	2.021	2.096
5000	2.259	2.116
6000	2.727	2.155
7000	3.187	2.190
8000	3.640	2.223
9000	4.087	2.253
10000	4.528	2.282

Range of Protons in CH


Scale I: $1 \text{ mev.} < T_p < 10 \text{ mev.}$
 Scale II: $10 \text{ mev.} < T_p < 100 \text{ mev.}$




MU-6917


Range of Protons in CH

Scale I: 100 mev. < T_p < 1000 mev.
 Scale II: 1000 mev. < T_p < 10000 mev.



MU-6918






RANGE OF PROTONS IN CH₂

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1	1.911 x 10 ⁻³	305.9	200	2.396 x 10 ¹	4.849
2	6.258	184.8	250	3.507	4.217
3	1.268 x 10 ⁻²	134.6	300	4.762	3.792
4	2.109	107.0	350	6.139	3.489
5	3.136	89.37	400	7.621	3.262
6	4.344	77.10	450	9.198	3.080
7	5.728	68.00	500	1.086 x 10 ²	2.949
8	7.284	60.97	600	1.438	2.745
9	9.008	55.36	700	1.812	2.604
10	1.090 x 10 ⁻¹	50.77	800	2.205	2.503
12	1.516	43.69	900	2.611	2.428
15	2.272	36.34	1000	3.028	2.371
20	3.834	28.66	1500	5.210	2.229
25	5.756	23.84	2000	7.482	2.189
30	8.023	20.53	2500	9.766	2.184
35	1.062 x 10 ⁰	18.10	3000	1.206 x 10 ³	2.194
40	1.355	16.23	3500	1.432	2.210
45	1.678	14.76	4000	1.658	2.229
50	2.032	13.56	4500	1.881	2.250
60	2.828	11.72	5000	2.103	2.270
70	3.736	10.38	6000	2.539	2.312
80	4.752	9.360	7000	2.968	2.348
90	5.872	8.552	8000	3.391	2.383
100	7.090	7.898	9000	3.808	2.415
125	1.054 x 10 ¹	6.700	10000	4.219	2.445
150	1.454	5.886			

Range of Protons in CH_2


Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$
 Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU - 6263


Range of Protons in CH₂

Scale I: 100 mev. $\leq T_p \leq$ 1000 mev.
 Scale II: 1000 mev. $\leq T_p \leq$ 10000 mev.



MU-6264





RANGE OF PROTONS IN CD₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.311×10^{-3}	267.7
2	7.196	161.7
3	1.455×10^{-2}	117.8
4	2.414	93.59
5	3.589	78.20
6	4.970	67.46
7	6.552	59.50
8	8.330	53.35
9	1.030×10^{-1}	48.44
10	1.246	44.42
12	1.733	38.23
15	2.597	31.80
20	4.382	25.08
25	6.579	20.86
30	9.170	17.96
35	1.214×10^0	15.83
40	1.548	14.20
45	1.918	12.91
50	2.322	11.86
60	3.232	10.26
70	4.270	9.085
80	5.432	8.190
90	6.711	7.483
100	8.103	6.911
125	1.205×10^1	5.863
150	1.661	5.150

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	2.739×10^1	4.243
250	4.008	3.690
300	5.443	3.318
350	7.016	3.053
400	8.710	2.855
450	1.051×10^2	2.696
500	1.241	2.580
600	1.643	2.402
700	2.072	2.279
800	2.520	2.190
900	2.984	2.124
1000	3.460	2.074
1500	5.955	1.951
2000	8.551	1.915
2500	1.116×10^3	1.911
3000	1.378	1.920
3500	1.637	1.934
4000	1.895	1.950
4500	2.150	1.968
5000	2.403	1.986
6000	2.902	2.023
7000	3.392	2.054
8000	3.875	2.085
9000	4.352	2.113
10000	4.822	2.140

Range of Protons in CD_2

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$


Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$





MU-6265

Range of Protons in CD₂

Scale I: 100 mev. ≤ T_p ≤ 1000 mev.
Scale II: 1000 mev. ≤ T_p ≤ 10000 mev.







RANGE OF PROTONS IN H₂O


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.245×10^{-3}	279.4
2	7.014	167.6
3	1.411×10	122.7
4	2.327	97.93
5	3.450	82.04
6	4.763	70.90
7	6.270	62.63
8	7.955	56.22
9	9.826	51.10
10	1.187×10^{-1}	46.91
12	1.648	40.43
15	2.465	33.69
20	4.147	26.62
25	6.216	22.18
30	8.652	19.11
35	1.144×10^0	16.86
40	1.458	15.14
45	1.805	13.77
50	2.184	12.66
60	3.036	10.96
70	4.008	9.709
80	5.094	8.758
90	6.290	8.006
100	7.590	7.397
150	1.5531×10^1	5.521

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	2.558×10^1	4.553
250	3.740	3.962
300	5.074	3.566
350	6.538	3.282
400	8.116	3.070
450	9.792	2.901
500	1.155×10^2	2.777
600	1.529	2.586
700	1.927	2.455
800	2.343	2.360
900	2.773	2.290
1000	3.215	2.237
1500	5.527	2.107
2000	7.930	2.070
2500	1.034×10^3	2.067
3000	1.276	2.078
3500	1.516	2.094
4000	1.754	2.113
4500	1.989	2.133
5000	2.222	2.154
6000	2.682	2.193
7000	3.134	2.230
8000	3.579	2.264
9000	4.018	2.296
10000	4.451	2.325

Range of Protons in H_2O

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$

Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU-6259


Range of Protons in H_2O


Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$

Scale II: $10.00 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



MU - 6260





RANGE OF PROTONS IN D₂O


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.375×10^{-3}	251.4
2	7.709	150.8
3	1.556×10^{-2}	110.4
4	2.577	88.14
5	3.822	73.83
6	5.284	63.81
7	6.954	56.37
8	8.830	50.60
9	1.090×10^{-1}	45.99
10	1.318	42.22
12	1.830	36.38
15	2.737	30.32
20	4.607	23.96
25	6.905	19.96
30	9.612	17.20
35	1.271×10^0	15.18
40	1.620	13.62
45	2.005	12.39
50	2.426	11.39
60	3.373	9.859
70	4.453	8.738
80	5.660	7.882
90	6.9884	7.206
100	8.434	6.658
125	1.253×10^1	5.653
150	1.726	4.969

T	R	$P - \frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	2.842×10^1	4.098
250	4.156	3.566
300	5.638	3.209
350	7.265	2.954
400	9.017	2.763
450	1.088×10^2	2.611
500	1.284	2.499
600	1.699	2.328
700	2.141	2.209
800	2.603	2.124
900	3.081	2.061
1000	3.572	2.014
1500	6.141	1.896
2000	8.811	1.863
2500	1.149×10^3	1.861
3000	1.418	1.870
3500	1.684	1.885
4000	1.948	1.902
4500	2.210	1.920
5000	2.469	1.938
6000	2.980	1.974
7000	3.483	2.007
8000	3.977	2.038
9000	4.464	2.066
10000	4.945	2.092

Range of Protons in D_2O

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$


Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU-6261


Range of Protons in D_2O

Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



MU-6262






RANGE OF PROTONS IN $C_5H_8O_2$

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1	2.254×10^{-3}	273.2	200	2.604×10^1	4.468
2	7.112	166.0	250	3.308	3.888
3	1.425×10^{-2}	121.4	300	5.169	3.498
4	2.355	96.73	350	6.662	3.220
5	3.490	80.98	400	8.268	3.011
6	4.823	69.95	450	9.976	2.847
7	6.347	61.77	500	1.177×10^2	2.723
8	8.059	55.43	600	1.559	2.536
9	9.954	50.37	700	1.964	2.406
10	1.203×10^{-1}	46.22	800	2.388	2.314
12	1.670	39.82	900	2.827	2.245
15	2.500	33.17	1000	3.278	2.193
20	4.210	26.20	1500	5.637	2.064
25	6.311	21.82	2000	8.090	2.028
30	8.788	18.80	2500	1.056×10^3	2.025
35	1.163×10^0	16.58	3000	1.302	2.034
40	1.482	14.88	3500	1.547	2.050
45	1.834	13.54	4000	1.790	2.069
50	2.220	12.44	4500	2.030	2.088
60	3.087	10.76	5000	2.269	2.108
70	4.069	9.539	6000	2.739	2.147
80	5.167	8.603	7000	3.201	2.182
90	6.385	7.863	8000	3.656	2.215
100	7.709	7.264	9000	4.104	2.246
125	1.145×10^1	6.166	10000	4.546	2.274
150	1.580	5.420			

Range of Protons in C₅H₈O₂

Scale I: 1 mev. ≤ T_p ≤ 10 mev.

Scale II: 10 mev. ≤ T_p ≤ 100 mev.




Range in gm/cm.²

MU-6916


Range of Protons in $C_5H_8O_2$


Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$
Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



Range in gm./cm.²

MU-6915





RANGE OF PROTONS IN STILBENE


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.160×10^{-3}	271.7
2	7.035	166.1
3	1.416×10^{-2}	121.3
4	2.348	96.62
5	3.483	80.85
6	4.820	69.82
7	6.346	61.63
8	8.063	55.30
9	9.962	50.24
10	1.204×10^{-1}	46.09
12	1.673	39.70
15	2.505	33.06
20	4.221	26.10
25	6.331	21.73
30	8.818	18.72
35	1.167×10^0	16.51
40	1.487	14.82
45	1.842	13.47
50	2.229	12.38
60	3.100	10.71
70	4.094	9.491
80	5.206	8.559
90	6.429	7.823
100	7.761	7.226
125	1.153×10^1	6.133
150	1.590	5.390

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	2.619×10^1	4.443
250	3.831	3.865
300	5.200	3.477
350	6.702	3.200
400	8.316	2.993
450	1.004×10^2	2.830
500	1.184	2.706
600	1.568	2.520
700	1.970	2.391
800	2.403	2.299
900	2.845	2.230
1000	3.299	2.178
1500	5.674	2.050
2000	8.144	2.014
2500	1.063×10^3	2.010
3000	1.311	2.020
3500	1.558	2.035
4000	1.802	2.054
4500	2.044	2.073
5000	2.285	2.092
6000	2.758	2.132
7000	3.224	2.165
8000	3.682	2.198
9000	4.134	2.228
10000	4.580	2.256

Range of Protons in Stilbene

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$

Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$




MU - 6267


Range of Protons in Stilbene


Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$



MU - 5258





RANGE OF PROTONS IN PHENYL CYCLOHEXANE


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1	2.046×10^{-3}	286.6
2	6.690	174.3
3	1.348×10^{-2}	127.1
4	2.239	101.2
5	3.323	84.58
6	4.602	73.00
7	6.061	64.42
8	7.705	57.78
9	9.521	52.48
10	1.152×10^{-1}	48.14
12	1.601	41.45
15	2.398	34.50
20	4.043	27.22
25	6.066	22.66
30	8.452	19.51
35	1.119×10^0	17.20
40	1.426	15.44
45	1.766	14.03
50	2.138	12.90
60	2.975	11.15
70	3.930	9.881
80	4.997	8.909
90	6.173	8.142
100	7.452	7.520
125	1.108×10^1	6.381
150	1.527	5.607

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
200	2.517×10^1	4.620
250	3.682	4.019
300	4.999	3.615
350	6.444	3.327
400	7.997	3.111
450	9.651	2.939
500	1.139×10^2	2.812
600	1.508	2.618
700	1.901	2.484
800	2.312	2.388
900	2.738	2.317
1000	3.174	2.263
1500	5.461	2.128
2000	7.840	2.090
2500	1.023×10^3	2.086
3000	1.263	2.096
3500	1.500	2.112
4000	1.737	2.130
4500	1.970	2.150
5000	2.202	2.170
6000	2.658	2.211
7000	3.107	2.245
8000	3.549	2.279
9000	3.985	2.310
10000	4.415	2.339

Range of Protons in Phenyl-Cyclo-Hexane

Scale I: $1 \text{ mev.} \leq T_p \leq 10 \text{ mev.}$

Scale II: $10 \text{ mev.} \leq T_p \leq 100 \text{ mev.}$





MU-5269


Range of Protons in Phenyl-Cyclo-Hexane

Scale I: $100 \text{ mev.} \leq T_p \leq 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} \leq T_p \leq 10000 \text{ mev.}$







III. PION RANGE-ENERGY DATA

Pion Kinetic Energy Range: 1 Mev. to 10⁴ Mev.

RANGE OF PIONS IN BERYLLIUM


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.042	1.090 x 10 ⁻²	53.51
1.191	1.384	47.96
1.340	1.711	43.54
1.489	2.068	39.92
1.787	2.875	34.35
2.085	3.801	30.24
2.383	4.844	27.08
2.680	6.000	24.56
2.978	7.268	22.51
4.468	1.521 x 10 ⁻¹	16.12
5.957	2.569	12.74
7.446	3.854	10.64
8.935	5.365	9.197
10.42	7.089	8.145
11.91	9.018	7.342
13.40	1.114 x 10 ⁰	6.707
14.89	1.346	6.194
22.34	2.760	4.614
29.78	4.551	3.800
37.23	6.661	3.304

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
44.68	9.044 x 10 ⁰	2.972
52.12	1.166 x 10 ¹	2.734
59.57	1.448	2.556
67.01	1.748	2.419
74.46	2.063	2.310
89.35	2.733	2.150
104.2	3.445	2.039
119.1	4.190	1.960
134.0	4.963	1.901
148.9	5.756	1.856
297.8	1.423 x 10 ²	1.713
446.8	2.294	1.716
595.7	3.155	1.744
744.6	4.001	1.775
893.5	4.833	1.806
1042.0	5.650	1.836
1191.0	6.455	1.863
1340.0	7.249	1.888
1489.0	8.033	1.912

Range of Pions in Beryllium

Scale I: $1 \text{ mev.} < T_{\pi} < 10 \text{ mev.}$


Scale II: $10 \text{ mev.} < T_{\pi} < 100 \text{ mev.}$




MU-6215


Range of Pions in Beryllium

Scale I: $100 \text{ mev.} < T_{\pi} < 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} < T_{\pi} < 10000 \text{ mev.}$



MU-6216






CU-6443

RANGE OF PIONS IN CARBON

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.052	1.058×10^{-2}	56.06	45.09	8.499×10^0	3.202
1.202	1.341	50.34	52.60	1.095×10^1	2.947
1.353	1.655	45.76	60.12	1.358	2.757
1.503	1.998	42.01	67.63	1.639	2.610
1.803	2.771	36.21	75.14	1.934	2.494
2.104	3.657	31.93	90.17	2.559	2.323
2.405	4.653	28.63	105.2	3.224	2.205
2.705	5.756	26.00	120.2	3.920	2.120
3.006	6.964	23.86	135.3	4.640	2.057
4.509	1.452×10^{-1}	17.14	150.3	5.380	2.010
6.012	2.445	13.58	300.6	1.326×10^2	1.861
7.514	3.661	11.35	450.8	2.134	1.868
9.017	5.088	9.827	601.1	2.933	1.900
10.52	6.717	8.711	751.4	3.716	1.936
12.02	8.536	7.858	901.7	4.485	1.974
13.53	1.054×10^0	7.184	1051.0	5.241	2.005
15.03	1.272	6.638	1202.0	5.984	2.036
22.54	2.602	4.956	1352.0	6.718	2.064
30.05	4.290	4.087	1503.0	7.441	2.091
37.57	6.263	3.557			

Range of Pions in Carbon

Scale I: 1 mev. < T_{π} < 10. mev.
 Scale II: 10 mev. < T_{π} < 100 mev.





MU-6217


Range of Pions in Carbon

Scale I: 100 mev. < T_{π} < 1000 mev.

Scale II: 1000 mev. < T_{π} < 10000 mev.







KU-6445


RANGE OF PIONS IN ALUMINUM

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.052	1.353 x 10 ⁻²	45.5	37.57	7.194 x 10 ⁰	3.120
1.202	1.701	41.0	45.09	9.739	2.813
1.353	2.086	37.5	52.60	1.252 x 10 ¹	2.593
1.503	2.505	34.5	60.12	1.552	2.428
1.803	3.442	29.9	75.14	2.205	2.201
2.254	5.099	25.18	90.17	2.913	2.054
2.555	6.354	22.81	105.2	3.664	1.952
3.156	9.232	19.30	120.2	4.450	1.879
3.757	1.258 x 10 ⁻¹	16.82	135.3	5.262	1.826
4.509	1.739	14.56	150.3	6.094	1.785
5.260	2.289	12.89	187.9	8.242	1.721
6.012	2.905	11.60	225.4	1.045 x 10 ²	1.688
6.763	3.584	10.58	300.6	1.494	1.664
7.514	4.325	9.743	375.7	1.946	1.665
9.017	5.986	8.458	450.9	2.396	1.677
10.52	7.875	7.516	601.2	3.284	1.710
12.02	9.982	6.794	751.4	4.152	1.747
13.53	1.230 x 10 ⁰	6.222	901.7	5.005	1.782
15.03	1.481	5.757	1052.0	5.840	1.815
18.04	2.041	5.047	1202.0	6.661	1.845
24.05	3.366	4.136	1353.0	7.469	1.873
30.06	4.936	3.576	1503.0	8.267	1.898

Range of Pions in Aluminum

Scale I: $1 \text{ mev.} < T_n < 10 \text{ mev.}$

Scale II: $10 \text{ mev.} < T_n < 100 \text{ mev.}$





MU-6219


Range of Pions in Aluminum

Scale I: $100 \text{ mev} < T_{\pi} < 1000 \text{ mev}$

Scale II: $1000 \text{ mev} < T_{\pi} < 10000 \text{ mev}$








WD-3447

RANGE OF PIONS IN COPPER

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.202	2.208×10^{-2}	32.81	60.12	1.825×10^1	2.081
1.503	3.208	27.80	67.63	2.196	1.975
1.803	4.369	24.24	75.14	2.585	1.891
2.405	7.155	19.48	90.17	3.409	1.768
3.006	1.053×10^{-1}	16.42	105.2	4.282	1.683
3.607	1.447	14.27	120.2	5.192	1.623
4.509	2.139	12.02	135.3	6.132	1.578
5.260	2.804	10.67	150.3	7.095	1.545
6.012	3.546	9.629	180.4	9.071	1.501
6.763	4.364	8.798	225.4	1.211×10^2	1.468
7.514	5.254	8.119	300.6	1.727	1.452
9.017	7.244	7.072	375.7	2.244	1.456
10.52	9.500	6.300	450.9	2.758	1.470
12.02	1.201×10^0	5.706	526.0	3.266	1.486
13.53	1.476	5.235	601.2	3.769	1.504
15.03	1.775	4.852	676.3	4.266	1.522
18.03	2.438	4.254	751.4	4.757	1.540
22.54	3.584	3.661	901.7	5.722	1.574
30.06	5.852	3.040	1052.0	6.667	1.605
37.57	8.507	2.659	1202.0	7.595	1.634
45.09	1.149×10^1	2.402	1353.0	8.507	1.661
52.60	1.475	2.213	1503.0	9.406	1.685

Range of Pions in Copper


Scale I: $1 \text{ mev} < T_{\pi} < 10 \text{ mev}$
 Scale II: $10 \text{ mev} < T_{\pi} < 100 \text{ mev}$





MU-6221

Range of Pions in Copper

Scale I: $100 \text{ mev.} < T_{\pi} < 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} < T_{\pi} < 10000 \text{ mev.}$







12-2443


RANGE OF PIONS IN LEAD

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.191	3.548×10^{-2}	21.08	59.57	2.450×10^1	1.557
1.489	5.071	18.21	67.01	2.941	1.480
1.787	6.816	16.08	74.46	3.455	1.420
2.383	1.094×10^{-1}	13.15	89.35	4.539	1.332
2.978	1.586	11.21	104.2	5.685	1.272
3.574	2.155	9.833	119.1	6.877	1.229
4.468	3.144	8.361	134.0	8.105	1.198
5.212	4.088	7.472	148.9	9.360	1.175
5.957	5.136	6.777	178.7	1.193×10^2	1.146
6.701	6.284	6.220	238.3	1.720	1.122
7.446	7.529	5.762	297.8	2.252	1.118
8.935	1.030×10^0	5.051	372.3	2.916	1.126
10.42	1.342	4.522	446.8	3.572	1.141
11.91	1.688	4.113	521.2	4.221	1.157
13.40	2.065	3.787	595.7	4.860×10^2	1.174
14.89	2.474	3.520	670.1	5.490	1.190
17.87	3.377	3.108	744.6	6.111	1.206
23.83	5.497	2.575	893.5	7.330	1.236
29.78	7.986	2.243	1042.0	8.521	1.264
37.23	1.154×10^1	1.971	1191.0	9.687	1.290
44.68	1.552	1.787	1340.0	1.083×10^3	1.313
52.12	1.985	1.655	1489.0	1.196	1.334

Range of Pions in Lead

Scale I: 1 mev. < T_{π} < 10 mev.

Scale II: 10 mev. < T_{π} < 100 mev.





MU-6223


Range of Pions in Lead

Scale I: $100 \text{ mev.} < T_n < 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} < T_n < 10000 \text{ mev.}$








RANGE OF PIONS IN H₂

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm	T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
1.042	4.082 x 10 ⁻³	139.6	44.68	3.642	7.337
1.191	5.212	124.8	52.12	4.703	6.740
1.340	6.468	112.9	59.57	5.848	6.295
1.489	7.848	103.3	67.01	7.067	5.965
1.787	1.097 x 10 ⁻²	88.54	74.46	8.351	5.678
2.085	1.457	77.71	89.35	1.108 x 10 ¹	5.277
2.383	1.864	69.41	104.2	1.398	4.999
2.680	2.315	62.83	119.1	1.702	4.798
2.978	2.811	57.48	134.0	2.018	4.649
4.468	5.935	40.87	148.9	2.342	4.536
5.957	1.008 x 10 ⁻¹	32.17	297.8	5.823	4.159
7.446	1.518	26.78	446.8	9.416	4.150
8.935	2.118	23.09	595.7	1.298 x 10 ²	4.205
10.42	2.806	20.41	744.6	1.650	4.272
11.91	3.576	18.37	893.5	1.994	4.340
13.40	4.426	16.76	1042.0	2.335	4.404
14.89	5.353	15.46	1191.0	2.671	4.464
29.78	1.825 x 10 ⁰	9.418	1340.0	3.002	4.520
37.23	2.678	8.172	1489.0	3.330	4.572

Range of Pions in H_2


Scale I: 1 mev. < T_n < 10 mev.
 Scale II: 10 mev. < T_n < 100 mev.




MU-6227


Range of Pions in H₂

Scale I: 100 mev. < T_n < 1000 mev.
 Scale II: 1000 mev. < T_n < 10000 mev.



MU-6228





Scale I: $10^2 \text{ mev} < T_0 < 10^3 \text{ mev}$

Scale II: $10^3 \text{ mev} < T_0 < 10^4 \text{ mev}$

MU-6455


RANGE OF PIONS IN D₂

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.042	8.157×10^{-3}	69.86	44.68	7.276×10^0	3.671
1.191	1.042×10^{-2}	62.42	52.12	9.398	3.373
1.340	1.293	56.51	59.57	1.168×10^1	3.150
1.489	1.568	51.70	67.01	1.412	2.985
1.787	2.193	44.30	74.46	1.669	2.841
2.085	2.912	38.88	89.35	2.214	2.640
2.383	3.724	34.73	104.2	2.795	2.501
2.680	4.626	31.44	119.1	3.402	2.401
2.978	5.618	28.76	134.0	4.033	2.326
4.468	1.186×10^{-1}	20.45	148.9	4.681	2.270
5.957	2.014	16.10	297.8	1.164×10^2	2.081
7.446	3.033	13.40	446.8	1.882	2.077
8.935	4.234	11.56	595.7	2.594	2.104
10.42	5.608	10.21	744.6	3.297	2.138
11.91	7.147	9.191	893.5	3.986	2.172
13.40	8.846	8.386	1042.0	4.666	2.204
14.89	1.070×10^0	7.735	1191.0	5.338	2.234
29.78	3.648	4.712	1340.0	6.000	2.262
37.23	5.351	4.089	1489.0	6.655	2.288

Range of Pions in D_2

Scale I: $1 \text{ mev.} < T_{\pi} < 10 \text{ mev.}$


Scale II: $10 \text{ mev.} < T_{\pi} < 100 \text{ mev.}$





Range of Pions in D_2

Scale I: $100 \text{ mev.} < T_\pi < 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} < T_\pi < 10000 \text{ mev.}$








RANGE OF PIONS IN AIR

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.042	1.109 x 10 ⁻²	51.71
1.191	1.410	46.00
1.340	1.727	42.09
1.489	2.091	38.82
1.787	2.890	33.93
2.234	4.354	28.87
3.127	7.903	22.19
3.723	1.079 x 10 ⁻¹	19.28
4.468	1.495	16.64
5.212	1.973	14.69
5.957	2.508	13.19
6.701	3.102	12.01
7.446	3.748	11.03
8.935	5.202	9.568
10.42	6.858	8.483
11.91	8.707	7.662
13.40	1.074 x 10 ⁰	7.010
14.89	1.295	6.479
17.87	1.788	5.669
23.83	2.959	4.631
29.78	4.351	3.996
37.23	6.357	3.479

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
44.68	8.619 x 10 ⁰	3.132
52.12	1.110 x 10 ¹	2.876
59.57	1.377	2.698
74.46	1.958	2.442
89.35	2.593	2.275
104.2	3.264	2.161
119.1	3.969	2.077
134.0	4.695	2.016
148.9	5.444	1.971
186.1	7.371	1.896
223.4	9.358	1.857
297.8	1.341 x 10 ²	1.827
372.3	1.748	1.825
446.8	2.156	1.835
595.7	2.960	1.868
744.6	3.750	1.904
893.5	4.526	1.940
1042.0	5.285	1.973
1191.0	6.036	2.004
1340.0	6.773	2.033
1489.0	7.500	2.059

Range of Pions in Air

Scale I: $1 \text{ mev} < T_{\pi} < 10 \text{ mev}$
 Scale II: $10 \text{ mev} < T_{\pi} < 100 \text{ mev}$




MU - 6225


Range of Pions in Air


Scale I: $100 \text{ mev} < T_{\pi} < 1000 \text{ mev}$

Scale II: $1000 \text{ mev} < T_{\pi} < 10000 \text{ mev}$



MU - 6226






RANGE OF PIONS IN CH₂

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm	T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
1.042	8.530×10^{-3}	68.00	44.68	7.092×10^0	3.792
1.191	1.085×10^{-2}	60.97	52.12	9.143	3.489
1.340	1.341	55.36	59.57	1.135×10^1	3.262
1.489	1.623	50.77	67.01	1.370	3.080
1.787	2.257	43.69	74.46	1.617	2.949
2.234	3.384	36.34	89.35	2.141	2.745
2.680	4.713	31.24	104.2	2.699	2.604
2.978	5.710	28.66	119.1	3.283	2.503
3.723	8.572	23.84	134.0	3.888	2.428
4.468	1.195×10^{-1}	20.53	148.9	4.509	2.371
5.212	1.582	18.10	223.4	7.759	2.229
5.957	2.017	16.23	297.8	1.114×10^2	2.189
6.701	2.499	14.76	372.3	1.454	2.184
7.446	3.026	13.56	446.8	1.795	2.194
8.935	4.211	11.72	521.2	2.133	2.210
10.42	5.564	10.38	595.7	2.469	2.229
11.91	7.077	9.360	670.1	2.801	2.250
13.40	8.744	8.552	744.6	3.131	2.270
14.89	1.056×10^0	7.898	893.5	3.781	2.300
18.61	1.570	6.700	1042.0	4.420	2.348
22.34	2.165	5.886	1191.0	5.050	2.3829
26.06	2.833	5.296	1340.0	5.670	2.4153
29.78	3.569		1489.0	6.283	2.4454
37.23	5.222				

Range of Pions in CH_2

Scale I: 1 mev. $< T_\pi < 10$ mev.

Scale II: 10 mev. $< T_\pi < 100$ mev.





MU - 6235


Range of Pions in CH_2

Scale I: $100 \text{ mev.} < T_{\pi} < 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} < T_{\pi} < 10000 \text{ mev.}$







RANGE OF PIONS IN CD₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.042	9.757 x 10 ⁻³	59.50
1.191	1.240 x 10 ⁻²	53.35
1.340	1.534	48.44
1.489	1.855	44.42
1.787	2.580	38.23
2.234	3.868	31.80
2.978	6.526	25.08
3.723	9.797	20.86
4.468	1.366 x 10 ⁻¹	17.96
5.212	1.808	15.83
5.957	2.306	14.20
6.701	2.856	12.91
7.446	3.458	11.86
8.935	4.813	10.26
10.42	6.359	9.085
11.91	8.088	8.190
13.40	9.993	7.483
14.89	1.207 x 10 ⁰	6.911
18.61	1.794	5.863
22.34	2.474	5.150
29.78	4.078	4.243
37.23	5.969	3.690
44.68	8.105	3.318

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
52.12	1.045 x 10 ¹	3.053
59.57	1.297	2.855
67.01	1.565	2.696
74.46	1.848	2.580
89.35	2.447	2.402
104.2	3.085	2.279
119.1	3.752	2.190
134.0	4.443	2.124
148.9	5.153	2.074
223.4	8.868	1.951
297.8	1.273 x 10 ²	1.915
372.3	1.662	1.911
446.8	2.052	1.920
521.2	2.438	1.934
595.7	2.822	1.950
670.1	3.201	1.968
744.6	3.578	1.986
893.5	4.321	2.012
1042.0	5.051	2.054
1191.0	5.771	2.085
1340.0	6.480	2.113
1489.0	7.180	2.140

Range of Pions in CD_2

Scale I: 1 mev. < T_{π} < 10 mev.


Scale II: 10 mev. < T_{π} < 100 mev.




Range of Pions in CD_2


Scale I: $100 \text{ mev.} < T_{\pi} < 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} < T_{\pi} < 10000 \text{ mev.}$



MU-6238






RANGE OF PIONS IN H₂O

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.042	9.336×10^{-3}	62.63	52.12	9.737×10^0	3.2822
1.191	1.185×10^{-2}	56.22	59.57	1.208×10^1	3.0702
1.340	1.463	51.10	67.01	1.458	2.9010
1.489	1.767	46.91	74.46	1.720	2.7768
1.787	2.453	40.43	89.35	2.278	2.5862
2.234	3.670	33.69	104.2	2.869	2.4546
2.978	6.176	26.62	119.1	3.489	2.3601
3.723	9.256	22.18	134.0	4.130	2.2902
4.468	1.288×10^{-1}	19.11	148.9	4.788	2.2373
5.212	1.704	16.86	223.4	8.230	2.1066
5.957	2.171	15.14	297.8	1.181×10^2	2.0705
6.701	2.687	13.77	372.3	1.540	2.0673
7.446	3.252	12.66	446.8	1.900	2.0777
8.935	4.521	10.96	521.2	2.257	2.0941
10.42	5.968	9.709	595.7	2.611	2.1132
11.91	7.586	8.758	670.1	2.962	2.1333
13.40	9.366	8.006	744.6	3.310	2.1535
14.89	1.130×10^0	7.3973	893.5	3.994	2.1929
22.34	2.313	5.5210	1042.0	4.668	2.2298
29.78	3.809	4.5529	1191.0	5.330	2.2640
37.29	5.570	3.9622	1340.0	5.984	2.2956
44.68	7.556	3.5657	1489.0	6.628	2.3250

Range of Pions in H_2O

Scale I: 1 mev. $< T_n < 10$ mev.


Scale II: 10 mev. $< T_n < 100$ mev.





Range in $g/cm.^2$

MU-6231

Range of Pions in H_2O
 Scale I: $100 \text{ mev} < T_{\pi} < 1000 \text{ mev}$
 Scale II: $1000 \text{ mev} < T_{\pi} < 10000 \text{ mev}$








RANGE OF PIONS IN D₂O

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.042	1.036×10^{-2}	56.37	52.12	1.082×10^1	2.954
1.191	1.315	50.60	59.57	1.343	2.763
1.340	1.624	45.99	67.01	1.620	2.611
1.489	1.962	42.22	74.46	1.912	2.499
1.787	2.725	36.38	89.35	2.530	2.328
2.234	4.076	30.32	104.2	3.188	2.209
2.978	6.861	23.96	119.1	3.876	2.124
3.723	1.028×10^{-1}	19.96	134.0	4.589	2.061
4.468	1.431	17.20	148.9	5.320	2.014
5.212	1.893	15.18	223.4	9.144	1.896
5.957	2.412	13.62	297.8	1.312×10^2	1.863
6.701	2.986	12.39	372.3	1.712	1.861
7.446	3.613	11.39	446.8	2.112	1.870
8.935	5.023	9.859	521.2	2.507	1.885
10.42	6.631	8.738	595.7	2.902	1.902
11.91	8.428	7.882	670.1	3.290	1.920
13.40	1.041×10^0	7.206	744.6	3.677	1.938
14.89	1.256	6.658	893.5	4.438	1.974
18.61	1.866	5.653	1042.0	5.186	2.007
22.34	2.570	4.969	1191.0	5.923	2.038
29.78	4.232	4.098	1340.0	6.648	2.066
37.23	6.189	4.849	1489.0	7.364	2.092
44.68	8.396	4.217			

Range of Pions in D_2O

Scale I: 1 mev. < T_π < 10 mev
 Scale II: 10 mev. < T_π < 100 mev




MU - 6233


Range of Pions in D_2O


Scale I: $100 \text{ mev.} < T_{\pi} < 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} < T_{\pi} < 10000 \text{ mev.}$



MU-6234






RANGE OF PIONS IN $C_3H_8O_2$

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.042	9.452×10^3	61.77	52.12	9.921×10^0	3.220
1.191	1.200×10^2	55.43	59.57	1.231×10^1	3.011
1.340	1.482	50.37	67.01	1.486	2.847
1.489	1.791	46.22	74.46	1.753	2.723
1.787	2.488	39.82	89.35	2.321	2.536
2.234	3.723	33.17	104.2	2.925	2.406
2.978	6.269	26.20	119.1	3.556	2.314
3.723	9.398	21.82	134.0	4.210	2.245
4.468	1.309×10^1	18.80	148.9	4.882	2.193
5.212	1.731	16.58	223.4	8.394	2.064
5.957	2.206	14.88	297.8	1.205×10^2	2.028
6.701	2.732	13.54	372.3	1.572	2.025
7.446	3.306	12.44	446.8	1.940	2.034
8.935	4.597	10.76	521.2	2.303	2.050
10.42	6.059	9.539	595.7	2.666	2.069
11.91	7.695	8.603	670.1	3.023	2.088
13.40	9.508	7.863	744.6	3.379	2.108
14.89	1.148×10^0	7.264	893.5	4.078	2.147
18.61	1.705	6.166	1042.0	4.766	2.182
22.34	2.353	5.420	1191.0	5.444	2.215
29.76	3.877	4.468	1340.0	6.111	2.246
37.23	5.671	3.888	1489.0	6.770	2.274
44.68	7.698	3.498			

Range of Pions in $C_5H_8O_2$


Scale I: $1 \text{ mev.} < T_H < 10 \text{ mev.}$
 Scale II: $10 \text{ mev.} < T_H < 100 \text{ mev.}$




MU-6914

Range of Pions in $C_5H_8O_2$


Scale I: $100 \text{ mev.} < T_{\pi} < 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} < T_{\pi} < 10000 \text{ mev.}$



MU-6813



MU-6927




RANGE OF PIONS IN STILBENE

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.042	9.450×10^{-3}	61.63	52.12	9.980×10^0	3.200
1.191	1.201×10^{-2}	55.30	59.57	1.238×10^1	2.993
1.340	1.484	50.24	67.01	1.494	2.830
1.489	1.793	46.09	74.46	1.764	2.706
1.787	2.492	39.70	89.35	2.335	2.520
2.234	3.731	33.06	104.2	2.943	2.391
2.978	6.286	26.10	119.1	3.578	2.299
3.723	9.428	21.73	134.0	4.236	2.230
4.468	1.313×10^{-1}	18.72	148.9	4.913	2.178
5.212	1.738	16.51	223.4	8.449	2.050
5.957	2.214	14.82	297.8	1.213×10^2	2.014
6.701	2.742	13.47	372.3	1.582	2.010
7.446	3.319	12.38	446.8	1.953	2.020
8.935	4.617	10.71	521.2	2.319	2.035
10.42	6.097	9.491	595.7	2.684	2.054
11.91	7.752	8.559	670.1	3.044	2.073
13.40	9.574	7.828	744.6	3.403	2.092
14.89	1.156	7.226	893.5	4.108	2.130
18.61	1.718×10^0	6.133	1042.0	4.801	2.165
22.34	2.367	5.390	1191.0	5.484	2.198
29.78	3.900	4.443	1340.0	6.156	2.228
37.23	5.704	3.865	1489.0	6.820	2.256
44.68	7.744	3.477			

Range of Pions in Stilbene

Scale I: 1 mev. < T_{π} < 10 mev.

Scale II: 10 mev. < T_{π} < 100 mev.




MU-6230


Range of Pions in Silbere


Scale I: $100 \text{ mev.} < T_n < 1000 \text{ mev.}$

Scale II: $1000 \text{ mev.} < T_n < 10000 \text{ mev.}$



MU-6240






RANGE OF PIONS IN PHENYL CYCLOHEXANE

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.042	9.025 x 10 ⁻³	64.42	52.12	9.596 x 10 ⁰	3.327
1.191	1.147 x 10 ⁻²	57.78	59.57	1.191 x 10 ¹	3.111
1.340	1.418	52.48	67.01	1.437	2.939
1.489	1.715	48.14	74.46	1.696	2.812
1.787	2.384	41.45	89.35	2.246	2.618
2.234	3.571	34.50	104.2	2.831	2.484
2.978	6.020	27.22	119.1	3.443	2.388
3.723	9.033	22.66	134.0	4.077	2.317
4.468	1.259 x 10 ⁻¹	19.51	148.9	4.727	2.263
5.212	1.666	17.20	223.4	8.133	2.128
5.957	2.124	15.44	297.8	1.168 x 10 ²	2.090
6.701	2.630	14.03	372.3	1.524	2.086
7.446	3.184	12.90	446.8	1.880	2.096
8.935	4.430	11.15	521.2	2.234	2.112
10.42	5.852	9.881	595.7	2.587	2.130
11.91	7.442	8.909	670.1	2.933	2.150
13.40	9.192	8.142	744.6	3.278	2.170
14.89	1.110	7.520	893.5	3.958	2.208
18.61	1.650	6.381	1042.0	4.626	2.245
22.34	2.274	5.607	1191.0	5.285	2.279
29.78	3.748	4.620	1340.0	5.934	2.310
37.23	5.483	4.019	1489.0	6.574	2.339
44.68	7.444	3.615			

Range of Pions in Phenyl-Cyclo-Hexane

Scale I: $1 \text{ mev.} < T_{\pi} < 10 \text{ mev.}$


Scale II: $10 \text{ mev.} < T_{\pi} < 100 \text{ mev.}$




Range of Pions in Phenyl-Cyclo-Hexane

Scale I: 100 mev. < T_{π} < 1000 mev


Scale II: 1000 mev. < T_{π} < 10000 mev



MU-6242



MU-6468



IV. DEUTERON RANGE-ENERGY DATA

Deuteron Kinetic Energy Range: 1 Mev. to 10^5 Mev.


RANGE OF DEUTERONS IN BERYLLIUM

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.999	5.817×10^{-3}	247.0	299.8	3.704×10^1	4.614
3.998	1.685×10^{-2}	145.9	399.8	6.109	3.800
5.997	3.307	106.0	499.7	8.941	3.304
7.996	5.435	84.27	599.7	1.214×10^2	2.972
9.995	8.045	70.38	699.6	1.565	2.734
11.99	1.111×10^{-1}	60.69	799.6	1.944	2.556
13.99	1.463	53.51	899.5	2.346	2.419
15.99	1.858	47.96	999.5	2.769	2.310
17.99	2.296	43.54	1199.0	3.668	2.150
19.99	2.776	39.92	1399.0	4.624	2.039
23.99	3.859	34.35	1599.0	5.625	1.960
27.98	5.103	30.24	1799.0	6.661	1.901
31.98	6.502	27.08	1999.0	7.726	1.856
35.98	8.055	24.56	3998.0	1.910×10^3	1.713
39.98	9.756	22.51	5997.0	3.079	1.716
59.97	2.042×10^0	16.12	7996.0	4.235	1.734
79.96	3.448	12.74	9995.0	5.371	1.775
99.95	5.174	10.64	11990.0	6.487	1.806
119.9	7.201	9.197	13990.0	7.584	1.836
139.9	9.516	8.145	15990.0	8.665	1.863
159.9	1.210×10^1	7.342	17990.0	9.731	1.888
179.9	1.496	6.707	19990.0	1.078×10^4	1.912
199.9	1.806	6.194			

Range of Deuterons in Beryllium


Scale I: 1 mev. < T_0 < 10 mev.

Scale II: 10 mev. < T_0 < 100 mev.





Range of Deuterons in Beryllium

Scale I: 100 mev. < T_0 < 1000 mev.
 Scale II: 1000 mev. < T_0 < 10000 mev.
 Scale III: 10000 mev. < T_0 < 100000 mev.



MU-6272






RANGE OF DEUTERONS IN CARBON

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.999	5.517×10^{-3}	241.8
3.998	1.622×10^{-2}	149.7
5.997	3.195	109.8
7.996	5.256	87.58
9.995	7.773	73.40
11.99	1.071×10^{-1}	63.45
13.99	1.407	56.06
15.99	1.784	50.34
17.99	2.201	45.76
19.99	2.657	42.01
23.99	3.685	36.21
27.98	4.864	31.93
31.98	6.188	28.63
35.98	7.655	26.00
39.98	9.262	23.86
59.97	1.930×10^0	17.14
79.96	3.252	13.58
99.95	4.869	11.35
119.9	6.768	9.827
139.9	8.934	8.711
159.9	1.135×10^1	7.858
179.9	1.402	7.184
199.9	1.692	6.638

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
299.8	3.460×10^1	4.956
399.8	5.706	4.087
499.7	8.330	3.557
599.7	1.130×10^2	3.202
699.6	1.456	2.947
799.6	1.807	2.757
899.5	2.180	2.610
999.5	2.572	2.494
1199.0	3.404	2.323
1399.0	4.288	2.205
1599.0	5.214	2.120
1799.0	6.172	2.057
1999.0	7.155	2.010
3998.0	1.764×10^3	1.861
5997.0	2.839	1.868
7996.0	3.900	1.900
9995.0	4.943	1.936
11990.0	5.966	1.974
13990.0	6.970	2.005
15990.0	7.960	2.036
17990.0	8.935	2.064
19990.0	9.897	2.091

Range of Deuterons in Carbon


Scale I : 1 mev. $\leq T_0 \leq$ 10 mev.
 Scale II : 10 mev. $\leq T_0 \leq$ 100 mev.




MU-6273


Range of Deuterons in Carbon

- Scale I: 100 mev. < T_0 < 1000 mev.
- Scale II: 1000 mev. < T_0 < 10000 mev.
- Scale III: 10000 mev. < T_0 < 100000 mev.



MU-6274






RANGE OF DEUTERONS IN ALUMINUM

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.999	6.896×10^{-3}		199.9	1.970×10^1	5.757
2.998	1.337×10^{-2}		239.9	2.714	5.047
3.998	2.159	115	319.8	4.478	4.136
4.997	3.118	98.5	399.8	6.564	3.576
5.997	4.198	86.2	499.7	9.569	3.120
7.996	6.896	69.6	599.7	1.295×10^2	2.813
9.995	1.005×10^{-1}	58.8	699.6	1.666	2.593
11.99	1.381	51.2	799.6	2.065	2.428
13.99	1.799	45.5	999.5	2.932	2.201
15.99	2.263	41.0	1199.0	3.874	2.054
17.99	2.774	37.5	1399.0	4.873	1.952
19.99	3.332	34.5	1599.0	5.920	1.879
23.99	4.578	29.9	1799.0	6.998	1.826
29.98	6.782	25.18	1999.0	8.106	1.785
41.98	1.228×10^0	19.30	2499.0	1.096×10^3	1.721
49.97	1.673	16.82	2998.0	1.390	1.688
59.97	2.313	14.56	3998.0	1.987	1.664
69.96	3.044	12.89	5997.0	3.186	1.677
79.96	3.864	11.60	7996.0	4.368	1.710
89.95	4.767	10.58	9995.0	5.523	1.747
99.95	5.753	9.743	11990.0	6.656	1.782
119.9	7.962	8.458	13990.0	7.768	1.815
139.9	1.047×10^1	7.516	15990.0	8.859	1.845
159.9	1.328	6.794	17990.0	9.935	1.873
179.9	1.636	6.222	19990.0	1.100×10^4	1.898

Range of Deuterons in Aluminum

Scale I: 1 mev. < T_0 < 10 mev.


Scale II: 10 mev. < T_0 < 100 mev.




NU-6275


Range of Deuterons in Aluminum

Scale I: 100 mev. < T_0 < 1000 mev.
 Scale II: 1000 mev. < T_0 < 10000 mev.
 Scale III: 10000 mev. < T_0 < 100000 mev.



MU-6276






RANGE OF DEUTERONS IN COPPER

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm	T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
1.999	8.995×10^{-3}		499.7	1.131×10^2	2.659
3.998	2.858×10^{-2}		599.7	1.528	2.402
5.997	5.677		699.6	1.962	2.213
7.996	9.327		799.6	2.428	2.081
9.995	1.369×10^{-1}	46.08	899.5	2.921	1.975
11.99	1.833	40.46	999.5	3.439	1.891
15.99	2.937	32.81	1199.0	4.534	1.768
19.99	4.267	27.80	1399.0	5.695	1.683
23.99	5.811	24.24	1599.0	6.906	1.623
31.98	9.517	19.48	1799.0	8.156	1.578
39.98	1.401×10^0	16.42	1999.0	9.436	1.545
51.97	2.214	13.42	2399.0	1.206×10^3	1.501
59.97	2.845	12.02	2998.0	1.610	1.468
69.96	3.729	10.67	3998.0	2.297	1.452
79.96	4.717	9.629	4997.0	2.985	1.456
89.95	5.804	8.798	5997.0	3.668	1.470
99.95	6.988	8.119	6996.0	4.345	1.486
119.9	9.634	7.072	7996.0	5.013	1.504
139.9	1.264	6.300	8995.0	5.674	1.522
159.9	1.598×10^1	5.706	9995.0	6.327	1.540
179.9	1.964	5.235	11990.0	7.611	1.574
199.9	2.361	4.852	13990.0	8.868	1.605
239.9	3.242	4.254	15990.0	1.010×10^4	1.634
299.8	4.767	3.661	17990.0	1.132	1.661
399.8	7.784	3.040	19990.0	1.251	1.685

Range of Deuterons in Copper


- Scale I: 1 mev. < T_0 < 10 mev.
- Scale II: 10 mev. < T_0 < 100 mev.




MU-6277


Range of Deuterons in Copper...

- Scale I: 100 mev. < T_D < 1000 mev.
- Scale II: 1000 mev. < T_D < 10000 mev.
- Scale III: 10000 mev. < T_D < 100000 mev.



MU - 6276





RANGE OF DEUTERONS IN LEAD


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.999	1.579 x 10 ⁻²	61.81
3.998	5.007	46.98
5.997	9.955	38.53
7.996	1.632 x 10 ⁻¹	32.76
11.99	3.029	25.50
15.99	4.762	21.08
19.99	6.807	18.21
23.99	9.150	16.08
31.98	1.468 x 10 ⁰	13.15
39.98	2.129	11.21
47.98	2.893	9.833
59.97	4.221	8.361
68.96	5.488	7.472
79.96	6.894	6.777
89.95	8.436	6.220
99.95	1.011 x 10 ¹	5.762
119.9	1.382	5.051
139.9	1.801	4.522
159.9	2.265	4.113
179.9	2.772	3.787
199.9	3.321	3.520
239.9	4.533	3.108
319.8	7.378	2.575
399.8	1.072 x 10 ²	2.243
499.7	1.549	1.971

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
599.7	2.083 x 10 ²	1.787
699.6	2.665	1.655
799.6	3.288	1.557
899.5	3.948	1.480
999.5	4.637	1.420
1199.0	6.093	1.332
1399.0	7.631	1.272
1599.0	9.231	1.229
1799.0	1.088 x 10 ³	1.198
1999.0	1.256	1.175
2399.0	1.601	1.146
3198.0	2.309	1.122
3998.0	3.023	1.118
4997.0	3.914	1.127
5997.0	4.796	1.141
6996.0	5.665	1.157
7996.0	6.523	1.174
8995.0	7.369	1.190
9995.0	8.203	1.206
11990.0	9.839	1.236
13990.0	1.144 x 10 ⁴	1.264
15990.0	1.300	1.290
17990.0	1.454	1.313
19990.0	1.605	1.334

Range of Deuterons in Lead

Scale I: 1 mev. < T_0 < 10 mev.


Scale II: 10 mev. < T_0 < 100 mev.





MU - 6279

Range of Deuterons in Lead

Scale I: 100 mev. < T_0 < 1000 mev.
 Scale II: 1000 mev. < T_0 < 10000 mev.
 Scale III: 10000 mev. < T_0 < 100000 mev.








RANGE OF DEUTERONS IN H₂


T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.999	1.707 x 10 ³	690.7	399.8	2.450 x 10 ¹	9.418
5.997	1.176 x 10 ²	283.4	499.7	3.594	8.172
9.995	2.965	185.2	599.7	4.889	7.337
11.99	4.133	159.0	699.6	6.313	6.740
13.99	5.479	139.6	799.6	7.849	6.295
15.99	6.996	124.8	899.5	9.486	5.902
17.99	8.683	112.9	999.5	1.121 x 10 ²	5.678
19.99	1.053 x 10 ¹	103.3	1199.0	1.487	5.277
23.99	1.473	88.54	1399.0	1.877	4.999
27.98	1.956	77.71	1599.0	2.285	4.798
31.98	2.501	69.41	1799.0	2.709	4.649
35.98	3.107	62.83	1999.0	3.144	4.536
39.98	3.774	57.48	3998.0	7.817	4.159
59.97	7.967	40.87	5997.0	1.264 x 10 ³	4.150
79.96	1.352 x 10 ⁰	32.17	7996.0	1.743	4.205
99.95	2.037	26.78	9995.0	2.214	4.272
119.9	2.844	23.09	11990.0	2.677	4.340
139.9	3.767	20.41	13990.0	3.134	4.404
159.9	4.801	18.37	15990.0	3.585	4.464
179.9	5.942	16.76	17990.0	4.030	4.520
199.9	7.185	15.46	19990.0	4.470	4.5720


Range of Deuterons in H₂


Scale I: 1 mev. < T₀ < 10 mev.
 Scale II: 10 mev. < T₀ < 100 mev.



Range of Deuterons in H₂
Scale I: 100 mev. < T₀ < 1000 mev
Scale II: 1000 mev. < T₀ < 10000 mev
Scale III: 10000 mev. < T₀ < 100000 mev








RANGE OF DEUTERONS IN D₂

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
1.999	3.412 x 10 ⁻³	345.6
5.997	2.350 x 10 ⁻²	141.8
9.995	5.926	92.69
11.99	8.261	79.54
13.99	1.095 x 10 ⁻¹	69.86
15.99	1.398	62.42
17.99	1.737	56.51
19.99	2.105	51.70
23.99	2.944	44.30
27.98	3.909	38.88
31.98	4.999	34.73
35.98	6.210	31.44
39.98	7.541	28.76
59.97	1.592 x 10 ⁰	20.45
79.96	2.703	16.10
99.95	4.071	13.40
119.9	5.683	11.56
139.9	7.527	10.21
159.9	9.594	9.191
179.9	1.187 x 10 ¹	8.386
199.9	1.436	7.735

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
399.8	4.896 x 10 ¹	4.712
499.7	7.183	4.089
599.7	9.770	3.671
699.6	1.262 x 10 ²	3.373
799.6	1.569	3.150
899.5	1.896	2.953
999.5	2.240	2.841
1199.0	2.971	2.640
1399.0	3.751	2.501
1599.0	4.567	2.401
1799.0	5.413	2.326
1999.0	6.283	2.270
3998.0	1.562 x 10 ³	2.081
5997.0	2.526	2.077
7996.0	3.482	2.104
9995.0	4.425	2.138
11990.0	5.350	2.172
13990.0	6.264	2.204
15990.0	7.164	2.234
17990.0	8.054	2.262
19990.0	8.933	2.288


Range of Deuterons in D_2

Scale I: 1 mev. $< T_0 < 10$ mev.
 Scale II: 10 mev. $< T_0 < 100$ mev.





Range of Deuterons in D₂

Scale I: 100 mev. < T₀ < 1000 mev
 Scale II: 1000 mev. < T₀ < 10000 mev
 Scale III: 10000 mev. < T₀ < 100000 mev



NU - 5206






RANGE OF DEUTERONS IN AIR

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.999	5.637×10^{-3}		319.8	3.972×10^1	4.631
3.998	1.739×10^{-2}		399.8	5.841	3.996
5.997	3.456	102.0	499.7	8.533	3.479
7.996	5.661	81.73	599.7	1.157×10^2	3.132
9.995	8.272	68.68	699.6	1.490	2.876
11.99	1.140×10^{-1}	59.38	799.6	1.849	2.698
13.99	1.489	51.71	999.5	2.629	2.442
15.99	1.892	46.00	1199.0	3.480	2.275
17.99	2.319	42.09	1399.0	4.382	2.161
19.99	2.806	38.82	1599.0	5.327	2.077
23.99	3.880	33.93	1799.0	6.303	2.016
29.98	5.845	29.15	1999.0	7.308	1.971
41.98	1.061×10^0	22.19	2499.0	9.895	1.896
49.97	1.448	19.28	2998.0	1.256×10^3	1.857
59.97	2.007	16.64	3998.0	1.800	1.827
69.96	2.648	14.69	4997.0	2.347	1.825
79.96	3.366	13.19	5997.0	2.894	1.835
89.95	4.164	12.01	7996.0	3.974	1.868
99.95	5.031	11.03	9995.0	5.033	1.904
119.9	6.982	9.568	11990.0	6.075	1.940
139.9	9.205	8.483	13990.0	7.094	1.973
159.9	1.169×10^1	7.662	15990.0	8.102	2.004
179.9	1.442	7.010	17990.0	9.091	2.033
199.9	1.739	6.479	19990.0	1.007×10^4	2.059
239.9	2.401	5.669			

Range of Deuterons in Air


Scale I: 1 mev. < T_0 < 10 mev.
 Scale II: 10 mev. < T_0 < 100 mev.





MU-6281

Range of Deuterons in Air

Scale I: 100 mev. < T_0 < 1000 mev.
 Scale II: 1000 mev. < T_0 < 10000 mev.
 Scale III: 10000 mev. < T_0 < 100000 mev.







RANGE OF DEUTERONS IN CH₂


T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
1.999	3.819 x 10 ⁻³	305.9
3.998	1.251 x 10 ⁻²	184.8
5.997	2.536	134.6
7.996	4.215	107.0
9.995	6.268	89.37
11.99	8.684	77.10
13.99	1.145 x 10 ⁻¹	68.00
15.99	1.456	60.97
17.99	1.801	55.36
19.99	2.178	50.77
23.99	3.030	43.69
29.98	4.542	36.34
39.98	7.664	28.66
49.97	1.150 x 10 ⁰	23.84
59.97	1.604	20.53
69.96	2.123	18.10
79.96	2.708	16.23
89.95	3.354	14.76
99.95	4.062	13.56
119.9	5.653	11.72
139.9	7.469	10.38
159.9	9.500	9.360
179.9	1.174 x 10 ¹	8.552
199.9	1.417	7.898
249.9	2.107	6.700
299.8	2.906	5.886

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
399.8	4.790 x 10 ¹	4.849
499.7	7.010	4.217
599.7	9.520	3.792
699.6	1.227 x 10 ²	3.489
799.6	1.523	3.262
899.5	1.839	3.080
999.5	2.170	2.949
1199.0	2.874	2.745
1399.0	3.623	2.604
1599.0	4.407	2.503
1799.0	5.218	2.428
1999.0	6.052	2.371
2998.0	1.042 x 10 ³	2.229
3998.0	1.496	2.189
4997.0	1.952	2.184
5997.0	2.410	2.194
6996.0	2.863	2.210
7996.0	3.314	2.229
8995.0	3.760	2.250
9995.0	4.203	2.270
11990.0	5.075	2.312
13990.0	5.933	2.348
15990.0	6.778	2.383
17990.0	7.611	2.415
19990.0	8.433	2.445

Range of Deuterons in CH₂

Scale I: 1 mev. < T₀ < 10 mev.

Scale II: 10 mev. < T₀ < 100 mev.




MU-6291

Range of Deuterons in CH_2


Scale I: $100 \text{ mev.} < T_0 < 1000 \text{ mev.}$


Scale II: $1000 \text{ mev.} < T_0 < 10000 \text{ mev.}$

Scale III: $10000 \text{ mev.} < T_0 < 100000 \text{ mev.}$



MU-6292





RANGE OF DEUTERONS IN CD₂


T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
1.999	4.620 x 10 ⁻³	267.7
3.998	1.438 x 10 ⁻²	161.7
5.997	2.909	117.8
7.996	4.826	93.59
9.995	7.175	78.20
11.99	9.934	67.46
13.99	1.310 x 10 ⁻¹	59.50
15.99	1.665	53.35
17.99	2.059	48.44
19.99	2.490	44.42
23.99	3.463	38.23
29.98	5.192	31.80
39.98	8.760	25.08
49.97	1.315 x 10 ⁰	20.86
59.97	1.833	17.96
69.96	2.427	15.83
79.96	3.095	14.20
89.95	3.834	12.91
99.95	4.642	11.86
119.9	6.460	10.26
139.9	8.536	9.085
159.9	1.086 x 10 ¹	8.190
179.9	1.341	7.483
199.9	1.620	6.911
249.9	2.408	5.863
299.8	3.321	5.150

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
399.8	5.475 x 10 ¹	4.243
499.7	8.012	3.690
599.7	1.088 x 10 ²	3.318
699.6	1.402	3.053
799.6	1.741	2.855
899.5	2.101	2.696
999.5	2.480	2.580
1199.0	3.285	2.402
1399.0	4.141	2.279
1599.0	5.036	2.190
1799.0	5.964	2.124
1999.0	6.917	2.074
2998.0	1.190 x 10 ³	1.951
3998.0	1.709	1.915
4997.0	2.231	1.911
5997.0	2.754	1.920
6996.0	3.272	1.934
7996.0	3.788	1.950
8995.0	4.297	1.968
9995.0	4.803	1.986
11990.0	5.800	2.023
13990.0	6.781	2.054
15990.0	7.746	2.085
17990.0	8.698	2.113
19990.0	9.638	2.140

Range of Deuterons in CD_2

Scale I: 1 mev. $< T_0 < 10$ mev.

Scale II: 10 mev. $< T_0 < 100$ mev.




MU - 6293

Range of Deuterons in CD_2


Scale I: $100 \text{ mev.} < T_0 < 1000 \text{ mev.}$


Scale II: $1000 \text{ mev.} < T_0 < 10000 \text{ mev.}$

Scale III: $10000 \text{ mev.} < T_0 < 100000 \text{ mev.}$



MU-6294






RANGE OF DEUTERONS IN H₂O

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.999	4.487 x 10 ³	279.4
3.998	1.402 x 10 ²	167.6
5.997	2.820	122.7
7.996	4.652	97.93
9.995	6.897	82.04
11.99	9.521	70.90
13.99	1.253 x 10 ¹	62.63
15.99	1.590	56.22
17.99	1.964	51.10
19.99	2.372	46.91
23.99	3.293	40.43
29.98	4.927	33.69
39.98	8.290	26.62
49.97	1.242 x 10 ⁰	22.18
59.97	1.729	19.11
69.96	2.287	16.86
79.96	2.914	15.14
89.95	3.607	13.77
99.95	4.365	12.66
119.9	6.068	10.96
139.9	8.011	9.709
159.9	1.018 x 10 ¹	8.758
179.9	1.257	8.006
199.9	1.517	7.397
299.8	3.105	5.521

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
399.8	5.113 x 10 ¹	4.553
499.7	7.486	3.962
599.7	1.014 x 10 ²	3.566
699.6	1.307	3.282
799.6	1.622	3.070
899.5	1.957	2.901
999.5	2.309	2.777
1199.0	3.057	2.586
1399.0	3.851	2.455
1599.0	4.683	2.360
1799.0	5.543	2.290
1999.0	6.427	2.237
2998.0	1.105 x 10 ³	2.107
3998.0	1.585	2.070
4997.0	2.068	2.067
5997.0	2.551	2.078
6996.0	3.029	2.094
7996.0	3.505	2.113
8995.0	3.975	2.133
9995.0	4.442	2.154
11990.0	5.361	2.193
13990.0	6.266	2.230
15990.0	7.155	2.264
17990.0	8.032	2.296
19990.0	8.897	2.325

Range of Deuterons in H_2O

Scale I: 1 mev. $< T_0 < 10$ mev.
 Scale II: 10 mev. $< T_0 < 100$ mev.




- Range in gm/cm.²

Range of Deuterons in H₂O

Scale I: 100 mev. < T₀ < 1000 mev.


Scale II: 1000 mev. < T₀ < 10000 mev.


Scale III: 10000 mev. < T₀ < 100000 mev.



Range in gm/cm.²

MU - 6268





RANGE OF DEUTERONS IN D₂O


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.999	4.747 x 10 ⁻³	251.4
3.998	1.541 x 10 ⁻²	150.8
5.997	3.110	110.4
7.996	5.152	88.14
9.995	7.640	73.83
11.99	1.056 x 10 ⁻¹	63.81
13.99	1.390	56.37
15.99	1.765	50.60
17.99	2.180	45.99
19.99	2.634	42.22
23.99	3.657	36.38
29.98	5.472	30.32
39.98	9.210	23.96
49.97	1.380 x 10 ⁰	19.96
59.97	1.921	17.20
69.96	2.541	15.18
79.96	3.238	13.62
89.95	4.008	12.39
99.95	4.850	11.39
119.9	6.742	9.859
139.9	8.901	8.738
159.9	1.131 x 10 ¹	7.882
179.9	1.397	7.200
199.9	1.686	6.658
249.9	2.504	5.653
299.8	3.450	4.969

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
399.8	5.621 x 10 ¹	4.098
499.7	8.307	3.566
599.7	1.127 x 10 ²	3.209
699.6	1.452	2.954
799.6	1.802	2.763
899.5	2.175	2.611
999.5	2.566	2.499
1199.0	3.397	2.328
1399.0	4.279	2.209
1599.0	5.203	2.124
1799.0	6.159	2.061
1999.0	7.141	2.014
2998.0	1.227 x 10 ³	1.896
3998.0	1.761	1.863
4997.0	2.297	1.861
5997.0	2.834	1.870
6996.0	3.366	1.885
7996.0	3.895	1.902
8995.0	4.417	1.920
9995.0	4.936	1.938
11990.0	5.957	1.974
13990.0	6.961	2.007
15990.0	7.950	2.038
17990.0	8.924	2.066
19990.0	9.886	2.092

Range of Deuterons in D_2O

Scale I: 1 mev. $< T_0 < 10$ mev.

Scale II: 10 mev. $< T_0 < 100$ mev.





Range of Deuterons in D_2O


Scale I: 100 mev. $< T_0 < 1000$ mev.

Scale II: 1000 mev. $< T_0 < 10000$ mev.

Scale III: 10000 mev. $< T_0 < 100000$ mev.







RANGE OF DEUTERONS IN $C_5H_8O_2$


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
1.999	4.506×10^{-3}	273.2
3.998	1.422×10^{-2}	1.660
5.997	2.849	121.4
7.996	4.708	96.73
9.995	6.976	80.98
11.99	9.640	69.95
13.99	1.269×10^{-1}	61.77
15.99	1.611	55.43
17.99	1.990	50.37
19.99	2.404	46.22
23.99	3.339	39.82
29.98	4.997	33.17
39.98	8.415	26.20
49.97	1.262×10^0	21.82
59.97	1.757	18.80
69.96	2.324	16.58
79.96	2.961	14.88
89.95	3.667	13.54
99.95	4.438	12.44
119.9	6.171	10.76
139.9	8.133	9.539
159.9	1.033×10^1	8.603
179.9	1.276	7.863
199.9	1.541	7.264
249.9	2.288	6.166
299.8	3.158	5.420

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
399.8	5.204×10^1	4.468
499.7	7.613	3.888
599.7	1.033×10^2	3.498
699.6	1.332	3.220
799.6	1.653	3.011
899.5	1.994	2.847
999.5	2.353	2.723
1199.0	3.116	2.536
1399.0	3.926	2.406
1599.0	4.774	2.314
1799.0	5.652	2.245
1999.0	6.553	2.193
2998.0	1.127×10^3	2.064
3998.0	1.617	2.028
4997.0	2.110	2.025
5997.0	2.603	2.034
6996.0	3.092	2.050
7996.0	3.578	2.069
8995.0	4.058	2.088
9995.0	4.535	2.108
11990.0	5.474	2.148
13990.0	6.398	2.182
15990.0	7.307	2.215
17990.0	8.203	2.246
19990.0	9.088	2.274

Range of Deuterons in $C_5H_8O_2$

Scale I: 1 mev. < T_0 < 10 mev.

Scale II: 10 mev. < T_0 < 100 mev.



Range in gm./cm.²


MU-6912

Range of Deuterons in $C_5H_8O_2$


Scale I: 100 mev. < T_0 < 1000 mev.


Scale II: 1000 mev. < T_0 < 10000 mev.

Scale III: 10000 mev. < T_0 < 100000 mev.



MU-6911





MU-6926

RANGE OF DEUTERONS IN STILBENE


T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
1.999	4.318 x 10 ⁻³	271.7
3.998	1.406 x 10 ⁻²	166.1
5.997	2.830	121.3
7.996	4.694	96.62
9.995	6.962	80.85
11.99	9.635	69.82
13.99	1.268 x 10 ⁻¹	61.63
15.99	1.612	55.30
17.99	1.991	50.24
19.99	2.407	46.09
23.99	3.345	39.70
29.98	5.008	33.06
39.98	8.438	26.10
49.97	1.266 x 10 ⁰	21.73
59.97	1.763	18.72
69.96	2.332	16.51
79.96	2.973	14.82
89.95	3.681	13.47
99.95	4.456	12.38
119.9	6.197	10.71
139.9	8.184	9.491
159.9	1.040 x 10 ¹	8.559
179.9	1.285	7.823
199.9	1.551	7.226
249.9	2.306	6.133
299.8	3.177	5.390

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
399.8	5.235 x 10 ¹	4.443
499.7	7.657	3.865
599.7	1.039 x 10 ²	3.477
699.6	1.340	3.200
799.6	1.662	2.993
899.5	2.006	2.830
999.5	2.367	2.706
1199.0	3.135	2.520
1399.0	3.938	2.391
1599.0	4.804	2.299
1799.0	5.687	2.230
1999.0	6.594	2.178
2998.0	1.134 x 10 ³	2.050
3998.0	1.628	2.014
4997.0	2.124	2.010
5997.0	2.621	2.020
6996.0	3.113	2.035
7996.0	3.603	2.054
8995.0	4.087	2.073
9995.0	4.568	2.092
11990.0	5.514	2.132
13990.0	6.445	2.165
15990.0	7.361	2.198
17990.0	8.264	2.228
19990.0	9.155	2.256

Range of Deuterons in Stilbene

Scale I: 1 mev. < T_0 < 10 mev.

Scale II: 10 mev. < T_0 < 100 mev.




Range of Deuterons in Stilbene


Scale I: 100 mev. < T_0 < 1000 mev.


Scale II: 1000 mev. < T_0 < 10000 mev.

Scale III: 10000 mev. < T_0 < 100000 mev.



MU - 6296






RANGE OF DEUTERONS IN PHENYL-CYCLOHEXANE

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
1.999	4.090×10^3	286.6	399.8	5.031×10^1	4.620
3.998	1.337×10^2	174.3	499.7	7.360	4.019
5.997	2.695	127.1	599.7	9.993	3.615
7.996	4.475	101.2	699.6	1.288×10^2	3.327
9.995	6.642	84.58	799.6	1.598	3.111
11.99	9.198	73.00	899.5	1.929	2.939
13.99	1.212×10^1	64.42	999.5	2.277	2.812
15.99	1.540	57.78	1199.0	3.015	2.618
17.99	1.903	52.48	1399.0	3.800	2.484
19.99	2.302	48.14	1599.0	4.621	2.388
23.99	3.200	41.45	1799.0	5.472	2.317
29.98	4.793	34.50	1999.0	6.346	2.263
39.98	8.081	27.22	2998.0	1.092×10^3	2.128
49.97	1.212×10^0	22.66	3998.0	1.567	2.090
59.97	1.690	19.51	4997.0	2.045	2.086
69.96	2.236	17.20	5997.0	2.524	2.096
79.96	2.851	15.44	6996.0	2.999	2.112
89.95	3.531	14.03	7996.0	3.473	2.130
99.95	4.274	12.90	8995.0	3.937	2.150
119.9	5.946	11.15	9995.0	4.401	2.170
139.9	7.855	9.881	11990.0	5.313	2.211
159.9	9.989	8.909	13990.0	6.210	2.245
179.9	1.234×10^1	8.142	15990.0	7.094	2.279
199.9	1.490	7.520	17990.0	7.965	2.310
249.9	2.214	6.381	19990.0	8.825	2.339
299.8	3.052	5.607			

Range of Deuterons in Phenyl-Cyclo-Hexane

Scale I: $1 \text{ mev.} < T_0 < 10 \text{ mev.}$

Scale II: $10 \text{ mev.} < T_0 < 100 \text{ mev.}$




Range of Deuterons in Phenyl-Cyclo-Hexane


Scale I: $100 \text{ mev.} < T_0 < 1000 \text{ mev.}$


Scale II: $1000 \text{ mev.} < T_0 < 10000 \text{ mev.}$

Scale III: $10000 \text{ mev.} < T_0 < 100000 \text{ mev.}$



MU - 6298





V. H^3 RANGE-ENERGY DATA
 H^3 Kinetic Energy Range: 1 Mev. to 10^5 Mev.

RANGE OF H^3 IN BERYLLIUM


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.994	8.712×10^{-3}	247.0
5.987	2.523×10^{-2}	145.9
8.981	4.953	106.0
11.97	8.139	84.27
14.97	1.205×10^{-1}	70.38
17.96	1.664	60.69
20.96	2.191	53.51
23.95	2.783	47.96
26.94	3.439	43.54
29.94	4.158	39.92
35.92	5.779	34.35
41.91	7.642	30.24
47.90	9.738	27.08
53.88	1.206×10^0	24.56
59.87	1.461	22.51
89.81	3.058	16.12
119.7	5.164	12.74
149.7	7.748	10.64
179.6	1.078×10^1	9.197
209.6	1.425	8.145
239.5	1.813	7.342
269.4	2.240	6.707

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
299.4	2.705×10^1	6.194
449.0	5.548	4.614
598.7	9.149	3.800
748.4	1.339×10^2	3.304
898.1	1.818	2.972
1048.0	2.344	2.734
1197.0	2.911	2.556
1497.0	4.147	2.310
1796.0	5.494	2.150
2096.0	6.925	2.039
2395.0	8.424	1.960
2694.0	9.976	1.901
2994.0	1.157×10^3	1.856
5987.0	2.861	1.713
8981.0	4.611	1.716
11970.0	6.341	1.744
14970.0	8.043	1.775
17960.0	9.715	1.806
20960.0	1.136×10^4	1.836
23950.0	1.298	1.863
26940.0	1.457	1.888
29940.0	1.615	1.912

Range of H^+ in Beryllium

Scale I: $1 \text{ mev.} < T_r < 10 \text{ mev.}$


Scale II: $10 \text{ mev.} < T_r < 100 \text{ mev.}$




MU - 6299


Range of H^+ in Beryllium


- Scale I: 100 mev. < T_T < 1000 mev.
- Scale II: 1000 mev. < T_T < 10000 mev.
- Scale III: 10000 mev. < T_T < 100000 mev.



MU-6300








RANGE OF H³ IN CARBON

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
2.994	8.262 x 10 ⁻³	241.8	299.4	2.533 x 10 ¹	6.638
5.987	2.429 x 10 ⁻²	149.7	449.0	5.182	4.956
8.981	4.785	109.8	598.7	8.545	4.087
11.97	7.870	87.58	748.4	1.248 x 10 ²	3.557
14.97	1.164 x 10 ⁻¹	73.40	898.1	1.693	3.202
17.96	1.604	63.45	1048.0	2.181	2.947
20.96	2.107	56.06	1197.0	2.705	2.757
23.95	2.671	50.34	1497.0	3.851	2.494
26.94	3.296	45.76	1796.0	5.098	2.323
29.94	3.979	42.01	2096.0	6.422	2.205
35.92	5.519	36.21	2395.0	7.808	2.120
41.91	7.284	31.93	2694.0	9.243	2.057
47.90	9.268	28.63	2994.0	1.072 x 10 ³	2.010
53.88	1.146 x 10 ⁰	26.00	5987.0	2.642	1.861
59.87	1.387	23.86	8981.0	4.252	1.868
89.81	2.891	17.14	11970.0	5.842	1.900
119.7	4.869	13.58	14970.0	7.402	1.936
149.7	7.292	11.35	17960.0	8.934	1.974
179.6	1.014 x 10 ¹	9.827	20960.0	1.044 x 10 ⁴	2.005
209.6	1.338	8.711	23950.0	1.192	2.036
239.5	1.700	7.858	26940.0	1.338	2.065
269.4	2.099	7.184	29940.0	1.482	2.091

Range of H^+ in Carbon

Scale I: 1 mev. < T_r < 10 mev.

Scale II: 10 mev. < T_r < 100 mev.




Range of H^3 in Carbon.


Scale I: 100 mev. < T_r < 1000 mev.


Scale II: 1000 mev. < T_r < 10000 mev.


Scale III: 10000 mev. < T_r < 100000 mev.



MU - 5302







RANGE OF H³ IN ALUMINUM


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.994	1.033 x 10 ⁻²	
4.490	2.003	
5.987	3.233	115.0
7.484	4.670	98.5
8.981	6.287	86.2
11.97	1.033 x 10 ⁻¹	69.6
14.97	1.505	58.8
17.96	2.069	51.2
20.96	2.694	45.5
23.95	3.388	41.0
26.94	4.155	37.5
29.94	4.990	34.5
35.92	6.855	29.9
44.90	1.016 x 10 ⁰	25.18
62.87	1.839	19.30
74.84	2.505	16.82
89.81	3.464	14.56
104.8	4.559	12.89
119.7	5.786	11.60
149.7	8.616	9.743
179.6	1.192 x 10 ¹	8.458
209.6	1.569	7.516
239.5	1.988	6.794
269.4	2.449	6.222
299.4	2.950	5.757

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
359.2	4.065 x 10 ¹	5.047
479.0	6.705	4.136
598.7	9.831	3.576
748.4	1.433 x 10 ²	3.120
898.1	1.940	2.813
1048.0	2.495	2.593
1197.0	3.092	2.428
1497.0	4.392	2.201
1796.0	5.802	2.054
2096.0	7.298	1.952
2395.0	8.864	1.879
2694.0	1.048 x 10 ³	1.826
2994.0	1.213	1.785
3742.0	1.642	1.721
4490.0	2.081	1.688
5987.0	2.976	1.664
7484.0	3.876	1.665
8981.0	4.771	1.677
11970.0	6.541	1.710
14970.0	8.271	1.747
17960.0	9.969	1.782
20960.0	1.163 x 10 ⁴	1.815
23950.0	1.326	1.845
26940.0	1.487	1.873
29940.0	1.646	1.898

Range of H^3 in Aluminum


Scale I: 1 mev. $< T_r < 10$ mev.


Scale II: 10 mev. $< T_r < 100$ mev.





Range of H^3 in Aluminum

- Scale I: 100 mev. $< T_T < 1000$ mev.
- Scale II: 1000 mev. $< T_T < 10000$ mev.
- Scale III: 10000 mev. $< T_T < 100000$ mev.










RANGE OF H³ IN COPPER

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
2.994	1.347 x 10 ⁻²		598.7	1.165 x 10 ²	3.040
5.987	4.281		748.4	1.694	2.659
8.981	8.502		898.1	2.288	2.402
11.97	1.397 x 10 ⁻¹		1048.0	2.938	2.218
14.97	2.050	46.08	1197.0	3.635	2.081
17.96	2.745	40.46	1497.0	5.150	1.891
23.95	4.399	32.81	1796.0	6.790	1.768
29.94	6.390	27.80	2096.0	8.529	1.683
35.92	8.703	24.24	2395.0	1.034 x 10 ³	1.623
41.91	1.133 x 10 ⁰	21.57	2694.0	1.221	1.578
47.90	1.425	19.48	2994.0	1.413	1.545
59.87	2.098	16.42	3592.0	1.807	1.501
65.86	2.476	15.26	4490.0	2.413	1.468
77.83	3.315	13.42	5987.0	3.440	1.452
89.81	4.260	12.02	7484.0	4.470	1.456
104.8	5.585	10.67	8981.0	5.494	1.470
119.7	7.064	9.629	10480.0	6.507	1.486
149.7	1.046 x 10 ¹	8.119	11970.0	7.508	1.504
179.6	1.443	7.072	14970.0	9.475	1.540
209.6	1.892	6.300	17960.0	1.140 x 10 ⁴	1.574
239.5	2.392	5.706	20950.0	1.328	1.605
269.4	2.940	5.235	23950.0	1.513	1.634
299.4	3.536	4.852	26940.0	1.695	1.661
359.2	4.856	4.254	29940.0	1.874	1.685
44	7.139	3.661			

Range of H^3 in Copper


Scale I: 1 mev. < T_T < 10 mev.

Scale II: 10 mev. < T_T < 100 mev.




Range of H^3 in Copper


Scale I: 100 mev. $< T_T <$ 1000 mev.
 Scale II: 1000 mev. $< T_T <$ 10000 mev.
 Scale III: 10000 mev. $< T_T <$ 100000 mev.




MU-6306



REF-518 KEUFFEL & ESSER CO.
 Semi-Logarithmic, 1 Cycle X 10 to the high.
 60 lines recorded.
 MADE IN U. S. A.






RANGE OF H³ IN LEAD


T	R	$\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
104.8	8.218 x 10 ⁰	7.472
119.7	1.032 x 10 ¹	6.777
149.7	1.514	5.762
179.6	2.070	5.051
209.6	2.698	4.522
239.5	3.393	4.113
269.4	4.152	3.787
299.4	4.973	3.520
359.2	6.788	3.108
478.9	1.105 x 10 ²	2.575
598.7	1.605	2.243
748.4	2.320	1.971
898.1	3.120	1.787
1048.0	3.991	1.655
1197.0	4.924	1.557
1497.0	6.945	1.420
1796.0	9.126	1.332


T	R	$\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2096.0	1.143 x 10 ³	1.272
2395.0	1.382	1.229
2694.0	1.629	1.198
2994.0	1.882	1.175
3592.0	2.398	1.146
4789.0	3.457	1.122
5987.0	4.527	1.118
7484.0	5.861	1.126
8981.0	7.181	1.141
10480.0	8.485	1.157
11970.0	9.769	1.174
14970.0	1.228 x 10 ⁴	1.206
17960.0	1.474	1.326
20960.0	1.712	1.264
23950.0	1.947	1.290
26940.0	2.177	1.313
29940.0	2.403	1.334

Range of H^3 in Lead

Scale I: 100 mev. < T_r < 1000 mev.
 Scale II: 1000 mev. < T_r < 10000 mev.
 Scale III: 10000 mev. < T_r < 100000 mev.







RANGE OF H³ IN H₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.994	2.557 x 10 ⁻³	690.7
8.981	1.762 x 10 ⁻²	283.4
14.97	4.440	185.2
17.96	6.190	159.0
20.96	8.205	139.6
23.95	1.048 x 10 ⁻¹	124.8
26.94	1.300	112.9
29.94	1.578	103.3
35.92	2.206	88.54
41.91	2.929	77.71
47.90	3.746	69.41
53.88	4.654	62.83
59.87	5.651	57.48
89.81	1.193 x 10 ⁰	40.87
119.7	2.026	32.17
149.7	3.050	26.78
179.6	4.259	23.09
209.6	5.641	20.41
239.5	7.189	18.37
269.4	8.898	16.76
299.4	1.076 x 10 ¹	15.46

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.7	3.669 x 10 ¹	9.418
748.4	5.382	8.172
898.1	7.322	7.337
1048.0	9.454	6.740
1197.0	1.176 x 10 ²	6.295
1497.0	1.679	5.678
1796.0	2.227	5.277
2096.0	2.811	4.999
2395.0	3.422	4.798
2694.0	4.057	4.649
2994.0	4.709	4.536
5987.0	1.171 x 10 ³	4.159
8981.0	1.893	4.150
11970.0	2.610	4.205
14970.0	3.316	4.272
17960.0	4.009	4.340
20960.0	4.694	4.404
23950.0	5.369	4.464
26940.0	6.035	4.520
29940.0	6.694	4.572

Range of H^3 in H_2


Scale I: 1 mev. < T_r < 10 mev.


Scale II: 10 mev. < T_r < 100 mev.





Range of H^3 in H_2

Scale I: $100 \text{ mev.} < T_e < 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} < T_e < 10000 \text{ mev.}$
 Scale III: $10000 \text{ mev.} < T_e < 100000 \text{ mev.}$









ML-6576

RANGE OF H³ IN D₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.994	5.110 x 10 ⁻³	345.6
8.981	3.520 x 10 ⁻²	141.8
14.97	8.875	92.69
17.96	1.237 x 10 ⁻¹	79.54
20.96	1.640	69.86
23.95	2.094	62.42
26.94	2.602	56.51
29.94	3.152	51.70
35.92	4.409	44.30
41.91	5.854	38.88
47.90	7.486	34.73
53.88	9.301	31.44
59.87	1.129 x 10 ⁰	28.76
89.81	2.384	20.45
119.7	4.048	16.10
149.7	6.097	13.40
179.6	8.511	11.56
209.6	1.127 x 10 ¹	10.21
239.5	1.437	9.191
269.4	1.778	8.386
299.4	2.150	7.735

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.7	7.333 x 10 ¹	4.712
748.4	1.076 x 10 ²	4.089
898.1	1.463	3.671
1048.0	1.889	3.373
1197.0	2.349	3.150
1497.0	3.355	2.841
1796.0	4.450	2.640
2096.0	5.618	2.501
2395.0	6.839	2.401
2694.0	8.107	2.326
2994.0	9.410	2.270
5987.0	2.339 x 10 ³	2.081
8981.0	3.782	2.077
11970.0	5.216	2.104
14970.0	6.627	2.138
17960.0	8.012	2.172
20960.0	9.381	2.204
23950.0	1.072 x 10 ⁴	2.234
26940.0	1.206	2.262
29940.0	1.338	2.288

Range of H^3 in D_2

Scale I: 1 mev. < T_T < 10 mev.


Scale II: 10 mev. < T_T < 100 mev.




MU-6312


Range of H^3 in D_2


Scale I: 100 mev. < T_r < 1000 mev.
Scale II: 1000 mev. < T_r < 10000 mev.
Scale III: 10000 mev. < T_r < 100000 mev.



MU-6313








RANGE OF H³ IN AIR

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
2.994	8.442×10^{-3}		479.0	5.948×10^1	4.631
5.987	2.604×10^{-2}		598.7	8.747	3.996
8.981	5.176	102.0	748.4	1.277×10^2	3.479
11.97	8.478	81.73	898.1	1.733	3.132
14.97	1.239×10^{-1}	68.68	1048.0	2.231	2.876
17.96	1.707	59.38	1197.0	2.769	2.698
20.96	2.230	51.71	1497.0	3.937	2.442
23.95	2.833	46.00	1796.0	5.211	2.275
26.94	3.473	42.09	2096.0	6.562	2.161
29.94	4.203	38.82	2395.0	7.978	2.077
35.92	5.811	33.93	2694.0	9.439	2.016
44.90	8.753	29.15	2994.0	1.094×10^3	1.971
62.87	1.589×10^0	22.19	3742.0	1.482	1.896
74.84	2.169	19.28	4490.0	1.881	1.857
89.81	3.006	16.64	5987.0	2.695	1.827
104.8	3.966	14.69	7484.0	3.514	1.825
119.7	5.041	13.19	8981.0	4.335	1.835
149.7	7.535	11.03	11970.0	5.951	1.868
179.6	1.046×10^1	9.568	14970.0	7.538	1.904
209.6	1.378	8.483	17960.0	9.098	1.940
239.5	1.750	7.662	20960.0	1.062×10^4	1.973
269.4	2.159	7.010	23950.0	1.213	2.004
299.4	2.604	6.479	26940.0	1.362	2.033
359.2	3.595	5.669	29940.0	1.508	2.059

Range of H^3 in Air

Scale I: 1 mev. < T_0 < 10 mev.
 Scale II: 10 mev. < T_0 < 100 mev.




Range of H^3 in Air


Scale I: 100 mev. $< T_T < 1000$ mev.


Scale II: 1000 mev. $< T_T < 10000$ mev.


Scale III: 10000 mev. $< T_T < 100000$ mev.



MU - 6309







RANGE OF H³ IN CH₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.994	5.720 x 10 ⁻³	305.9
5.987	1.874 x 10 ⁻²	184.8
8.981	3.797	134.6
11.97	6.313	107.0
14.97	9.387	89.37
17.96	1.300 x 10 ⁻¹	77.10
20.96	1.715	68.00
23.95	2.181	60.97
26.94	2.696	55.36
29.94	3.261	50.77
35.92	4.537	43.69
44.90	6.802	36.34
59.87	1.148 x 10 ⁰	28.66
74.84	1.723	23.84
89.81	2.402	20.53
104.8	3.180	18.10
119.7	4.055	16.23
149.7	6.083	13.56
179.6	8.466	11.72
209.6	1.118 x 10 ¹	10.38
239.5	1.423	9.360
269.4	1.757	8.552
299.4	2.122	7.898
374.2	3.156	6.700

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
449.0	4.352 x 10 ¹	5.886
598.7	7.174	4.849
748.4	1.050 x 10 ²	4.217
898.1	1.426	3.792
1048	1.838	3.489
1197.0	2.281	3.262
1497.0	3.250	2.949
1796.0	4.305	2.745
2096.0	5.426	2.604
2395.0	6.599	2.503
2694.0	7.815	2.428
2994.0	9.064	2.371
4490.0	1.559 x 10 ³	2.229
5987.0	2.240	2.189
7484.0	2.923	2.184
8981.0	3.609	2.194
10480.0	4.287	2.210
11970.0	4.963	2.229
14970.0	6.294	2.270
17960.0	7.600	2.312
20960.0	8.885	2.348
23950.0	1.015 x 10 ⁴	2.383
26940.0	1.140	2.415
29940.0	1.263	2.445

Range of H^3 in CH_2

Scale I: $1 \text{ mev.} < T_T < 10 \text{ mev.}$


Scale II: $10 \text{ mev.} < T_T < 100 \text{ mev.}$




MU-6318


Range of H^3 in CH_2


- Scale I: 100 mev. < T_i < 1000 mev.
- Scale II: 1000 mev. < T_i < 10000 mev.
- Scale III: 10000 mev. < T_i < 100000 mev.



MU-6319








RANGE OF H^3 IN CD_2

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm	T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
2.994	6.919×10^{-3}	267.7	449.0	4.973×10^1	5.150
5.987	2.154×10^{-2}	161.7	598.7	8.199	4.243
8.981	4.356	117.8	748.4	1.200×10^2	3.690
11.97	7.228	93.59	898.1	1.629	3.318
14.97	1.074×10^{-1}	78.20	1048.0	2.100	3.053
17.96	1.488	67.46	1197.0	2.607	2.855
20.96	1.962	59.50	1497.0	3.714	2.580
23.95	2.494	53.35	1796.0	4.919	2.402
26.94	3.083	48.44	2096.0	6.201	2.279
29.94	3.729	44.42	2395.0	7.542	2.190
35.92	5.187	38.23	2694.0	8.932	2.124
44.90	7.776	31.80	2994.0	1.036×10^3	2.074
59.87	1.312×10^0	25.08	4490.0	1.783	1.951
74.84	1.969	20.86	5987.0	2.560	1.915
89.81	2.745	17.96	7484.0	3.342	1.911
104.8	3.634	15.83	8981.0	4.125	1.920
119.7	4.634	14.20	10480.0	4.900	1.934
149.7	6.952	11.86	11970.0	5.673	1.950
179.6	9.675	10.26	14970.0	7.193	1.986
209.6	1.278×10^1	9.085	17960.0	8.686	2.023
239.5	1.626	8.190	20960.0	1.015×10^4	2.054
269.4	2.009	7.483	23950.0	1.160	2.085
299.4	2.426	6.911	26940.0	1.303	2.113
374.2	3.607	5.863	29940.0	1.443	2.140

Range of H^3 in CD_2


Scale I: 1 mev. $\leq T_T < 10$ mev.

Scale II: 10 mev. $< T_T < 100$ mev.





Range of H^3 in CD_2


Scale I: 100 mev. $< T_T < 1000$ mev.
 Scale II: 1000 mev. $< T_T < 10000$ mev.
 Scale III: 10000 mev. $< T_T < 100000$ mev.



MU-6321







RANGE OF H^3 IN H_2O


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.994	6.720×10^{-3}	279.4
5.987	2.100×10^{-2}	167.7
8.981	4.224	122.7
11.97	6.966	97.93
14.97	1.033×10^{-1}	82.04
17.96	1.426	70.90
20.96	1.877	62.63
23.95	2.381	56.22
26.94	2.951	51.10
29.94	3.553	46.91
35.92	4.932	40.43
44.90	7.378	33.69
59.87	1.242×10^0	26.62
74.84	1.861	22.18
89.81	2.590	19.11
104.8	3.426	16.86
119.7	4.364	15.14
149.7	6.537	12.66
179.6	9.087	10.96
209.6	1.200×10^1	9.709
239.5	1.524	8.758
269.4	1.883	8.006
299.4	2.272	7.397
449.0	4.650	5.521

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.7	7.657×10^1	4.553
748.4	1.120×10^2	3.962
898.1	1.519	3.566
1048.0	1.957	3.282
1197.0	2.430	3.070
1497.0	3.458	2.777
1796.0	4.578	2.586
2096.0	5.768	2.455
2395.0	7.013	2.360
2694.0	8.302	2.290
2994.0	9.625	2.237
4490.0	1.654×10^3	2.107
5987.0	2.373	2.070
7484.0	3.097	2.067
8981.0	3.820	2.078
10480.0	4.536	2.094
11970.0	5.250	2.113
14970.0	6.653	2.154
17960.0	8.030	2.193
20960.0	9.384	2.230
23950.0	1.072×10^4	2.264
26940.0	1.202	2.296
29940.0	1.332	2.325

Range of H^3 in H_2O

Scale I: 1 mer. $< T_r < 10$ mer.

Scale II: 10 mer. $< T_r < 100$ mer.



Range in gm/cm²


MU-6314

Range of H^3 in H_2O


Scale I: 100 mev. < T_r < 1000 mev.


Scale II: 1000 mev. < T_r < 10000 mev.


Scale III: 10000 mev. < T_r < 100000 mev.



MU-6315








RANGE OF H^3 IN D_2O

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
2.994	7.109×10^{-3}	251.4
5.987	2.308×10^{-2}	150.8
8.981	4.658	110.4
11.97	7.716	88.14
14.97	1.144×10^{-1}	73.83
17.96	1.582	63.81
20.96	2.082	56.37
23.95	2.643	50.60
26.94	3.264	45.99
29.94	3.945	42.22
35.92	5.477	36.38
44.90	8.194	30.32
59.87	1.379×10^0	23.96
74.84	2.067	19.96
89.81	2.877	17.20
104.8	3.806	15.18
119.7	4.849	13.62
149.7	7.263	11.39
179.6	1.010×10^1	9.859
209.6	1.333	8.738
239.5	1.694	7.882
269.4	2.092	7.206
299.4	2.525	6.658
374.2	3.750	5.653

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
449.0	5.167×10^1	4.969
598.7	8.508	4.098
748.4	1.244×10^2	3.566
898.1	1.688	3.209
1048.0	2.175	2.954
1197.0	2.699	2.763
1497.0	3.843	2.499
1796.0	5.087	2.328
2096.0	6.409	2.209
2395.0	7.792	2.124
2694.0	9.244	2.061
2994.0	1.069×10^3	2.014
4490.0	1.838	1.896
5987.0	2.638	1.863
7484.0	3.441	1.861
8981.0	4.245	1.870
10480.0	5.041	1.885
11970.0	5.833	1.902
14970.0	7.392	1.938
17960.0	8.922	1.974
20960.0	1.042×10^4	2.007
23950.0	1.191	2.038
26940.0	1.336	2.066
29940.0	1.480	2.092

Range of H^3 in D_2O

Scale I: 1 mev. < T_r < 10 mev.
 Scale II: 10 mev. < T_r < 100 mev.




MU-6316

Range of H^3 in D_2O


Scale I: $100 \text{ mev} < T_r < 1000 \text{ mev}$


Scale II: $1000 \text{ mev} < T_r < 10000 \text{ mev}$


Scale III: $10000 \text{ mev} < T_r < 100000 \text{ mev}$



MU-6317








RANGES OF H^3 IN $C_5H_8O_2$

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
2.994	6.748×10^{-3}	273.2	598.7	7.794×10^1	4.468
5.987	2.129×10^{-2}	166.0	748.4	1.140×10^2	3.888
8.981	4.267	121.4	898.1	1.547	3.498
11.97	7.050	96.73	1048.0	1.994	3.220
14.97	1.045×10^{-1}	80.98	1197.0	2.475	3.011
17.96	1.444	69.95	1347.0	2.986	2.847
20.96	1.900	61.77	1497.0	3.524	2.723
23.95	2.413	55.43	1796.0	4.666	2.536
26.94	2.980	50.37	2096.0	5.879	2.406
29.94	3.601	46.22	2395.0	7.149	2.314
35.92	5.001	39.82	2694.0	8.464	2.245
44.90	7.484	33.17	2994.0	9.814	2.193
59.87	1.260×10^0	26.20	4490.0	1.687×10^3	2.064
74.84	1.889	21.82	5987.0	2.422	2.028
89.81	2.631	18.80	7484.0	3.160	2.025
104.8	3.481	16.58	8981.0	3.899	2.034
119.7	4.435	14.88	10480.0	4.630	2.050
134.7	5.491	13.54	11970.0	5.358	2.069
149.7	6.646	12.44	13470.0	6.077	2.088
179.6	9.241	10.76	14970.0	6.792	2.108
209.6	1.218×10^1	9.539	17960.0	8.198	2.148
239.5	1.547	8.603	20960.0	9.582	2.182
269.4	1.911	7.863	23950.0	1.094×10^4	2.215
299.4	2.308	7.264	26940.0	1.228	2.246
374.2	3.427	6.166	29940.0	1.361	2.274
449.0	4.730	5.420			

Range of H^3 in $C_5H_8O_2$

Scale I: $1 \text{ mer} < T_r < 10 \text{ mer}$
 Scale II: $10 \text{ mer} < T_r < 100 \text{ mer}$



Range in g^m/cm^2


MU-6910

Range of H^3 in $C_5H_8O_2$


Scale I: 100 mev. $< T_r < 1000$ mev.


Scale II: 1000 mev. $< T_r < 10000$ mev.


Scale III: 10000 mev. $< T_r < 100000$ mev.



MU-6909








RANGE OF H^3 IN STILBENE

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm	T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
2.994	6.466×10^3	271.7	449.0	4.758×10^1	5.390
5.987	2.106×10^2	166.1	598.7	7.840	4.443
8.981	4.239	121.3	748.4	1.146×10^2	3.865
11.97	7.029	96.62	898.1	1.557	3.477
14.97	1.043×10^1	80.85	1048.0	2.006	3.200
17.96	1.442	69.82	1197.0	2.490	2.993
20.96	1.900	61.63	1497.0	3.545	2.706
23.95	2.413	55.30	1796.0	4.695	2.520
26.94	2.982	50.24	2096.0	5.915	2.391
29.94	3.605	46.094	2395.0	7.194	2.299
35.92	5.009	39.70	2694.0	8.517	2.230
44.90	7.500	33.06	2994.0	9.876	2.178
59.87	1.263×10^0	26.10	4490.0	1.698×10^3	2.050
74.84	1.895	21.73	5987.0	2.438	2.014
89.81	2.640	18.72	7484.0	3.181	2.010
104.8	3.493	16.51	8981.0	3.926	2.020
119.7	4.452	14.82	10480.0	4.663	2.035
149.7	6.672	12.38	11970.0	5.396	2.054
179.6	9.281	10.71	14970.0	6.840	2.092
209.6	1.226×10^1	9.491	17960.0	8.258	2.132
239.5	1.558	8.559	20960.0	9.652	2.165
269.4	1.925	7.823	23950.0	1.102×10^4	2.198
299.4	2.323	7.226	26940.0	1.238	2.228
374.2	3.452	6.133	29940.0	1.371	2.256

Range of H^3 in Stilbene

Scale I: 1 mev. < T_r < 10 mev.

Scale II: 10 mev. < T_r < 100 mev.




MU-6322

Range of H^3 in Stilbene


Scale I: 100 mev. $< T_r < 1000$ mev.


Scale II: 1000 mev. $< T_r < 10000$ mev.


Scale III: 10000 mev. $< T_r < 100000$ mev.



MU-6323








RANGE OF H³ IN PHENYL CYCLOHEXANE

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm	T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
2.994	6.125×10^{-3}	286.6	449.0	4.571×10^1	5.607
5.987	2.002×10^{-2}	174.3	598.7	7.534	4.620
8.981	4.036	127.1	748.4	1.102×10^2	4.019
11.97	6.702	101.2	898.1	1.496	3.615
14.97	9.948	84.58	1048.0	1.929	3.327
17.96	1.378×10^{-1}	73.00	1197.0	2.394	3.111
20.96	1.814	64.42	1497.0	3.410	2.812
23.95	2.307	57.78	1796.0	4.515	2.618
26.94	2.850	52.48	2096.0	5.691	2.484
29.94	3.447	48.14	2395.0	6.921	2.388
35.92	4.792	41.45	2694.0	8.195	2.317
44.90	7.178	34.50	2994.0	9.503	2.263
59.87	1.210×10^0	27.22	4490.0	1.635×10^3	2.128
74.84	1.815	22.66	5987.0	2.347	2.096
89.81	2.530	19.51	7484.0	3.063	2.086
104.8	3.349	17.20	8981.0	3.780	2.096
119.7	4.269	15.44	10480.0	4.490	2.112
149.7	6.402	12.90	11970.0	5.201	2.130
179.6	8.906	11.15	14970.0	6.590	2.170
209.6	1.176×10^1	9.881	17960.0	7.956	2.211
239.5	1.496	8.909	20960.0	9.301	2.245
269.4	1.848	8.142	23950.0	1.062×10^4	2.279
299.4	2.231	7.520	26940.0	1.193	2.310
374.2	3.316	6.381	29940.0	1.322	2.339

Range of H^2 in Phenyl-Cyclo-Hexane

Scale I: 1 mev. < T_r < 10 mev.

Scale II: 10 mev. < T_r < 100 mev.




Range of H^+ in Phenyl-Cyclo-Hexane


Scale I: $100 \text{ mev} < T_r < 1000 \text{ mev}$


Scale II: $1000 \text{ mev} < T_r < 10000 \text{ mev}$


Scale III: $10000 \text{ mev} < T_r < 100000 \text{ mev}$



MU-6325







VI. He³ RANGE-ENERGY DATA

He³ Kinetic Energy Range: 1 Mev. to 10⁵ Mev.


RANGE OF He³ IN BERYLLIUM

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
2.993	2.177 x 10 ⁻³	987.9
5.986	6.306	583.5
8.979	1.238 x 10 ⁻²	424.2
11.97	2.034	337.1
14.96	3.012	281.5
17.96	4.160	242.7
20.95	5.476	214.0
23.94	6.956	191.8
26.94	8.596	174.2
29.93	1.039 x 10 ⁻¹	159.7
35.92	1.445	137.4
41.90	1.910	121.0
47.89	2.434	108.3
53.88	3.015	98.25
59.86	3.652	90.06
89.79	7.644	64.47
119.7	1.291 x 10 ⁰	50.96
149.6	1.937	42.55
179.6	2.696	36.79
209.5	3.562	32.58
239.4	4.532	29.37
269.4	5.599	26.83

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
299.3	6.761 x 10 ⁰	24.78
449.0	1.387 x 10 ¹	18.46
598.6	2.287	15.20
748.3	3.347	13.18
897.9	4.544	11.89
1048.0	5.859	10.94
1197.0	7.276	10.22
1496.0	1.037 x 10 ²	9.240
1796.0	1.373	8.600
2095.0	1.731	8.158
2394.0	2.106	7.840
2694.0	2.494	7.604
2993.0	2.892	7.426
5986.0	7.151	6.853
8979.0	1.152 x 10 ³	6.865
11970.0	1.585	6.975
14960.0	2.010	7.102
17960.0	2.428	7.226
20950.0	2.839	7.344
23940.0	3.244	7.453
26940.0	3.642	7.553
29930.0	4.036	7.647

Range of He³ in Beryllium

Scale I: 1 mer. < T_{He} < 10 mer.
 Scale II: 10 mer. < T_{He} < 100 mer.




MU-6326

Range of He³ in Beryllium


Scale I: 100 mev. < T_{He} < 1000 mev.


Scale II: 1000 mev. < T_{He} < 10000 mev.


Scale III: 10000 mev. < T_{He} < 100000 mev.



MU-6327








RANGE OF He³ IN CARBON

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	2.065 x 10 ⁻³	967.0
5.986	6.071	598.7
8.979	1.196 x 10 ⁻²	439.0
11.97	1.967	350.3
14.96	2.910	293.6
17.96	4.009	253.8
20.95	5.267	224.2
23.94	6.677	201.3
26.94	8.239	183.0
29.93	9.947	168.0
35.92	1.380 x 10 ⁻¹	144.8
41.90	1.821	127.7
47.89	2.316	114.5
53.88	2.866	104.0
59.86	3.467	95.43
89.79	7.227	68.55
119.7	1.217 x 10 ⁰	54.30
149.6	1.823	45.41
179.6	2.534	39.31
209.5	3.344	34.94
239.4	4.250	31.43
269.4	5.247	28.74

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
299.3	6.332 x 10 ⁰	26.55
449.0	1.295 x 10 ¹	19.82
598.6	2.136	16.35
748.3	3.118	14.23
897.9	4.232	12.81
1048.0	5.452	11.79
1197.0	6.763	11.03
1496.0	9.627	9.976
1796.0	1.274 x 10 ²	9.292
2095.0	1.605	8.820
2394.0	1.952	8.480
2694.0	2.310	8.230
2993.0	2.678	8.040
5986.0	6.604	7.443
8979.0	1.063 x 10 ³	7.470
11970.0	1.460	7.599
14960.0	1.850	7.745
17960.0	2.233	7.897
20950.0	2.609	8.020
23940.0	2.980	8.144
26940.0	3.344	8.258
29930.0	3.705	8.364

Range of He^3 in Carbon.


Scale I: 1 mev. $< T_{\text{He}}$ < 10 mev.
 Scale II: 10 mev. $< T_{\text{He}}$ < 100 mev.




MU-6320


Range of He³ in Carbon


Scale I: 100 mev. < T_{He} < 1000 mev.
 Scale II: 1000 mev. < T_{He} < 10000 mev.
 Scale III: 10000 mev. < T_{He} < 100000 mev.



MU-6329







RANGE OF He³ IN ALUMINUM


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	2.582 x 10 ⁻³	
4.490	5.006	
5.986	8.081	460.0
7.483	1.167 x 10 ⁻²	394.0
8.979	1.571	344.8
11.97	2.582	278.4
14.96	3.764	235.2
17.96	5.171	204.8
20.95	6.734	182.0
23.94	8.470	164.0
26.94	1.039 x 10 ⁻¹	150.0
29.93	1.247	138.0
35.92	1.714	119.6
44.90	2.539	100.7
62.86	4.597	77.20
74.83	6.262	67.28
89.79	8.658	58.24
104.8	1.140 x 10 ⁰	51.56
119.7	1.446	46.40
149.6	2.154	38.97
179.6	2.980	33.83
209.5	3.921	30.06
239.4	4.970	27.18
269.4	6.122	24.89
299.3	7.374	23.03

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
359.2	1.016 x 10 ¹	20.19
478.9	1.676	16.54
598.6	2.457	14.30
748.3	3.582	12.48
897.9	4.849	11.25
1049.0	6.236	10.37
1197.0	7.730	9.712
1496.0	1.098 x 10 ²	8.804
1796.0	1.450	8.216
2095.0	1.824	7.808
2394.0	2.216	7.516
2694.0	2.620	7.304
2993.0	3.034	7.140
3741.0	4.104	6.884
4490.0	5.202	6.752
5986.0	7.439	6.656
7483.0	9.690	6.660
8979.0	1.193 x 10 ³	6.708
11970.0	1.635	6.840
14960.0	2.067	6.988
17960.0	2.492	7.128
20950.0	2.908	7.260
23940.0	3.316	7.380
26940.0	3.719	7.492
29930.0	4.116	7.592

Range of He³ in Aluminum

Scale I: 1 mev. < T₀ < 10 mev.


Scale II: 10 mev. < T₀ < 100 mev.




MU-6330


Range of He^3 in Aluminum


- Scale I: 100 mev. < T_{He} < 1000 mev.
- Scale II: 1000 mev. < T_{He} < 10000 mev.
- Scale III: 10000 mev. < T_{He} < 100000 mev.



MU-6331








RANGE OF He³ IN COPPER

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	3.367 x 10 ⁻³	
5.896	1.070 x 10 ⁻²	
8.979	2.125	
11.97	3.491	
14.96	5.124	184.3
17.96	6.362	161.8
23.94	1.100 x 10 ⁻¹	131.2
29.93	1.597	111.2
35.92	2.175	96.96
41.90	2.831	86.28
47.89	3.562	77.92
59.86	5.243	65.68
65.84	6.190	61.04
77.82	8.287	53.68
89.79	1.065 x 10 ⁰	48.08
104.8	1.396	42.68
119.7	1.766	38.52
149.6	2.616	32.48
179.6	3.606	28.29
209.5	4.730	25.20
239.4	5.980	22.82
269.4	7.351	20.94
299.3	8.837	19.41
359.2	1.214 x 10 ¹	17.02
449.0	1.784	14.64

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.6	2.914 x 10 ¹	12.16
748.2	4.235	10.64
897.9	5.720	9.608
1048.0	7.343	8.872
1197.0	9.087	8.324
1496.0	1.287 x 10 ²	7.564
1796.0	1.697	7.072
2095.0	2.132	6.732
2394.0	2.585	6.492
2694.0	3.053	6.312
2993.0	3.532	6.180
3592.0	4.516	6.004
4490.0	6.031	5.872
5986.0	8.599	5.808
7482.0	1.117 x 10 ³	5.824
8979.0	1.373	5.880
10480.0	1.626	5.944
11970.0	1.877	6.016
14960.0	2.368	6.160
17960.0	2.849	6.296
20950.0	3.320	6.420
23940.0	3.782	6.536
26940.0	4.236	6.644
29930.0	4.683	6.740

Range of He³ in Copper


Scale I: 1 mev. < T_{He} < 10 mev.
 Scale II: 10 mev. < T_{He} < 100 mev.





MU-6332

Range of He³ in Copper


Scale I: 100 mev. < T_{He} < 1000 mev.
 Scale II: 1000 mev. < T_{He} < 10000 mev.
 Scale III: 10000 mev. < T_{He} < 100000 mev.







$-\frac{dT_0}{\rho dx}$ vs. T_0 for He²⁺ in Copper



Scale I: $10^3 \text{ mev} < T_0 < 10^4 \text{ mev}$

T_0 in Mev

Scale II: $10^4 \text{ mev} < T_0 < 10^5 \text{ mev}$

CU-6441

RANGE OF He³ IN LEAD

T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
104.8	2.054 x 10 ⁰	29.89
119.7	2.581	27.11
149.6	3.783	23.05
179.6	5.174	20.20
209.5	6.743	18.09
239.4	8.480	16.45
269.4	1.038 x 10 ¹	15.15
299.3	1.243	14.08
359.2	1.697	12.43
478.9	2.762	10.30
598.6	4.012	8.971
748.3	5.799	7.884
897.9	7.798	7.149
1048.0	9.976	6.621
1197.0	1.231 x 10 ²	6.227
1496.0	1.736	5.681
1796.0	2.281	5.328


T Mev	R gm/cm ²	$-\frac{dT}{d\xi}$ Mev-cm ² /gm
2095.0	2.857 x 10 ²	5.087
2394.0	3.456	4.917
2694.0	4.072	4.793
2993.0	4.703	4.702
3592.0	5.994	4.584
4789.0	8.641	4.486
5986.0	1.132 x 10 ³	4.474
7483.0	1.465	4.504
8979.0	1.795	4.564
10480.0	2.121	4.628
11970.0	2.442	4.694
14960.0	3.071	4.825
17960.0	3.683	4.946
20950.0	4.282	5.057
23940.0	4.867	5.159
26940.0	5.442	5.252
29930.0	6.007	5.338

Range of He³ in Lead


Scale I: 100 mev. < T₀ < 1000 mev.


Scale II: 1000 mev. < T₀ < 10000 mev.

Scale III: 10000 mev. < T₀ < 100000 mev.



MU-G334





RANGE OF HE³ IN H₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	6.391×10^{-4}	2763.0
8.979	4.403×10^{-3}	1134.0
14.96	1.110×10^{-2}	740.9
17.96	1.547	635.8
20.95	2.051	558.5
23.94	2.619	499.0
26.94	3.250	451.7
29.93	3.944	413.2
35.92	5.514	354.2
41.90	7.322	310.8
47.89	9.364	277.6
53.88	1.163×10^{-1}	251.3
59.86	1.413	229.9
89.79	2.982	163.5
119.7	5.063	128.7
149.6	7.626	107.1
179.6	1.064×10^0	92.37
209.5	1.410	81.64
239.4	1.797	73.47
269.4	2.224	67.04
299.3	2.690	61.83

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.6	9.172	37.67
748.3	1.345×10^1	32.69
897.9	1.830	29.35
1048.0	2.363	26.96
1197.0	2.938	25.18
1496.0	4.196	22.71
1796.0	5.566	21.11
2095.0	7.027	20.00
2394.0	8.554	19.19
2694.0	1.014×10^2	18.60
2993.0	1.177	18.14
5986.0	2.926	16.64
8979.0	4.731	16.60
11970.0	6.523	16.82
14960.0	8.289	17.09
17960.0	1.002×10^3	17.36
20950.0	1.173	17.62
23940.0	1.342	17.86
26940.0	1.509	18.08
29930.0	1.673	18.29

Range of He^3 in H_2

Scale I: 1 mev. < T_{He} < 10 mev.

Scale II: 10 mev. < T_{He} < 100 mev.




MU-6337

Range of He^2 in H_2


Scale I: $100 \text{ mev} < T_{\alpha} < 1000 \text{ mev}$


Scale II: $1000 \text{ mev} < T_{\alpha} < 10000 \text{ mev}$


Scale III: $10000 \text{ mev} < T_{\alpha} < 100000 \text{ mev}$



MU-6338








RANGE OF HE³ IN D₂

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.277x10 ⁻³	1382.0
8.979	8.799	567.3
14.96	2.218x10 ⁻²	370.8
17.96	3.092	318.2
20.95	4.099	279.5
23.94	5.234	249.7
26.94	6.503	226.0
29.93	7.881	206.8
35.92	1.102x10 ⁻¹	177.2
41.90	1.463	155.5
47.89	1.871	138.9
53.88	2.325	125.8
59.86	2.823	115.0
89.79	5.960	81.80
119.7	1.012x10 ⁰	64.39
149.6	1.524	53.59
179.6	2.127	46.22
209.5	2.818	40.86
239.4	3.591	36.76
269.4	4.445	33.54
299.3	5.375	30.94

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.6	1.833 x 10 ¹	18.85
748.3	2.689	16.36
897.9	3.657	14.68
1048.0	4.722	13.49
1197.0	5.872	12.60
1496.0	8.385	11.36
1796.0	1.112 x 10 ²	10.56
2095.0	1.404	10.01
2394.0	1.710	9.604
2694.0	2.026	9.306
2993.0	2.352	9.079
5986.0	5.848	8.324
8979.0	9.455	8.307
11970.0	1.304 x 10 ³	8.416
14960.0	1.656	8.551
17960.0	2.003	8.686
20950.0	2.345	8.815
23940.0	2.682	8.935
26940.0	3.015	9.047
29930.0	3.344	9.150

Range of He^3 in D_2


Scale I: 1 mev. < T_{He} < 10 mev.
 Scale II: 10 mev. < T_{He} < 100 mev.




MU-6339


Range of He^3 in D_2


Scale I: $100 \text{ mev.} < T_{\text{He}} < 1000 \text{ mev.}$
 Scale II: $1000 \text{ mev.} < T_{\text{He}} < 10000 \text{ mev.}$
 Scale III: $10000 \text{ mev.} < T_{\text{He}} < 100000 \text{ mev.}$



MU-6340








RANGE OF He³ IN AIR.

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	2.110 x 10 ⁻³	
5.986	6.510	
8.979	1.294 x 10 ⁻²	408.0
11.97	2.119	326.9
14.96	3.096	274.7
17.96	4.266	237.5
20.95	5.573	206.8
23.94	7.082	184.0
26.94	8.680	168.4
29.93	1.050 x 10 ⁻¹	155.3
35.92	1.452	135.7
44.90	2.188	116.6
62.86	3.971	88.76
74.83	5.422	77.12
89.79	7.513	66.56
104.8	9.915	58.76
119.7	1.260 x 10 ⁰	52.76
149.6	1.883	44.12
179.6	2.614	38.27
209.5	3.446	33.93
239.4	4.375	30.65
269.4	5.396	28.04
299.3	6.508	25.92
359.2	8.987	22.68

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
478.9	1.487 x 10 ¹	18.52
598.6	2.186	15.98
748.3	3.194	13.92
897.9	4.331	12.53
1048.0	5.578	11.50
1197.0	6.921	10.79
1496.0	9.840	9.768
1796.0	1.303 x 10 ²	9.100
2095.0	1.640	8.644
2394.0	1.994	8.308
2694.0	2.359	8.064
2993.0	2.736	7.884
3741.0	3.704	7.584
4490.0	4.702	7.428
5986.0	6.738	7.308
7483.0	8.785	7.300
8979.0	1.084 x 10 ³	7.340
11970.0	1.488	7.472
14960.0	1.884	7.616
17960.0	2.274	7.760
20950.0	2.656	7.892
23940.0	3.033	8.016
26940.0	3.403	8.132
29930.0	3.768	8.236

Range of He^3 in Air


Scale I: $1 \text{ mev.} < T_{\text{He}} < 10 \text{ mev.}$
 Scale II: $10 \text{ mev.} < T_{\text{He}} < 100 \text{ mev.}$



MU-6335


Range of He³ in Air


Scale I: 100 mev. < T₀ < 1000 mev.
 Scale II: 1000 mev. < T₀ < 10000 mev.
 Scale III: 10000 mev. < T₀ < 100000 mev.




Range in gm/cm.²

ML6336







RANGE OF He³ IN CH₂


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.430 x 10 ⁻³	1224.0
5.986	4.683	739.2
8.979	9.492	538.3
11.97	1.578 x 10 ⁻²	427.8
14.96	2.346	357.5
17.96	3.251	308.4
20.95	4.286	272.0
23.94	5.451	243.9
26.94	6.740	221.4
29.93	8.153	203.1
35.92	1.134 x 10 ⁻¹	174.8
44.90	1.700	145.4
59.86	2.869	114.6
74.83	4.307	95.38
89.79	6.004	82.11
104.8	7.949	72.38
119.7	1.014	64.93
149.6	1.520 x 10 ⁰	54.23
179.6	2.116	46.89
209.5	2.796	41.53
239.4	3.556	37.44
269.4	4.394	34.21
299.3	5.305	31.59
374.1	7.888	26.80

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
449.0	1.088 x 10 ¹	23.54
598.6	1.793	19.40
748.3	2.624	16.87
897.9	3.564	15.17
1048.0	4.594	13.96
1197.0	5.702	12.05
1496.0	8.124	11.80
1796.0	1.076 x 10 ²	10.98
2095.0	1.356	10.42
2394.0	1.650	10.01
2694.0	1.953	9.711
2993.0	2.265	9.484
4490.0	3.899	8.918
5986.0	5.599	8.756
7483.0	7.308	8.736
8979.0	9.021	8.775
10480.0	1.072 x 10 ³	8.840
11970.0	1.241	8.916
14960.0	1.573	9.080
17960.0	1.900	9.249
20950.0	2.221	9.392
23940.0	2.537	9.532
26940.0	2.849	9.661
29930.0	3.157	9.782

Range of He^3 in CH_2

Scale I: 1 mev. $< T_{\text{He}} < 10$ mev.


Scale II: 10 mev. $< T_{\text{He}} < 100$ mev.




MU-6345


Range of He³ in CH₂


- Scale I: 100 mev. < T_{He} < 1000 mev.
- Scale II: 1000 mev. < T_{He} < 10000 mev.
- Scale III: 10000 mev. < T_{He} < 100000 mev.



Range in gm/cm²








RANGE OF He³ IN CD₂

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.729 x 10 ³	107.1	449.0	1.243 x 10 ¹	20.60
5.986	5.385	646.8	598.6	2.049	16.97
8.979	1.089 x 10 ²	471.0	748.3	2.999	14.76
11.97	1.806	374.4	897.9	4.072	13.27
14.96	2.680	312.8	1048.0	5.250	12.21
17.96	3.718	269.8	1197.0	6.517	11.42
20.95	4.903	238.0	1496.0	9.285	10.32
23.94	6.233	213.4	1796.0	1.230 x 10 ²	9.607
26.94	7.708	193.7	2095.0	1.550	9.114
29.93	9.322	177.7	2394.0	1.885	8.760
35.92	1.296 x 10 ¹	152.9	2694.0	2.232	8.497
44.90	1.944	127.2	2993.0	2.589	8.298
59.86	3.279	100.3	4490.0	4.456	7.803
74.83	4.923	83.46	5986.0	6.399	7.662
89.79	6.862	71.85	7483.0	8.352	7.644
104.8	8.990	63.34	8979.0	1.031 x 10 ³	7.678
119.7	1.158 x 10 ⁰	56.81	10480.0	1.225	7.735
149.6	1.738	47.45	11970.0	1.418	7.802
179.6	2.418	41.03	14960.0	1.798	7.945
209.5	3.195	36.34	17960.0	2.171	8.093
239.4	4.064	32.76	20950.0	2.538	8.217
269.4	5.021	29.93	23940.0	2.900	8.340
299.3	6.063	27.64	26940.0	3.256	8.454
374.1	9.015	23.45	29930.0	3.608	8.559

Range of He³ in CD₂


Scale I: 1 mev. < T_{He} < 10 mev.
 Scale II: 10 mev. < T_{He} < 100 mev.




MU-6347


Range of He^3 in CD_2


Scale I: 100 mev. < T_{He} < 1000 mev.
 Scale II: 1000 mev. < T_{He} < 10000 mev.
 Scale III: 10000 mev. < T_{He} < 100000 mev.



MU-6348







MU-6432


RANGES OF He³ IN H₂O

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.680 x 10 ⁻³	1117.0
5.986	5.248	670.8
8.979	1.056 x 10 ⁻²	490.9
11.97	1.741	391.7
14.96	2.582	328.1
17.96	3.564	283.6
20.95	4.691	250.5
23.94	5.952	224.9
26.94	7.352	204.4
29.93	8.880	187.6
35.92	1.233 x 10 ⁻¹	161.7
40.90	1.844	134.7
59.86	3.103	106.5
74.83	4.651	88.70
89.79	6.474	76.45
104.8	8.562	67.46
119.7	1.091 x 10 ⁰	60.55
149.6	1.634	50.63
179.6	2.272	43.82
209.5	2.999	38.84
239.4	3.812	35.03
269.4	4.706	32.03
299.3	5.680	29.59
449.0	1.162 x 10 ¹	22.08

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.6	1.914 x 10 ¹	18.21
748.3	2.799	15.85
897.9	3.797	14.26
1048.0	4.892	13.13
1197.0	6.073	12.28
1496.0	8.646	11.11
1796.0	1.144 x 10 ²	10.34
2095.0	1.442	9.818
2394.0	1.753	9.440
2694.0	2.075	9.161
2993.0	2.406	8.949
4490.0	4.135	8.426
5986.0	5.934	8.282
7483.0	7.740	8.269
8979.0	9.550	8.311
10480.0	1.134 x 10 ³	8.376
11970.0	1.312	8.453
14960.0	1.663	8.614
17960.0	2.007	8.772
20950.0	2.345	8.919
23940.0	2.678	9.056
26940.0	3.006	9.182
29930.0	3.330	9.300

Range of He³ in H₂O

Scale I: 1 mev. < T_{He} < 10 mev.
 Scale II: 10 mev. < T_{He} < 100 mev.



Range in gm/cm.²


MU-6341

Range of He^3 in H_2O


Scale I: $100 \text{ mev.} < T_{He} < 1000 \text{ mev.}$


Scale II: $1000 \text{ mev.} < T_{He} < 10000 \text{ mev.}$


Scale III: $10000 \text{ mev.} < T_{He} < 100000 \text{ mev.}$



MU-6342








RANGE OF He³ IN D₂O

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.777 x 10 ⁻³	1006.0	449.0	1.291 x 10 ¹	19.88
5.986	5.768	603.0	598.6	2.127	16.39
8.979	1.164 x 10 ⁻²	441.8	748.3	3.110	14.26
11.97	1.928	352.6	897.9	4.219	12.84
14.96	2.860	295.3	1048.0	5.436	11.82
17.96	3.954	255.2	1197.0	6.747	11.05
20.95	5.204	225.5			
23.94	6.608	202.4	1496.0	9.606	9.996
26.94	8.160	184.0	1796.0	1.272 x 10 ²	9.310
29.93	9.861	168.9	2095.0	1.602	8.837
25.92	1.369 x 10 ⁻¹	145.5	2394.0	1.943	8.496
44.90	2.048	121.3	2694.0	2.306	8.244
59.86	3.448	95.82	2993.0	2.673	8.054
74.83	5.167	79.84	4490.0	4.595	7.584
89.79	7.192	68.81	5986.0	6.593	7.454
104.8	9.514	60.71	7483.0	8.600	7.442
119.7	1.212	54.50	8979.0	1.061 x 10 ³	7.480
			10480.0	1.260	7.539
149.6	1.815	45.57	11970.0	1.458	7.608
179.6	2.524 x 10 ⁰	39.44			
209.5	3.332	34.95	14960.0	1.848	7.753
239.4	4.235	31.53	17960.0	2.230	7.894
269.4	5.229	28.82	20950.0	2.606	8.027
299.3	6.311	26.63	23940.0	2.976	8.150
374.1	9.374	22.61	26940.0	3.356	8.264
			29930.0	3.700	8.370

Range of He^3 in D_2O

Scale I: $1 \text{ mev.} < T_{\text{He}} < 10 \text{ mev.}$

Scale II: $10 \text{ mev.} < T_{\text{He}} < 100 \text{ mev.}$




MU-6343

.. Range of He^3 in D_2O .


Scale I: $100 \text{ mev.} < T_{\text{He}} < 1000 \text{ mev.}$


Scale II: $1000 \text{ mev.} < T_{\text{He}} < 10000 \text{ mev.}$


Scale III: $10000 \text{ mev.} < T_{\text{He}} < 100000 \text{ mev.}$



MU-6344








RANGES OF HE³ IN C₅H₈O₂

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.687 x 10 ⁻³	1093.0
5.986	5.322	664.0
8.979	1.066 x 10 ⁻²	485.6
11.97	1.762	386.9
14.96	2.611	323.9
17.96	3.609	279.8
20.95	4.750	247.1
23.94	6.031	221.7
26.94	7.448	201.5
29.93	9.001	184.9
35.92	1.250 x 10 ⁻¹	159.3
44.90	1.871	132.7
59.86	3.150	104.8
74.83	4.723	87.28
89.79	6.576	75.20
104.8	8.700	66.32
119.7	1.108 x 10 ⁰	59.52
134.7	1.372	54.16
149.6	1.661	49.76
179.6	2.310	43.04
209.5	3.045	38.16
239.4	3.866	34.41
269.4	4.778	31.45
299.3	5.769	29.06
374.1	8.566	24.66
449.0	1.182 x 10 ¹	21.68

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
598.6	1.948 x 10 ¹	17.87
748.3	2.850	15.55
897.9	3.868	13.99
1048.0	4.985	12.88
1197.0	6.186	12.04
1347.0	7.465	11.39
1496.0	8.810	10.89
1796.0	1.166 x 10 ²	10.14
2095.0	1.470	9.624
2394.0	1.780	9.256
2694.0	2.116	8.980
2993.0	2.453	8.772
4490.0	4.218	8.256
5986.0	6.053	8.112
7483.0	7.898	8.100
8979.0	9.746	8.136
10480.0	1.157 x 10 ³	8.200
11970.0	1.339	8.276
13470.0	1.519	8.352
14960.0	1.698	8.432
17960.0	2.049	8.592
20950.0	2.395	8.728
23940.0	2.735	8.860
26940.0	3.071	8.984
29930.0	3.402	9.096

Range of $H\alpha^2$ in $C_5H_8O_2$

Scale I: $1 \text{ mev.} < T_{\alpha e} < 10 \text{ mev.}$
 Scale II: $10 \text{ mev.} < T_{\alpha e} < 100 \text{ mev.}$




MU-6908

Range of He^3 in $C_5H_8O_2$


Scale I: 100 mev. < T_{He} < 1000 mev.


Scale II: 1000 mev. < T_{He} < 10000 mev.


Scale III: 10000 mev. < T_{He} < 100000 mev.



MU-6907








RANGE OF He³ IN STILBENE.

T	R	$-\frac{dT}{d\xi}$	T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm	Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.616 x 10 ⁻³	1087.0	449.0	1.189 x 10 ¹	21.56
5.986	5.264	664.3	598.6	1.960	17.77
8.979	1.060 x 10 ²	485.4	748.3	2.866	15.46
11.97	1.757	386.5	897.9	3.891	13.91
14.96	2.606	323.4	1048.0	5.015	12.80
17.96	3.607	279.3	1197.0	6.223	11.97
20.95	4.748	246.5	1496.0	8.862	10.82
23.94	6.033	221.2	1796.0	1.173 x 10 ²	10.08
26.94	7.454	200.9	2095.0	1.478	9.565
29.93	9.012	184.4	2394.0	1.798	9.195
35.92	1.252 x 10 ¹	158.8	2694.0	2.129	8.921
44.90	1.874	132.2	2993.0	2.468	8.714
59.86	3.159	104.4	4490.0	4.245	8.200
74.83	4.737	86.92	5986.0	6.094	8.056
89.79	6.598	74.88	7483.0	7.951	8.041
104.8	8.731	66.04	8979.0	9.812	8.079
119.7	1.113 x 10 ⁰	59.26	10480.0	1.165 x 10 ³	8.141
149.6	1.668	49.52	11970.0	1.349	8.214
179.6	2.320	42.85	14960.0	1.710	8.368
209.5	3.064	37.96	17960.0	2.064	8.528
239.4	3.895	34.24	20950.0	2.412	8.660
269.4	4.811	31.29	23940.0	2.755	8.792
299.3	5.807	28.90	26940.0	3.094	8.913
374.1	8.631	24.53	29930.0	3.427	9.026

Range of He^3 in Stilbene

Scale I: $1 \text{ mev.} < T_{\text{He}} < 10 \text{ mev.}$
 Scale II: $10 \text{ mev.} < T_{\text{He}} < 100 \text{ mev.}$




MU-6350


Range of He^3 in Stilbene


Scale I: $100 \text{ mev} < T_{\text{He}} < 1000 \text{ mev}$


Scale II: $1000 \text{ mev} < T_{\text{He}} < 10000 \text{ mev}$

Scale III: $10000 \text{ mev} < T_{\text{He}} < 100000 \text{ mev}$









RANGE OF He^3 IN PHENYL CYCLOHEXANE


T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
2.993	1.531×10^3	114.7
5.986	5.006	697.0
8.979	1.009×10^2	508.4
11.97	1.675	404.6
14.96	2.486	338.3
17.96	3.443	292.0
20.95	4.535	257.7
23.94	5.765	231.1
26.94	7.124	209.9
29.93	8.616	192.6
35.92	1.198×10^1	165.8
44.90	1.794	138.0
59.86	3.025	108.9
74.83	4.539	90.62
89.79	6.324	78.04
104.8	8.371	68.82
119.7	1.067×10^0	61.74
149.6	1.600	51.58
179.6	2.226	44.62
209.5	2.940	39.52
239.4	3.739	35.64
269.4	4.619	32.57
299.3	5.576	30.08
374.1	8.289	25.52

T	R	$-\frac{dT}{d\xi}$
Mev	gm/cm ²	Mev-cm ² /gm
449.0	1.143×10^1	22.43
598.6	1.883	18.48
748.3	2.755	16.08
897.9	3.741	14.46
1048.0	4.822	13.31
1197.0	5.984	12.44
1496.0	8.524	11.25
1796.0	1.129×10^2	10.47
2095.0	1.422	9.937
2394.0	1.730	9.552
2694.0	2.048	9.266
2993.0	2.375	9.050
4490.0	4.085	8.514
5986.0	5.867	8.362
7483.0	7.656	8.345
8979.0	9.449	8.384
10480.0	1.122×10^3	8.447
11970.0	1.300	8.521
14960.0	1.647	8.679
17960.0	1.989	8.844
20950.0	2.325	8.980
23940.0	2.655	9.115
26940.0	2.982	9.240
29930.0	3.304	9.356

Range of H_0^2 in Phenyl-Cyclo-Hexane

Scale I: 1 mev. < T_m < 10 mev.


Scale II: 10 mev. < T_m < 100 mev.



MU-6351

Range of He² in Phenyl-Cyclo-Hexane

Scale I: 100 mev. < T_{He} < 1000 mev.
 Scale II: 1000 mev. < T_{He} < 10000 mev.
 Scale III: 10000 mev. < T_{He} < 100000 mev.



Range in gm/cm.2

MU-6352

