

UC Irvine

UC Irvine Previously Published Works

Title

Dynamics of cell migration for cells embedded in collagen using a multimodal platform of optical coherence tomography, multi-photon excitation and second harmonic generation.

Permalink

<https://escholarship.org/uc/item/7tn4b1p4>

Authors

Tanner, Kandice

Tang, Shuo

Gratton, Enrico

Publication Date

2007

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

2007 APS March Meeting

Volume 52, Number 1

Monday–Friday, March 5–9, 2007; Denver, Colorado

Session W35: Dynamic Forces at Cell and Subcell Levels

2:30 PM–5:30 PM, Thursday, March 8, 2007

Colorado Convention Center Room: 405

Sponsoring Unit: DBP

Chair: Shane Hutson, Vanderbilt University

Abstract ID: BAPS.2007.MAR.W35.11

Abstract: W35.00011 : Dynamics of Cell Migration for cells embedded in Collagen using a multimodal platform of Optical Coherence Tomography, Multi-Photon excitation and Second Harmonic Generation

4:30 PM–4:42 PM

[Preview Abstract](#)

MathJax On | [Off](#) ← Abstract →

Authors:

Kandice Tanner
(University of California, Irvine)

Shuo Tang
(University of California, Irvine)

Enrico Gratton
(University of California, Irvine)

We developed Raster Image Correlation Spectroscopy (RICS) to analyze the dynamics of cell migration from data obtained on a confocal multi-photon microscope. We assembled a microscope that can simultaneously measure the scattering signal from optical coherence tomography (OCT), multi-photon excited emission (TPEF) and second harmonic signals (SHG) with comparable spatial resolution and the same time resolution. We present data here showing the combined 3-D images of the cells embedded in a collagen matrix. The OCT signal adds fine structural information of the cellular morphology and collagen which is enhanced by the SHG image. The RICS analysis of the TPEF signal gives the dynamics of the GFP --style proteins. We show that the cell morphology and the distribution of cell organelles are different in the collagen matrix than what is observed in cells growing on flat surfaces. Using the three modalities of cell imaging we could reach a more realistic interpretation of cell dynamics in tissue.

To cite this abstract, use the following reference: <http://meetings.aps.org/link/BAPS.2007.MAR.W35.11>