

# UC Irvine

## Clinical Practice and Cases in Emergency Medicine

### Title

Point-of-care Ultrasound for the Diagnosis of a “Ping Pong” Skull Fracture

### Permalink

<https://escholarship.org/uc/item/8493j2m1>

### Journal

Clinical Practice and Cases in Emergency Medicine, 2(1)

### ISSN

2474-252X

### Authors

Bloom, Adam S.  
Auten, Jonathan  
Schofer, Joel M.

### Publication Date

2018

### DOI

10.5811/cpcem.2017.12.36239

### License

<https://creativecommons.org/licenses/by/4.0/> 4.0

Peer reviewed

## Point-of-care Ultrasound for the Diagnosis of a “Ping Pong” Skull Fracture

Adam S. Bloom, DO  
Jonathan Auten, DO  
Joel M. Schofer, MD

Naval Medical Center Portsmouth, Department of Emergency Medicine, Portsmouth, Virginia

Section Editor: Rick A. McPheeters, DO

Submission history: Submitted August 28, 2017; Revision received December 13, 2017; Accepted December 13, 2017

Electronically published January 11, 2018

Full text available through open access at [http://escholarship.org/uc/uciem\\_cpce](http://escholarship.org/uc/uciem_cpce)

DOI: 10.5811/cpcem.2017.12.36239

[Clin Pract Cases Emerg Med. 2018;2(1):99-100.]

### CASE PRESENTATION

A four-month-old female presented to the emergency department after a witnessed fall from a high chair. She landed on her head but did not lose consciousness. She did not have any vomiting or altered mental status. There was a palpable defect in her right parietal skull. Point-of-care ultrasound (POCUS) demonstrated a large depression in her parietal skull consistent with a depressed skull fracture (Image 1). The fracture was confirmed by a non-contrast computed tomography (CT) of the head (Image 2). The CT was otherwise negative. The patient was admitted for observation but was discharged after an uncomplicated hospital course and was doing well at a follow-up visit.

### DIAGNOSIS

Depressed skull fractures in neonates are typically different from those in adults. The soft bone tends to buckle rather than break. As such, they are often referred to as

#### *CPC-EM Capsule*

What do we already know about this clinical entity?


*We know that ultrasound is a modality with excellent specificity for the diagnosis of skull fractures.*

What is the major impact of the image(s)?


*Ultrasound can also be used to diagnose depressed skull fractures in pediatric patients.*

How might this improve emergency medicine practice?

*Ultrasound may aid in the diagnosis of depressed skull fractures in pediatric patients.*



**Image 1.** Point-of-care ultrasound demonstrating “ping pong” skull fracture (Image obtained using a liner probe, 13-6 megahertz).



**Image 2.** Corresponding computed tomography with three-dimensional reconstruction demonstrating “ping pong” skull fracture.

“ping pong” fractures, a reference to the way a ping pong ball looks when it has been indented. They may occur as sequelae to trauma, birth, or normal uterine development.<sup>1</sup> POCUS is a convenient method to quickly and accurately detect skull fractures in pediatric patients with sensitivities ranging from 88-100% in two prospective trials.<sup>2-3</sup> While most authors agree that a CT is indicated to rule out underlying pathology once a skull fracture is identified, a consensus does not exist on the role of POCUS to safely rule out skull fractures in neonates.<sup>4</sup> We believe this is the first reported case of a “ping pong” skull fracture diagnosed using POCUS.

*Address for Correspondence:* Adam S. Bloom, DO, Naval Medical Center Portsmouth, Department of Emergency Medicine, 620 John Paul Jones Circle, Portsmouth, VA 23708. Email: [adambloom34@gmail.com](mailto:adambloom34@gmail.com).

*Conflicts of Interest:* By the *CPC-EM* article submission agreement, all authors are required to disclose all affiliations, funding sources and financial or management relationships that could be perceived as potential sources of bias. The authors disclosed none. This work was prepared as part of authors' official duties. Title 17 U.S.C. 105 provides that 'Copyright protection under this title is not available for any work of the United States Government.' Title 17 U.S.C. 101 defines a United States Government work as a work prepared by a military service member or employee of the United States Government as part of that person's official duties. The views expressed in this article are those of the authors and do not necessarily reflect the official policy or position of the Department of the Navy, Department of Defense, or the United States Government.

*Copyright:* © 2018 Bloom et al. This is an open access article distributed in accordance with the terms of the Creative Commons Attribution ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)) License. See: <http://creativecommons.org/licenses/by/4.0/>

## REFERENCES

1. Zalatim, O, Ranasinghe M, Dias M, et al. Treatment of depressed skull fractures in neonates using percutaneous microscrew elevation. *J Neurosurg Pediatr.* 2012;9(6):676-9.
2. Parri N, Crosby B, Glass C, et al. Ability of emergency ultrasonography to detect pediatric skull fractures: a prospective, observation study. *J Emerg Med.* 2013;44(1):135-41.
3. Rabiner J, Friedman L, Khine H, et al. Accuracy of point-of-care ultrasound for the diagnosis of skull fractures in children. *Pediatrics.* 2013;131:1757-64.
4. Ramirez-Schrempp D, Vinci RJ, Liteplo A. Bedside ultrasound in the diagnosis of skull fractures in the pediatric emergency department. *Pediatr Emerg Care.* 2011;27(4):312-4.