

Lawrence Berkeley National Laboratory

Recent Work

Title

THE BROADER CONSEQUENCES OF IMPROVED RURAL TRANSPORT: THREE-WHEELED VEHICLES IN CRETE

Permalink

<https://escholarship.org/uc/item/8bt2731b>

Author

Meier, A.

Publication Date

1979-05-01

Presented at The World Future Society
Meeting, Berlin, West Germany,
May 8-10, 1979

LBL-9076 c.2

RECEIVED
LAWRENCE
BERKELEY LABORATORY


MAY 30 1979

LIBRARY AND
DOCUMENTS SECTION

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 6782*

Energy and Environment Division



The Broader Consequences of
Improved Rural Transport:
Three-Wheeled Vehicles in Crete

Alan Meier

May 1979

Lawrence Berkeley Laboratory University of California/Berkeley

Prepared for the U.S. Department of Energy under Contract No. W-7405-ENG-48

LBL-9076c.2

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

THE BROADER CONSEQUENCES OF IMPROVED RURAL
TRANSPORT: THREE-WHEELED VEHICLES IN CRETE

Alan Meier
Energy and Resources Group
University of California, Berkeley
Berkeley, California 94720 USA

ABSTRACT

A new design of three-wheeled vehicles has evolved in Crete, Greece, to serve the needs of the agricultural sector. The vehicle appears to have been in part responsible for the economic revival of agriculture in Crete. The three-wheelers borrowed much of their early technology from two-wheeled rototillers but quickly evolved into a unique vehicle. The rapidity of development suggests a largely unfulfilled need for rural transport in less developed countries. The three-wheelers have also been responsible for an improved quality of life in the rural areas.

THE BROADER CONSEQUENCES OF IMPROVED RURAL TRANSPORT:
THREE-WHEELED VEHICLES IN CRETE

Alan Meier
Energy and Resources Group
University of California, Berkeley
Berkeley, California 94720 USA

January 1979

A new class of vehicles is being developed on the Greek island of Crete to serve its rural personal and small-scale transport needs. These are three-wheeled vehicles in a variety of sizes and designs. It appears that these vehicles are, in a large part, responsible for the economic revival of rural Crete. The extent to which improved small-scale transport affects the socioeconomic structures in less developed countries is rarely perceived. Crete thus provides an unusual example of improved rural transport. Furthermore, similar types of vehicles, sometimes imported from Greece, are now appearing in other less developed countries. Conceivably, the Cretan experience will help us anticipate some of the effects of improved rural small-scale transport in those countries.

What are the effects of improved small-scale rural transport? Improved transport offers both faster movement and the ability to carry greater amounts of goods. compared to walking, virtually every vehicle, from a bicycle on, can reduce the time devoted to transporting a person from one place to another. Most rural areas, and Crete in particular, consist of small, densely populated villages surrounded by farming areas. This means that a farmer must walk several kilometers each day between his home and the fields. Higher speed movement, using a bicycle, moped, motorcycle or small vehicle, cuts travel time and creates additional productive time.

At the risk of sounding like a time and motion study, we can estimate the potential increase in productivity through better transportation. Assuming that the farmer must walk 6 kilometers each day, about an hour would be spent traveling. Driving a moped, the farmer could cover the same distance in about a quarter of the time, which would free about three quarters of an hour each day, adding perhaps ten per cent to his available working time. Thus, a relatively simple improvement in personal rural transport could increase output five to fifteen per cent. The improved ability to transport goods could affect productive potential much more, although it would depend very much on the type of agriculture involved. In addition to increasing output through acceleration of traditional agricultural techniques, improved transport also permits increased output through technological innovations. The increased opportunities brought on by transport-induced technological change are extremely difficult to estimate.

A vehicle also introduces liabilities. A farmer may be forced to devote a part of the spare time created by the vehicle to maintaining it. Some of the worker's time must also now be allocated to paying for the vehicle.

Repaying this financial burden may result in even less spare time.

Even if the net effect of improved transport on spare time is negligible, other factors make owning a better vehicle especially attractive. The farmer and his family can participate in more social activities. A cinema operator in Iraklion, for example, observed a substantial increase in patrons from the villages. The three-wheelers parked next to the cinema every evening confirmed this observation. For the farmers of Crete, higher quality of life means spending more time at the local taverns with the other farmers (where previously the time would have been spent walking home), visiting nearby relatives or taking someone to the doctor during the harvest season where previously the day long bus trip (because the connections are so poor) took too much valuable time. A motor vehicle of any kind has status. The quality of life is perceived by many to have been raised through the acquisition of a vehicle simply because it imparts status.

Until recently there were relatively few motorized agricultural implements in Crete. Perhaps the most common item within this small group was the two-wheeled rototiller, such as the German HAKO-WERKE. A 6 - 8 horsepower gasoline engine powered the two wheels and any attachments. The farmer controlled and steered the rototiller with hand controls mounted on extensions from the chassis. A two-wheeled cart was one attachment. The farmer could transport some goods or a few passengers while he sat in the cart, driving the vehicle via the hand controls.

For the few farmers that could afford these rototillers, large increases in productivity were achieved. The work of one man tilling with a machine could equal that of ten laborers (and vineyards must be tilled twice each year). The small cart could carry more grapes or olives than a mule and perhaps a little faster, although they had to be hand carried to the nearest navigable track. As a vehicle, the rototiller plus cart was hardly a speedster. It could go no faster than 25 kph on an open paved road and not much faster than a brisk walk on a dirt track.

Quite suddenly in the late 1960's, the situation changed. Mechanization became much more widespread and locally manufactured vehicles began to appear. The forces behind this transformation are not clear. Several factors may have played a role. One may have been an increasing shortage of agricultural labor. The villages, in a long economic decline as the young men sought better jobs elsewhere, could not supply the manpower needed to support the traditional labor-intensive methods of cultivation. As a result, farmland was either abandoned or brought under mechanized cultivation. A vigorous government roads program ensured year-round connections with the coastal cities. The roads permitted the delivery of necessities of mechanized agriculture; at the same time, the roads stimulated new desires and demands for transport. During this time, technological and mechanical expertise began to develop both through the construction of new equipment and the repair of older equipment. Moreover, the people of Crete have always prized their independence and self-sufficiency. This was reflected in the support facilities, such as machine shops, which were far more sophisticated than would be expected for a region of Crete's size (about one half million population).

In that period, several factories in Crete began manufacturing the two-wheeled rototillers, with much of the financing coming through the Agricultural Bank of Greece. Many parts were imported but the design soon became uniquely Cretan.

In the early 1970's the pace quickened. In addition, an entirely new vehicle appeared. This was a true three-wheeler. Instead of the engine driving the two front wheels with a flexible link to the cart, the engine now rested on a rigid chassis driving the rear wheels with a gear and drive shaft. The multi-purpose character was maintained, however, because only three bolts fixed the engine to the chassis. In less than half an hour, the engine could be transferred to a rototiller.

Three-wheelers are not new to Greece. They are familiar sights in the urban areas. Homemade three-wheelers have been used for over thirty years. These were typically converted BMW motorcycles with side-cars. The more sophisticated designs mated the motorcycle's drive system with a two-wheel cart. Other three-wheelers were imported from Italy and later manufactured in Greece. In the latter types, the driver steered the single front wheel while the freight bed lay behind him over the two rear wheels. These three-wheelers are still popular for small scale commercial transport in cities. In Greece, as in many European countries, license fees are based on engine size. Thus, to avoid a substantial increase in license fees, these three-wheelers had engines smaller than 50cc. Partly due to their limited power, these three-wheelers were never popular in the rural areas. Also, the license fees for agricultural vehicles were much lower than non-agricultural vehicles; the incentive for a 49.9cc agricultural vehicle did not exist.

The appearance of the agricultural three-wheeler in Crete coincided with the sharp rise in oil prices. It may merely have been a coincidence, although the economics would suggest otherwise. Gasoline prices in Greece are among the highest in the world, \$0.60/liter in 1977. Diesel oil prices, however, are about a third that of gasoline (\$0.21/liter in 1977). Most of the rototillers, such as those used to pull carts, were gasoline powered. With diesel oil costing only a third as much as gasoline, there was certainly a strong economic incentive to use diesel engines whenever possible. Few other countries used such a lopsided fuel pricing policy, hence, nobody had tried to build small (8 - 12 hp) diesel vehicles. The Cretans may be the first to do so on a large scale.

By the summer of 1977, the agricultural three-wheeler had come of age. About twenty factories in Crete were building three-wheelers. The largest plants were building about 1500 vehicles a year while the smaller ones - some in shops smaller than 150 square meters - appeared to be building about one hundred vehicles a year. Current statistics are not available, but it is estimated that about ten thousand three-wheelers have already been manufactured and used in Crete since their appearance some four years ago.. Total annual production must be around several thousand vehicles each year.

The three-wheeler's design has become standardized even though twenty unrelated factories are making them. Most of the vehicles use an 8 or 12

horsepower , rope-started diesel engine. The power from the forward-positioned engine is transmitted through two independent gearshifts to the rear wheels. The automobile-strength rear axle can typically support a 1000 kilogram payload. Maximum speed is 40-45 kph. One manufacturer claimed operating costs were \$1.50/hundred kilometers or \$0.21/hour (based on Greek fuel prices). New vehicles cost about \$2,500 in 1977.

How are the three-wheelers used? This depends upon the season. In late summer, for example, the activities centered around the grape harvest. Thus, many three-wheelers carry baskets of grapes to local presses and drying areas. Occasionally they would carry support materials, such as polyethylene sheets (which are used to accelerate raisin production) and extra baskets. In other instances, the three-wheelers carried goats, firewood, insecticide and feed for animals. But harvesting grapes is still labor intensive. More than anything else, the three-wheelers carried people. The three-wheelers could easily carry six people and often carried up to nine on trips to the city without any changes made to the vehicle. (This suggests that the vehicle has potential for a rural minibus.)

In other seasons, farmers till and plow the fields. The engine must be removed from the three-wheeler and connected to the rototiller. This will probably occur less frequently in the future since many of the newer three-wheelers have permanently attached engines.

A spectrum of mechanized transport alternatives seems to have developed in rural Crete. At the lower end is the cart pulled by the rototiller. It has limited speed and capacity but is obviously the cheapest alternative. Here the greatest need is for a mechanized agricultural implement with transport almost incidental. The three-wheeler comes next, providing greater speed and capacity. The models with a removable engine still provide mechanical power for cultivation, but the fixed engine designs are only for transport. At the upper end, is the group of light pickup trucks which offer even higher speeds and slightly more capacity as well as much greater personal comfort. A light pickup cost about \$6000 in 1977. These pickups use gasoline engines so their operating costs are much greater than the three-wheelers. The choice of vehicles depends upon the size of the farm, the farmer's income, and his perceptions of status.

Without any planning, a motor vehicle industry is developing in Crete. Many of the three-wheelers presently built are sophisticated vehicles. Some have enclosed driver's compartments, electric ignition and turn signals. At least one firm plans to build a four-wheeler. While few of the three-wheelers operate on mainland Greece, they are already being exported to nearby countries. Some manufacturers are talking about forming an association, but none had been formed by summer 1977.

Besides creation of a unique vehicle, the evolution of the three-wheelers indicates the importance of transport in the agricultural areas of less developed countries. Starting with what was essentially an attachment to a mechanized farm implement, a vehicle emerged for which the implement became secondary, and eventually entirely dissociated. The rapidity with which this

demand was realized and met - less than a decade in Crete - indicates the importance and potential of improved rural transport.




CBB 779-9020

1. A rototiller and cart. The man on the left is starting the engine. The cart is full of grapes and other goods. Three adults and a child will ride on top of the cargo. Note how the woman in the center is steadying the rototiller and depressing the brake pedal.

The grapes were hand-carried in baskets from their fields some 50 meters above the vehicle. They will now drive the few kilometers to their village to unload their grapes and take a siesta.

2. An urban three-wheeler. This type of vehicle proved not to be rugged enough for rural use. Nevertheless, they are used extensively within the cities for small goods transport. Similar chassis have been used for taxicabs in southeast Asia.




CBB 779-9014



CBB 779-9004

3. A three-wheeler carrying hay. This design is fairly early on the evolutionary scale. The engine can be removed for use on a rototiller. The front wheel is smaller than the rear wheels and the driver steers with a handle, rather than a steering wheel, and uses hand controls rather than foot pedals.



CBB 779-9022

4. A side view of a three-wheeler. Here a farmer is loading cuttings in the vehicle, possibly to feed goats at home. He is also carrying a large insecticide apparatus (behind the clippings). This design is slightly more sophisticated. The drive-shaft, as well as the steering linkage, is faintly visible beneath the floor. Note the single headlight. The engine is still removable.

5. An advanced design three-wheeler. The driver's compartment is now partially enclosed and the engine is covered. There are two headlights and the newest have internationally specified (probably imported) turn/brake lights on the rear.



CBB 779-9006



CBB 779-9024

6. A light pickup truck. For larger loads and longer distances, pickups are very popular.

This report was done with support from the Department of Energy. Any conclusions or opinions expressed in this report represent solely those of the author(s) and not necessarily those of The Regents of the University of California, the Lawrence Berkeley Laboratory or the Department of Energy.

Reference to a company or product name does not imply approval or recommendation of the product by the University of California or the U.S. Department of Energy to the exclusion of others that may be suitable.

TECHNICAL INFORMATION DIVISION
LAWRENCE BERKELEY LABORATORY
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720