

UC Irvine

UC Irvine Previously Published Works

Title

Learning to Signal with Two Kinds of Trial and Error

Permalink

<https://escholarship.org/uc/item/8dr3g9w1>

Author

Skyrms, B

Publication Date

2014

Peer reviewed

Draft Jan. 2011 This version July 2012. forthcoming in *Foundations and Methods from Mathematics to Neuroscience: Essays Inspired by Patrick Suppes*. Ed. Colleen E. Crangle, Adolfo Garcia de la Sienra, and Helen E. Longino. CSLI Publications.

Learning to Signal with Two Kinds of Trial and Error

Brian Skyrms

“...and any theory, by which we explain the operations of the understanding, or the origin and connexion of the passions in man, will acquire additional authority, if we find, that the same theory is requisite to explain the same phenomena in all other animals.”

- David Hume *An Enquiry Concerning Human Understanding*
IX Of the Reason of Animals

1. Low Rationality Game Theory

High rationality game theory is built on idealizations that may be hard to justify such as – at the minimum – common knowledge of strategic interaction and common knowledge of rationality of the interacting agents. Low rationality game theory investigates interactions between more limited agents. At the most modest level, agents may not even be aware that they are in strategic interaction, and may just muddle along with trial and error learning. If low rationality dynamics leads to the same result as high rationality equilibrium analysis, it lends support to high rationality game theory. If they disagree, this raises questions. (Suppes and Atkinson 1960, Roth and Erev 1995, Erev and Roth 1998, Young 2004)

It is of special interest to investigate learning to signal with in a low rationality setting for two reasons. The first is that some fairly robust signaling system must be already in place to support (or even approximate) the assumptions of high rationality. Signaling must presumably have its origin in a low rationality setting. The second is that animals incapable of high rationality can learn to signal.

But there is more than one kind of trial and error learning. The term encompasses a whole spectrum of learning dynamics. Here we focus on two very different kinds of trial and error that represent extremes of the spectrum, and compare their success in learning to signal. The first is the simplest form of *reinforcement learning* used by Roth and Erev (1995), Erev and Roth (1998) - which they trace to Herrnstein's (1970) quantification of the law of effect. The second is *probe and adjust* dynamics. A somewhat more complicated form of probe and adjust was introduced by Kimbrough and Murphy (2009) in an analysis of tacit collusion in oligopoly pricing. The simple form used here

was introduced by Skyrms (2010) and analyzed by Huttegger and Skyrms (forthcoming) to investigate learning an optimal signaling network. It can be seen as part of the statistical learning theory of Estes (1950).

2. Two kinds of trial and error learning

Reinforcement

An individual chooses repeatedly between actions $A_1 \dots A_n$. At each point in time the probability of choosing A_i is proportional to the accumulated past payoffs for choosing A_i . To get the process started, we assume initial “virtual payoffs” equal to 1 for each act. Thus the learner starts by choosing at random, and then the evolution of choice probabilities is driven by payoffs.

The stochastic process may be realized by an urn scheme. There are balls of colors $C_1 \dots C_n$ in an urn, initially one ball of each color. A ball is drawn at random from the urn – say of color C_i and replaced, and the corresponding action, A_i , is taken. A payoff (possibly zero, but non-negative) is realized and the number of balls equal to that payoff of color C_i is added to the urn. This is repeated.

Probe and Adjust

An individual *probes* by just trying an act at random, and then *adjusts* by (i) adopting the new act if it has a higher payoff than the old one (ii) going back to the old act if the new one got a lower payoff or (iii) flipping a coin to decide if they are equal. In a repeated choice situation an individual *probes and adjusts* with small probability, e , and just chooses the same as last time with probability $(1-e)$. We can start the process by just choosing at random.

Comparison

Although both these processes are kinds of trial and error learning with at least some psychological plausibility, they are quite different in character and perform differently in different learning situations. Their analysis calls for different mathematical methods. The transitions in Roth-Erev reinforcement depend on the number of balls in each urn, and thus require some memory of the whole history of the process. It slows down as the reinforcements pile up, and approximates better and better a mean field deterministic dynamics. The transitions in probe-and-adjust depend only on a comparison of probe and pre-probe payoffs, and so only require a limited memory. Reinforcement learning is analyzed using stochastic approximation theory. (Pemantle 2007) Probe and adjust uses Markov chains and analysis is quite straightforward and easy. For an initial comparison, we apply them to a two-armed bandit learning problem.

You have two slot machines, R; L, each of which pays off with a different unknown probability. (Trials are independent and identically distributed, and are

independent between machines.) Can you learn to play the optimal machine? Roth-Erev reinforcement learning converges to playing the highest paying machine with probability one. (Beggs 2005). Here is a sketch of the stochastic approximation approach.

Let L pay 1 with probability p and 0 with probability $(1-p)$. Let R pay 1 with probability q and 0 with probability $1-q$. Our learner has an urn with one R ball and one L ball, and proceeds with reinforcement learning. Let N = number of R balls + number of L balls. The probability of choosing R at a given time is then just the number of R balls divided by N .

We start by calculating the expected change in the probability that the learner chooses R, $p(R)$. First calculate the expected value of $p(R)$ after one trial. One of four things can happen: (1) R is chosen and reinforced, (2) R is chosen and not reinforced, (3) L is chosen and reinforced, (4) L is chosen and not reinforced. Accordingly, we calculate the expectation of the next value of $p(R)$ as:

	<i>Chosen?</i>	<i>Reinforced?</i>	<i>New Value of $p(R)$</i>
1.	[$p(R)$ * q * $(N p(R) + 1)/(N+1)$	*	+]
2.	[$p(R)$ * $(1-q)$ * $p(R)$	*	+]
3.	[$(1-p(R))$ * p * $(N p(R))/(N+1)$	*	+]
4.	[$(1-p(R))$ * $(1-p)$ * $p(R)$	*	+]

Subtracting the current value, $p(R)$ gives us the expected increment. We get:


$$\frac{1}{N+1} p(R) (1 - p(R) (q-p)) \quad (\text{expected increment})$$

The value $1/(N+1)$ is the *step size*. This tells us that the process slows down at a rate such that the stochastic process approximates the mean field dynamics with higher and higher probability as N builds up. The rest of the equation gives us the mean field dynamics:

$$d p(R)/dt = p(R) (1-p(R) (q-p)) \quad (\text{mean field dynamics})$$

Here learning must converge to one of the rest points of the mean field dynamics. If the two machines pay off equally, $q=p$, then every point is a rest point of the mean field dynamics. In this case the urn is a Polya urn and the learner can converge to anything.

If the R pays off more often than L, then there are only two rest points, a stable attracting equilibrium at $p(R)=1$, and an unstable equilibrium at $Pr(R) = 0$.



Reinforcement learning must converge to one of these points. The instability of the latter equilibrium suggests that learning will never converge to it, and thus will always

converge to always playing R. That is correct, but it requires a special argument to show it. (Hopkins and Posch 2005).

In probe-and-adjust learning, nothing happens except when there is a probe. We can analyze it by looking only at pre-probe and post-probe states. This embedded sequence is a Markov chain. We can analyze as follows: Suppose bandit L pays off with probability p and bandit R pays off with probability q . The state of playing bandit R transitions to that of playing bandit L with probability:

$$\begin{aligned} p(1-q) & \quad \text{[R doesn't pay, probe, L does pay. Switch to L]} \\ + \frac{1}{2} pq & \quad \text{[both pay off, flip a coin to decide whether to switch]} \\ + \frac{1}{2} (1-p)(1-q) & \quad \text{[neither pays off, flip a coin]} \end{aligned}$$

Likewise, L transitions to R with probability:

$$q(1-p) + \frac{1}{2} pq + \frac{1}{2} (1-p)(1-q)$$

This is an ergodic Markov chain with invariant probability distribution:

$$\Pr(L) = \frac{1}{2} (1+p-q), \Pr(R) = \frac{1}{2} (1-p+q).$$

If, for instance, R pays off 90% of the time and L 50%, probe and adjust plays R 70% of the time. Probe-and-adjust favors the higher paying bandit, but does not learn optimal play.

In the special case where $p + q = 1$, the invariant distribution is:

$$\Pr(L) = p, \Pr(R) = q.$$

In the long run, the machine is played with the probability of its payoff. This is some version of what psychologists call “*probability matching*”. It has been frequently observed in human learning experiments, and discussions of its robustness have generated a large and sometimes contentious literature in psychology and economics. [See the survey of Vulkan 2000.]

3. Signaling Games

Sender-Receiver signaling games were first introduced by David Lewis in *Convention* (1969). There are two players, a sender and a receiver. The sender observes a situation, which nature chooses at random. She chooses a signal, conditional on the

situation observed. The receiver observes the signal, and chooses an act, conditional on the signal observed. Payoffs for sender and receiver are determined by the combination of signal and situation. Signals are cost-free and sender and receiver have pure common interest. In the simplest case, there is an act that is “right” for each situation in that if that act is done in that situation both sender and receiver get a payoff of 1, and otherwise they get a payoff of 0. For simplicity, we can index that situations and acts such that the joint payoff on 1 occurs just in case act A_i is done in situation S_i . (Situations are often called “states”, but we reserve this term for the state of a Markov chain.)

Lewis calls an equilibrium in which players always receive a payoff of 1 a *signaling system equilibrium*. There are other equilibria. If the sender sends signals with probabilities independent of the situation and the receiver chooses acts independent of the signals, we have a *total pooling equilibrium*. All the situations are pooled, in that the signal sent carries no information about the situation. It is an equilibrium in that neither sender nor receiver can improve her payoff by changing her behavior. If there are more than two situations, there may be *partial pooling equilibria* in which some but not all states are pooled. For example, suppose there are 3 situations, 3 signals and 3 acts, and that the sender sends:

signal 1 in situations 1 and 2,

signals 2 and 3 in some proportion in situation 3

and the receiver does:

acts 1 and 2 in some proportion for signal 1

act 3 for signals 2 and 3

This is a partial pooling equilibrium in which situations 1 and 2 are pooled.

Many generalizations and variations are of interest, but here we concentrate on the basic signaling game.

4. Learning to Signal with Reinforcement Learning: The simplest case.

In applying reinforcement learning to signaling games we do not reinforce whole strategies. After all, part of the point of the low rationality approach is that the agents involved may not be thinking strategically at all. Rather we think of just reinforcing responses to stimuli. A sender observes a situation as a stimulus and responds by sending a signal. For each situation, we equip the sender with an urn, the colored balls corresponding to the signal to send in that situation. And the receiver observes the signal as a stimulus. So for each signal, we equip the receiver with an urn, the colored balls corresponding to the act to take upon receiving that signal.

Consider the simplest Lewis signaling game in which nature flips a fair coin to choose one of two situations, the sender observes the situation and chooses between two signals and the receiver observes the signals and chooses between two acts. Sender and receiver use reinforcement of stimuli. There are now 4 interacting reinforcement processes – two sender’s urns and two receiver’s urns.

An analysis of these interacting reinforcement processes shows that sender and receiver always learn to signal with probability one. (Argiento, Pemantle, Skyrms and Volkov, 2009) Here is a sketch.

There are 8 quantities to keep track of: the numbers of the two types of ball in each of the four urns. But because the receiver is reinforced just when the sender is, and to the same extent, the numbers of balls in the sender's urns contain all the relevant information about the state of the process. Normalizing by dividing by the total number of balls in both sender's urns, we get four quantities that live in a tetrahedron. The mean field dynamics is calculated. A quantity is found that the dynamics always increases, ruling out cycles. The reinforcement learning process must then converge to a rest point of this dynamics. The rest points are shown in figure 1..

Figure 1: Rest points of the mean-field dynamics for reinforcement learning. (from Argiento, Pemantle, Skyrms and Volkov)

The two signaling systems are shown as square dots. At a signaling system players are always reinforced. One signaling system ends up with the urn for situation 1 full of signal A balls and the urn for situation 2 full of signal B balls; the other has urn 1 full of signal B balls and urn 2 full of signal A balls. The curved surface consists of pooling equilibria, where the probability of signals is independent of the situation. On one side of the surface, the mean field dynamics leads to one signaling system, on the other to the second signaling system. It is then shown that the probability that reinforcement learning converges to a point on the surface is zero. (The argument requires a separate treatment of the parts of the surface in the interior of the tetrahedron and the parts on the boundary.) The rest points that are left are the signaling systems. With probability one, reinforcement learners learn to signal.

5. Learning to Signal with Probe and Adjust: The simplest case.

Consider probe and adjust learning applied to the same simple signaling game. As before, we assume that each sender treats each situation as a separate choice stimulus. Each receiver treats each signal received as a separate choice stimulus. In order to apply probe and adjust, individuals must not remember not just what happened last time, but what happened last time for each stimulus. So the sender remembers what he did the last time he was confronted with situation 1 and the payoff he received and likewise for situation 2. The receiver remembers what he did last time and payoff received when observing signal one and likewise for signal 2. Memory requirements are still quite modest.

Most of the time agents just repeat what they did last time for the same stimulus. Every once and a while an agent probes and adjusts. We assume here that only one agent probes and adjusts at a time. The other agent keeps doing the same thing during the probe-and-adjust process. Now we can again find an embedded Markov chain which consists of pre and post probe-and-adjust transitions. Here the *state of the system* of both players consists of a pair: a map from situations to signals for the sender and a map from signals to acts for the receiver. This is just the *memory* of what they did last given the respective stimuli.

(This system state constrains the payoffs that they got last time they did something to an extent sufficient to establish that signaling systems are the only absorbing states, and that there is a positive probability path from any state to a signaling system. When the sender pools, payoffs last time may be underdetermined. We are then dealing with a random, time-inhomogeneous Markov chain. Nevertheless, for each possibility, there is a positive probability path to a signaling system.)

There are 4 possible sender configurations and 4 receiver configurations, so there are 16 possible states of the system, as shown in figure 2.




figure 2: States and Transitions
2 situations, 2 signals, 2 acts

v

(figure 2 here)

The transition probabilities are calculated as follows. Nature chooses the sender or receiver to probe by flipping a fair coin. Nature chooses a situation by flipping a fair coin. If sender is chosen sender probes a new signal for the situation chosen. If receiver is chosen, sender sends the old signal for the situation and receiver probes a new act for the

signal. If the probe gave a higher payoff the new configuration is adopted; if it gave the same payoff the new configuration is adopted with probability $\frac{1}{2}$; if it gave a lesser payoff the system remains in the original state.

This Markov chain is no longer ergodic, like that for the bandit problem. States 15 and 16, which correspond to the two signaling systems, are *absorbing states*. Once entered, the Markov chain will not leave them. Any probe will get a smaller payoff, and the agents will adjust back to the original state. Furthermore, as we will see, they are the only absorbing states. If the agents enter one of these states, we will say that they have *learned to signal*. This means that they will continue in the signaling system except for occasional fruitless probes that will lead them to return to it. Figure 2 shows some (not all) positive probability transitions between states.

States 15 and 16 are signaling systems. States 3, 4, 5, 6, 7, 8, 11 and 12 can move to a signaling system with one probe. Each of the other states can move to these with one probe. From any state there is a (short) positive probability path to a signaling system. Given a positive probability path from each state to an absorbing state, there is a maximum path length, n , and a minimum path probability, e . Starting from any state, the probability of not being absorbed after n probes is at most $(1-e)$. After $m \cdot n$ probes the probability of not being absorbed is $(1-e)^m$. In the limit the probability of not being absorbed is zero. *With probability one, probe and adjust learns to signal.*

We will investigate how this logic generalizes.

6. Reinforcement: N Equiprobable Situations, N Signals, N Acts

Suppose we keep everything the same except increasing the numbers of situations, signals and acts. Situations are still assumed to be equiprobable and the number of signals and acts matches the number of situations. We know that there is now a new class of equilibria, the partial pooling equilibria. The question is what significance, if any, they have for reinforcement learners. A full analysis of this situation is not quite yet available, but it is known that both convergence to perfect signaling and convergence to partial pooling have positive probability (Hu 2010, Hu, Skyrms and Tarrés 2011). Learning to signal perfectly is no longer guaranteed.

Extensive numerical simulations show that the extent of convergence to partial pooling is not a negligible outcome. Starting from an initial condition of one ball of each color in each urn, Barrett (2007) finds numerical convergence to partial pooling after 10^6 iterations of learning in 10^3 trials as follows:

N	Partial Pooling
3	9.6 %
4	21.9 %
8	59.4 %

7. *Probe and Adjust*: N Situations, N Signals, N Acts.

As in the simplest case, when we consider transitions between pre-probe-adjust states and post-probe-adjust states, we have an embedded Markov chain. The state of the system for this chain consists of a record of what was done last in each situation by the sender and last for each signal by the receiver. It is thus a pair of sender and receiver functions, $\langle f, g \rangle$. These are functions since each only remembers what she last did in the each decision situation. These need not be one-to-one, as the sender may have sent the same signals in multiple situations and the receiver may have done the same act on receiving multiple signals.

The analysis of the simplest game generalizes. Specifically:

- (1) Signaling systems are absorbing states of the Markov chain.
- (2) Signaling Systems are the unique absorbing states.
- (3) From any state, there is a positive probability path to a signaling system.

For details see Skyrms (2012).


Agents always learn to signal perfectly. Here *probe and adjust* learning always achieves optimal signaling in a setting where reinforcement learning sometimes does and sometimes does not. One might ask how this result generalizes. First we look at cases where the number of signals is different from the number of states and acts, keeping states equiprobable. Then we relax the condition of equiprobable states.

9. *Extra Signals*: N states, M signals, N acts. (M>N)


If we have excess signals, reinforcement learning can still fall into partial pooling equilibria. (Hu 2010, Hu, Skyrms and Tarrés 2011) For probe and adjust, the picture has

changed. The embedded Markov chain generated by probe and adjust no longer has any absorbing states. Efficient states - those where $g(f(s))$ is the identity - of the system consist of an N by N by N signaling system together with $M-N$ signals that are not sent. These signals are mapped onto some acts by the receiver's memory. Suppose some unused signal is mapped onto A_i . If the sender probes by sending the unused signal instead of the signal he usually sends in S_i , then the probe does not change his payoff. Then with some probability he adjusts by retaining the new signal in place of the old. (A receiver cannot probe changing an unused signal, since a receiver is not probing a new function, g , but only what to do if confronted with a signal. If a signal is unused, a receiver is not confronted with it.)

For example, in figure 3, probe and adjust can lead from state A to B and state B to A but not outside the set. Check all other possible probes. They don't lead anywhere. This is an absorbing set (an ergodic set). Within the set, signals 2 and 3 can be thought of as sequential synonyms. One is used for situation 2 for a while and then the other is. After the system has been absorbed into this set, there is a long-term invariant distribution within the set. Signals 2 and 3 are each used half the time for situation 2. There are lots of such ergodic efficient sets.



A



B

fig 3

(figure 3 here)

It is still true that from any state there is a positive probability path to an efficient ergodic set. The same algorithm as before works for the same reasons. Applying the algorithm until one runs out of states give a path to a member of an efficient ergodic set. Probe and adjust still learns to signal with probability one.

Too few signals: N states, M signals, N acts. ($M < N$)

In this case, partial pooling is the best that can be done. There are not enough signals for a signaling system to map each state onto the appropriate act. The best average payoff achievable is (M/N) , gotten when for each signal, s , $g(s)$ in $f^{-1}(s)$. The structure of these efficient signaling equilibria is investigated in Donaldson et. al. (2007). Consider the case of $M=2$, $N=3$. In the efficient equilibria the sender pools 2 situations. There are 3 choices of situations to pool. For each, there is a choice which signal to assign to the pooled states. So there are 6 sender's strategies that are components of efficient equilibria. On the receiver's side, for such a sender's strategy there are two situations pooled, so it makes no payoff difference if the receiver does the right act for one or for the other. Thus 2 receiver's strategies pair with each of the 6 sender's strategies to make 12 optimal equilibria. This is shown in figure 4.




Figure 4: *Ergodic set of efficient equilibria.*
 From Donaldson, et. al. 2007

Probe and adjust can move from one of these equilibria to another. Adopting the notation of the figure (s for situation, t for signal, a for act), suppose that we start at:

	Sender	Receiver
E1:	s1 => t1	t1 => a1
	s2 => t2	t2 => a2
	s3 => t2	

The sender pools situations 2 and 3. Suppose nature chooses s3, sender sends t2 and receiver probes a3. Receiver gets a payoff of 1 that, at worst, ties previous payoff for doing a2 upon seeing t2. So with positive probability receiver switches, taking us to:

	Sender	Receiver
E2:	s1 => t1	t1 => a1
	s2 => t2	t2 => a3
	s3 => t2	

This step is reversible; a probe can take us back to E1.

Now the receiver never does a2, so it doesn't matter if the sender pools s2 with s1 or with s3. Suppose nature chooses s2, and sender probes t1. This leads to 0 payoff which matches sender's previous payoff in s2, so with positive probability sender switches, leading to:

	Sender	Receiver
E3:	s1 => t1	t1 => a1
	s2 => t1	t2 => a3
	s3 => t2	

(This step is also reversible.) But now sender is pooling s1 and s2, so by the same logic as before a receiver's probe can lead to:

	Sender	Receiver
E4:	s1 => t1	t1 => a2
	s2 => t1	t2 => a3
	s3 => t2	

And now receiver never does a1, in turn setting up a sender's probe that can lead to:

	Sender	Receiver
E5:	s1 => t2	t1 => a2

s2 => t1
s3 => t2

t2 => a3

The process continues through a cycle of the 12 efficient equilibria. All these efficient states form one ergodic set. As probe and adjust moves through this set, signals shift their meaning.

There is a positive probability path from any state to a state in the efficient ergodic set. (Skyrms 2012)

Probe and adjust leads to efficient signaling .

Situations with Unequal Probabilities

So far, states have been supposed to have equal probabilities. There is to date no rigorous analysis of reinforcement learning in situations with unequal probabilities. But preliminary analyses and computer simulations point to the conclusion that in this case reinforcement learning can lead to *total pooling equilibria*. Consider the case of two situations, signals, and acts in which situation 1 is highly probable. Then a total pooling equilibrium in which the receiver just does act 1 and ignores the signals, and the sender ignores the state and always sends the same signal, is not so implausible. Players usually get paid off without bothering much with signaling. Simulations show reinforcement learning sometimes converging to a signaling system, sometimes to total pooling.

How does *Probe and Adjust* do with unequal probabilities? Notice that none of our foregoing analysis made use of the assumption of equal situation probabilities. We only need that situation probabilities are all positive in order to construct the positive probability paths leading to absorbing sets or states. Probe and adjust dynamics learns to signal perfectly in N situation, M signal, N act signaling games when there are enough signals ($M \geq N$).


In the case where there are too few signals, $M < N$, efficiency imposes an extra requirement. Since there are not enough signals, states have to be pooled. In an efficient configuration, the highest probability states must be serviced in a way that maximizes expected payoff.

For example, suppose that $M=2$, $N=3$, and states 1, 2, 3 have probabilities .2, .3, .5 respectively. One efficient configuration will have the sender map states 1 and 2 onto one signal that the receiver maps to state 2, and have the sender map state 3 onto the other signal, which the receiver maps to act 3. Then the average payoff is .8. But Probe and Adjust may lead from this efficient state to an inefficient one, as shown in figure 5.


$Pr = .2$

$Pr = .3$

$Pr = .5$



Average
Payoff
.8



Average
Day off
.7

figure 5

(Figure 5 here)

In situation 1 sender sends signal 1 and receiver probes act 1. This gets a payoff of 1, which matches the receiver's memory of a payoff of 1 for doing act 2 on receiving signal 1. The tie is broken by a coin flip, so with some probability, receiver stays with the probe. The receiver has no memory of the *frequencies* of payoffs – only of the magnitude of the last payoff. Probe and adjust can move around the whole ergodic set of the preceding section. This weakness of probe and adjust here is just the other side of the coin from its strength.

Rapprochement

Probe and Adjust has a constant probability of probing. A natural modification makes the probability of probes payoff-dependent: the worse the payoff, the more likely a probe. One special case deserves note. Suppose that our trial and error learner has an idea of an optimal payoff. Then she may not probe at all if the last payoff was optimal.

In our signaling games, suppose a player does not probe at all if the last trial was a success, but probes with some probability (greater than zero and less than one) if the last trial was a failure. Then the positive results of the preceding discussion are retained, but residual probing is eliminated. (And it is no longer necessary to include the assumption that there are no simultaneous probes.) These agents always find a signaling system by trial and error, and then stick to it.

On the other hand, reinforcement learners become more likely to stick with successes if their initial propensities are small (or equivalently the rewards for success are large.) Pushing this to the extreme, suppose that we start out with infinitesimal initial propensities. Another way of saying this is that we start out with the urns empty, with the rule that for empty urns you choose at random, but for non-empty urns you use Roth-Erev reinforcement. An initial reinforcement then causes sender and receiver to lock-in the actions that produced the reinforcement. This is like the lock-in of the modified *probe and adjust* described in the previous paragraph. With this dynamics such learners *always learn to signal*. (Barrett and Zollman 1999)

This modification weakens exploration. It does very poorly in bandit problems. But reinforcement with very small initial propensities is almost as good at learning to signal. Simulations with very small propensities always learn to signal in all the signaling games discussed here. And small initial propensities still guarantee asymptotic optimality in bandit problems.

Conclusion

Is it possible to learn to signal by trial and error? The answer is robustly positive. Both kinds of trial and error that we have considered sometimes learn to signal in all signaling games, and always learn to signal in the simplest signaling game. In addition, probe and adjust always learns to signal in a wide variety of settings.

Related Work

The need for low rationality game theory is emphasized in Roth and Erev (1995), Erev and Roth(1998), Fudenberg and Levine (1998),and Young (2004) (2009). *Probe and adjust* can be seen as a version of the one-element stimulus sampling model of Estes (1950). Estes learning theory was applied to game theory in the pioneering work of Suppes and Atkinson (1960). There are more complicated versions of probe and adjust type learning, with more memory and payoff-dependent probes, which perform well very generally. (Marden et. al. 2009, Young 2009).

Equilibrium structure of signaling games with many or few signals is analyzed in Donaldson et. al. (2007). Two-population replicator dynamics of a 2 situation, 2 signal, 2 act signaling game where the situations have unequal probabilities is analyzed, with and without mutation, in Hofbauer and Huttegger (2008).

Blume et. al. (1998) and Blume et al (2001) present experimental evidence for the emergence of signaling by learning in a 2 situation, 2 signal, 2 act signaling game. Where subjects were only given own payoffs as feedback, experimental results were consistent with reinforcement learning.

References

Argiento, R. R. Pemantle, B. Skyrms and S. Volkov (2009) "Learning to Signal: Analysis of a Micro-Level Reinforcement Model" (2009) *Stochastic Processes and their Applications* 119: 373-319.

Barrett, J. A. (2007) "Learning to Signal: Analysis of a Micro-Level Reinforcement Model" (2009) *Stochastic Processes and their Applications* 119: 373-319.

Barrett, J. A. (2007) "Learning to Signal: Analysis of a Micro-Level Reinforcement Model" (2009) *Stochastic Processes and their Applications* 119: 373-319.

- Beggs, A. (2005) "On the Convergence of Reinforcement Learning" *Journal of Economic Theory* 122:1-36.
- Blume, A., D. V. DeJong, Y-G Kim and G. B. Sprinkle (1998) . "Experimental Evidence on the Evolution of the Meaning of Messages in Sender-Receiver Games." *American Economic Review* 88:1323-340.
- Blume, A., D. V. DeJong, G. R. Neumann and N. E. Savin (2001) "Learning and Communication in Sender-Receiver Games: An Econometric Investigation" *Journal of Applied Econometrics* 17:225-247.
- Donaldson, M., M. Lachmann and C.T. Bergstrom (2007) "The Evolution of Functionally Referential meaning in a Structured World" *Journal of Theoretical Biology* 246: 225-233.
- Erev, I. and A. Roth (1998) "Predicting How People Play Games: Reinforcement Learning in Games with Unique Mixed-Strategy Equilibria" *American Economic Review* 88: 848-881.
- Estes, W. K. (1950) "Toward a Statistical Theory of Learning" *Psychological Review* 57:94-107.
- Fudenberg, D. and D. Levine (1998) *A Theory of Learning in Games*. Boston: MIT Press.
- Herrnstein, R. J. (1970) "On the Law of Effect" *Journal of the Experimental Analysis of Behavior* 13:243-266.
- Hofbauer, J. and S. Huttegger (2008) "Feasibility of Communication in Binary Signaling Games" *Journal of Theoretical Biology* 254: 843-849.
- Hopkins, E. and M. Posch (2005) "Attainability of boundary points under Reinforcement Learning" *Game and Economic Behavior* 53: 110-125.
- Hu, Y. (2010) *Essays on Random Processes with Reinforcement* PhD Thesis St. Anne's College, Oxford University.
- Hu, Y., B. Skyrms and P. Tarrés "Reinforcement Learning in Signaling Games" (2011) ArXiv:1103.5818v1[math.PR].
- Huttegger, S. and B. Skyrms (forthcoming) "Emergence of a Signaling Network with Probe and Adjust" In *Cooperation, Complexity, and Signaling* Ed. B. Calcott, R. Joyce and K. Sterelney. Cambridge, Mass.: MIT Press.

Kimbrough, S. O. and F. H. Murphy (2009) "Learning to Collude Tacitly on Production Levels by Oligopolistic Agents" *Computational Economics* 33:47-78.

Lewis, D. K. (1969) *Convention: A Philosophical Study*. Cambridge, Mass.: Harvard University Press.

Marden, J. P., H. P. Young, G. Arslan and J. S. Shamma. "Payoff-based dynamics for Multiplayer Weakly Acyclic Games." *SIAM Journal on Control and Optimization* 48: 373-396, 2009.

Pemantle, R. (2007) "A Survey of Random Processes with Reinforcement" *Probability Surveys* 4: 1-79.

Roth, A. and I. Erev (1995) "Learning in Extensive Form Games: Experimental Data and Simple Dynamic Models in the Intermediate Term" *Games and Economic Behavior* 8: 164-212.

Skyrms, B. (2010) *Signals: Evolution, Learning and Information*. London and New York: Oxford University Press.

Skyrms, B. (2012) "Learning to Signal with 'Probe and Adjust'" *Episteme* 9: 139-150.

Suppes, P. and R. C. Atkinson (1960) *Markov Learning Models for Multiperson Interactions*. Stanford: Stanford University Press.

Vulkan N. (2000) "An economist's perspective on probability matching" *Journal of Economic Surveys* 14: 101-118

Young, H. P. (2004) *Strategic Learning and its Limits*. London and New York: Oxford University Press.

Young, H. P. (2009) "Learning by Trial and Error." *Games and Economic Behavior* 65: 626-643.