

# Lawrence Berkeley National Laboratory

## LBL Publications

### Title

A Web Application for the Photon Strength Function Database

### Permalink

<https://escholarship.org/uc/item/8gw3t245>

### Authors

Jongile, S  
Marian, L  
Dimitriou, P  
[et al.](#)

### Publication Date

2025

### DOI

10.1051/epjconf/202532206005

### Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

# A Web Application for the Photon Strength Function Database

S. Jongile<sup>1</sup>, L. Marian<sup>2</sup>, P. Dimitriou<sup>2</sup>, and M. Wiedeking<sup>3</sup>

<sup>1</sup>iThemba Laboratory for Accelerator Based Sciences, Old Faure Road, PO Box 722, 7129 Somerset West, South Africa

<sup>2</sup>Nuclear Data Section, Division of Physical and Chemical Sciences, Department of Nuclear Sciences and Applications, International Atomic Energy Agency, POB 100, Vienna, Austria

<sup>3</sup>Lawrence Berkeley National Laboratory, Berkeley, California 94720, USA

**Abstract.** A specialized web application has been developed to manage, query, and visualize photon strength function (PSF) data, compiled as a part of an IAEA Coordinated Research Project. This application significantly advances accessibility and interaction with the data over existing platforms, improving upon the capabilities of the prior resource. Central to this application is the database structure, crucial for efficient data management and retrieval. Built using the Django framework, the Web application's user interface presents queried data and search results in an accessible format. It provides details on basic nuclear properties, including the atomic number ( $Z$ ), mass number ( $A$ ), multipolarity, energy range, and the experimental methods used. In addition, the application offers functionalities for searching and sorting data by author names or publication years, facilitating refined navigation through the extensive PSF data repository. A notable feature is the dynamic data visualization tool that utilizes Plotly to create interactive graphs. The platform also features a comprehensive data processing pipeline that ensures data integrity and accessibility.

## 1 Introduction

Photon Strength Functions (PSFs) are crucial in nuclear reactions, impacting astrophysics, medical isotope production, and nuclear technology applications [1]. They also serve as input for IAEA databases, such as the photonuclear data library [2], RIPL [3], and EGAF [4]. The increasing availability of PSF data necessitated an advanced database for easy visualization and systematic analysis.

Photon Strength Functions (PSFs) are also crucial sources of input information for other databases supported by the International Atomic Energy Agency (IAEA). These include the photonuclear data library [2], the Reference Input Parameter Library (RIPL) [3], evaluated data files such as the Evaluated Gamma Activation File (EGAF) [4] which are integrated into the IAEA's data provision services.

In recent decades, the number of PSF data obtained using different experimental methods has increased significantly. Therefore, it is important to provide users with access to the PSF data in a database that facilitates easy visualization, systematic analysis, and retrieval for various purposes. The IAEA has initiated a coordinated effort to make existing experimental PSF data available through a user-friendly interface. This data spans from the giant dipole resonance region to energies below the neutron separation energy. Previously, the data were accessible only through a static website, which allowed users

to download the data files but did not offer any means of direct interaction or visualization.

The IAEA's new interface enables researchers to interact with PSF data, providing enhanced visualization and search capabilities over previous static systems. Figure 1 shows the homepage [5].




Figure 1. Homepage of the new PSF database interface.

## 2 Key Functionalities

### 2.1 Search and Access

The homepage provides a centralized platform for accessing various types of data and information relating to photon strength functions.

The page, as shown in Figure 1, serves as the entry point, offering links to download the database, perform searches, and access additional resources through the navigation bar. The "Data" menu item on the navigation bar expands to a drop-down with options such as "All Versions", "Theoretical Data", and "Glossary", each leading to dedicated pages. The "Versions" page lists all versions of the database, including previous versions, allowing users to download any version they require. Figure 3 illustrates the versions page. The "Theoretical Data" option takes users to a page where they can download all the available theoretical data. From the homepage users can access the search functionality which provides access to filtered PSF data, based on search fields such as atomic number ( $Z$ ), atomic mass ( $A$ ), multipolarity, and experimental method. Users can refine queries dynamically, improving search efficiency (Figure 2).

Figure 2. Search interface of the PSF database.

The Versions page lists all database releases with direct download options (Figure 3).

Figure 3. The "Versions" page displaying all available database versions.

### 2.2 Interactive Data Visualization

Using Plotly [6], the application provides interactive plots featuring zooming, axis adjustments, image downloads, and responsive legends (Figure 4).




Figure 4. Interactive data visualization of PSF data.

The title content of each plot dynamically corresponds to the selected search parameters, ensuring that users are always aware of the data context. Data updates are time-stamped, ensuring users access the latest information. The plots are designed to be responsive and seamlessly adjusted to various device screens and resolutions to maintain usability and readability.

### 2.3 Results Table

Below the plots, a table displays search results with sorting, filtering, and quick-access links to additional data sources (Figure 5).

Figure 5. Table displaying search results.

The table has multiple columns, namely the atomic number ( $Z$ ), atomic mass ( $A$ ), experimental

method, multipolarity (XL), number of data points, minimum and maximum energy range, author, plot, a link to the data file, view Readme, publication year, and a link to a single plot. Each column can be sorted in ascending or descending order, and users can search within the table for specific keywords or values, making it easier to find relevant data. Additionally, above the table there is a functionality to download the datasets specific to the query results and individual data files contained in the form of a zip folder that contains the data in CSV format or the data files as they appear in the database.

Clicking a dataset's plot icon opens a dedicated visualization page containing dataset details, compiler information, and citation references (Figure 6).



**Figure 6.** Plot for a single entry accessed via the results table.

For Oslo Method and nuclear resonance fluorescence measurements, plots display lower, recommended, and upper values representing model-dependent uncertainties (Figure 7).



**Figure 7.** Detailed PSF data for  $^{60}\text{Ni}$  using the Oslo Method, showing uncertainties.

### 3 Conclusion

The PSF database application significantly improves data accessibility, visualization, and systematic analysis, supporting nuclear research. Its interactive capabilities enhance usability, making it a valuable tool for the research community. Future developments include addition of theoretical datasets, plots, linking DOIs to various publications, and additional tools that will prove useful to the user.

### Acknowledgement

This work is supported by the IAEA, the National Research Foundation of South Africa (Grant 118846), and the U.S. Department of Energy under Contract No. DE-AC02-05CH11231. S. Jongile acknowledges IAEA for financial support during consultancy visits.

### References

- [1] S. Goriely, P. Dimitriou, M. Wiedeking, T. Belgya, R. Firestone, J. Kopecky, M. Kr̄ička, V. Plujko, R. Schwengner, S. Siem et al., Reference Database for Photon Strength Functions, *The European Physical Journal A* **55**, 172 (2019). [10.1140/epja/i2019-12840-1](https://doi.org/10.1140/epja/i2019-12840-1)
- [2] T. Kawano, Y. Cho, P. Dimitriou, D. Filipescu, N. Iwamoto, V. Plujko, X. Tao, H. Utsunomiya, V. Varlamov, R. Xu et al., IAEA Photonuclear Data Library 2019, *Nuclear Data Sheets* **163**, 109 (2020). <https://doi.org/10.1016/j.nds.2019.12.002>
- [3] R. Capote, M. Herman, P. Obložinský, P. Young, S. Goriely, T. Belgya, A. Ignatyuk, A. Koning, S. Hilaire, V. Plujko et al., RIPL – Reference Input Parameter Library for Calculation of Nuclear Reactions and Nuclear Data Evaluations, *Nuclear Data Sheets* **110**, 3107 (2009). <https://doi.org/10.1016/j.nds.2009.10.004>
- [4] International Atomic Energy Agency, Evaluated Gamma-ray Activation File (EGAF) (2018), <https://www-nds.iaea.org/pgaa/egaf.html>
- [5] International Atomic Energy Agency, IAEA Photon Strength Function Database, version v2024.1 (2024), <https://nds.iaea.org/PSFdatabase>
- [6] Plotly, <https://plotly.com/> (2022), Accessed: 2024-11-03