

UC Merced

Proceedings of the Annual Meeting of the Cognitive Science Society

Title

Summary statistics extracted in tactile feature

Permalink

<https://escholarship.org/uc/item/8rr4h3zk>

Journal

Proceedings of the Annual Meeting of the Cognitive Science Society, 44(44)

Authors

Tokita, Midori

Ishiguchi, Akira

Publication Date

2022

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed

Summary statistics extracted in tactile feature

Midori Tokita

Mejiro University, Saitama city, Ukiya 320, Saitama, Japan

Akira Ishiguchi

Ochanomizu University, Tokyo, Japan

Abstract

Many studies have shown that people may have the ability to extract summary statistics over objects/events in a set. Most of the investigations have mainly used simultaneous presented visual features. This experiment tested whether and how people could represent the average value over tactile stimuli presented in a temporal sequence. A voice-coil type vibrator was used to present the stimuli. In the averaging task, a sequence of stimuli was presented first, followed by a single stimulus. The sequence was composed of 4, 6, or 8 vibro-tactile stimuli. Participants judged whether the vibration intensity of the second stimulus was stronger or weaker than the estimated average value of the first sequence. The result demonstrated that 1) people can extract the average tactile stimuli, and 2) averaged intensity tend to be overestimated than the single stimuli. We will discuss characteristics of the summary statistical representation in the tactile modality.