UCSF UC San Francisco Previously Published Works

Title

Evaluation of popular drug information resources on clinically useful and actionable pharmacogenomic information.

Permalink https://escholarship.org/uc/item/8sm6m00n

Journal Journal of the Medical Library Association, 104(1)

ISSN 1536-5050

Authors

Chang, Jennifer S Pham, Duyen-Anh Dang, Maithao T <u>et al.</u>

Publication Date

2016

DOI

10.3163/1536-5050.104.1.009

Peer reviewed

Evaluation of popular drug information resources on clinically useful and actionable pharmacogenomic information*†

Jennifer S. Chang, PharmD‡; Duyen-Anh Pham, PharmD‡; Maithao T. Dang, PharmD; Yiting Lu, PharmD; Sheri VanOsdol, PharmD; Jaekyu Shin, PharmD

See end of article for authors' affiliations.

DOI: http://dx.doi.org/10.3163/1536-5050.104.1.009

Background: Pharmacogenomics is the study of how genes affect a person's response to drugs. This descriptive study assessed whether popular drug information resources provide clinically useful pharmacogenomic (PGx) information.

Methods: Four resources (package inserts, Lexicomp, Micromedex 2.0, and Epocrates) were evaluated for information about twenty-seven drugs.

Results: There was wide variability of PGx information. Whereas Lexicomp included relevant PGx biomarker information for all 27 drugs, Epocrates did in less than 50% of the drugs. None of the resources had monographs that fully incorporated Clinical Pharmacogenomics Implementation Consortium (CPIC) recommendations in more than 30% of the drugs.

Conclusion: Lexicomp appears to be most useful PGx drug information resource, but none of the resources are sufficient.

Keywords: Pharmacogenomics, Biomarkers, Drug Information Services, Genetic Testing

Pharmacogenomics is the study of how genes affect a person's response to drugs [1]. A study evaluating the presence or absence of pharmacogenomic biomarkers in 5 popular drug information resources showed wide variability, from 68% to 95%, in the inclusion of such information [2]. However, it is unknown whether they provide clinically useful pharmacogenomic information such as biomarker effect, population prevalence, testing recommendations, and interpretation of the test result.

The Clinical Pharmacogenomics Implementation Consortium (CPIC), a shared project between Pharmacogenomics Knowledgebase (PharmGKB) and the Pharmacogenomics Research Network, has published peer-reviewed guidelines for drugs with pharmacogenomic data to help clinicians interpret genetic test results to optimize drug therapy. These guidelines are intended to translate laboratory test results into clinically actionable prescribing decisions [3]. Since some drug information resources have incorporated key clinical guideline recommendations, it would be helpful for clinicians if CPIC guidelines are incorporated into these drug information resources [4].

Therefore, the purpose of this study was to evaluate which popular drug information resources provide clinically useful pharmacogenomic information with CPIC guidelines incorporated. This would help health sciences and clinical librarians assist clinicians in utilizing pharmacogenomics information to optimize patient care.

METHODS

The authors selected twenty-seven drugs that had CPIC guideline recommendations at the time of this study (between April 1 and August 31 of 2014) [5]. Lexicomp, Micromedex, Epocrates, and the Food and Drug Administration (FDA)–approved package

^{*} This research was performed with no external funding.

⁺ This project was presented at the American Society of Health-System Pharmacists Midyear Clinical Meeting in Anaheim, CA, on December 9, 2014.

[‡] Jennifer S. Chang and Duyen-Anh Pham contributed equally to this work.

inserts were selected as drug information resources [6–9]. No institutional review board approval was needed.


We assessed the pharmacogenomic information content in the four drug resources based on four target clinical questions: (1) biological effect of a biomarker, (2) population prevalence, (3) testing recommendations, and (4) interpretation of the test result. For each question, we categorized the answer as either "complete," "partial," or "not answered." We also rated the drug resources on how completely they incorporated CPIC recommendations for this last question and calculated the total number of "complete" answers for each of the four target questions in each of the drug resources. We used Fisher's exact or Wilcoxon rank sum tests to examine the completeness determinations and incorporation of CPIC guidelines among the four drug information resources.

RESULTS

Relevant pharmacogenomic biomarker information was not consistently provided by the 4 drug information resources for the 27 study drugs. Only Lexicomp included relevant pharmacogenomic biomarker information for all 27 drugs, and Lexicomp has a separate pharmacogenomic section for relevant biomarkers. In contrast, Epocrates included relevant information for less than 50% of the drugs.

The number of complete answers varied among the resources (Figure 1). The drug information resources were more complete regarding biomarker clinical effects and prevalence in major races than regarding testing recommendations and interpretation of results. Specifically, on average, 54% of the 27 drugs had a "complete" answer for biological effect of a biomarker, 43% for population prevalence, 29% for testing recommendations, and 19% for interpretation of the test result.

Overall, CPIC guideline recommendations were not well incorporated. Only 19% of the total drug monographs had complete incorporation of CPIC recommendations. Even Lexicomp, which had the highest complete incorporation rate, provided CPIC recommendations for only 8 out of the 27 drugs. Of the 27 drugs, only 3—abacavir, clopidogrel, and rasburicase—had full incorporation of CPIC guideline recommendations across the 4 drug information resources.



Question 1 for the biological effect of biomarker: Package insert (PI)=16, Lexicomp=27, Micromedex=10, Epocrates=5.

Question 2 for the population prevalence: PI=13; Lexicomp=25, Micromedex=6, Epocrates=2.

Question 3 for testing recommendation: PI=6; Lexicomp=15, Micromedex=7, Epocrates=3.

Question 4 for interpretation of the test result: PI=5, Lexicomp=8, Micromedex=4, Epocrates=3.

* P<0.05 as compared to Lexicomp as the reference resource.

Figure 1

Total number of complete answers in response to 4 target questions, by drug resource (n=27)

DISCUSSION

Overall, Lexicomp better provided pharmacogenomic information for the twenty-seven drugs than the other three resources, consistent with results of a previous study [2]. Lexicomp was the only commercial drug information resource that included a separate pharmacogenomics section. However, it incorporated CPIC guideline recommendations into information about only eight out of twenty-seven drugs. Therefore, health sciences librarians and clinicians should be aware that the majority of CPIC recommendations have not been incorporated in popular drug information resources, and therefore, they should directly consult CPIC guidelines.

It is surprising and alarming that only a few CPIC recommendations have been incorporated into drug resources. Lexicomp currently references the best evidence-based clinical practice guidelines (CPGs) for their dosing and drug interactions. Like other well-respected guidelines, CPIC meets all the standards of CPG development [10, 11]. They are particularly useful resources given that many health

care providers may not be comfortable with interpreting pharmacogenomic test results in practice. In one study, only 37% of primary care physicians, cardiologists, and psychiatrists were strongly or somewhat confident in their knowledge of the influence of genetics on drug therapy, and only 13% of them felt comfortable ordering pharmacogenomic tests [12, 13]. Therefore, incorporation of CPIC guidelines into drug information resources can help bridge pharmacogenomic knowledge gaps and allow health care providers to make better-informed decisions regarding pharmacogenomic testing.

The strength of our study is that it is the first to extensively evaluate clinically useful pharmacogenomic information, including the extent of incorporation of CPIC guidelines.

Our study has several limitations. First, we included only four drug information sources. However, we selected popular and reliable resources based on the ease of access and degree of meeting certain quality indicators [14]. Second, we studied only twenty-seven drugs. These were drugs having the best information to date on interpretation of pharmacogenomic test results at the time of the study. Third, there is no currently published consensus on how to rate clinically useful drug resources, so the criteria that we used may not be universal.

ACKNOWLEDGMENTS

This project was presented at the American Society of Health-System Pharmacists Midyear Clinical Meeting in Anaheim, California, on December 9, 2014.

REFERENCES

1. National Library of Medicine. Genetics home reference [Internet]. The Library [cited 5 Oct 2015]. <<u>http://ghr.nlm.</u> nih.gov/handbook/genomicresearch/pharmacogenomics>. 2. Vaughan KTL, Scolaro KL, Anksorus HN, Roederer MW. An evaluation of pharmacogenomic information provided by five common drug information resources. J Med Lib Assoc. 2014 Jan;102(1):47–51. DOI: http://dx.doi. org/10.3163/1536-5050.102.1.009.

3. Relling MV, Klein TE. CPIC: clinical pharmacogenetics implementation consortium of the pharmacogenomics research network. Clin Pharmacol Ther. 2011 Mar;89(3): 464–7.

4. Chatfield AJ. Lexicomp Online and Micromedex 2.0 [review]. J Med Lib Assoc. 2015 Apr;103(2):112–3. http://dx.doi.org/10.3163/1536-5050.103.2.016.

PharmGKB. Dosing guidelines – CPIC [Internet].
Stanford, CA [rev 3 Feb 2015; cited 30 Apr 2015]. <<u>https://www.pharmgkb.org/view/dosing-guidelines.do</u>>.
Lexi-Drugs. Lexicomp [Internet]. Hudson, OH: Wolters

Kluwer Health [cited 30 Apr 2014]. http://online.lexi.

DrugPoints Summary. Micromedex 2.0 [Internet].
Greenwood Village, CO: Truven Health Analytics [cited 30 Apr 2014]. <<u>http://www.micromedexsolutions.com</u>>.
Epocrates Rx Online [Internet]. San Mateo, CA: Epocrates [cited 30 Apr 2014]. <<u>http://www.epocrates.com</u>>.

9. US National Library of Medicine. Daily Med [Internet]. Bethesda, MD: National Institutes of Health, Department of Health & Human Services [cited 30 Apr 2014]. <<u>http://</u> dailymed.nlm.nih.gov/dailymed>.

10. Pyon EY. Primer on clinical practice guidelines. J Pharm Pract. 2013 Apr;26(2): 103–11.


11. Caudle KE, Klein TE, Hoffman JM, Muller DJ, Whirl-Carrillo M, Gong L, McDonagh EM, Sangkuhl K, Thorn CF, Schwab M, Agundez JA, Freimuth RR, Huser V, Lee MT, Iwuchukwu OF, Crews KR, Scott SA, Wadelius M, Swen JJ, Tyndale RF, Stein CM, Roden D, Relling MV, Williams MS, Johnson SG. Incorporation of pharmacogenomics into routine clinical practice: the Clinical Pharmacogenetics Implementation Consortium (CPIC) guideline development process. Curr Drug Metab. 2014 Feb;15(2):209–17.

12. Taber KAJ, Dickinson BD. Pharmacogenomic knowledge gaps and educational resource among physicians in selected specialties. Pharmacogenomics Pers Med. 2014 Jul;7:145–62.

13. Haga SB, Burke W, Ginsburg GS, Mills R, Agans R. Primary care physician's knowledge of and experience with pharmacogenomic testing. Clin Genet. 2012 Oct; 82(4): 388–94.

14. Galt KA, Rule AM, Houghton B, Young DO, Remington G. Personal digital assistant-based drug information sources: potential to improve medication safety. J Med Lib Assoc. 2005 Apr;93(2):229–36.

AUTHORS' AFFILIATIONS



Jennifer S. Chang, PharmD, JChang@ucsf.edu, Pharmacy Student (at the time of the study);

Duyen-Anh Pham, PharmD, Duyenanh.pham@ ucsf.edu, Pharmacy Student (at the time of the study); Maithao T. Dang, PharmD, Maithao.dang@ ucsf.edu, Pharmacy Student (at the time of the study); Yiting Lu, PharmD, Yiting.lu@ucsf.edu, Pharmacy Student (at the time of the study); Sheri VanOsdol, PharmD, Sherilyn.vanosdol@ucsf.edu, Assistant Professor of Clinical Pharmacy (at the time of the study); Jaekyu Shin, PharmD (corresponding author), Jaekyu.shin@ucsf.edu, Associate Professor of Clinical Pharmacy (at the time of the study); Department of Clinical Pharmacy, School of Pharmacy, University of California San Francisco, 533 Parnassus Avenue, U-585, Box 0622, San Francisco, CA 94143-0622

Received August 2015; accepted September 2015

Stay On Track: Renew Your MLA Membership Today!



Login with your email address and password to view your bill and pay. You may now also print an invoice or send the invoice to a third party for payment from your record.

Please contact Tomi Gunn, gunn@mail .mlahq.org, in membership services with any questions, or call us at 312.419.9094 x11 or x12. We are happy to help!

Renew now and continue enjoying your MLA benefits, including:

- Member access on the new MLANET
- MLA section and special interest group (SIG) community memberships
- Eligibility to serve on an MLA committee
- Substantially discounted member rates for Mosaic '16, MLA's joint meeting with the Canadian Health Libraries Association/Association des bibliothèques de la santé du Canada (CHLA/ABSC) and the International Clinical Librarian Conference (ICLC) in Toronto, Canada!
- Member rates for MLA webinars