

UC Irvine

UC Irvine Previously Published Works

Title

2020 taxonomic update for phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales

Permalink

<https://escholarship.org/uc/item/8x6437g0>

Journal

Archives of Virology, 165(12)

ISSN

0304-8608

Authors

Kuhn, Jens H
Adkins, Scott
Alioto, Daniela
et al.

Publication Date

2020-12-01

DOI

10.1007/s00705-020-04731-2

Peer reviewed



HHS Public Access

Author manuscript

Arch Virol. Author manuscript; available in PMC 2021 December 01.

Published in final edited form as:

Arch Virol. 2020 December ; 165(12): 3023–3072. doi:10.1007/s00705-020-04731-2.

2020 TAXONOMIC UPDATE FOR PHYLUM *Negarnaviricota* (*Riboviria*: *Orthornavirae*), INCLUDING THE LARGE ORDERS *Bunyavirales* AND *Mononegavirales*

A full list of authors and affiliations appears at the end of the article.

Abstract

*Corresponding author: JHK: Integrated Research Facility at Fort Detrick (IRF-Frederick), Division of Clinical Research (DCR), National Institute of Allergy and Infectious Diseases (NIAID), National Institutes of Health (NIH), B-8200 Research Plaza, Fort Detrick, Frederick, MD 21702, USA; Phone: +1-301-631-7245; Fax: +1-301-631-7389; kuhnjen@ mail.nih.gov.

¹The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Arenaviridae*,

^{II}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Arloviridae*,

^{III}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Aspiviridae*,

^{IV}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Bornaviridae*,

^VThe current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Bunyavirales*,

^{VI}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Filoviridae*,

^{VII}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Fimoviridae*,

^{VIII}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Hantaviridae*,

^{IX}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Monjiviricetes*,

^XThe current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Mymonaviridae*,

^{XI}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Nairoviridae*,

^{XII}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Negarnaviricota*,

^{XIII}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Nyamiviridae*,

^{XIV}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Orthomyxoviridae*,

^{XV}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Paramyxoviridae*,

^{XVI}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Peribunyaviridae*,

^{XVII}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Phasmaviridae*,

XVIII: The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Phenuiviridae*,

^{XIX}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Pneumoviridae*,

^{XX}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Rhabdoviridae*,

^{XXI}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Sunviridae*,

^{XXII}The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Tenuivirus*,

XXIII: The current members of the 2017–2020 International Committee on Taxonomy of Viruses (ICTV), *Tospoviridae* Study Groups;

¹Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA. For all other author affiliations and for ORCIDs please consult the co-submitted Excel sheet

^athe 2017–2020 ICTV Chair of the Fungal and Protist Viruses Subcommittee;

^bthe 2018–2020 ICTV Proposal Secretary;

^cthe 2017–2020 ICTV Chair of the Plant Viruses Subcommittee;

^dthe 2017–2020 ICTV Chair of the Animal dsRNA and ssRNA- Viruses Subcommittee;

^e2017–2020 Elected Members of the ICTV Executive Committee.

[†]Deceased.

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the US Department of the Army, the US Department of Defense, the US Department of Health and Human Services, the US Department of Homeland Security (DHS) Science and Technology Directorate (S&T), or of the institutions and companies affiliated with the authors. The content of this publication does not necessarily reflect the views or policies of the Department of Health and Human Services, nor does mention of trade names, commercial products, or organizations imply endorsement by the U.S. Government. In no event shall any of these entities have any responsibility or liability for any use, misuse, inability to use, or reliance upon the information contained herein. The US departments do not endorse any products or commercial services mentioned in this publication. The US Government retains and the publisher, by accepting the article for publication, acknowledges that the United States Government retains a non-exclusive, paid up, irrevocable, world-wide license to publish or reproduce the published form of this manuscript, or allow others to do so, for United States Government purposes.

Conflict of Interest

The authors declare no conflicts of interest.

Ethical approval

This article does not contain any studies with human participants or animals performed by any of the authors.

In March 2020, following the annual International Committee on Taxonomy of Viruses (ICTV) ratification vote on newly proposed taxa, the phylum *Negarnaviricota* was amended and emended. At the genus rank, 20 new genera were added, two were deleted, one was moved, and three were renamed. At the species rank, 160 species were added, four were deleted, ten were moved and renamed, and 30 species were renamed. This article presents the updated taxonomy of *Negarnaviricota* as now accepted by the ICTV.

Keywords

Arenaviridae; Articulavirales; Artoviridae; Aspiviridae; Bornaviridae; Bunyavirales; bunyavirus; Filoviridae; Fimoviridae; Goujianvirales; Hantaviridae; ICTV; International Committee on Taxonomy of Viruses; Jingchuvirales; megaclassification; megataxonomy; Mononegavirales; Muvirales; Myrnaviridae; Nairoviridae; Negarnaviricota; Nyamiviridae; Orthomyxoviridae; Orthornavirae; Paramyxoviridae; Peribunyaviridae; Phasmaviridae; Phenuiviridae; Pneumoviridae; Rhabdoviridae; Riboviria; Serpentovirales; Sunviridae; Tenuivirus; Tospoviridae; virus classification; virus nomenclature; virus taxonomy

INTRODUCTION

Phylum *Negarnaviricota* was established in 2019 by the International Committee on Taxonomy of Viruses (ICTV) for negative-sense RNA viruses that can be connected evolutionarily through their encoded RNA-directed RNA polymerase (RdRp) core domains. The phylum includes two subphyla, *Haploviricotina* and *Polyploviricotina*, for negative-sense RNA viruses that encode large (L) proteins with or without mRNA capping activity, respectively. The two subphyla include four classes (*Chunqiuviricetes*, *Milneviricetes*, *Monjiviricetes*, and *Yunchangviricetes*) and two classes (*Ellioviricetes* and *Insthoviricetes*), respectively [56, 109, 136]. The vast majority of viruses that have been assigned to phylum *Negarnaviricota* belong to two orders: *Mononegavirales* (established in 1991 [92] and amended/emended in 1995 [16], 1997 [93], 2000 [94], 2005 [95], 2011 [32], 2016 [2], 2017 [7], March 2018 [8], October 2018 [66], and 2019 [9]) and *Bunyavirales* (established in 2017 and amended/emended in 2018 [64, 65] and 2019 [1]). Here we present the changes that were proposed to the entire phylum *Negarnaviricota* via official ICTV taxonomic proposals (TaxoProps) in 2019 and that were accepted by the ICTV in March 2020 [128]. These changes are now part of the official ICTV taxonomy.

TAXONOMIC CHANGES ABOVE THE PHYLM RANK

Until recently, *Negarnaviricota*, included in realm *Riboviria* (established in 2019 [127]), was the only established phylum in the ICTV framework. In 2020, virus taxonomy was amended to include *Negarnaviricota* in the new riboviriad kingdom *Orthornavirae* as one of five sister phyla [55] (TaxoProp 2019.006G.A.v1.Riboviria).

TAXONOMIC CHANGES AT THE SUBPHYLUM RANK

No new subphyla were created.

TAXONOMIC CHANGES AT THE CLASS RANK

No new classes were created.

TAXONOMIC CHANGES AT THE ORDER RANK

No new orders were created.

Taxonomic changes within order *Goujianvirales* (*Haploviricotina*: *Yunchangviricetes*)

No changes were made.

Taxonomic changes within order *Jingchuvirales* (*Haploviricotina*: *Monjiviricetes*)

Family *Chuviridae*—One new species, *Taiyuan mivirus*, was added to genus Mivirus for Tàiyuán leafhopper virus (TYLeV) first discovered by high-throughput sequencing (HTS) in a leafhopper (*Psammotettix alienus* (Dahlbom, 1850)) sampled in Tàiyuán (太原), Shānxī Province (山西省), China [129] (TaxoProp 2019.018M.A.v2.1newsp_Taiyuan_mivirus).

Taxonomic changes within order *Mononegavirales* (*Haploviricotina*: *Monjiviricetes*)

Family *Artoviridae*—The family was expanded by one new genus, *Hexartovirus*, including one new species, *Caligid hexartovirus*, for Lepeophtheirus salmonis negative-stranded RNA virus 1 (LsNSRV-1) first discovered by HTS in salmon lice (*Lepeophtheirus salmonis* (Krøyer, 1837)) sampled on the west coast of Norway [81]. Species *Barnacle peropuvirus* was moved from genus *Peropuvirus* into genus *Hexartovirus* and renamed *Barnacle hexartovirus* (TaxoProp 2019.021M.A.v1.1newgenus_Hexartovirus).

Family *Bornaviridae*—No changes were made.

Family *Filoviridae*—The family was expanded by one genus, *Dianlovirus*, including a single new species, *Mengla dianlovirus*, for Mengla virus (MLAV) discovered by HTS in a *Rousettus* sp. bat sampled in Mengla County (勐腊县), Yúnnán Province (云南省), China [145, 146] (TaxoProp 2019.011M.A.v1.Mengla_dianlovirus).

One new species, *Bombali ebolavirus*, was created in genus *Ebolavirus*, for Bombali virus (BOMV) first discovered by consensus PCR and confirmed by HTS in little free-tailed bats (*Chaerephon pumilus* (Cretzschmar, 1830–1831)) and Angolan free-tailed bats (*Mops condylurus* (A. Smith, 1833)) sampled in Bombali District, Northern Province, Sierra Leone [37] (TaxoProp 2019.007M.A.v2.Bombali_ebolavirus).

Family *Lispiviridae*—No changes were made.

Family *Mymonaviridae*—A new genus, *Hubramonavirus*, was established for two new species: *Hubei hubramonavirus* for Húbì rhabdo-like virus 4 (HbRLV-4) discovered by HTS in an arthropod mix collected in Húbì

Province (湖北省), China [106] and *Lentinula hubramonavirus* for Lentinula edodes negative-strand RNA virus 1 (LeNSRV-1) first detected by HTS in commercial shiitakes

(*Lentinula edodes* (Berk.) Pegler (1976)) sampled in Japan [60] (TaxoProp 2019.001F.A.v1.Hubramonavirus_1gen).

Family Nyamiviridae—No changes were made.

Family Paramyxoviridae—The overlooked deletion of species *Bat mumps orthorubulavirus* and the overlooked renaming of species *Synodus paramyxovirus* to *Synodus synodonvirus* were corrected (TaxoProp 2019.016M.A.v1.Corrections).

The family was expanded by three new genera: genus *Cynoglossusvirus* for the already established species *Cynoglossus paramyxovirus* (now renamed *Cynoglossus cynoglossusvirus*); genus *Hoplichthysvirus* for the already established species *Hoplichthys paramyxovirus* (now renamed *Hoplichthys hoplichthysvirus*); and genus *Scoliodonvirus* for the already established species *Scoliodon paramyxovirus* (now renamed *Scoliodon scoliodonvirus*) (TaxoProp 2019.025M.A.v2.Paramyxoviridae_3gen5sp4rensp).

Genus *Aquaparamyxovirus* was expanded by one species, *Oncorhynchus aquaparamyxovirus*, for Pacific salmon paramyxovirus (PSPV) first isolated from Chinook salmon (*Oncorhynchus tshawytscha* (Walbaum, 1792)) in Oregon, USA [135]. Species *Salmon aquaparamyxovirus* was renamed *Salmo aquaparamyxovirus* (TaxoProp 2019.025M.A.v2.Paramyxoviridae_3gen5sp4rensp).

Genus *Jeilongvirus* was expanded by one species, *Miniopteron jeilongvirus*, for “bat paramyxovirus isolate Bat-ParaV/B16–40” (here renamed Shaan virus [ShaV]) first isolated from a Schreibers’s long-fingered bat (*Miniopterus schreibersii* (Kuhl, 1817)) feces sampled in Danyang County (단양군), North Chungcheong Province (충청북도), South Korea [79] (TaxoProp 2019.025M.A.v2.Paramyxoviridae_3gen5sp4rensp).

Genus *Orthoavulavirus* was expanded erroneously by two species, *Avian orthoavulavirus 21* and *Avian orthovulavirus 21* [sic], for the same virus, “avian paramyxovirus 17” (here renamed avian paramyxovirus 21 [APMV-21]) first isolated from bird feces collected in Seosan (서산시), South Chungcheong Province (충청남도), South Korea [48] (TaxoProps 2019.014M.A.v1.Avulavirus_1newsp and 2019.025M.A.v2.Paramyxoviridae_3gen5sp4rensp).

Genus *Orthorubulavirus* was expanded by one species, *Mammalian orthorubulavirus 6*, for Alston virus (AlsV) first isolated from pteropodid bat urine sampled in Alstonville, New South Wales, Australia [49] (TaxoProp 2019.025M.A.v2.Paramyxoviridae_3gen5sp4rensp).

Genus *Pararubulavirus* was expanded by one species, *Hervey pararubulavirus*, for Hervey virus (HerV) first isolated from pteropodid bat urine sampled in Hervey Bay, Queensland, Australia [11, 53]. (TaxoProp 2019.025M.A.v2.Paramyxoviridae_3gen5sp4rensp).

Genus *Respirovirus* was expanded by one species, *Squirrel respirovirus*, for giant squirrel virus (GSqV) first isolated from a Sri Lankan giant squirrel (*Ratufa macroura* (Pennant, 1769)) sampled in a German zoo [35] (TaxoProp 2019.019M.A.v2.1newsp_Squirrel_respirovirus).

Family Rhabdoviridae—Genus Almendravirus was expanded by one species, *Menghai almendravirus*, for Menghai rhabdovirus (MRV) first isolated from Asian tiger mosquitoes (*Aedes albopictus* (Skuse, 1894)) collected in Menghai County (勐海县) in Yunnan Province (云南省), China [113] (TaxoProp 2019.033M.N.v1.Menghai_almendravirus_1sp).

Genus *Nucleorhabdovirus* was split into three genera, *Alphanucleorhabdovirus*, *Betanucleorhabdovirus*, and *Gammanucleorhabdovirus* (TaxoProp 2019.031M.Ac.v1.Nucleorhabdovirus_splitgen). Established species *Eggplant mottled dwarf nucleorhabdovirus*, *Maize Iranian mosaic nucleorhabdovirus*, *Maize mosaic nucleorhabdovirus*, *Potato yellow dwarf nucleorhabdovirus*, *Rice yellow stunt nucleorhabdovirus*, and *Taro vein chlorosis nucleorhabdovirus* were assigned to genus *Alphanucleorhabdovirus* and renamed *Eggplant mottled dwarf alphanucleorhabdovirus*, *Maize Iranian mosaic alphanucleorhabdovirus*, *Maize mosaic alphanucleorhabdovirus*, *Potato yellow dwarf alphanucleorhabdovirus*, *Rice yellow stunt alphanucleorhabdovirus*, and *Taro vein chlorosis alphanucleorhabdovirus*, respectively. Established species *Datura yellow vein nucleorhabdovirus*, *Sonchus yellow net nucleorhabdovirus*, and *Sowthistle yellow vein nucleorhabdovirus* were assigned to genus *Betanucleorhabdovirus* and renamed *Datura yellow vein betanucleorhabdovirus*, *Sonchus yellow net betanucleorhabdovirus*, and *Sowthistle yellow vein betanucleorhabdovirus*, respectively. Established species *Maize fine streak nucleorhabdovirus* was assigned to genus *Gammanucleorhabdovirus* and renamed *Maize fine streak gammanucleorhabdovirus* (TaxoProp 2019.031M.Ac.v1.Nucleorhabdovirus_splitgen).

Three new species were established in genus *Alphanucleorhabdovirus*:

- *Morogoro maize-associated alphanucleorhabdovirus* for Morogoro maize-associated virus (MMaV) first detected by HTS in maize (*Zea mays* L.) sampled in Morogoro, Morogoro Region, Tanzania [97];
- *Physostegia chlorotic mottle alphanucleorhabdovirus* for Physostegia chlorotic mottle virus (PhCMoV) first isolated from lionhearts (*Physostegia* sp.) in Austria [76]; and
- *Wheat yellow striate alphanucleorhabdovirus* for wheat yellow striate virus (WYSV) first isolated from common wheat (*Triticum aestivum* L.) sampled in Hancheng (韩城), Shaanxi /Shaanxi Province (陕西省), China [61] (TaxoProp 2019.031M.Ac.v1.Nucleorhabdovirus_splitgen).

Three new species were established in genus *Betanucleorhabdovirus*:

1. *Alfalfa betanucleorhabdovirus* for alfalfa-associated nucleorhabdovirus (AaNV) first discovered by HTS in alfalfa (*Medicago sativa* L.) sampled in Stadl-Paura, Upper Austria (Oberösterreich), Austria [36];
2. *Blackcurrant betanucleorhabdovirus* for blackcurrant-associated rhabdovirus (BCaRV) first discovered by HTS in blackcurrant (*Ribes nigrum* L.) sampled in Russia [138]; and

3. *Trefoil betanucleorhabdovirus* for birds-foot trefoil-associated virus (BFTV) first discovered by HTS in Bird's-foot trefoil (*Lotus corniculatus* L.) sampled in the Qínlǐng Mountains (秦岭山), Shǎnx /Shaanxi Province (陕西省), China [26, 131] (TaxoProp 2019.031M.Ac.v1.Nucleorhabdovirus_splitgen).

One new genus, *Arurhavirus*, was established to include four species:

- *Aruac arurhavirus* for Aruac virus (ARUV) first isolated from mosquitoes (*Trichoprosopon theobaldi* Lane and Cerqueira, 1942) collected in Melaju Forest, Trinidad, Trinidad and Tobago [110, 126];
- *Inhangapi arurhavirus* for Inhangapi virus (INHV) first isolated from sandflies (*Lutzomyia flaviscutellata* (Mangabeira, 1942)) collected in Catu Forest, Belém, Pará State, Brazil [3, 126];
- *Santabarbara arurhavirus* for Santa Barbara virus (SBAV) first in mice sampled in Santa Bárbara do Pará, Pará State, Brazil [unpublished]; and
- *Xiburema arurhavirus* for Xiburema virus (XIBV) first isolated from mosquitoes (*Sabettus intermedius* (Lutz, 1904)) sampled in Sena Madureira, Acre State, Brazil [51, 132] (2019.006M.A.v1.Arurhavirus_1gen4sp).

One new genus, *Barhavirus*, was established to include two new species:

- *Bahia barhavirus* for Bahia Grande virus (BGV) first isolated from mosquitoes (*Aedes*, *Culex*, *Anopheles*, *Psorophora* spp.) collected in Texas, Louisiana, New Mexico, and North Dakota, USA [52, 126]; and also for Harlingen virus (HARV) first isolates from a isolated from salt marsh mosquitoes (*Culex salinarius* Coquillett, 1904) sampled in Harlingen, Texas, USA [126].
- *Muir barhavirus* for Muir Springs virus (MSV) first isolated from mosquitoes (*Aedes* sp.) collected in Fort Morgan, Colorado, USA [52, 126] (TaxoProp 2019.012M.A.v1.Rhabdoviridae_5gen8sp1reasp).

One new genus, *Lostrhavirus*, was established to include new species *Lonestar zarhavirus* [sic] for lone star tick rhabdovirus (LSTRV) first detected by HTS in lone star ticks (*Amblyomma americanum* (Linnaeus, 1758)) collected in the USA [unpublished] (TaxoProp 2019.012M.A.v1.Rhabdoviridae_5gen8sp1reasp).

One new genus, *Mousrhavirus*, was established to include the previously established species *Moussa virus* (now renamed *Moussa mousrhavirus*) (TaxoProp 2019.012M.A.v1.Rhabdoviridae_5gen8sp1reasp).

One new genus, *Ohlsrhavirus*, was established to include five new species:

- *Culex ohlsrhavirus* for Culex rhabdo-like virus (CRLV) first discovered by HTS in southern house mosquitoes (*Culex quinquefasciatus* Say, 1823) collected near Perth, Western Australia, Australia [107];
- *Northcreek ohlsrhavirus* for North Creek virus (NORCV) first discovered by HTS in mosquitoes (*Culex sitiens* Wiedemann, 1828) collected in Ballina, New South Wales, Australia [23];

- *Ohlsdorf ohlsrhavirus* for Ohlsdorf virus (OHLDV) first discovered by HTS in mosquitoes (*Ochlerotatus cantans* (Meigen, 1818)) collected in Hamburg, Germany [105];
- *Riverside ohlsrhavirus* for riverside virus (RISV) first discovered by HTS in mosquitoes (*Ochlerotatus* sp.) collected in Gemenc, Gyékényes, and Drávaszabolcs, Hungary [98]; and
- *Tongilchon ohlsrhavirus* for Tongilchon virus 1 (TCHV-1) first detected in mosquitoes (*Culex bitaeniorhynchus* Giles, 1901) collected in Tongil-chon (童一洞), Gyeonggi Province (경기도), South Korea [39] (TaxoProp 2019.032M.N.v1.Ohlsrhavirus_1gen5sp).

One new genus, *Sawgrhavirus*, was established to include four new species:

- *Connecticut sawgrhavirus* for Connecticut virus (CNTV) first isolated from ticks (*Ixodes dentatus* Marx, 1899) taken from an eastern cottontail (*Sylvilagus floridanus* (J. A. Allen, 1890)) captured in Lyme, Connecticut, USA [67, 126];
- *Island sawgrhavirus* for Long Island tick rhabdovirus (LITRV) first detected by HTS in lone star ticks (*Amblyomma americanum* (Linnaeus, 1758)) collected on Long Island, New York, USA [119];
- *Minto sawgrhavirus* for New Minto virus (NMV) first isolated from rabbit ticks (*Haemaphysalis leporispalustris* Packard, 1869) sampled in New Minto, Alaska, USA [99, 126]; and
- *Sawgrass sawgrhavirus* for Sawgrass virus (SAVV) isolated from American dog ticks (*Dermacentor variabilis* (Say, 1821)) sampled at Sawgrass Lake, Tampa Bay, Florida, USA [102, 126] (TaxoProp 2019.012M.A.v1.Rhabdoviridae_5gen8sp1reasp).

One new genus, *Sunrhavirus*, was established to accommodate six novel species:

- *Garba sunrhavirus* for Garba virus (GARV) first isolated from a malachite kingfisher (*Corythornis cristatus* (Pallas, 1764)) trapped in Bangui, Central African Republic [51, 126];
- *Harrison sunrhavirus* for Harrison Dam virus (HARDV) first isolated from common banded mosquitoes (*Culex annulirostris* Skuse, 1889) collected at Beatrice Hill, Northern Territory, Australia [71];
- *Kwatta sunrhavirus* for Kwatta virus (KWAIV) first isolated from mosquitoes (*Culex* sp.) collected near Paramaribo, Suriname [25, 126];
- *Oakvale sunrhavirus* for Oak Vale virus (OVV) first isolated from mosquitoes (*Culex edwardsi* Barraud, 1923) sampled in Peachester, Queensland, Australia [77, 96];
- *Sunguru sunrhavirus* for Sunguru virus (SUNV) first isolated from a domestic chicken (*Gallus gallus domesticus* (Linnaeus, 1758)) in Arua District, Northern Region, Uganda [58]; and

- *Walkabout sunrhavirus* for Walkabout Creek virus (WACV) first isolated from biting midges (*Culicoides austropalpalis* Lee and Reye, 1955) collected near Samford, Queensland, Australia [71] (2019.004M.A.v2.Sunrhavirus).

One new genus, *Zarhavirus*, was created for one new species, *Zahedan zarhavirus*, for Zahedan rhabdovirus (ZARV) first isolated from ticks (*Hyalomma anatolicum anatolicum* (Koch, 1844)) collected in Zâhêdân (Zahدان), Sistan and Baluchestan Province (سیستان و بلوچستان)، Iran [28] (TaxoProp 2019.012M.A.v1.Rhabdoviridae_5gen8sp1reasp).

One new species, *Taiwan bat lyssavirus*, was added to genus *Lyssavirus* for Taiwan bat lyssavirus (TWBLV) first isolated from a Japanese pipistrelle (*Pipistrellus abramus* (Temminck, 1838)) sampled in Taiwan [45] (TaxoProp 2019.001M.A.v1.Lyssavirus).

Genus *Cytorhabdovirus* was expanded by 12 species:

- *Cabbage cytorhabdovirus* for cabbage cytorhabdovirus 1 (CCyV-1) first discovered by HTS in cabbage (*Brassica oleracea* L.) sampled in the UK [89];
- *Maize-associated cytorhabdovirus* for maize-associated cytorhabdovirus (MaCV) first discovered by HTS in maize (*Zea mays* L.) collected in Lima, Peru [133];
- *Maize yellow striate cytorhabdovirus* for maize yellow striate virus (MYSV) first discovered by HTS in maize (*Zea mays* L.) and common wheat (*Triticum aestivum* L.) collected in Sinsacate, Córdoba Province, Argentina [70];
- *Papaya cytorhabdovirus* for papaya virus E (PpVE) first discovered by HTS in papaya (*Carica papaya* L.) sampled in Los Ríos Province, Ecuador [73];
- *Persimmon cytorhabdovirus* for persimmon virus A (PeVA) first discovered by HTS in Japanese persimmon (*Diospyros kaki* L.f.) sampled in Japan [47];
- *Raspberry vein chlorosis cytorhabdovirus* for raspberry vein chlorosis virus (RVCV) first discovered by HTS in red raspberries (*Rubus idaeus* L.) sampled in Dundee, Scotland, UK [50];
- *Rice stripe mosaic cytorhabdovirus* for rice stripe mosaic virus (RSMV) first discovered by HTS in rice (*Oryza sativa* L.) sampled in Luódìng (罗定), Guǎngd ēng Province (广东省), China [147];
- *Tomato yellow mottle-associated cytorhabdovirus* for tomato yellow mottle-associated virus (TYMaV) first discovered by HTS in tomato (*Solanum lycopersicum* L.) sampled in Chóngqìng (重庆), China [141];
- *Wuhan 4 insect cytorhabdovirus* for Wuhan insect virus 4 (WuIV-4) first discovered by HTS in mealy plum aphids (*Hyalopterus pruni* (Geoffroy, 1762)) sampled in Wǔhàn (武汉), Húb ī Province (湖北省), China [59];
- *Wuhan 5 insect cytorhabdovirus* for Wuhan insect virus 5 (WuIV-5) first discovered by HTS in mealy plum aphids (*Hyalopterus pruni* (Geoffroy, 1762)) sampled in Wǔhàn (武汉), Húb ī Province (湖北省), China [59];

- *Wuhan 6 insect cytorhabdovirus* for Wuhan insect virus 6 (WuIV-6) first discovered by HTS in mealy plum aphids (*Hyalopterus pruni* (Geoffroy, 1762)) sampled in Wǔhàn (武汉), Húb i Province (湖北省), China [59]; and
- *Yerba mate chlorosis-associated* cytorhabdovirus for yerba mate chlorosis-associated virus (YmCaV) [12] first discovered by HTS in yerba mate (*Ilex paraguariensis* A. St.-Hil.) sampled in Cerro Azul, Misiones Province, Argentina (TaxoProps 2019.002M.A.v3.Cytorhabdovirus and 2019.030M.A.v1.Cytorhabdovirus_12newsp).

One new species, Holmes hapavirus, was added to genus *Hapavirus* for Holmes Jungle virus (HOJV) first isolated from common banded mosquitoes (*Culex annulirostris* Skuse, 1889) collected near Darwin, Northern Territory, Australia [38] (2019.003M.A.v3.Hapavirus).

Three new species were added to genus *Sripuvirus*:

- *Charleville sripuvirus* for Charleville virus (CHVV) first isolated from sandflies (*Phlebotomus* sp.) collected in Charleville, Queensland, Australia [29, 123];
- *Cuiaba sripuvirus* for Cuiaba virus (CUIV) isolated from a cane toad (*Rhinella marina* (Linnaeus, 1758)) captured in Pará State, Brazil [51, 123]; and
- *Hainan sripuvirus* for Hainan black-spectacled toad rhabdovirus (HnBSTRV) first detected by HTS in an Asian common toad (*Duttaphrynus melanostictus* (Schneider, 1799)) sampled in Hainán Province (海南省), China [108] (TaxoProp 2019.013M.A.v1.Sripuvirus_3newsp).

Taxonomic changes within order *Muvirales* (*Haploviricotina: Chunqiuviricetes*)

No changes were made.

Taxonomic changes within order *Serpentovirales* (*Haploviricotina: Milneviricetes*)

No changes were made.

Taxonomic changes within order *Articulavirales* (*Polyploviricotina: Insthoviricetes*)

No changes were made.

Taxonomic changes within order *Bunyavirales* (*Polyploviricotina: Ellioviricetes*)

Family Arenaviridae—Genus *Hartmanivirus* was expanded by three species: *Muikkunen hartmanivirus* for Dante Muikkunen virus 1 (DaMV-1), *Schoolhouse hartmanivirus* for old schoolhouse viruses 1 and 2 (OScV-1/2), and *Zurich hartmanivirus* for veterinary pathology Zurich viruses 1 and 2 (VPZV-1/2), all first detected by HTS in captive boid snakes [44] (TaxoProp 2019.008M.A.v2.Hartmanivirus_3new sp).

Genus *Mammarenavirus* was expanded by four species:

- *Alxa mammarenavirus* for RtDs-AreV/IM2014 virus (here renamed Alxa virus [ALXV]) (TaxoProp 2019.020M.A.v2.1newsp_Alxa_mammarenavirus) first discovered by HTS in a Northern three-toed jerboa (*Dipus sagitta* (Pallas, 1773))

sampled in Alxa Left Banner (阿拉善左旗), Inner Mongolia Autonomous Region (内蒙古自治区), China [139, 140];

- *Chevrier mammarenavirus* for Lijiang virus (LIJV) first discovered by HTS in a Chevrier's field mouse (*Apodemus chevrieri* (Milne-Edwards, 1868)) sampled around Lijiang (丽江), Yunnan Province (云南省), China [unpublished] (TaxoProp 2019.009M.A.v2.Mammarenavirus_sp_LIJV);
- *Planalto mammarenavirus* for Aporé virus (APOV) first discovered by HTS in a Mato Grosso colilargo (*Oligoryzomys mattogrossae* (J. A. Allen, 1916)) sampled in Cassilândia, Mato Grosso do Sul State, Brazil (TaxoProp 2019.010M.A.v1.Mammarenavirus_sp_APOV) [34]; and
- *Xapuri mammarenavirus* for Xapuri virus (XAPV) first discovered by HTS in a Musser's neacomys (*Neacomys musseri* Patton, da Silva, and Malcolm, 2000) sampled in Xapuri, Acre State, Brazil [33] (TaxoProp 2019.005M.A.v1.Mammarenavirus_sp_XAPV).

Family Fimoviridae—Genus *Emaravirus* was expanded by two species: *Blackberry leaf mottle associated emaravirus* for blackberry leaf mottle-associated virus (BLMaV) first discovered in blackberries (*Rubus* spp.) collected in various US states (TaxoProp 2019.010P.A.v1.Emaravirus_1sp) [41] and *Pistacia emaravirus B* for pistacia virus B (PiVB) discovered by HTS in pistachios (*Pistacia vera* L.) sampled in Turkey [18] (TaxoProp 2019.011P.A.v1.Emaravirus_1sp).

Family Hantaviridae—Genus *Loavirus* was expanded by one species, *Brno loavirus*, for Brno virus (BRNV) first discovered by HTS in a noctule (*Nyctalus noctula* (Schreber, 1774)) sampled in Brno, South Moravia Region (Jihomoravský kraj), Czech Republic [112] (TaxoProp 2019.017M.A.v3.1newsp_Brno_virus).

Family Peribunyaviridae—Genus *Pacuvirus* was expanded by two species: new species *Caimito pacuvirus* for Caimito virus (CAIV) first isolated from sandflies (*Nyssomyia ylephiletor* (Fairchild and Hertig, 1952)) sampled in El Aguacate, Panamá Province, Panama [46, 116] (TaxoProp 2019.022M.A.v2.2sp_Pacuvirus) and *Chilibre pacuvirus* (the former *Chilibre phlebovirus*, renamed and moved from genus *Phlebovirus*) (TaxoProps 2019.022M.A.v2.2sp_Pacuvirus and 2019.026M.A.v1.Phenuiviridae_4gen79sp).

Family Phasmaviridae—The previously established genus *Inshuvirus* and its included species *Insect inshuvirus* were both abolished due to insufficient member virus information (TaxoProp 2019.028M.A.v2.Phasmaviridae_1newsp_abol1gen3sp).

New species *Anopheles orthophasmavirus* was included in genus *Orthophasmavirus* for *Anopheles triannulatus orthophasmavirus* (AtOPV) first discovered by HTS in mosquitoes (*Anopheles triannulatus* (Neiva and Pinto, 1922)) sampled in Santa Bárbara Farm, Amapá State, Brazil [103]. Two species, *Nome phantom orthophasmavirus* and *Seattle orthophasmavirus*, were abolished (TaxoProp 2019.028M.A.v2.Phasmaviridae_1newsp_abol1gen3sp).

Family Phenuiviridae—The previously unassigned genus *Coguvirus* was included in family *Phenuiviridae* (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp). One new species, *Coguvirus eburi*, was created in the genus for citrus virus A (CiVA) first discovered by HTS in a sweet orange tree in Italy [78] (2019.004P.A.v1.Coguvirus_1sp).

Genus *Banyangvirus* and included species *Huaiyangshan banyangvirus*, *Guertu banyangvirus*, and *Heartland banyangvirus* were renamed *Bandavirus*, *Dabie bandavirus*, *Guertu bandavirus*, and *Heartland bandavirus*, respectively (TaxoProps 2019.015M.A.v1.Bandavirus and 2019.026M.A.v1.Phenuiviridae_4gen79sp). Four new bandavirus species were added to the genus:

- *Bhanja bandavirus* for Bhanja virus (BHAV) first isolated from flat-inner-spurred haemaphysalids (*Haemaphysalis intermedia* Warburton and Nuttall, 1909) sampled in Orissa State, India [27, 104];
- *Hunter Island bandavirus* for Hunter Island virus (HUIV) first isolated from ticks (*Ixodes eudyptidis* Maskell, 1885) sampled on Albatross Island, Tasmania, Australia [130];
- *Kismaayo bandavirus* for Kismaayo virus (KISV; name corrected from the previously circulating “Kismayo virus” and “Kisemayo virus”) first isolated from yellow back ticks (*Rhipicephalus pulchellus* (Gerstäcker, 1873)) sampled in Kismaayo, Lower Juba (Jubbada Hoose) Region, Somalia [149]; and
- *Lone Star bandavirus* [sic] for lone star virus (LSV) first isolated from lone star ticks (*Amblyomma americanum* (Linnaeus, 1758)) sampled in Kentucky, USA [54, 114] (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp).

Genus *Entovirus* was created for one new species, *Entoleuca entovirus*, for Entoleuca phenui-like virus 1 (EnPLV-1) first discovered by HTS in *Entoleuca* sp. fungi sampled in Málaga Province, Spain [124] (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp).

Genus *Kabutovirus* and included species *Kabuto mountain kabutovirus* and *Huangpi kabutovirus* were renamed *Uukuvirus*, *Kabuto mountain uukuvirus*, and *Huangpi uukuvirus*, respectively. The established species *Uukuniemi phlebovirus* was moved into genus *Uukuvirus* and renamed *Uukuniemi uukuvirus*. 14 new species were established in genus *Uukuvirus*:

- *American dog uukuvirus* for American dog tick virus (ADAV) first detected by HTS in American dog ticks (*Dermacentor variabilis* (Say, 1821)) sampled in Heckscher State Park, New York, USA [120];
- Dabieshan uukuvirus for Dàbiésh n tick virus (DbsTV) first discovered by HTS in Asian longhorned ticks (*Haemaphysalis longicornis* Neumann, 1901) collected in the Dàbié Mountains (大別山), China [59];
- *Grand Arbaud uukuvirus* for Grand Arbaud virus (GAV) first isolated from ticks (*Argas reflexus* (Fabricius, 1794)) sampled in Bouches-du-Rhône Department, France [40, 85];

- *Kaisodi uukuvirus* for Kaisodi virus (KASDV) first isolated from hard-bodied ticks (*Haemaphysalis spinigera* Neumann, 1897) sampled in Mysore State, India [14, 88, 144];
- *Lihan uukuvirus* for Lihán tick virus (LITV) first discovered by HTS in Asian blue ticks (*Rhipicephalus microplus* (Canestrini, 1888)) sampled in Lihán (李韩), Húb i Province (湖北省), China [59];
- *Murre uukuvirus* for murre virus (MURV) first isolated from common murres (*Uria aalge* (Pontoppidan, 1763)) sampled in Alaska, USA [85];
- *Pacific coast uukuvirus* for Pacific coast tick virus (PACTV) first discovered by HTS in Pacific coast ticks (*Dermacentor occidentalis* Marx, 1892) sampled in Mendocino County, California, USA [17];
- *Precarious Point uukuvirus* for Precarious Point virus (PPV) first isolated from seabird ticks (*Ixodes uriae* White, 1852) sampled on Macquarie Island, Tasmania, Australia [85, 111];
- *Rukutama uukuvirus* for Rukutama virus (RUKV) first isolated from seabird ticks (*Ixodes uriae* White, 1852) sampled on Tülenij/Tyuleny Island (Остров Тюлений), Sakhalin Oblast (Сахалинская область), Russia [63, 150];
- *Schmidt uukuvirus* for EgAn 1825–61 virus (here renamed Nile warbler virus [NIWV]) first isolated from a willow warbler (*Phylloscopus trochilus* (Linnaeus, 1758)) sampled in Nile Delta, Egypt [85];
- *Silverwater uukuvirus* for Silverwater virus (SILV) first isolated from rabbit ticks (*Haemaphysalis leporispalustris* Packard, 1869) sampled near Powassan, Ontario, Canada [69, 72];
- *Tacheng uukuvirus* for Tächéng tick virus 2 (TcTV-2) first discovered by HTS in ticks (*Dermacentor marginatus* Sulzer, 1776) sampled in China [59];
- *Yongjia uukuvirus* for Yōngji tick virus 1 (YjTV-1) first discovered by HTS in East Asian mountain haemaphysalids (*Haemaphysalis hystricis* Supino, 1897) in China [59]; and
- *Zaliv Terpeniya uukuvirus* for Zaliv Terpeniya virus (ZTV) first isolated from seabird ticks (*Ixodes uriae* White, 1852) sampled on Tyuleny Island (Тюлений остров) in the Gulf of Patience (Залив Терпения), Sakhalin Oblast (Сахалинская область) and Commander Islands (Командорские острова), Kamchatka Krai (Камчатский край), RSFSR, USSR [62, 151] (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp).

Genus *Ixovirus* was established for the three new species:

- *Blackleg ixovirus* for blacklegged tick phlebovirus 1, here renamed blacklegged tick virus 1 (BLTV-1), first discovered by HTS in deer ticks (*Ixodes scapularis* Say, 1821) sampled in Heckscher State Park, New York, USA [120];

- *Norway ixovirus* for Norway phlebovirus 1, here renamed Fairhair virus (FHAV), first discovered by HTS in castor bean ticks (*Ixodes ricinus* (Linnaeus, 1758)) sampled in Norway [91]; and
- *Scapularis ixovirus* for blacklegged tick phlebovirus 3, here renamed blacklegged tick virus 3 (BLTV-3), first discovered by HTS in deer ticks (*Ixodes scapularis* Say, 1821) sampled in Heckscher State Park, New York, USA [120] (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp).

Genus *Lentinuvirus* was created for one new species, *Lentinula lentinuvirus*, for Lentinula edodes negative-strand RNA virus 2 (LeNSRV-2) first discovered by HTS in shiitake (*Lentinula edodes* (Berk.) Pegler (1976)) sampled in Japan [60] (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp).

In genus *Phlebovirus*, established species *Sandfly fever Naples phlebovirus* was renamed *Naples phlebovirus*. The genus was expanded by 53 new species (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp):

- *Adana phlebovirus* for Adana virus (ADAV) first isolated from *Phlebotomus* spp. sandflies sampled in Adana, Adana Province (Adana ili), Turkey [4];
- *Aguacate phlebovirus* for Aguacate virus (AGUV) first isolated from *Lutzomyia* spp. sandflies sampled in El Aguacate, Panamá Province, Panama [82, 116];
- *Alcube phlebovirus* for Alcube virus (ACBV) first isolated from sandflies (*Phlebotomus perniciosus* Newstead, 1911) sampled around Arrábida, Portugal [10];
- *Alenquer phlebovirus* for Alenquer virus (ALEV) first isolated from a human in Ramal das Pias, Alenquer, Pará State, Brazil [83, 122];
- *Ambe phlebovirus* for Ambe virus (ABEV) first isolated from psychodid sandflies sampled near Altamira, Pará State, Brazil [80, 118];
- *Anhangá phlebovirus* for Anhangá virus (ANHV) first isolated from a Linnaeus's two-toed sloth (*Choloepus didactylus* (Linnaeus, 1758)) sampled in Castanhal Forest, Pará State, Brazil [80];
- *Arumowot phlebovirus* for Arumowot virus (AMTV) first isolated from mosquitoes (*Culex antennatus* (Becker, 1903)) sampled in Sudan [13, 84];
- *Buenaventura phlebovirus* for Buenaventura virus (BUEV) first isolated in 1984 from *Lutzomyia* sp. sandflies sampled in Rio Raposo, Valle del Cauca Department, Colombia [87, 116];
- *Cacao phlebovirus* for Cacao virus (CACV) first isolated from sandflies (*Nyssomyia trapidoi* (Fairchild and Hertig, 1952)) sampled in El Aguacate, Panamá Province, Panama [87, 116];
- *Campana phlebovirus* for Campana virus (CMAV) first isolated from phlebotomine sandflies sampled in El Aguacate, Panamá Province, Panama [87];

- *Chagres phlebovirus* for Chagres virus (CHGV) first isolated from a human sampled at Fort Sherman, Canal Zone/Cólon Province, Panama [90];
- *Cocle phlebovirus* for Coclé virus (CCLV) first isolated from a human sampled in Penonomé, Coclé Province, Panama [87];
- *Dashli phlebovirus* for D shl virus (DASV) first isolated from *Sergentomyia* sp. sandflies sampled in D shl borun (دشل بورون), Golestan Province (گلستان)، Iran [6];
- *Durania phlebovirus* for Durania virus (DRNV) first isolated from sandflies sampled in 1986 near Durania, North Santander Department, Colombia [82, 118];
- *Echarate phlebovirus* for Echarate virus (ECHV) first isolated from a human sampled in Cusco, Peru [83];
- *Gabek phlebovirus* for Gabek Forest virus (GFV) first isolated from a northeast African spiny mouse (*Acomys cahirinus* (É. Geoffroy, 1803)) sampled in Gabek Forest, near Paloich, Sudan [86];
- *Gordil phlebovirus* for Gordil virus (GORV) first isolated from a typical lemniscomys (*Lemniscomys striatus* (Linnaeus, 1758)) sampled in Gordil, Vakaga Prefecture, Central African Republic [86];
- *Icoaraci phlebovirus* for Icoaraci virus (ICOV) first isolated from an unidentified forest rat sampled in Belém, Pará State, Brazil [19, 142];
- *Itaituba phlebovirus* for Itaituba virus (ITAV) first isolated from a common opossum (*Didelphis marsupialis* Linnaeus, 1758) trapped at the Tapacurazinho stream, Itaituba, Pará State, Brazil [83, 122];
- *Itaporanga phlebovirus* for Itaporanga virus (ITPV) first isolated from a sentinel Swiss mouse collected in Itaporanga, São Paulo State, Brazil [46, 121];
- *Ixcanal phlebovirus* for Ixcanal virus (IXCV) first isolated from *Lutzomyia* sp. sandflies sampled in Aldea Ixcanal and Aldea Puerta, El Progreso Department, Guatemala [82, 118];
- *Karimabad phlebovirus* for Karimabad virus (KARV) first isolated from Phlebotomus sp. sandflies in Karimabad, Khyber Province (کیبر، پاکستان)، Iran [86];
- *La Gloria phlebovirus* for La Gloria virus (LAGV) first discovered by HTS in phlebotomine sandflies sampled near La Gloria village, Panama Canal area, central Panama [68];
- *Lara phlebovirus* for GGP-2011a virus (here renamed Rio Claro virus [RICV]) first isolated from a sentinel hamster sampled in Venezuela [unpublished];
- *Leticia phlebovirus* for Leticia virus (LETV) first isolated from sandflies sampled in Leticia, Amazonas Department, Colombia [87];
- *Maldonado phlebovirus* for Maldonado virus (MLOV) first isolated from a human sampled in Puerto Maldonado, Madre de Dios Region, Peru [83];

- *Massilia phlebovirus* for Massilia virus (MASV) first isolated from sandflies (*Phlebotomus perniciosus* Newstead, 1911) sampled in Marseille and Nice, Provence-Alpes-Côte d'Azur, France [20, 86];
- *Medjerda phlebovirus* for Medjerda Valley virus (MVV) first isolated from phlebotomine sandflies sampled at an archaeological site in Bizerte Governorate, Tunisia [15];
- *Mona Grita phlebovirus* for Mona Grita virus (MOGV) first discovered by HTS in sandflies (*Nyssomyia trapidoi* (Fairchild and Hertig, 1952)) sampled on Isla Mona Grita, Panama Canal, central Panama [68];
- *Munguba phlebovirus* for Munguba virus (MUNV) first isolated from sandflies (*Nyssomyia umbratilis* (Ward and Fraiha, 1977)) sampled in Monte Dourado, Pará State, Brazil [80, 122];
- *Nique phlebovirus* for Nique virus (NIQV) first isolated from sandflies (*Lutzomyia panamensis* (Shannon, 1926)) sampled in Cerro Nique, Darién Province, Panama [83, 117];
- *Ntepes phlebovirus* for Ntepes virus (NTPV) first isolated from *Sergentomyia* sp. sandflies sampled near Ntepes village, Marigat District, Baringo County, Kenya [115];
- *Odrenisrou phlebovirus* for Odrénisrou virus (ODRV) first isolated from mosquitoes (*Culex albiventris* Edwards, 1922) collected in the forest of Taï National Park, Côte d'Ivoire [84];
- *Oriximina phlebovirus* for Oriximiná virus (ORXV) first isolated from *Lutzomyia* sp. sandflies sampled in Saracazinho, Pará State, Brazil [83, 122];
- *Peña Blanca phlebovirus* for Peña Blanca virus (PEBV) first discovered by HTS in sandflies sampled on Peña Blanca peninsula, Panama Canal, central Panama [68];
- *Punique phlebovirus* for Punique virus (PUNV) first isolated from sandflies (*Phlebotomus perniciosus* Newstead, 1911 and *Phlebotomus longicuspis* Nitzulescu, 1930) sampled in Tunis, Tunisia [86];
- *Rio Grande phlebovirus* for Rio Grande virus (RGV) first isolated from a Southern Plains woodrat (*Neotoma micropus* Baird, 1855) sampled in Texas, USA [46];
- *Saint Floris phlebovirus* for Saint-Floris virus (SAFV) first isolated from a gerbil sampled in Gordil, Vakaga Prefecture, Central African Republic [86];
- *Salanga phlebovirus* for Salanga virus (SLGV) first isolated from a Hinde's aethomys (*Aethomys hindei* (Thomas, 1902)) collected in Salanga, Ombella-M'Poko Prefecture, Central African Republic [51, 148];

- *Salobo phlabovirus* [sic] for Salobo virus (SLBOV) first isolated from a Guyenne spiny-rat (*Proechimys guyannensis* (E. Geoffroy, 1803)) in Pará State, Brazil [142];
- *Sicilian phlebovirus* for sandfly fever Sicilian virus (SFSV) first isolated from a human sampled in Palermo Province, Sicily Region, Italy [101, 137];
- *Tapara phlebovirus* for Tapará virus (TPRV) first isolated from phlebotomine sandflies in Altamira, Pará State, Brazil [80];
- *Tehran phlebovirus* for Tehran virus (THEV) first isolated from sandflies (*Phlebotomus papatasi* (Scopoli, 1786)) sampled in Tehran, Iran [86];
- *Tico phebovirus* [sic] for Tico virus (TICV) discovered by HTS in sandflies sampled in Panama Canal area, central Panama [68];
- *Toros phlebovirus* for Toros virus (TORV) first discovered by HTS in sandflies sampled in Damyeri, Adana Province (Adana ili), Turkey [5];
- *Toscana phlebovirus* for Toscana virus (TOSV) first isolated from sandflies (*Phlebotomus perniciosus* Newstead, 1911) in Toscany, Italy [86, 125];
- *Tres Almendras virus* for Tres Almendra virus (TRAV) first discovered by HTS in sandflies (*Psychodopygus panamensis* (Shannon, 1926)) sampled on Tres Almendras Islands, Panama Canal area, central Panama [68];
- *Turuna phlebovirus* for Turuna virus (TUAV) first isolated from *Lutzomyia* sp. sandflies sampled in Cachoeira Porteira, Pará State, Brazil [83, 122];
- *Uriurana phlebovirus* for Uriurana virus (URIV) first isolated from phlebotomine sandflies in Tucuruí, Pará State, Brazil [80];
- *Urucuri phlebovirus* for Urucuri virus (URUV) first isolated from a Guyenne spiny-rat (*Proechimys guyannensis* (E. Geoffroy, 1803)) in Utinga Forest, Belém, Pará State, Brazil [80, 122];
- *Viola phlebovirus* for viola virus (VIOV) first discovered by HTS in sandflies (*Lutzomyia longipalpis* (Lutz and Neiva, 1912)) sampled in Pirizal, Mato Grosso State, Brazil [24]; and
- *Zerdali phlebovirus* for Zerdali virus (ZERV) first discovered by HTS in sandflies sampled in Zerdali, Adana Province (Adana ili), Turkey [5].

Genus *Rubodivirus* was created for the two new species *Apple rubodivirus 1* and *2* to accommodate apple rubbery wood viruses *1* and *2* (ARWV-*1/2*), respectively, first discovered using HTS in apple trees (*Malus* sp.) sampled in Germany and USA [100] (TaxoProp 2019.026M.A.v1.Phenuiviridae_4gen79sp).

One new species, *Melon tenuivivirus*, was added to genus *Tenuivirus* for melon chlorotic spot virus (MeCSV) first isolated from muskmelon (*Cucumis melo* L.) sampled in Provence-Alpes-Côte d'Azur Region, France [57].

Genus *Wubeivirus* was abolished and its two species, *Fly wubeivirus* and *Dipteran wubeivirus*, were moved into genus *Phasivirus* and renamed *Fly phasivirus* and *Dipteran phasivirus*, respectively (TaxoProp 2019.026M.A.v1.Phenuviridae_4gen79sp).

Family Tospoviridae—The overlooked adjustment of 12 tospovirid species names to correct non-Latinized binomials was implemented (TaxoProp 2019.016M.A.v1.Corrections).

Eight new species were created in genus *Orthotospovirus*:

- *Alstroemeria necrotic streak orthotospovirus* for Alstroemeria necrotic streak virus (ANSV) first isolated from ornamental crops (*Alstroemeria* sp.) sampled in Colombia [42];
- *Alstroemeria yellow spot orthotospovirus* for Alstroemeria yellow spot virus (AYSV) first isolated from ornamental crops (*Alstroemeria* sp.) imported to and sampled in the Netherlands [43];
- *Groundnut chlorotic fan spot orthotospovirus* for groundnut chlorotic fan-spot virus (GCFSV) first isolated from peanut (*Arachis hypogaea* L.) sampled in Taiwan [21];
- *Hippeastrum chlorotic ringspot orthotospovirus* for Hippeastrum chlorotic spot virus (HCRV) first isolated from amaryllis (*Hippeastrum* sp.) and spider lily (*Hymenocallis littoralis* (Jacq.) Salisb.) sampled in southwestern China [31, 143];
- *Mulberry vein banding associated orthotospovirus* for mulberry vein banding-associated virus (MVBaV) discovered first by HTS in mulberry (*Morus alba* L.) sampled in Guǎngx Zhuàng Autonomous Region (广西壮族自治区), China in 2011 [74, 75];
- *Pepper chlorotic spot orthotospovirus* for pepper chlorotic spot virus (PCSV) first isolated from sweet pepper (*Capsicum annuum* L.) in Taiwan [22];
- *Tomato yellow ring orthotospovirus* for tomato yellow ring virus (TYRV) first isolated from tomato (*Solanum lycopersicum* L.) in Iran [134]; and
- *Tomato zonate spot orthotospovirus* for tomato zonate spot virus (TZSV) first isolated from tomato (*Solanum lycopersicum* L.) and chili pepper (*Capsicum annuum* L.) sampled in Yúnnán Province (云南省), China [30] (TaxoProp 2019.006P.A.v1.Orthotospovirus_8sp).

SUMMARY

A summary of the current, ICTV-accepted taxonomy of the phylum *Negarnaviricota* is presented in Table 1 (*Goujianvirales*), Table 2 (*Jingchuvirales*), Table 3 (*Mononegavirales*), Table 4 (*Muvirales*), Table 5 (*Serpentovirales*), Table 6 (*Articulavirales*), and Table 7 (*Bunyavirales*).

Authors

- Jens H. Kuhn^{1,I,II,IV,V,VI,IX,XI,XII,XIII,d},
Integrated Research Facility at Fort Detrick, National Institute of Allergy and
Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA
- Scott Adkins^{V,XVI,XXIII},
United States Department of Agriculture, Agricultural Research Service, US
Horticultural Research Laboratory, Fort Pierce, Florida, USA
- Daniela Alioto,
Dipartimento di Agraria, Università degli Studi di Napoli Federico II, Portici, Italy
- Sergey V. Alkhovsky^{XI,XVI},
D.I. Ivanovsky Institute of Virology of N.F. Gamaleya National Center on
Epidemiology and Microbiology of Ministry of Health of Russian Federation, Russia
- Gaya Amarasinghe^{VI},
Department of Pathology and Immunology, Washington University School of
Medicine, St. Louis, Missouri, USA
- Simon J. Anthony,
Mailman School of Public Health, Columbia University, New York, New York, USA
EcoHealth Alliance, New York, New York, USA
- Tatjana Avši -Županc^{XI},
University of Ljubljana, Ljubljana Faculty of Medicine, Slovenia
- María A. Ayllón^X,
Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid
—Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria, Campus
de Montegancedo, Pozuelo de Alarcón, Madrid, Spain
- Departamento de Biotecnología-Biología Vegetal, Escuela Técnica Superior de
Ingeniería Agronómica, Alimentaria y de Biosistemas, Universidad Politécnica de
Madrid, Madrid, Spain
- Justin Bahl^{XIV},
Center for Ecology of Infectious Diseases, Department of Infectious Diseases,
Department of Epidemiology and Biostatistics, Institute of Bioinformatics, University
of Georgia, Athens GA, USA
- Anne Balkema-Buschmann^{XV},
Friedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Institute of
Novel and Emerging Infectious Diseases, Greifswald-Insel Riems, Germany
- Matthew J. Ballinger^{XVII},
Department of Biological Sciences, Mississippi State University, Mississippi State,
Mississippi, USA
- Tomáš Bartoni ka,
Department of Botany and Zoology, Masaryk University, Czech Republic

- Christopher Basler^{VI},
Center for Microbial Pathogenesis, Institute for Biomedical Sciences, Georgia State University, Atlanta, Georgia, USA
- Sina Bavari^{VI},
Edge BioInnovation Consulting and Mgt, Frederick, Maryland, USA
- Martin Beer^{XVI},
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Dennis A. Bente^{XI},
University of Texas Medical Branch, Galveston, Texas, USA
- Éric Bergeron^{XI},
Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, Georgia, USA
- Brian H. Bird,
School of Veterinary Medicine, One Health Institute, University of California, Davis California USA
- Carol D. Blair^{XVI},
Dept. of Microbiology, Immunology & Pathology, Colorado State University, Fort Collins, CO USA
- Kim R. Blasdell^{XX},
Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australian Centre for Disease Preparedness, Geelong, Victoria, Australia
- Steven Bradfute^{VIII},
University of New Mexico Health Sciences Center, Albuquerque, New Mexico, USA
- Rachel Breyta^{XX},
US Geological Survey, Western Fisheries Research Center, Seattle, Washington, USA
- Thomas Briese^{IV,XVIII},
Center for Infection and Immunity, and Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, New York, USA
- Paul A. Brown^{XIX},
French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France
- Ursula J. Buchholz^{XIX},
RNA Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland, USA
- Michael J. Buchmeier^I,
Department of Molecular Biology and Biochemistry, University of California, Irvine, California, USA

- Alexander Bukreyev^{VI},
The University of Texas Medical Branch at Galveston, Galveston National
Laboratory, Galveston, Texas, USA
- Galveston National Laboratory, The University of Texas, Medical Branch at
Galveston, Galveston, TX, USA
- Felicity Burt^{XI},
Division of Virology, National Health Laboratory Service and Division of Virology,
University of the Free State, Bloemfontein, Republic of South Africa
- Nihal Buzkan,
UNIVERSITY OF KAHRAMANMARAS SÜTCÜ İMAM FACULTY OF
AGRICULTURE, DEPARTMENT OF PLANT PROTECTION AVSAR CAMPUS,
46060 KAHRAMANMARAS, TURKEY
- Charles H. Calisher^{VIII,XVI},
Colorado State University, Fort Collins, Colorado
- Mèngjí Cáo,
National Citrus Engineering Research Center, Citrus Research Institute, Southwest
University, Chongqing, 400712, China
- Academy of Agricultural Sciences, Southwest University, Chongqing, 400715, China
- Inmaculada Casas^{XIV},
Respiratory Virus and Influenza Unit, National Microbiology Center, Instituto de
Salud Carlos III, Madrid, Spain
- John Chamberlain,
Virology and Pathogenesis Group, National Infection Service, Public Health
England, Porton Down, United Kingdom
- Kartik Chandran^{VI},
Department of Microbiology and Immunology, Albert Einstein College of Medicine,
Bronx, New York, USA
- Rémi N. Charrel^{II,XVIII},
Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU
Méditerranée Infection), Marseille, France
- Biao Chen,
Guangdong Province Key Laboratory of Microbial Signals and Disease Control,
College of Agriculture, South China Agricultural University Guangdong, China
- Michela Chiumenti,
Istituto per la Protezione Sostenibile delle Piante - Consiglio Nazionale delle
ricerche (Institute for Sustainable Plant Protection - National Research Council),
ITALY
- Il-Ryong Choi^{XXII},

Plant Breeding Genetics and Biotechnology Division and International Rice Research Institute, Los Baños, Philippines
J. Christopher S. Clegg^I,
Les Mandinaux, Le Grand Madieu, France
Ian Crozier^{VI},
Clinical Monitoring Research Program Directorate, Frederick National Laboratory for Cancer Research, Frederick, Maryland USA
John V. da Graça^{III},
Texas A&M University-Kingsville Citrus Center, Weslaco Texas, USA
Elena Dal Bó^{III},
CIDEFI. Facultad de Ciencias Agrarias y Forestales, Universidad de La Plata, La Plata, Argentina
Alberto M. R. Dávila,
Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Biologia Computacional e Sistemas, Rio de Janeiro, RJ, Brasil
Xavier de Lamballerie^{XVIII},
Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU Méditerranée Infection), Marseille, France
Juan Carlos de la Torre^V,
Department of Immunology and Microbiology IMM-6, The Scripps Research Institute, La Jolla, California, USA
Rik L. de Swart^{XIX},
Department Viroscience, Erasmus MC, University Medical Centre Rotterdam, The Netherlands
Patrick L. Di Bello,
Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR, 97331, USA
Nicholas Di Paola^{XI},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
Francesco Di Serio,
Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy
Ralf G. Dietzgen^{II,IX,XIII,XX},
Queensland Alliance for Agriculture and Food Innovation, The University of Queensland, St. Lucia, Queensland, Australia
Michele Digiaro^{VII},
CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
Valerian V. Dolja,

- Department of Botany and Plant Pathology, Oregon State University, Corvallis, Oregon, USA
- Olga Dolnik^{VI},
Institute of Virology, Philipps University Marburg, Marburg, Germany
- Michael A. Drebot^{XVI},
Zoonotic Diseases and Special Pathogens, National Microbiology Laboratory, Public Health Agency of Canada, Winnipeg, Manitoba, Canada;
- J. Felix Drexler^{XIX},
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany
- Ralf Dürrwald^{IV},
Robert Koch Institut, Berlin, Germany
- Lucie Dufkova,
Veterinary Research Institute, Brno, Czech Republic
- William G. Dunton^{XV},
Animal Production and Health Laboratory, Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Department of Nuclear Sciences and Applications, International Atomic Energy Agency, Vienna, Austria
- W. Paul Duprex^{IX,XV,XIX},
University of Pittsburgh, School of Medicine, Pittsburgh, Pennsylvania, USA
- John M. Dye^{VI},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
- Andrew J. Easton^{XV,XIX},
School of Life Sciences, University of Warwick, Coventry, UK
- Hideki Ebihara^{XVIII},
Department of Molecular Medicine, Mayo Clinic, Rochester, Minnesota, USA
- Toufic Elbeaino^{VII},
Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
- Koray Ergünay^{XI},
Virology Unit, Department of Medical Microbiology, Hacettepe University Faculty of Medicine, Ankara, Turkey
- Jorlan Fernandes,
Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil
- Anthony R. Fooks^{XX},
Animal and Plant Health Agency, Weybridge, Surrey, UK
- Pierre B. H. Formenty^{VI},

- World Health Organization, Geneva, Switzerland
- Leonie Forth,
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Ron Fouchier^{XV},
Department Viroscience, Erasmus MC, University Medical Centre Rotterdam, the Netherlands
- Juliana Freitas-Astúa^{XX},
Embrapa Cassava and Fruits, Cruz das Almas, Bahia, Brazil
- Selma Gago-Zachert^{III},
Institute of Biochemistry and Biotechnology, Martin Luther University Halle-Wittenberg, Halle/Saale, Germany
- Department of Molecular Signal Processing, Leibniz Institute of Plant Biochemistry, Halle/Saale, Germany
- George Fú Gó^{XVIII},
National Institute for Viral Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Beijing, China
- María Laura García^{III},
Instituto de Biotecnología y Biología Molecular, Facultad de Ciencias Exactas, CONICET UNLP, La Plata, Argentina
- Adolfo García-Sastre^{XIV},
Icahn School of Medicine at Mount Sinai, New York, NY, USA
- Aura R. Garrison^{XI},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
- Aiah Gbakima,
Metabiota, Inc. Sierra Leone, Freetown, Sierra Leone
- Tracey Goldstein,
One Health Institute & Karen C. Drayer Wildlife Health Center, School of Veterinary Medicine, University of California, Davis, California, USA
- Jean-Paul J. Gonzalez^I,
Department of Microbiology & Immunology, Division of Biomedical Graduate Research Organization, School of Medicine, Georgetown University, Washington, DC 20057, USA
- Centaurus Biotechnologies, CTP, Manassas, VA, USA
- Anthony Griffiths^{VI},
Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA
- Martin H. Groschup^{XVIII},

Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany

Stephan Günther^I,

Bernhard-Nocht Institute for Tropical Medicine, WHO Collaborating Centre for Arboviruses and Hemorrhagic Fever Reference and Research, Department of Virology, Hamburg, Germany

Alexandro Guterres,

Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil

Anne-Lise Haenni^{XXII}, Roy A. Hall^{XVII},

Australian Infectious Diseases Research Centre, School of Chemistry and Molecular Biosciences, The University of Queensland, Brisbane, Australia

John Hammond^{III},

United States Department of Agriculture, Agricultural Research Service, USNA, Floral and Nursery Plants Research Unit, Beltsville, Maryland, USA

Mohamed Hassan,

Department of Agricultural Botany, Faculty of Agriculture, Fayoum University, Fayoum, Egypt

Jussi Hepojoki^I,

University of Helsinki, Medicum, Department of Virology, Helsinki, Finland

Institute of Veterinary Pathology, Vetsuisse Faculty, University of Zurich, Zurich, Switzerland

Satu Hepojoki,

Mobidiag Ltd, Espoo, Finland

University of Helsinki, Medicum, Department of Virology, Helsinki, Finland

Udo Hetzel,

Institute of Veterinary Pathology, University of Zuerich, Switzerland

Roger Hewson^{VI,XI},

Public Health England, Porton Down, Wiltshire, Salisbury, UK

Bernd Hoffmann,

Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany

Seiji Hongo^{XIV},

Department of Infectious Diseases, Yamagata University Faculty of Medicine, Yamagata, Japan

Dirk Höper,

Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany

Masayuki Horie^{IV},

Hakubi Center for Advanced Research, Kyoto University, Kyoto, Japan

- Holly R. Hughes^{XVI},
Centers for Disease Control and Prevention, Fort Collins, Colorado, USA
- Timothy H. Hyndman^{IV,XXI},
School of Veterinary Medicine, Murdoch University, Murdoch, Western Australia,
Australia
- Amara Jambai,
Ministry of Health and Sanitation, Freetown, Sierra Leone
- Rodrigo Jardim,
Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Biologia
Computacional e Sistemas, Rio de Janeiro, RJ, Brasil
- Dàohóng Ji ng^{II,IX,X,XIII},
State Key Laboratory of Agricultural Microbiology, Huazhong Agricultural University,
Wuhan, Hubei Province, China
- Qi Jin,
Ministry of Health Key Laboratory of Systems Biology of Pathogens, Institute of
Pathogen Biology, Chinese Academy of Medical Sciences and Peking Union
Medical College, Beijing, China
- Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases,
Hangzhou, China
- Gilda B. Jonson^{XXII},
Department of Agricultural Biotechnology, Center for Fungal Pathogenesis, College
of Agriculture and Life Sciences, Seoul National University, Seoul, Korea
- Sandra Junglen^{V,XVII},
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free
University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin,
Germany
- German Centre for Infection Research, Berlin, Germany
- Serpil Karada ,
REPUBLIC OF TURKEY MINISTRY OF AGRICULTURE AND
FORESTRY, PISTACHIO RESEARCH INSTITUTE, GAZIANTEP, TURKEY
- Karen E. Keller,
United States Department of Agriculture, Agricultural Research Service, Horticulture
Crops Research Unit, Corvallis, Oregon, USA
- Boris Klempa^{VIII},
Institute of Virology, Biomedical Research Center, Slovak Academy of Sciences,
Bratislava, Slovakia
- Jonas Klingström^{VIII},
Center for Infectious Medicine, Department of Medicine Huddinge, Karolinska
Institutet, Karolinska University Hospital, Stockholm, Sweden

- Gary Kobinger^{VI},
Department of Microbiology, Immunology & Infectious Diseases, Université Laval,
Quebec City, Canada
- Hideki Kond^{XX},
Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan
- Eugene V. Koonin^{XII},
National Center for Biotechnology Information, National Library of Medicine,
National Institutes of Health, Bethesda, Maryland, USA
- Mart Krupovic^{XII},
Archaeal Virology Unit, Institut Pasteur, Paris, France
- Gael Kurath^{XV,XX,XXI},
US Geological Survey Western Fisheries Research Center, Seattle, Washington,
USA
- Ivan V. Kuzmin^{XX},
US Department of Agriculture, Animal and Plant Health Inspection, National
Veterinary Services Laboratories, Diagnostic Virology Laboratory, USA
- Lies Laenen^{VIII},
KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium
- Department of Laboratory Medicine, University Hospitals Leuven, Leuven, Belgium
- Robert A. Lamb^{XV},
Department of Molecular Biosciences, Northwestern University, Evanston, Illinois,
USA
- Howard Hughes Medical Institute, Northwestern University, Evanston, Illinois, USA
- Amy J. Lambert^{V,XVI,XXIII},
Centers for Disease Control and Prevention, Fort Collins, Colorado, USA
- Stanley L. Langevin^{XVII},
Department of Microbiology, University of Washington, Washington, USA
- Benhur Lee^{XV},
Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York,
New York, USA
- Elba R. S. Lemos,
Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de
Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil
- Eric M. Leroy^{VI},
MIVEGEC (IRD-CNRS-Montpellier university) unit, French National Research
Institute for Sustainable Development (IRD), Montpellier, France
- Dexin Li,
National Institute for Viral Disease Control and Prevention, Chinese Center for
Disease Control and Prevention, Beijing, China

- Jiànróng Lǐ^{XIX},
Department of Veterinary Biosciences, College of Veterinary Medicine, The Ohio State University, Columbus, Ohio, USA
- Mifang Liang,
Key Laboratory for Medical Virology, NHFPC, National Institute for Viral Disease Control and Prevention, China
- Wénwén Liú,
State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China
- Yàn Liú,
State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China
- Igor S. Lukashevich^l,
Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, Kentucky, USA
- Piet Maes^{V,VIII,IX},
KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium
- William Marciel de Souza^{XVI},
Virology Research Center, University of São Paulo, Ribeirão Preto, Brazil
- Marco Marklewitz^{V,XVI},
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany
- German Center for Infection Research (DZIF), Berlin, Germany
- Sergio H. Marshall^{XIV},
Pontificia Universidad Católica de Valparaíso, Campus Curauma, Valparaíso, Chile
- Giovanni P. Martelli^{VII,†},
Department of Plant, Soil and Food Sciences, University "Aldo Moro," Bari, Italy
- Robert R. Martin,
United States Department of Agriculture, Horticultural Crops Research Unit, Corvallis, Oregon, USA
- Shin-Yi L. Marzano^X,
Department of Biology and Microbiology, Department of Plant Sciences, South Dakota State University, Brookings, South Dakota, USA
- Sébastien Massart,
Liège University, Gembloux Agro-Bio Tech, TERRA, Plant Pathology Laboratory, Belgium
- John W. McCauley^{XIV},

Worldwide Influenza Centre, Francis Crick Institute, London, UK
Nicole Mielke-Ehret^{VII},
Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany
Angelantonio Minafra,
Istituto per la Protezione Sostenibile delle Piante - Consiglio Nazionale delle
ricerche (Institute for Sustainable Plant Protection - National Research Council),
ITALY
Maria Minutolo,
Dipartimento di Agraria, Università degli Studi di Napoli Federico II, Portici, Italy
Ali Mirazimi^{XI},
Folkhalsomyndigheten, Stockholm, Sweden
Hans-Peter Mühlbach^{VII},
Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany
Elke Mühlberger^{VI},
Department of Microbiology and National Emerging Infectious Diseases
Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA
Rayapati Naidu^{XXIII},
Washington State University, Department of Plant Pathology, Irrigated Agricultural
Research and Extension Center, Prosser, Washington, USA
Tomohide Natsuaki^{III},
School of Agriculture, Utsunomiya University, Utsunomiya, Tochigi, Japan
Beatriz Navarro,
Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle
Ricerche, Bari, Italy
José A. Navarro^{III},
Instituto de Biología Molecular y Celular de Plantas, Universitat Politècnica de
València-Consejo Superior de Investigaciones Científicas, Valencia, Spain
Sergey V. Netesov^{VI},
Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia
Gabriele Neumann^{XIV},
Influenza Research Institute, Dept. of Pathobiological Sciences, University of
Wisconsin-Madison
Norbert Nowotny^{IV},
Institute of Virology, University of Veterinary Medicine Vienna, Vienna, Austria
College of Medicine, Mohammed Bin Rashid University of Medicine and Health
Sciences, Dubai, United Arab Emirates
Márcio R. T. Nunes^{XVI,XVIII},
Evandro Chagas Institute, Ministry of Health, Pará, Brazil

- Are Nylund,
Fish Disease Research Group, Department of Biological Sciences, University of Bergen, Bergen, Norway
- Arnfinn L. Økland,
Fish Disease Research Group, Department of Biological Sciences, University of Bergen, Bergen, Norway
- Renata C. Oliveira,
Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil
- Gustavo Palacios^{V,VI,XI,XVIII},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
- Vicente Pallás^{III},
Instituto de Biología Molecular y Celular de Plantas (IBMCP), Consejo Superior de Investigaciones Científicas-Universidad Politécnica de Valencia, Valencia, Spain.
- Bernadett Pályi^{VI},
National Biosafety Laboratory, National Public Health Center, Budapest, Hungary
- Anna Papa^{XI},
National Reference Centre for Arboviruses and Haemorrhagic Fever viruses, Department of Microbiology, Medical School, Aristotle University of Thessaloniki, Thessaloniki, Greece
- Colin R. Parrish^{XIV},
Baker Institute for Animal Health, College of Veterinary Medicine, Cornell University, Ithaca, New York, USA
- Alex Pauvolid-Corrêa^{XVII},
Department of Veterinary Integrated Biosciences and Department of Entomology, Texas A&M University, College Station, USA
- Janusz T. Paw ska^{VI,IX},
Center for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases of the National Health Laboratory Service, Sandringham-Johannesburg, Gauteng, South Africa
- Susan Payne^{IV},
Department of Veterinary Pathobiology, College of Veterinary Medicine and Biomedical Sciences, Texas A&M University, College Station, Texas, USA
- Daniel R. Pérez^{XIV},
Department of Population Health, College of Veterinary Medicine, University of Georgia, Athens, Georgia, USA
- Florian Pfaff,
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald – Insel Riems, Germany

- Sheli R. Radoshitzky¹,
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick,
Frederick, Maryland, USA
- Aziz-ul Rahman,
Institute of Microbiology, University of Veterinary and Animal Sciences, Lahore,
Pakistan
- Pedro L. Ramos-González,
Laboratório de Biologia Molecular Aplicada, Instituto Biológico, São Paulo, SP,
Brazil
- Renato O. Resende^{XXIII},
Departamento de Biología Celular, Universidade de Brasília, Brasília, Brazil
- Carina A. Reyes^{III},
Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La
Plata, Buenos Aires, Argentina
- Bertus K. Rima^{IX,XV},
Centre for Experimental Medicine, School of Medicine, Dentistry and Biomedical
Sciences, The Queen's University of Belfast, Belfast, Northern Ireland, UK
- Gabriel Robles Luna^{III},
Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La
Plata, Buenos Aires, Argentina
- Víctor Romanowski^I,
Instituto de Biotecnología y Biología Molecular, Centro Científico Tecnológico-La
Plata, Consejo Nacional de Investigaciones Científico Tecnológico—Universidad
Nacional de La Plata, La Plata, Argentina
- Paul Rota^{XV},
National Center for Immunization and Respiratory Diseases, Centers for Disease
Control and Prevention, Atlanta, Georgia, USA
- Dennis Rubbenstroth^{IV,IX},
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald – Insel Riems,
Germany
- Jonathan A. Runstadler^{XIV},
Department of Infectious Disease & Global Health, Tufts University Cummings
School of Veterinary Medicine, 200 Westboro Road, North Grafton, MA 01536 USA
- Daniel Ruzek,
Veterinary Research Institute, Brno, Czech Republic
- Institute of Parasitology, Biology Centre of the Czech Academy of Sciences,
Branisovská 31, CZ-37005 České Budějovice, Czech Republic
- Sead Sabanadzovic^e,

Department of Biochemistry, Molecular Biology, Entomology and Plant Pathology,
Mississippi State University, Mississippi State, Mississippi, USA

Ji í Salát,
Veterinary Research Institute, Brno, Czech Republic

Institute of Parasitology, Biology Centre of the Czech Academy of Sciences,
Branisovska 31, CZ-37005 Ceske Budejovice, Czech Republic

Amadou Alpha Sall^{XI},
Institut Pasteur de Dakar, Dakar, Senegal

Maria S. Salvato^I,
Institute of Human Virology, University of Maryland School of Medicine, Baltimore,
Maryland, USA

Kamil Sarpkaya,
Karabuk University (UNIKA), Faculty of Forestry , Department of Forestry
Engineering, TURKEY

Takahide Sasaya^{III,V,XVIII,XXII},
Western Region Agricultural Research Center, National Agriculture and Food
Research Organization, Fukuyama, Japan

Martin Schwemmle^{XIV},
University Medical Center-University Freiburg, Faculty of Medicine, Freiburg,
Germany

Muhammad Z. Shabbir,
Institute of Microbiology, University of Veterinary and Animal Sciences, Lahore,
Pakistan

Xiăohóng Shí^{XVI},
MRC-University of Glasgow Centre for Virus Research, Glasgow, Scotland, UK

Zhènglì Shí,
CAS Key Laboratory of Special Pathogens, Wuhan Institute of Virology, Center for
Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, Hubei, People's
Republic of China.

Yukio Shirako^{XXII},
Asian Center for Bioresources and Environmental Sciences, University of Tokyo,
Tokyo, Japan

Peter Simmonds^a,
Nuffield Department of Medicine, University of Oxford, Oxford, UK

Jana Širmarová,
Veterinary Research Institute, Brno, Czech Republic

Manuela Sironi^I,
Bioinformatics Unit, Scientific Institute IRCCS "E. Medea," Bosisio Parini, Italy

Sophie Smither^{VI},

CBR Division, Dstl, Porton Down, Salisbury, Wiltshire, UK

Teemu Smura,

University of Helsinki, Medicum, Department of Virology, Helsinki, Finland

Jin-Won Song^{VIII,XVIII},

Department of Microbiology, College of Medicine, Korea University, Seoul, Republic of Korea

Kirsten Spann^{XIX},

School of Biomedical Sciences, Faculty of Health, Queensland University of Technology, Brisbane, Queensland, Australia

Jessica R. Spengler^{XI},

Viral Special Pathogens Branch, Division of High-Consequence Pathogens & Pathology, Centers for Disease Control & Prevention

Mark D. Stenglein^{I,IV},

Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, Colorado, USA

David M. Stone^{XX},

Centre for Environment, Fisheries and Aquaculture Science, Weymouth, Dorset, UK

Petra Straková,

Veterinary Research Institute, Brno, Czech Republic

Ayato Takada^{VI},

Division of Global Epidemiology, Research Center for Zoonosis Control, Hokkaido University, Sapporo, Japan

Robert B. Tesh^{XX},

The University of Texas Medical Branch, Galveston, Texas, USA

Natalie J. Thornburg^{XIX},

Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Keiz Tomonaga^{IV},

Institute for Frontier Life and Medical Sciences (inFront), Kyoto University, Kyoto, Japan

Noël Tordo^{XX},

Institut Pasteur, Unité des Stratégies Antivirales, WHO Collaborative Centre for Viral Haemorrhagic Fevers and Arboviruses, OIE Reference Laboratory for RVFV & CCHFV, Paris, France & Institut Pasteur de Guinée, Conakry, Guinea

Jonathan S. Towner^{VI},

Viral Special Pathogens Branch, Division of High-Consequence Pathogens Pathology, National Center for Emerging and Zoonotic Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Massimo Turina^{XXIII},

Institute for Sustainable Plant Protection, National Research Council of Italy (CNR),
Strada delle Cacce 73, 10135 Torino, Italy

Ioannis Tzanetakis^{III},

Dept. of Entomology & Plant Pathology, Division of Agriculture, University of
Arkansas System, Fayetteville, AR 72701

Rainer G. Ulrich,

Friedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Institute of
Novel and Emerging Infectious Diseases, Südufer 10, 17493 Greifswald-Insel
Riems, Germany, and Partner site Hamburg-Lübeck-Borstel-Insel Riems,
Greifswald-Insel Riems, Germany

Anna Maria Vaira^{III},

Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-
CNR), 73 Strada delle Cacce, 10135 Torino, Italy

Bernadette van den Hoogen^{XIX},

Department of Viroscience, Erasmus MC, University Medical Centre Rotterdam,
Rotterdam, the Netherlands

Arvind Varsani^e,

The Biodesign Center for Fundamental and Applied Microbiomics, Center for
Evolution and Medicine School of Life Sciences, Arizona State University, Tempe,
Arizona, USA

Structural Biology Research Unit, Department of Clinical Laboratory Sciences,
University of Cape Town, Observatory, Cape Town, South Africa

Nikos Vasilakis^{II,XIII,XX},

The University of Texas Medical Branch, Galveston, Texas, USA

Martin Verbeek^{III},

Wageningen University and Research, Biointeractions and Plant Health,
Wageningen, The Netherlands

Victoria Wahl^{VI},

National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick,
MD, USA

Peter J. Walker^{IX,XX,b},

School of Biological Sciences, University of Queensland, St. Lucia, Queensland,
Australia

Hui Wang,

State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of
Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China

Jianwei Wang,

NHC Key Laboratory of Systems Biology of Pathogens and Christophe Mérieux
Laboratory, IPB-Fondation Mérieux, Institute of Pathogen Biology, Chinese
Academy of Medical Sciences and Peking Union Medical College, Beijing, China

- Lin-Fa Wang^{XV},
Programme in Emerging Infectious Diseases, Duke-NUS Medical School,
Singapore
- Xifeng Wang,
State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of
Plant Protection, Chinese Academy of Agricultural Sciences, Beijing 100193, China
- Tàiyún Wèi^{XXII},
Fujian Province Key Laboratory of Plant Virology, Institute of Plant Virology, Fujian
Agriculture and Forestry University, Fuzhou, Fujian, China
- Heather Wells,
Columbia University, Mailman School of Public Health, Center for Infection and
Immunity
- Anna E. Whitfield^{XX,XXIII},
Department of Entomology and Plant Pathology, North Carolina State University,
Raleigh, North Carolina, USA
- John V. Williams^{XIX},
School of Medicine, University of Pittsburgh, School of Medicine, Pittsburgh,
Pennsylvania, USA
- Yuri I. Wolf^{XII},
National Center for Biotechnology Information, National Library of Medicine,
National Institutes of Health, Bethesda, Maryland, USA
- Zhìqíáng Wú,
MOH Key Laboratory of Systems Biology of Pathogens, IPB, CAMS
- Xin Yang,
Guangdong Province Key Laboratory of Microbial Signals and Disease Control,
College of Agriculture, South China Agricultural University Guangdong, China
- X nglóu Yáng,
CAS Key Laboratory of Special Pathogens, Wuhan Institute of Virology, Center for
Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, Hubei, People's
Republic of China.
- Xue-Jie Yu,
Wuhan University School of Health Sciences, Wuhan, China
- Natalya Yutin,
National Center for Biotechnology Information, National Library of Medicine,
National Institutes of Health, Bethesda, Maryland, USA
- F. Murilo Zerbini^c,
Departamento de Fitopatologia, Instituto de Biotecnologia Aplicada à Agropecuária,
Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil
- Tong Zhang,

Guangdong Province Key Laboratory of Microbial Signals and Disease Control,
College of Agriculture, South China Agricultural University Guangdong, China

Yong-Zhen Zhang^{V,VIII,IX},

National Institute for Communicable Disease Control and Prevention, Chinese
Center for Disease Control and Prevention, Changping, Beijing, China

Guohui Zhou,

Guangdong Province Key Laboratory of Microbial Signals and Disease Control,
College of Agriculture, South China Agricultural University Guangdong, China

Xueping Zhou^{XXII}

State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of
Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China

Affiliations

Integrated Research Facility at Fort Detrick, National Institute of Allergy and
Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA

United States Department of Agriculture, Agricultural Research Service, US
Horticultural Research Laboratory, Fort Pierce, Florida, USA

Dipartimento di Agraria, Università degli Studi di Napoli Federico II, Portici, Italy

D.I. Ivanovsky Institute of Virology of N.F. Gamaleya National Center on
Epidemiology and Microbiology of Ministry of Health of Russian Federation, Russia

Department of Pathology and Immunology, Washington University School of
Medicine, St. Louis, Missouri, USA

Mailman School of Public Health, Columbia University, New York, New York, USA

EcoHealth Alliance, New York, New York, USA

University of Ljubljana, Ljubljana Faculty of Medicine, Slovenia

Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid
—Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria, Campus
de Montegancedo, Pozuelo de Alarcón, Madrid, Spain

Departamento de Biotecnología-Biología Vegetal, Escuela Técnica Superior de
Ingeniería Agronómica, Alimentaria y de Biosistemas, Universidad Politécnica de
Madrid, Madrid, Spain

Center for Ecology of Infectious Diseases, Department of Infectious Diseases,
Department of Epidemiology and Biostatistics, Institute of Bioinformatics, University
of Georgia, Athens GA, USA

Friedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Institute of
Novel and Emerging Infectious Diseases, Greifswald-Insel Riems, Germany

Department of Biological Sciences, Mississippi State University, Mississippi State,
Mississippi, USA

Department of Botany and Zoology, Masaryk University, Czech Republic
Center for Microbial Pathogenesis, Institute for Biomedical Sciences, Georgia State University, Atlanta, Georgia, USA
Edge BioInnovation Consulting and Mgt, Frederick, Maryland, USA
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
University of Texas Medical Branch, Galveston, Texas, USA
Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, Georgia, USA
School of Veterinary Medicine, One Health Institute, University of California, Davis California USA
Dept. of Microbiology, Immunology & Pathology, Colorado State University, Fort Collins, CO USA
Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australian Centre for Disease Preparedness, Geelong, Victoria, Australia
University of New Mexico Health Sciences Center, Albuquerque, New Mexico, USA
US Geological Survey, Western Fisheries Research Center, Seattle, Washington, USA
Center for Infection and Immunity, and Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, New York, USA
French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France
RNA Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland, USA
Department of Molecular Biology and Biochemistry, University of California, Irvine, California, USA
The University of Texas Medical Branch at Galveston, Galveston National Laboratory, Galveston, Texas, USA
Galveston National Laboratory, The University of Texas, Medical Branch at Galveston, Galveston, TX, USA
Division of Virology, National Health Laboratory Service and Division of Virology, University of the Free State, Bloemfontein, Republic of South Africa
UNIVERSITY OF KAHRAMANMARAS SÜTCÜ İMAM FACULTY OF AGRICULTURE, DEPARTMENT OF PLANT PROTECTION AVSAR CAMPUS, 46060 KAHRAMANMARAS, TURKEY
Colorado State University, Fort Collins, Colorado

- National Citrus Engineering Research Center, Citrus Research Institute, Southwest University, Chongqing, 400712, China
- Academy of Agricultural Sciences, Southwest University, Chongqing, 400715, China
- Respiratory Virus and Influenza Unit, National Microbiology Center, Instituto de Salud Carlos III, Madrid, Spain
- Virology and Pathogenesis Group, National Infection Service, Public Health England, Porton Down, United Kingdom
- Department of Microbiology and Immunology, Albert Einstein College of Medicine, Bronx, New York, USA
- Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU Méditerranée Infection), Marseille, France
- Guangdong Province Key Laboratory of Microbial Signals and Disease Control, College of Agriculture, South China Agricultural University Guangdong, China
- Istituto per la Protezione Sostenibile delle Piante - Consiglio Nazionale delle ricerche (Institute for Sustainable Plant Protection - National Research Council), ITALY
- Plant Breeding Genetics and Biotechnology Division and International Rice Research Institute, Los Baños, Philippines
- Les Mandinaux, Le Grand Madieu, France
- Clinical Monitoring Research Program Directorate, Frederick National Laboratory for Cancer Research, Frederick, Maryland USA
- Texas A&M University-Kingsville Citrus Center, Weslaco Texas, USA
- CIDEFI. Facultad de Ciencias Agrarias y Forestales, Universidad de La Plata, La Plata, Argentina
- Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Biologia Computacional e Sistemas, Rio de Janeiro, RJ, Brasil
- Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU Méditerranée Infection), Marseille, France
- Department of Immunology and Microbiology IMM-6, The Scripps Research Institute, La Jolla, California, USA
- Department Viroscience, Erasmus MC, University Medical Centre Rotterdam, The Netherlands
- Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR, 97331, USA
- United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA

- Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy
- Queensland Alliance for Agriculture and Food Innovation, The University of Queensland, St. Lucia, Queensland, Australia
- CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
- Department of Botany and Plant Pathology, Oregon State University, Corvallis, Oregon, USA
- Institute of Virology, Philipps University Marburg, Marburg, Germany
- Zoonotic Diseases and Special Pathogens, National Microbiology Laboratory, Public Health Agency of Canada, Winnipeg, Manitoba, Canada;
- Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany
- Robert Koch Institut, Berlin, Germany
- Veterinary Research Institute, Brno, Czech Republic
- Animal Production and Health Laboratory, Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Department of Nuclear Sciences and Applications, International Atomic Energy Agency, Vienna, Austria
- University of Pittsburgh, School of Medicine, Pittsburgh, Pennsylvania, USA
- United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
- School of Life Sciences, University of Warwick, Coventry, UK
- Department of Molecular Medicine, Mayo Clinic, Rochester, Minnesota, USA
- Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy
- Virology Unit, Department of Medical Microbiology, Hacettepe University Faculty of Medicine, Ankara, Turkey
- Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil
- Animal and Plant Health Agency, Weybridge, Surrey, UK
- World Health Organization, Geneva, Switzerland
- Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Department Viroscience, Erasmus MC, University Medical Centre Rotterdam, the Netherlands
- Embrapa Cassava and Fruits, Cruz das Almas, Bahia, Brazil

- Institute of Biochemistry and Biotechnology, Martin Luther University Halle-Wittenberg, Halle/Saale, Germany
- Department of Molecular Signal Processing, Leibniz Institute of Plant Biochemistry, Halle/Saale, Germany
- National Institute for Viral Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Beijing, China
- Instituto de Biotecnología y Biología Molecular, Facultad de Ciencias Exactas, CONICET UNLP, La Plata, Argentina
- Icahn School of Medicine at Mount Sinai, New York, NY, USA
- United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
- Metabiota, Inc. Sierra Leone, Freetown, Sierra Leone
- One Health Institute & Karen C. Drayer Wildlife Health Center, School of Veterinary Medicine, University of California, Davis, California, USA
- Department of Microbiology & Immunology, Division of Biomedical Graduate Research Organization, School of Medicine, Georgetown University, Washington, DC 20057, USA
- Centaurus Biotechnologies, CTP, Manassas, VA, USA
- Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA
- Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
- Bernhard-Nocht Institute for Tropical Medicine, WHO Collaborating Centre for Arboviruses and Hemorrhagic Fever Reference and Research, Department of Virology, Hamburg, Germany
- Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil
- Australian Infectious Diseases Research Centre, School of Chemistry and Molecular Biosciences, The University of Queensland, Brisbane, Australia
- United States Department of Agriculture, Agricultural Research Service, USNA, Floral and Nursery Plants Research Unit, Beltsville, Maryland, USA
- Department of Agricultural Botany, Faculty of Agriculture, Fayoum University, Fayoum, Egypt
- University of Helsinki, Medicum, Department of Virology, Helsinki, Finland
- Institute of Veterinary Pathology, Vetsuisse Faculty, University of Zurich, Zurich, Switzerland
- Mobidiag Ltd, Espoo, Finland

University of Helsinki, Medicum, Department of Virology, Helsinki, Finland
Institute of Veterinary Pathology, University of Zurich, Switzerland
Public Health England, Porton Down, Wiltshire, Salisbury, UK
Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
Department of Infectious Diseases, Yamagata University Faculty of Medicine, Yamagata, Japan
Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany
Hakubi Center for Advanced Research, Kyoto University, Kyoto, Japan
Centers for Disease Control and Prevention, Fort Collins, Colorado, USA
School of Veterinary Medicine, Murdoch University, Murdoch, Western Australia, Australia
Ministry of Health and Sanitation, Freetown, Sierra Leone
Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Biologia Computacional e Sistemas, Rio de Janeiro, RJ, Brasil
State Key Laboratory of Agricultural Microbiology, Huazhong Agricultural University, Wuhan, Hubei Province, China
Ministry of Health Key Laboratory of Systems Biology of Pathogens, Institute of Pathogen Biology, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China
Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Hangzhou, China
Department of Agricultural Biotechnology, Center for Fungal Pathogenesis, College of Agriculture and Life Sciences, Seoul National University, Seoul, Korea
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany
German Centre for Infection Research, Berlin, Germany
REPUBLIC OF TURKEY MINISTRY OF AGRICULTURE AND FORESTRY, PISTACHIO RESEARCH INSTITUTE, GAZIANTEP, TURKEY
United States Department of Agriculture, Agricultural Research Service, Horticulture Crops Research Unit, Corvallis, Oregon, USA
Institute of Virology, Biomedical Research Center, Slovak Academy of Sciences, Bratislava, Slovakia
Center for Infectious Medicine, Department of Medicine Huddinge, Karolinska Institutet, Karolinska University Hospital, Stockholm, Sweden

- Department of Microbiology, Immunology & Infectious Diseases, Université Laval, Quebec City, Canada
- Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan
- National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, USA
- Archaeal Virology Unit, Institut Pasteur, Paris, France
- US Geological Survey Western Fisheries Research Center, Seattle, Washington, USA
- US Department of Agriculture, Animal and Plant Health Inspection, National Veterinary Services Laboratories, Diagnostic Virology Laboratory, USA
- KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium
- Department of Laboratory Medicine, University Hospitals Leuven, Leuven, Belgium
- Department of Molecular Biosciences, Northwestern University, Evanston, Illinois, USA
- Howard Hughes Medical Institute, Northwestern University, Evanston, Illinois, USA
- Centers for Disease Control and Prevention, Fort Collins, Colorado, USA
- Department of Microbiology, University of Washington, Washington, USA
- Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, New York, USA
- Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil
- MIVEGEC (IRD-CNRS-Montpellier university) unit, French National Research Institute for Sustainable Development (IRD), Montpellier, France
- National Institute for Viral Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Beijing, China
- Department of Veterinary Biosciences, College of Veterinary Medicine, The Ohio State University, Columbus, Ohio, USA
- Key Laboratory for Medical Virology, NHFPC, National Institute for Viral Disease Control and Prevention, China
- State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China
- State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China
- Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, Kentucky, USA

KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium
Virology Research Center, University of São Paulo, Ribeirão Preto, Brazil
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany
German Center for Infection Research (DZIF), Berlin, Germany
Pontificia Universidad Católica de Valparaíso, Campus Curauma, Valparaíso, Chile
Department of Plant, Soil and Food Sciences, University "Aldo Moro," Bari, Italy
United States Department of Agriculture, Horticultural Crops Research Unit, Corvallis, Oregon, USA
Department of Biology and Microbiology, Department of Plant Sciences, South Dakota State University, Brookings, South Dakota, USA
Liège University, Gembloux Agro-Bio Tech, TERRA, Plant Pathology Laboratory, Belgium
Worldwide Influenza Centre, Francis Crick Institute, London, UK
Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany
Istituto per la Protezione Sostenibile delle Piante - Consiglio Nazionale delle ricerche (Institute for Sustainable Plant Protection - National Research Council), ITALY
Dipartimento di Agraria, Università degli Studi di Napoli Federico II, Portici, Italy
Folkhalsomyndigheten, Stockholm, Sweden
Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany
Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA
Washington State University, Department of Plant Pathology, Irrigated Agricultural Research and Extension Center, Prosser, Washington, USA
School of Agriculture, Utsunomiya University, Utsunomiya, Tochigi, Japan
Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy
Instituto de Biología Molecular y Celular de Plantas, Universitat Politècnica de València-Consejo Superior de Investigaciones Científicas, Valencia, Spain
Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia
Influenza Research Institute, Dept. of Pathobiological Sciences, University of Wisconsin-Madison
Institute of Virology, University of Veterinary Medicine Vienna, Vienna, Austria

- College of Medicine, Mohammed Bin Rashid University of Medicine and Health Sciences, Dubai, United Arab Emirates
- Evandro Chagas Institute, Ministry of Health, Pará, Brazil
- Fish Disease Research Group, Department of Biological Sciences, University of Bergen, Bergen, Norway
- Fish Disease Research Group, Department of Biological Sciences, University of Bergen, Bergen, Norway
- Fundação Oswaldo Cruz-Fiocruz, Instituto Oswaldo Cruz, Laboratório de Hantaviroses e Rickettsioses, Rio de Janeiro, RJ, Brasil
- United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
- Instituto de Biología Molecular y Celular de Plantas (IBMCP), Consejo Superior de Investigaciones Científicas-Universidad Politécnica de Valencia, Valencia, Spain.
- National Biosafety Laboratory, National Public Health Center, Budapest, Hungary
- National Reference Centre for Arboviruses and Haemorrhagic Fever viruses, Department of Microbiology, Medical School, Aristotle University of Thessaloniki, Thessaloniki, Greece
- Baker Institute for Animal Health, College of Veterinary Medicine, Cornell University, Ithaca, New York, USA
- Department of Veterinary Integrated Biosciences and Department of Entomology, Texas A&M University, College Station, USA
- Center for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases of the National Health Laboratory Service, Sandringham-Johannesburg, Gauteng, South Africa
- Department of Veterinary Pathobiology, College of Veterinary Medicine and Biomedical Sciences, Texas A&M University, College Station, Texas, USA
- Department of Population Health, College of Veterinary Medicine, University of Georgia, Athens, Georgia, USA
- Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald – Insel Riems, Germany
- United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA
- Institute of Microbiology, University of Veterinary and Animal Sciences, Lahore, Pakistan
- Laboratório de Biologia Molecular Aplicada, Instituto Biológico, São Paulo, SP, Brazil
- Departamento de Biologia Celular, Universidade de Brasília, Brasília, Brazil

Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La Plata, Buenos Aires, Argentina

Centre for Experimental Medicine, School of Medicine, Dentistry and Biomedical Sciences, The Queen's University of Belfast, Belfast, Northern Ireland, UK

Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La Plata, Buenos Aires, Argentina

Instituto de Biotecnología y Biología Molecular, Centro Científico Tecnológico-La Plata, Consejo Nacional de Investigaciones Científico Tecnológico—Universidad Nacional de La Plata, La Plata, Argentina

National Center for Immunization and Respiratory Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald – Insel Riems, Germany

Department of Infectious Disease & Global Health, Tufts University Cummings School of Veterinary Medicine, 200 Westboro Road, North Grafton, MA 01536 USA

Veterinary Research Institute, Brno, Czech Republic

Institute of Parasitology, Biology Centre of the Czech Academy of Sciences, Branisovská 31, CZ-37005 České Budějovice, Czech Republic

Department of Biochemistry, Molecular Biology, Entomology and Plant Pathology, Mississippi State University, Mississippi State, Mississippi, USA

Veterinary Research Institute, Brno, Czech Republic

Institute of Parasitology, Biology Centre of the Czech Academy of Sciences, Branisovská 31, CZ-37005 České Budějovice, Czech Republic

Institut Pasteur de Dakar, Dakar, Senegal

Institute of Human Virology, University of Maryland School of Medicine, Baltimore, Maryland, USA

Karabuk University (UNIKA), Faculty of Forestry , Department of Forestry Engineering, TURKEY

Western Region Agricultural Research Center, National Agriculture and Food Research Organization, Fukuyama, Japan

University Medical Center-University Freiburg, Faculty of Medicine, Freiburg, Germany

Institute of Microbiology, University of Veterinary and Animal Sciences, Lahore, Pakistan

MRC-University of Glasgow Centre for Virus Research, Glasgow, Scotland, UK

CAS Key Laboratory of Special Pathogens, Wuhan Institute of Virology, Center for Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, Hubei, People's Republic of China.

Asian Center for Bioresources and Environmental Sciences, University of Tokyo, Tokyo, Japan

Nuffield Department of Medicine, University of Oxford, Oxford, UK

Veterinary Research Institute, Brno, Czech Republic

Bioinformatics Unit, Scientific Institute IRCCS "E. Medea," Bosisio Parini, Italy

CBR Division, Dstl, Porton Down, Salisbury, Wiltshire, UK

University of Helsinki, Medicum, Department of Virology, Helsinki, Finland

Department of Microbiology, College of Medicine, Korea University, Seoul, Republic of Korea

School of Biomedical Sciences, Faculty of Health, Queensland University of Technology, Brisbane, Queensland, Australia

Viral Special Pathogens Branch, Division of High-Consequence Pathogens & Pathology, Centers for Disease Control & Prevention

Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, Colorado, USA

Centre for Environment, Fisheries and Aquaculture Science, Weymouth, Dorset, UK

Veterinary Research Institute, Brno, Czech Republic

Division of Global Epidemiology, Research Center for Zoonosis Control, Hokkaido University, Sapporo, Japan

The University of Texas Medical Branch, Galveston, Texas, USA

Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Institute for Frontier Life and Medical Sciences (inFront), Kyoto University, Kyoto, Japan

Institut Pasteur, Unité des Stratégies Antivirales, WHO Collaborative Centre for Viral Haemorrhagic Fevers and Arboviruses, OIE Reference Laboratory for RVFV & CCHFV, Paris, France & Institut Pasteur de Guinée, Conakry, Guinea

Viral Special Pathogens Branch, Division of High-Consequence Pathogens Pathology, National Center for Emerging and Zoonotic Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Institute for Sustainable Plant Protection, National Research Council of Italy (CNR), Strada delle Cacce 73, 10135 Torino, Italy

Dept. of Entomology & Plant Pathology, Division of Agriculture, University of Arkansas System, Fayetteville, AR 72701

Friedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Institute of Novel and Emerging Infectious Diseases, Südufer 10, 17493 Greifswald-Insel Riems, Germany, and Partner site Hamburg-Lübeck-Borstel-Insel Riems, Greifswald-Insel Riems, Germany

Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), 73 Strada delle Cacce, 10135 Torino, Italy

Department of Viroscience, Erasmus MC, University Medical Centre Rotterdam, Rotterdam, the Netherlands

The Biodesign Center for Fundamental and Applied Microbiomics, Center for Evolution and Medicine School of Life Sciences, Arizona State University, Tempe, Arizona, USA

Structural Biology Research Unit, Department of Clinical Laboratory Sciences, University of Cape Town, Observatory, Cape Town, South Africa

The University of Texas Medical Branch, Galveston, Texas, USA

Wageningen University and Research, Biointeractions and Plant Health, Wageningen, The Netherlands

National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick, MD, USA

School of Biological Sciences, University of Queensland, St. Lucia, Queensland, Australia

State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China

NHC Key Laboratory of Systems Biology of Pathogens and Christophe Mérieux Laboratory, IPB-Fondation Mérieux, Institute of Pathogen Biology, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China

Programme in Emerging Infectious Diseases, Duke-NUS Medical School, Singapore

State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing 100193, China

Fujian Province Key Laboratory of Plant Virology, Institute of Plant Virology, Fujian Agriculture and Forestry University, Fuzhou, Fujian, China

Columbia University, Mailman School of Public Health, Center for Infection and Immunity

Department of Entomology and Plant Pathology, North Carolina State University, Raleigh, North Carolina, USA

School of Medicine, University of Pittsburgh, School of Medicine, Pittsburgh, Pennsylvania, USA

National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, USA

MOH Key Laboratory of Systems Biology of Pathogens, IPB, CAMS

Guangdong Province Key Laboratory of Microbial Signals and Disease Control, College of Agriculture, South China Agricultural University Guangdong, China

CAS Key Laboratory of Special Pathogens, Wuhan Institute of Virology, Center for Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, Hubei, People's Republic of China.

Wuhan University School of Health Sciences, Wuhan, China

National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, USA

Departamento de Fitopatologia, Instituto de Biotecnologia Aplicada à Agropecuária, Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil

Guangdong Province Key Laboratory of Microbial Signals and Disease Control, College of Agriculture, South China Agricultural University Guangdong, China

National Institute for Communicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Changping, Beijing, China

Guangdong Province Key Laboratory of Microbial Signals and Disease Control, College of Agriculture, South China Agricultural University Guangdong, China

State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China

ACKNOWLEDGEMENTS

We thank W. Ian Lipkin and Rafal Tokarz (Columbia University Irving Medical Center, New York, New York, USA) for providing/approving new names for "blacklegged tick phleboviruses 1 and 3" and Edward Holmes (University of Sydney, Australia) for providing/approving a new name for "Norway phlebovirus". We would like to thank Anya Crane (NIH/NIAID/DCR/Frederick).

Funding

This work was supported in part through Laulima Government Solutions, LLC prime contract with the US National Institute of Allergy and Infectious Diseases (NIAID) under Contract No. HHSN272201800013C. J.H.K. performed this work as an employee of Tunnell Government Services (TGS), a subcontractor of Laulima Government Solutions, LLC under Contract No. HHSN272201800013C. This project has been funded in whole or in part with federal funds from the National Cancer Institute (NCI), National Institutes of Health (NIH), under Contract No. 75N91019D00024, Task Order No. 75N91019F00130. This work was also funded in part by Contract No. HSHQDC-15-C-00064 awarded by the US Department of Homeland Security (DHS) Science and Technology Directorate (S&T) for the management and operation of The National Biodefense Analysis and Countermeasures Center (NBACC), a federally funded research and development center operated by the Battelle National Biodefense Institute (V.W.); and NIH contract HHSN272201000040I/HHSN27200004/D04 and grant R24AI120942 (N.V., R.B.T.). S.S. acknowledges partial support from the Special Research Initiative of Mississippi Agricultural and Forestry Experiment Station (MAFES), Mississippi State University, and the National Institute of Food and Agriculture, US Department of Agriculture, Hatch Project 1021494.

REFERENCES

1. Abudurexit A, Adkins S, Alioto D, Alkhovsky SV, Avši -Županc T, Ballinger MJ, Bente DA, Beer M, Bergeron É, Blair CD, Briese T, Buchmeier MJ, Burt FJ, Calisher CH, Cháng C, Charrel RN, Choi IR, Clegg JCS, de la Torre JC, de Lamballerie X, Dèng F, Di Serio F, Digiaro M, Drebot MA, Duàn X, Ebihara H, Elbeaino T, Ergünay K, Fulhorst CF, Garrison AR, G o GF, Gonzalez J-PJ, Groschup MH, Günther S, Haenni AL, Hall RA, Hepojoki J, Hewson R, Hú Z, Hughes HR, Jonson MG, Junglen S, Klempa B, Klingström J, Kòu C, Laenen L, Lambert AJ, Langevin SA, Liu D, Lukashevich IS, Luò T, Lü C, Maes P, de Souza WM, Marklewitz M, Martelli GP, Matsuno K, Mielke-Ehret N, Minutolo M, Mirazimi A, Momig A, Mühlbach H-P, Naidu R, Navarro B, Nunes MRT, Palacios G, Papa A, Pauvolid-Corrêa A, Paw ska JT, Qiáo J, Radoshitzky SR, Resende RO, Romanowski V, Sall AA, Salvato MS, Sasaya T, Sh n S, Shí X, Shirako Y, Simmonds P, Sironi M, Song J-W, Spengler JR, Stenglein MD, S Z, S n S, Táng S, Turina M, Wáng B, Wáng C, Wáng H, Wáng J, Wèi T, Whitfield AE, Zerbini FM, Zh ng J, Zh ng L, Zh ng Y, Zhang Y-Z, Zh ng Y, Zhou X, Zh L, Kuhn JH (2019) Taxonomy of the order *Bunyavirales*: update 2019. *Arch Virol* 164:1949–65 [PubMed: 31065850]
2. Afonso CL, Amarasinghe GK, Bányai K, Bào Y, Basler CF, Bavari S, Bejerman N, Blasdell KR, Briand F-X, Briese T, Bukreyev A, Calisher CH, Chandran K, Chéng J, Clawson AN, Collins PL, Dietzgen RG, Dolnik O, Domier LL, Dürwald R, Dye JM, Easton AJ, Ebihara H, Farkas SL, Freitas-Astúa J, Formenty P, Fouchier RA, Fù Y, Ghedin E, Goodin MM, Hewson R, Horie M, Hyndman TH, Ji ng D, Kitajima EW, Kobinger GP, Kondo H, Kurath G, Lamb RA, Lenardon S, Leroy EM, Li C-X, Lin X-D, Liú L, Longdon B, Marton S, Maisner A, Mühlberger E, Netesov SV, Nowotny N, Patterson JL, Payne SL, Paweska JT, Randall RE, Rima BK, Rota P, Rubbenstroth D, Schwemmle M, Shi M, Smither SJ, Stenglein MD, Stone DM, Takada A, Terregino C, Tesh RB, Tian J-H, Tomonaga K, Tordo N, Towner JS, Vasilakis N, Verbeek M, Volchkov VE, Wahl-Jensen V, Walsh JA, Walker PJ, Wang D, Wang L-F, Wetzel T, Whitfield AE, Xiè JT, Yuen K-Y, Zhang Y-Z, Kuhn JH (2016) Taxonomy of the order *Mononegavirales*: update 2016. *Arch Virol* 161:2351–60 [PubMed: 27216929]
3. Aitken TH, Woodall JP, De Andrade AHP, Bensabath G, Shope RE (1975) Pacui virus, phlebotomine flies, and small mammals in Brazil: an epidemiological study. *Am J Trop Med Hyg* 24:358–68 [PubMed: 235226]
4. Alkan C, Alwassouf S, Piorkowski G, Bichaud L, Tezcan S, Dincer E, Ergunay K, Ozbel Y, Alten B, de Lamballerie X, Charrel RN (2015) Isolation, genetic characterization, and seroprevalence of Adana virus, a novel phlebovirus belonging to the Salehabad virus complex, in Turkey. *J Virol* 89:4080–91 [PubMed: 25653443]
5. Alkan C, Erisoz Kasap O, Alten B, de Lamballerie X, Charrel RN (2016) Sandfly-Borne Phlebovirus Isolations from Turkey: New Insight into the *Sandfly fever Sicilian* and *Sandfly fever Naples* Species. *PLoS Negl Trop Dis* 10:e0004519 [PubMed: 27007326]
6. Alkan C, Moin Vaziri V, Ayhan N, Badakhshan M, Bichaud L, Rahbarian N, Javadian EA, Alten B, de Lamballerie X, Charrel RN (2017) Isolation and sequencing of Dashli virus, a novel Sicilian-like virus in sandflies from Iran; genetic and phylogenetic evidence for the creation of one novel species within the *Phlebovirus* genus in the *Phenuiviridae* family. *PLoS Negl Trop Dis* 11:e0005978 [PubMed: 29281639]
7. Amarasinghe GK, Bào Y, Basler CF, Bavari S, Beer M, Bejerman N, Blasdell KR, Bochnowski A, Briese T, Bukreyev A, Calisher CH, Chandran K, Collins PL, Dietzgen RG, Dolnik O, Dürwald R, Dye JM, Easton AJ, Ebihara H, Fang Q, Formenty P, Fouchier RAM, Ghedin E, Harding RM, Hewson R, Higgins CM, Hong J, Horie M, James AP, Ji ng D, Kobinger GP, Kondo H, Kurath G, Lamb RA, Lee B, Leroy EM, Li M, Maisner A, Mühlberger E, Netesov SV, Nowotny N, Patterson JL, Payne SL, Paweska JT, Pearson MN, Randall RE, Revill PA, Rima BK, Rota P, Rubbenstroth D, Schwemmle M, Smither SJ, Song Q, Stone DM, Takada A, Terregino C, Tesh RB, Tomonaga K, Tordo N, Towner JS, Vasilakis N, Volchkov VE, Wahl-Jensen V, Walker PJ, Wang B, Wang D, Wang F, Wang L-F, Werren JH, Whitfield AE, Yan Z, Ye G, Kuhn JH (2017) Taxonomy of the order *Mononegavirales*: update 2017. *Arch Virol* 162:2493–2504 [PubMed: 28389807]
8. Amarasinghe GK, Ceballos NGA, Banyard AC, Basler CF, Bavari S, Bennett AJ, Blasdell KR, Briese T, Bukreyev A, Caiì Y, Calisher CH, Lawson CC, Chandran K, Chapman CA, Chiu CY, Choi K-S, Collins PL, Dietzgen RG, Dolja VV, Dolnik O, Domier LL, Dürwald R, Dye JM, Easton AJ,

- Ebihara H, Echevarría JE, Fooks AR, Formenty PBH, Fouchier RAM, Freuling CM, Ghedin E, Goldberg TL, Hewson R, Horie M, Hyndman TH, Jilg D, Kityo R, Kobinger GP, Kondoh H, Koonin EV, Krupovic M, Kurath G, Lamb RA, Lee B, Leroy EM, Maes P, Maisner A, Marston DA, Mor SK, Müller T, Mühlberger E, Ramírez VMN, Netesov SV, Ng TFF, Nowotny N, Palacios G, Patterson JL, Pawlak JT, Payne SL, Prieto K, Rima BK, Rota P, Rubbenstroth D, Schwemmle M, Siddell S, Smith SJ, Song Q, Song T, Stenglein MD, Stone DM, Takada A, Tesh RB, Thomazelli LM, Tomonaga K, Tordo N, Towner JS, Vasilakis N, Vázquez-Morón S, Verdugo C, Volchkov VE, Wahl V, Walker PJ, Wang D, Wang L-F, Wellehan JFX, Wiley MR, Whittfield AE, Wolf YI, Yé G, Zhang Y-Z, Kuhn JH (2018) Taxonomy of the order *Mononegavirales*: update 2018. *Arch Virol* 163:2283–94 [PubMed: 29637429]
9. Amarasinghe GK, Ayllón MA, Bao Y, Basler CF, Bavari S, Blasdell KR, Briese T, Brown PA, Bukreyev A, Balkema-Buschmann A, Buchholz UJ, Chabi-Jesus C, Chandran K, Chiapponi C, Crozier I, de Swart RL, Dietzgen RG, Dolnik O, Drexler JF, Dürwald R, Dudson WG, Duprex WP, Dye JM, Easton AJ, Fooks AR, Formenty PBH, Fouchier RAM, Freitas-Astúa J, Griffiths A, Hewson R, Horie M, Hyndman TH, Jilg D, Kitajima EW, Kobinger GP, Kondoh H, Kurath G, Kuzmin IV, Lamb RA, Lavazza A, Lee B, Lelli D, Leroy EM, Li J, Maes P, Marzano S-YL, Moreno A, Mühlberger E, Netesov SV, Nowotny N, Nylund A, Økland AL, Palacios G, Pályi B, Pawlak JT, Payne SL, Prosperi A, Ramos-González PL, Rima BK, Rota P, Rubbenstroth D, Shih M, Simmonds P, Smith SJ, Sozzi E, Spann K, Stenglein MD, Stone DM, Takada A, Tesh RB, Tomonaga K, Tordo N, Towner JS, van den Hoogen B, Vasilakis N, Wahl V, Walker PJ, Wang L-F, Whitfield AE, Williams JV, Zerbini FM, Zhang Y-Z, Kuhn JH (2019) Taxonomy of the order *Mononegavirales*: update 2019. *Arch Virol* 164:1967–80 [PubMed: 31089958]
 10. Amaro F, Zé-Zé L, Alves MJ, Börstler J, Clos J, Lorenzen S, Becker SC, Schmidt-Chanasit J, Cadar D (2015) Co-circulation of a novel phlebovirus and Massilia virus in sandflies, Portugal. *Arch Virol* 12:174 [PubMed: 26497645]
 11. Barr J, Smith C, Smith I, de Jong C, Todd S, Melville D, Broos A, Crameri S, Haining J, Marsh G, Crameri G, Field H, Wang LF (2015) Isolation of multiple novel paramyxoviruses from pteropid bat urine. *J Gen Virol* 96:24–9 [PubMed: 25228492]
 12. Bejerman N, de Breuil S, Debat H, Miretti M, Badaracco A, Nome C (2017) Molecular characterization of yerba mate chlorosis-associated virus, a putative cytorhabdovirus infecting yerba mate (*Ilex paraguariensis*). *Arch Virol* 162:2481–4 [PubMed: 28451900]
 13. Berge TO (1975) International Catalogue of Arboviruses Including Certain Other Viruses of Vertebrates US Public Health Service publication no. (CDC) 75–8301, 2nd edn Department of Health, Education and Welfare, Washington, DC, USA
 14. Bhatt PN, Kulkarni KG, Boshell MJ, Rajagopalan PK, Patil AP, Goverdhan MK, Pavri KM (1966) Kaisodi virus, a new agent isolated from *Haemaphysalis spinigera* in Mysore State, South India. I. Isolation of strains. *Am J Trop Med Hyg* 15:958–60 [PubMed: 5959110]
 15. Bichaud L, Dachraoui K, Alwassouf S, Alkan C, Mensi M, Piorkowski G, Sakhria S, Seston M, Fares W, De Lamballerie X, Zhioua E, Charrel RN (2016) Isolation, full genomic characterization and neutralization-based human seroprevalence of Medjerda Valley virus, a novel sandfly-borne phlebovirus belonging to the Salehabad virus complex in northern Tunisia. *J Gen Virol* 97:602–10 [PubMed: 26704069]
 16. Bishop DHL, Pringle CR (1995) Order *Mononegavirales* In: Murphy FA, Fauquet CM, Bishop DHL, Ghabrial SA, Jarvis AW, Martelli GP, Mayo MA, Summers MD (eds) Virus Taxonomy—Sixth Report of the International Committee on Taxonomy of Viruses/Archives of Virology Supplement 10. Springer-Verlag, Vienna, Austria, pp 265–7
 17. Bouquet J, Melgar M, Swei A, Delwart E, Lane RS, Chiu CY (2017) Metagenomic-based surveillance of Pacific Coast tick *Dermacentor occidentalis* identifies two novel bunyaviruses and an emerging human rickettsial pathogen. *Sci Rep* 7:12234 [PubMed: 28947798]
 18. Buzkan N, Chiumenti M, Massart S, Sarpkaya K, Karadağ S, Minafra A (2019) A new emaravirus discovered in *Pistacia* from Turkey. *Virus Res* 263:159–63 [PubMed: 30682378]
 19. Causey OR, Shope RE (1965) Icoaraci, a new virus related to Naples phlebotomus fever virus. *Proc Soc Exp Biol Med* 118:420–1 [PubMed: 14268640]

- Author Manuscript
- Author Manuscript
- Author Manuscript
- Author Manuscript
20. Charrel RN, Moureau G, Temmam S, Izri A, Marty P, Parola P, da Rosa AT, Tesh RB, de Lamballerie X (2009) Massilia virus, a novel *Phlebovirus* (*Bunyaviridae*) isolated from sandflies in the Mediterranean. *Vector Borne Zoonotic Dis* 9:519–30 [PubMed: 19055373]
 21. Chen CC, Chiu RJ (1996) A tospovirus infecting peanut in Taiwan. *Acta Hortic*:57–67
 22. Cheng Y-H, Zheng Y-X, Tai C-H, Yen J-H, Chen Y-K, Jan F-J (2014) Identification, characterisation and detection of a new tospovirus on sweet pepper. *Ann Appl Biol* 164:107–15
 23. Coffey LL, Page BL, Greninger AL, Herring BL, Russell RC, Doggett SL, Haniotis J, Wang C, Deng X, Delwart EL (2014) Enhanced arbovirus surveillance with deep sequencing: identification of novel rhabdoviruses and bunyaviruses in Australian mosquitoes. *Virology* 448:146–58 [PubMed: 24314645]
 24. de Carvalho MS, de Lara Pinto AZ, Pinheiro A, Rodrigues JSV, Melo FL, da Silva LA, Ribeiro BM, Dezengrini-Slhessarenko R (2018) Viola phlebovirus is a novel *Phlebotomus* fever serogroup member identified in *Lutzomyia* (*Lutzomyia*) *longipalpis* from Brazilian Pantanal. *Parasit Vectors* 11:405 [PubMed: 29996902]
 25. De Haas RA, Jonkers AH, Heinemann DW (1966) Kwatta virus, a new agent isolated from *Culex* mosquitoes in Surinam. *Am J Trop Med Hyg* 15:954–7 [PubMed: 5959109]
 26. Debat HJ, Bejerman N (2019) Novel bird's-foot trefoil RNA viruses provide insights into a clade of legume-associated enamoviruses and rhabdoviruses. *Arch Virol* 164:1419–26 [PubMed: 30852665]
 27. Dilcher M, Alves MJ, Finkeisen D, Hufert F, Weidmann M (2012) Genetic characterization of Bhanja virus and Palma virus, two tick-borne phleboviruses. *Virus Genes* 45:311–5 [PubMed: 22806684]
 28. Dilcher M, Faye O, Faye O, Weber F, Koch A, Sadegh C, Weidmann M, Sall AA (2015) Zahedan rhabdovirus, a novel virus detected in ticks from Iran. *Virol J* 12:183 [PubMed: 26542354]
 29. Doherty RL, Carley JG, Standfast HA, Dyce AL, Kay BH, Snowdon WA (1973) Isolation of arboviruses from mosquitoes, biting midges, sandflies and vertebrates collected in Queensland, 1969 and 1970. *Trans R Soc Trop Med Hyg* 67:536–43 [PubMed: 4150461]
 30. Dong J-H, Cheng X-F, Yin YY, Fang Q, Ding M, Li T-T, Zhang L-Z, Su X-X, McBeath J-H, Zhang Z-K (2008) Characterization of tomato zonate spot virus, a new tospovirus in China. *Arch Virol* 153:855–64 [PubMed: 18320136]
 31. Dong JH, Yin YY, Fang Q, McBeath JH, Zhang ZK (2013) A new tospovirus causing chlorotic ringspot on *Hippeastrum* sp. in China. *Virus Genes* 46:567–70 [PubMed: 23306942]
 32. Easton AJ, Pringle CR (2011) Order *Mononegavirales* In: King AMQ, Adams MJ, Carstens EB, Lefkowitz EJ (eds) *Virus Taxonomy—Ninth Report of the International Committee on Taxonomy of Viruses*. Elsevier/Academic Press, London, United Kingdom, pp 653–57
 33. Fernandes J, Guterres A, de Oliveira RC, Chamberlain J, Lewandowski K, Teixeira BR, Coelho TA, Crisóstomo CF, Bonvicino CR, D'Andrea PS, Hewson R, de Lemos ERS (2018) Xapuri virus, a novel mammarenavirus: natural reassortment and increased diversity between New World viruses. *Emerg Microbes Infect* 7:120 [PubMed: 29959319]
 34. Fernandes J, Guterres A, de Oliveira RC, Jardim R, Dávila AMR, Hewson R, de Lemos ERS (2019) Apore virus, a novel mammarenavirus (*Bunyavirales*: *Arenaviridae*) related to highly pathogenic virus from South America. *Mem Inst Oswaldo Cruz* 114:e180586 [PubMed: 31141019]
 35. Forth LF, Konrath A, Klose K, Schlottau K, Hoffmann K, Ulrich RG, Höper D, Pohlmann A, Beer M (2018) A novel squirrel respirovirus with putative zoonotic potential. *Viruses* 10:373
 36. Gaafar YZA, Richert-Pöggeler KR, Maaß C, Vetten H-J, Ziebell H (2019) Characterisation of a novel nucleorhabdovirus infecting alfalfa (*Medicago sativa*). *Virol J* 16:55 [PubMed: 31036009]
 37. Goldstein T, Anthony SJ, Gbakima A, Bird BH, Bangura J, Tremeau-Bravard A, Belaganahalli MN, Wells HL, Dhanota JK, Liang E, Groodus M, Jangra RK, DeJesus VA, Lasso G, Smith BR, Jambai A, Kamara BO, Kamara S, Bangura W, Monagin C, Shapira S, Johnson CK, Sailors K, Rubin EM, Chandran K, Lipkin WI, Mazet JAK (2018) The discovery of Bombali virus adds further support for bats as hosts of ebolaviruses. *Nat Microbiol* 3:1084–9 [PubMed: 30150734]
 38. Gubala A, Walsh S, McAllister J, Weir R, Davis S, Melville L, Mitchell I, Bulach D, Gauci P, Skvortsov A, Boyle D (2017) Identification of very small open reading frames in the genomes of

- Holmes Jungle virus, Ord River virus, and Wongabel virus of the genus *Hapavirus*, family *Rhabdoviridae*. *Evol Bioinform Online* 13:1176934317713484 [PubMed: 28747815]
39. Hang J, Klein TA, Kim H-C, Yang Y, Jima DD, Richardson JH, Jarman RG (2016) Genome sequences of five arboviruses in field-captured mosquitoes in a unique rural environment of South Korea. *Genome Announc* 4:e01644–15 [PubMed: 26823588]
40. Hannoun C, Corniou B, Rageau J (1970) Isolation in southern France and characterization of new tick-borne viruses related to Uukuniemi: Grand Arbaud and Ponteves. *Acta Virol* 14:167–70 [PubMed: 4392851]
41. Hassan M, Di Bello PL, Keller KE, Martin RR, Sabanadzovic S, Tzanetakis IE (2017) A new, widespread emaravirus discovered in blackberry. *Virus Res* 235:1–5 [PubMed: 28396285]
42. Hassani-Mehrabian A, Botermans M, Verhoeven JTJ, Meekes E, Saaijer J, Peters D, Goldbach R, Kormelink R (2010) A distinct tospovirus causing necrotic streak on *Alstroemeria* sp. in Colombia. *Arch Virol* 155:423–8 [PubMed: 20151164]
43. Hassani-Mehrabian A, Dullemans AM, Verhoeven JTJ, Roenhorst JW, Peters D, van der Vlugt RAA, Kormelink R (2019) Alstroemeria yellow spot virus (AYSV): a new orthotospovirus species within a growing Eurasian clade. *Arch Virol* 164:117–26 [PubMed: 30288607]
44. Hepojoki J, Hepojoki S, Smura T, Szirovicza L, Dervas E, Prahauser B, Nufer L, Schraner EM, Vapalahti O, Kipar A, Hetzel U (2018) Characterization of Haartman Institute snake virus-1 (HISV-1) and HISV-like viruses - the representatives of genus *Hartmanivirus*, family *Arenaviridae*. *PLoS Pathog* 14:e1007415 [PubMed: 30427944]
45. Hu S-C, Hsu C-L, Lee M-S, Tu Y-C, Chang J-C, Wu C-H, Lee S-H, Ting L-J, Tsai K-R, Cheng M-C, Tu W-J, Hsu W-C (2018) Lyssavirus in Japanese pipistrelle, Taiwan. *Emerg Infect Dis* 24:782–5 [PubMed: 29553328]
46. Hughes HR, Russell BJ, Lambert AJ (2020) Genetic characterization of Frijoles and Chilibre species complex viruses (genus *Phlebovirus*, family *Phenuiviridae*) and three unclassified New World phleboviruses. *Am J Trop Med Hyg* 102:359–65 [PubMed: 31802735]
47. Ito T, Suzuki K, Nakano M (2013) Genetic characterization of novel putative rhabdovirus and dsRNA virus from Japanese persimmon. *J Gen Virol* 94:1917–21 [PubMed: 23704275]
48. Jeong J, Kim Y, An I, Wang S-J, Kim Y, Lee H-J, Choi K-S, Im S-P, Min W, Oem J-K, Jheong W (2018) Complete genome sequence of a novel avian paramyxovirus isolated from wild birds in South Korea. *Arch Virol* 163:223–7 [PubMed: 29038866]
49. Johnson RI, Tachedjian M, Rowe B, Clayton BA, Layton R, Bergfeld J, Wang L-F, Marsh GA (2018) Alston virus, a novel paramyxovirus isolated from bats causes upper respiratory tract infection in experimentally challenged ferrets. *Viruses* 10:675
50. Jones S, McGavin W, MacFarlane S (2019) The complete sequences of two divergent variants of the rhabdovirus raspberry vein chlorosis virus and the design of improved primers for virus detection. *Virus Res* 265:162–5 [PubMed: 30930200]
51. Karabatsos N (1985) International catalogue of arboviruses including certain other viruses of vertebrates. American Society for Tropical Medicine and Hygiene, San Antonio, Texas, USA
52. Kerschner JH, Calisher CH, Vorndam AV, Francy DB (1986) Identification and characterization of Bahia Grande, Reed Ranch and Muir Springs viruses, related members of the family *Rhabdoviridae* with widespread distribution in the United States. *J Gen Virol* 67:1081–9 [PubMed: 2872270]
53. Kohl C, Tachedjian M, Todd S, Monaghan P, Boyd V, Marsh GA, Crameri G, Field H, Kurth A, Smith I, Wang L-F (2018) Hervey virus: a study on co-circulation with henipaviruses in pteropid bats within their distribution range from Australia to Africa. *PLoS One* 13:e0191933 [PubMed: 29390028]
54. Kokernot RH, Calisher CH, Stannard LJ, Hayes J (1969) Arbovirus studies in the Ohio-Mississippi Basin, 1964–1967. VII. Lone star virus, a hitherto unknown agent isolated from the tick *Amblyomma americanum* (Linn.). *Am J Trop Med Hyg* 18:789–95 [PubMed: 5810802]
55. Koonin EV, Dolja VV, Krupovic M, Arvind V, Wolf YI, Yutin N, Zerbini FM, Kuhn JH (2020) Global organization and proposed megataxonomy of the virus world. *Microbiol Mol Biol Rev* 84:e00061–19 [PubMed: 32132243]

56. Kuhn JH, Wolf YI, Krupovic M, Zhang Y-Z, Maes P, Dolja VV, Koonin EV (2019) Classify viruses —the gain is worth the pain. *Nature* 566:318–20 [PubMed: 30787460]
57. Lecoq H, Wipf-Scheibel C, Verdin E, Desbiez C (2019) Characterization of the first tenuivirus naturally infecting dicotyledonous plants. *Arch Virol* 164:297–301 [PubMed: 30302581]
58. Ledermann JP, Zeidner N, Borland EM, Mutebi J-P, Lanciotti RS, Miller BR, Lutwama JJ, Tendo JM, Andama V, Powers AM (2014) Sunguru virus: a novel virus in the family *Rhabdoviridae* isolated from a chicken in north-western Uganda. *J Gen Virol* 95:1436–43 [PubMed: 24718834]
59. Li C-X, Shi M, Tian J-H, Lin X-D, Kang Y-J, Chen L-J, Qin X-C, Xu J, Holmes EC, Zhang Y-Z (2015) Unprecedented genomic diversity of RNA viruses in arthropods reveals the ancestry of negative-sense RNA viruses. *Elife* 4:e05378
60. Lin Y-H, Fujita M, Chiba S, Hyodo K, Andika IB, Suzuki N, Kondo H (2019) Two novel fungal negative-strand RNA viruses related to mymnaviruses and phenuiviruses in the shiitake mushroom (*Lentinula edodes*). *Virology* 533:125–36 [PubMed: 31153047]
61. Liu Y, Du Z, Wang H, Zhang S, Cao M, Wang X (2018) Identification and characterization of wheat yellow striate virus, a novel leafhopper-transmitted nucleorhabdovirus infecting wheat. *Front Microbiol* 9:468 [PubMed: 29593700]
62. Lvov DK, Timopheeva AA, Gromashevski VL, Gostinshchikova GV, Veselovskaya OV, Chervonski VI, Fomina KB, Gromov AI, Pogrebenko AG, Zhezmer VY (1973) “Zaliv Terpeniya” virus, a new Uukuniemi group arbovirus isolated from Ixodes (Ceratixodes) putus Pick.-Camb. 1878 on Tyuleniy Island (Sakhalin region) and Commodore Islands (Kamchatsk region). *Arch Gesamte Virusforsch* 41:165–9 [PubMed: 4727778]
63. Lvov SD, Gromashevsky VL, Andreev VP, Skvortsova TM, Kondrashina NG, Morozova TN, Avershin AD, Aristova VA, Dmitriev GA, Kandaurov YK, Kuznetsov AA, Galkina IV, Yamnikova SS, Shchipanova MV (1990) Natural foci of arboviruses in far northern latitudes of Eurasia In: Calisher CH (ed) Hemorrhagic fever with renal syndrome, tick-and mosquito-borne viruses. Springer, Vienna, Austria, pp 267–75
64. Maes P, Alkhovsky SV, Bao Y, Beer M, Birkhead M, Briese T, Buchmeier MJ, Calisher CH, Charrel RN, Choi IR, Clegg CS, Torre JCdl, Delwart E, DeRisi JL, Bello PLD, Serio FD, Digiaro M, Dolja VV, Drosten C, Druciarek TZ, Du J, Ebihara H, Elbeaino T, Gergerich RC, Gillis AN, Gonzalez J-PJ, Haenni A-L, Hepojoki J, Hetzel U, Hồ T, Hồng N, Jain RK, Vuren PJv, Jin Q, Jonson MG, Junglen S, Keller KE, Kemp A, Kipar A, Kondov NO, Koonin EV, Kormelink R, Korzyukov Y, Krupovic M, Lambert AJ, Laney AG, LeBreton M, Lukashevich IS, Marklewitz M, Markotter W, Martelli GP, Martin RR, Mielke-Ehret N, Mühlbach H-P, Navarro B, Ng TFF, Nunes MRT, Palacios G, Paw ska JT, Peters CJ, Plyusnin A, Radoshitzky SR, Romanowski V, Salmenperä P, Salvato MS, Sanfaçon H, Sasaya T, Schmaljohn C, Schneider BS, Shirako Y, Siddell S, Sironen TA, Stenglein MD, Storm N, Sudini H, Tesh RB, Tzanetakis IE, Uppala M, Vapalahti O, Vasilakis N, Walker PJ, Wáng G, Wáng L, Wáng Y, Wèi T, Wiley MR, Wolf YI, Wolfe ND, Wú Z, Xú W, Yang L, Y ng Z, Yeh S-D, Zh ng Y-Z, Zhèng Y, Zhou X, Zh C, Zirkel F, Kuhn JH (2018) Taxonomy of the family *Arenaviridae* and the order *Bunyavirales*: update 2018. *Arch Virol* 163:2295–310 [PubMed: 29680923]
65. Maes P, Adkins S, Alkhovsky SV, Avši -Županc T, Ballinger MJ, Bente DA, Beer M, Bergeron É, Blair CD, Briese T, Buchmeier MJ, Burt FJ, Calisher CH, Charrel RN, Choi IR, Clegg JCS, de la Torre JC, de Lamballerie X, DeRisi JL, Digiaro M, Drebot M, Ebihara H, Elbeaino T, Ergünay K, Fulhorst CF, Garrison AR, G o GF, Gonzalez J-PJ, Groschup MH, Günther S, Haenni A-L, Hall RA, Hewson R, Hughes HR, Jain RK, Jonson MG, Junglen S, Klempa B, Klingström J, Kormelink R, Lambert AJ, Langevin SA, Lukashevich IS, Marklewitz M, Martelli GP, Mielke-Ehret N, Mirazimi A, Mühlbach H-P, Naidu R, Nunes MRT, Palacios G, Papa A, Paw ska JT, Peters CJ, Plyusnin A, Radoshitzky SR, Resende RO, Romanowski V, Sall AA, Salvato MS, Sasaya T, Schmaljohn C, Shí X, Shirako Y, Simmonds P, Sironi M, Song J-W, Spengler JR, Stenglein MD, Tesh RB, Turina M, Wèi T, Whitfield AE, Yeh S-D, Zerbini FM, Zhang Y-Z, Zhou X, Kuhn JH (2019) Taxonomy of the order *Bunyavirales*: second update 2018. *Arch Virol* 164:927–41 [PubMed: 30663021]
66. Maes P, Amarasinghe GK, Ayllón MA, Basler CF, Bavari S, Blasdell KR, Briese T, Brown PA, Bukreyev A, Balkema-Buschmann A, Buchholz UJ, Chandran K, Crozier I, de Swart RL, Dietzgen RG, Dolnik O, Domier LL, Drexler JF, Dürrwald R, Dundon WG, Duprex WP, Dye JM, Easton AJ, Fooks AR, Formenty PBH, Fouchier RAM, Freitas-Astúa J, Ghedin E, Griffiths A,

- Hewson R, Horie M, Hurwitz JL, Hyndman TH, Jilg D, Kobinger GP, Kondoh H, Kurath G, Kuzmin IV, Lamb RA, Lee B, Leroy EM, Li J, Marzano S-YL, Mühlberger E, Netesov SV, Nowotny N, Palacios G, Pályi B, Pawlak JT, Payne SL, Rima BK, Rota P, Rubbenstroth D, Simmonds P, Smither SJ, Song Q, Song T, Spann K, Stenglein MD, Stone DM, Takada A, Tesh RB, Tomonaga K, Tordo N, Towner JS, van den Hoogen B, Vasilakis N, Wahl V, Walker PJ, Wang D, Wang L-F, Whitfield AE, Williams JV, Yè G, Zerbini FM, Zhang Y-Z, Kuhn JH (2019) Taxonomy of the order *Mononegavirales*: second update 2018. *Arch Virol* 164:1233–44 [PubMed: 30663023]
67. Main AJ, Carey AB (1980) Connecticut virus: a new Sawgrass group virus from *Ixodes dentatus* (Acar: Ixodidae). *J Med Entomol* 17:473–6
68. Marklewitz M, Dutari LC, Paraskevopoulou S, Page RA, Loaiza JR, Junglen S (2019) Diverse novel phleboviruses in sandflies from the Panama Canal area, Central Panama. *J Gen Virol* 100:938–49 [PubMed: 31050631]
69. Matsuno K, Weisend C, Kajihara M, Matysiak C, Williamson BN, Simunza M, Mweene AS, Takada A, Tesh RB, Ebihara H (2015) Comprehensive molecular detection of tick-borne phleboviruses leads to the retrospective identification of taxonomically unassigned bunyaviruses and the discovery of a novel member of the genus *Phlebovirus*. *J Virol* 89:594–604 [PubMed: 25339769]
70. Maurino F, Dumón AD, Llauger G, Alemandri V, de Haro LA, Mattio MF, Del Vas M, Laguna IG, Giménez Pecci MdLP (2018) Complete genome sequence of maize yellow striate virus, a new cytorhabdovirus infecting maize and wheat crops in Argentina. *Arch Virol* 163:291–95 [PubMed: 29052058]
71. McAllister J, Gauci PJ, Mitchell IR, Boyle DB, Bulach DM, Weir RP, Melville LF, Davis SS, Gubala AJ (2014) Genomic characterisation of Almpiwar virus, Harrison Dam virus and Walkabout Creek virus; three novel rhabdoviruses from northern Australia. *Virol Rep* 3–4:1–17
72. McLean DM, Larke RPB (1963) Powassan and Silverwater viruses: ecology of two Ontario arboviruses. *Can Med Assoc J* 88:182–5 [PubMed: 13932161]
73. Medina-Salguero AX, Cornejo-Franco JF, Grinstead S, Molloy D, Mowery JD, Flores F, Quito-Avila DF (2019) Sequencing, genome analysis and prevalence of a cytorhabdovirus discovered in *Carica papaya*. *PLoS One* 14:e0215798 [PubMed: 31220099]
74. Meng J, Liu P, Zhu L, Zou C, Li J, Chen B (2015) Complete genome sequence of mulberry vein banding associated virus, a new tospovirus infecting mulberry. *PLoS One* 10:e0136196 [PubMed: 26291718]
75. Meng JR, Liu PP, Zou CW, Wang ZQ, Liao YM, Cai JH, Qin BX, Chen BS (2013) First report of a *Tospovirus* in mulberry. *Plant Dis* 97:1001
76. Menzel W, Richert-Poggeler KR, Winter S, Knierim D (2018) Characterization of a nucleorhabdovirus from *Physostegia*. *Acta Hortic* 1193:29–38
77. Muller MJ, Standfast HA (1986) Vectors of ephemeral fever group viruses In: St George TD, Kay BH, Blok J (eds) Arbovirus research in Australia - Proceedings of the fourth symposium. CSIRO/QMIR, Brisbane, Australia, pp 295–300
78. Navarro B, Zicca S, Minutolo M, Saponari M, Alioto D, Di Serio F (2018) A negative-stranded RNA virus infecting citrus trees: the second member of a new genus within the order Bunyavirales. *Front Microbiol* 9:2340 [PubMed: 30333811]
79. Noh JY, Jeong DG, Yoon S-W, Kim JH, Choi YG, Kang S-Y, Kim HK (2018) Isolation and characterization of novel bat paramyxovirus B16–40 potentially belonging to the proposed genus *Shaanivirus*. *Sci Rep* 8:12533 [PubMed: 30135435]
80. Nunes-Neto JP, Souza WM, Acrani GO, Romeiro MF, Fumagalli M, Vieira LC, Medeiros DBdA, Lima JA, de Lima CPS, Cardoso JF, Figueiredo LTM, da Silva SPD, Tesh R, Nunes MRT, Vasconcelos PFdC (2017) Characterization of the Bujaru, frijoles and Tapara antigenic complexes into the sandfly fever group and two unclassified phleboviruses from Brazil. *J Gen Virol* 98:585–94 [PubMed: 28141497]
81. Økland AL, Nylund A, Øvergård A-C, Skoge RH, Kongshaug H (2019) Genomic characterization, phylogenetic position and *in situ* localization of a novel putative mononegavirus in *Lepeophtheirus salmonis*. *Arch Virol* 164:675–89 [PubMed: 30535526]

82. Palacios G, da Rosa AT, Savji N, Sze W, Wick I, Guzman H, Hutchison S, Tesh R, Lipkin WI (2011) *Aguacate virus*, a new antigenic complex of the genus *Phlebovirus* (family *Bunyaviridae*). *J Gen Virol* 92:1445–53 [PubMed: 21325481]
83. Palacios G, Tesh R, Travassos da Rosa A, Savji N, Sze W, Jain K, Serge R, Guzman H, Guevara C, Nunes MR, Nunes-Neto JP, Kochel T, Hutchison S, Vasconcelos PFC, Lipkin WI (2011) Characterization of the Candiru antigenic complex (*Bunyaviridae: Phlebovirus*), a highly diverse and reassorting group of viruses affecting humans in tropical America. *J Virol* 85:3811–20 [PubMed: 21289119]
84. Palacios G, Savji N, Travassos da Rosa A, Desai A, Sanchez-Seco MP, Guzman H, Lipkin WI, Tesh R (2013) Characterization of the Salehabad virus species complex of the genus *Phlebovirus* (*Bunyaviridae*). *J Gen Virol* 94:837–42 [PubMed: 23239568]
85. Palacios G, Savji N, Travassos da Rosa A, Guzman H, Yu X, Desai A, Rosen GE, Hutchison S, Lipkin WI, Tesh R (2013) Characterization of the Uukuniemi virus group (*Phlebovirus: Bunyaviridae*): evidence for seven distinct species. *J Virol* 87:3187–95 [PubMed: 23283959]
86. Palacios G, Tesh RB, Savji N, Travassos da Rosa APA, Guzman H, Bussetti AV, Desai A, Ladner J, Sanchez-Seco M, Lipkin WI (2014) Characterization of the Sandfly fever Naples species complex and description of a new Karimabad species complex (genus *Phlebovirus*, family *Bunyaviridae*). *J Gen Virol* 95:292–300 [PubMed: 24096318]
87. Palacios G, Wiley MR, Travassos da Rosa APA, Guzman H, Quiroz E, Savji N, Carrera J-P, Bussetti AV, Ladner JT, Lipkin WI, Tesh RB (2015) Characterization of the Punta Toro species complex (genus *Phlebovirus*, family *Bunyaviridae*). *J Gen Virol* 96:2079–85 [PubMed: 25934793]
88. Pavri KM, Casals J (1966) Kaisodi virus, a new agent isolated from *Haemaphysalis spinigera* in Mysore state, South India. *Am J Trop Med Hyg* 15:961–3 [PubMed: 5959111]
89. Pecman A, Kutnjak D, Gutiérrez-Aguirre I, Adams I, Fox A, Boonham N, Ravnikar M (2017) Next generation sequencing for detection and discovery of plant viruses and viroids: comparison of two approaches. *Front Microbiol* 8:1998 [PubMed: 29081770]
90. Peralta PH, Shelokov A, Brody JA (1965) Chagres virus: a new human isolate from Panama. *Am J Trop Med Hyg* 14:146–51 [PubMed: 14248987]
91. Pettersson JH-O, Shi M, Bohlin J, Eldholm V, Brynildsrud OB, Paulsen KM, Andreassen Å, Holmes EC (2017) Characterizing the virome of *Ixodes ricinus* ticks from northern Europe. *Sci Rep* 7:10870 [PubMed: 28883464]
92. Pringle CR, Alexander DJ, Billeter MA, Collins PL, Kingsbury DW, Lipkind MA, Nagai Y, Orvell C, Rima B, Rott R, ter Meulen V (1991) The order *Mononegavirales*. *Arch Virol* 117:137–40 [PubMed: 2006902]
93. Pringle CR (1997) The order *Mononegavirales*—current status. *Arch Virol* 142:2321–6 [PubMed: 9672597]
94. Pringle CR (2000) Order *Mononegavirales* In: van Regenmortel MHV, Fauquet CM, Bishop DHL, Carstens EB, Estes MK, Lemon SM, Maniloff J, Mayo MA, McGeoch DJ, Pringle CR, Wickner RB (eds) *Virus Taxonomy—Seventh Report of the International Committee on Taxonomy of Viruses*. Academic Press, San Diego, California, USA, pp 525–30
95. Pringle CR (2005) Order *Mononegavirales* In: Fauquet CM, Mayo MA, Maniloff J, Desselberger U, Ball LA (eds) *Virus Taxonomy—Eighth Report of the International Committee on Taxonomy of Viruses*. Elsevier/Academic Press, San Diego, California, USA, pp 609–14
96. Quan P-L, Williams DT, Johansen CA, Jain K, Petrosov A, Diviney SM, Tashmukhamedova A, Hutchison SK, Tesh RB, Mackenzie JS, Briese T, Lipkin WI (2011) Genetic characterization of K13965, a strain of Oak Vale virus from Western Australia. *Virus Res* 160:206–13 [PubMed: 21740935]
97. Read DA, Featherston J, Rees DJG, Thompson GD, Roberts R, Flett BC, Mashingaidze K, Pietersen G, Kiula B, Kullaya A, Mbega ER (2019) Molecular characterization of Morogoro maize-associated virus, a nucleorhabdovirus detected in maize (*Zea mays*) in Tanzania. *Arch Virol* 164:1711–5 [PubMed: 30900068]
98. Reuter G, Boros A, Pál J, Kapusinszky B, Delwart E, Pankovics P (2016) Detection and genome analysis of a novel (dima)rhabdovirus (Riverside virus) from *Ochlerotatus* sp. mosquitoes in Central Europe. *Infect Genet Evol* 39:336–41 [PubMed: 26883377]

- Author Manuscript
- Author Manuscript
- Author Manuscript
- Author Manuscript
99. Ritter DG, Calisher CH, Muth DJ, Shope RE, Murphy FA, Whitfield SG (1978) New Minto virus: a new rhabdovirus from ticks in Alaska. *Can J Microbiol* 24:422–6 [PubMed: 638895]
100. Rott ME, Kesanakurti P, Berwarth C, Rast H, Boyes I, Phelan J, Jelkmann W (2018) Discovery of negative-sense RNA viruses in trees infected with apple rubbery wood disease by next-generation sequencing. *Plant Dis* 102:1254–63 [PubMed: 30673558]
101. Sabin AB (1951) Experimental studies on Phlebotomus (pappataci, sandfly) fever during World War II. *Arch Gesamte Virusforsch* 4:367–410 [PubMed: 13249477]
102. Sather GE, Lewis AL, Jennings W, Bond JO, Hammon WM (1970) Sawgrass virus: a newly described arbovirus in Florida. *Am J Trop Med Hyg* 19:319–26 [PubMed: 5443079]
103. Scarpassa VM, Debat HJ, Alencar RB, Saraiva JF, Calvo E, Arcà B, Ribeiro JMC (2019) An insight into the sialotranscriptome and virome of Amazonian anophelines. *BMC Genomics* 20:166 [PubMed: 30832587]
104. Shah KV, Work TH (1969) Bhanja virus: a new arbovirus from ticks *Haemaphysalis intermedia* Warburton and Nuttall, 1909, in Orissa, India. *Indian J Med Res* 57:793–8 [PubMed: 5820426]
105. Shahhosseini N, Lühken R, Jöst H, Jansen S, Börstler J, Rieger T, Krüger A, Yadouleton A, de Mendonça Campos R, Cirne-Santos CC, Ferreira DF, Garms R, Becker N, Tannich E, Cadar D, Schmidt-Chanasit J (2017) Detection and characterization of a novel rhabdovirus in *Aedes cantans* mosquitoes and evidence for a mosquito-associated new genus in the family *Rhabdoviridae*. *Infect Genet Evol* 55:260–8 [PubMed: 28943405]
106. Shi M, Lin XD, Tian JH, Chen LJ, Chen X, Li CX, Qin XC, Li J, Cao JP, Eden JS, Buchmann J, Wang W, Xu J, Holmes EC, Zhang YZ (2016) Redefining the invertebrate RNA virosphere. *Nature* 540:539–43 [PubMed: 27880757]
107. Shi M, Neville P, Nicholson J, Eden J-S, Imrie A, Holmes EC (2017) High-resolution metatranscriptomics reveals the ecological dynamics of mosquito-associated RNA viruses in western Australia. *J Virol* 91:e00680–17 [PubMed: 28637756]
108. Shi M, Lin X-D, Chen X, Tian J-H, Chen L-J, Li K, Wang W, Eden J-S, Shen J-J, Liu L, Holmes EC, Zhang Y-Z (2018) The evolutionary history of vertebrate RNA viruses. *Nature* 556:197–202 [PubMed: 29618816]
109. Siddell SG, Walker PJ, Lefkowitz EJ, Mushegian AR, Adams MJ, Dutilh BE, Gorbatenya AE, Harrach Bz, Harrison RL, Junglen S, Knowles NJ, Kropinski AM, Krupovic M, Kuhn JH, Nibert M, Rubino L, Sabanadzovic S, Sanfaçon H, Simmonds P, Varsani A, Zerbini FM, Davison AJ (2019) Additional changes to taxonomy ratified in a special vote by the International Committee on Taxonomy of Viruses (October 2018). *Arch Virol* 164:943–6 [PubMed: 30663020]
110. Spence L, Anderson CR, Aitken THG, Downs WG (1966) Aruac virus, a new agent isolated from Trinidadian mosquitoes. *Am J Trop Med Hyg* 15:231–4 [PubMed: 4379644]
111. St George TD, Doherty RL, Carley JG, Filippich C, Brescia A, Casals J, Kemp DH, Brothers N (1985) The isolation of arboviruses including a new flavivirus and a new bunyavirus from *Ixodes (Ceratixodes) uriae* (Ixodoidea: Ixodidae) collected at Macquarie Island, Australia, 1975–1979. *Am J Trop Med Hyg* 34:406–12 [PubMed: 2984951]
112. Straková P, Dufkova L, Širmarová J, Salát J, Bartoni ka T, Klempa B, Pfaff F, Höper D, Hoffmann B, Ulrich RG, R žek D (2017) Novel hantavirus identified in European bat species *Nyctalus noctula*. *Infect Genet Evol* 48:127–30 [PubMed: 28025098]
113. Sun Q, Zhao Q, An X, Guo X, Zuo S, Zhang X, Pei G, Liu W, Cheng S, Wang Y, Shu P, Mi Z, Huang Y, Zhang Z, Tong Y, Zhou H, Zhang J (2017) Complete genome sequence of Menghai rhabdovirus, a novel mosquito-borne rhabdovirus from China. *Arch Virol* 162:1103–6 [PubMed: 28000049]
114. Swei A, Russell BJ, Naccache SN, Kabre B, Veeraghavan N, Pilgard MA, Johnson BJB, Chiu CY (2013) The genome sequence of lone star virus, a highly divergent bunyavirus found in the *Amblyomma americanum* tick. *PLoS One* 8:e62083 [PubMed: 23637969]
115. Tchouassi DP, Marklewitz M, Chepkorir E, Zirkel F, Agha SB, Tigoi CC, Koskei E, Drosten C, Borgemeister C, Torto B, Junglen S, Sang R (2019) Sand fly-associated phlebovirus with evidence of neutralizing antibodies in humans, Kenya. *Emerg Infect Dis* 25:681–90 [PubMed: 30882303]

116. Tesh RB, Chaniotis BN, Peralta PH, Johnson KM (1974) Ecology of viruses isolated from Panamanian phlebotomine sandflies. Am J Trop Med Hyg 23:258–69 [PubMed: 4206329]
117. Tesh RB (1975) Multiplication of Phlebotomus fever group arboviruses in mosquitos after intrathoracic inoculation. Journal of Medical Entomology 12:1–4 [PubMed: 240026]
118. Tesh RB, Boshell J, Young DG, Morales A, De Carrasquila CF, Corredor A, Modi GB, Travassos Da Rosa APA, McLean RG, De Rodriguez C, Gaitan MO (1989) Characterization of 5 new phleboviruses recently isolated from sand flies in tropical America. Am J Trop Med Hyg 40:529–33 [PubMed: 2543227]
119. Tokarz R, Sameroff S, Leon MS, Jain K, Lipkin WI (2014) Genome characterization of Long Island tick rhabdovirus, a new virus identified in *Amblyomma americanum* ticks. Virol J 11:26 [PubMed: 24517260]
120. Tokarz R, Williams SH, Sameroff S, Sanchez Leon M, Jain K, Lipkin WI (2014) Virome analysis of *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis* ticks reveals novel highly divergent vertebrate and invertebrate viruses. J Virol 88:11480–92 [PubMed: 25056893]
121. Trapp EE, Paes de Andrade AH, Shope RE (1965) Itaporanga, a newly reecognized arbovirus from Sao Paulo State, Brazil. Proc Soc Exp Biol Med 118:421–2 [PubMed: 14268641]
122. Travassos da Rosa APA, Tesh RB, Pinheiro FP, Travassos da Rosa JFS, Peterson NE (1983) Characterization of eight new phlebotomus fever serogroup arboviruses (*Bunyaviridae: Phlebovirus*) from the Amazon region of Brazil. Am J Trop Med Hyg 32:1164–71 [PubMed: 6312820]
123. Vasilakis N, Tesh RB, Widen SG, Mirchandani D, Walker PJ (2019) Genomic characterisation of Cuiaba and Charleville viruses: arboviruses (family *Rhabdoviridae*, genus *Sripuvirus*) infecting reptiles and amphibians. Virus Genes 55:87–94 [PubMed: 30511209]
124. Velasco L, Arjona-Girona I, Cretazzo E, López-Herrera C (2019) Viromes in Xylariaceae fungi infecting avocado in Spain. Virology 532:11–21 [PubMed: 30986551]
125. Verani P, Ciufolini MG, Nicoletti L, Balducci M, Sabatinelli G, Coluzzi M, Paci P, Amaducci L (1982) Studi ecologici ed epidemiologici del virus Toscana, un arbovirus isolato da flebotomi. Ann Ist Super Sanita 18:397–9 [PubMed: 7187828]
126. Walker PJ, Firth C, Widen SG, Blasdell KR, Guzman H, Wood TG, Paradkar PN, Holmes EC, Tesh RB, Vasilakis N (2015) Evolution of genome size and complexity in the *Rhabdoviridae*. PLoS Pathog 11:e1004664 [PubMed: 25679389]
127. Walker PJ, Siddell SG, Lefkowitz EJ, Mushegian AR, Dempsey DM, Dutilh BE, Harrach B, Harrison RL, Hendrickson RC, Junglen S, Knowles NJ, Kropinski AM, Krupovic M, Kuhn JH, Nibert M, Rubino L, Sabanadzovic S, Simmonds P (2019) Changes to virus taxonomy and the International Code of Virus Classification and Nomenclature ratified by the International Committee on Taxonomy of Viruses (2019). Arch Virol 164:2417–29 [PubMed: 31187277]
128. Walker PJ, Siddell SG, Lefkowitz EJ, Mushegian AR, Adriaenssens E, Dempsey DM, Dutilh BE, Harrach Bz, Harrison RL, Hendrickson RC, Junglen S, Knowles NJ, Kropinski AM, Krupovic M, Kuhn JH, Nibert M, Rubino L, Sabanadzovic S, Simmonds P, Varsani A, Zerbini FM, Davison AJ (2020) Changes to virus taxonomy and the Statutes ratified by the International Committee on Taxonomy of Viruses (2020). Arch Virol
129. Wang H, Liu Y, Liu W, Cao M, Wang X (2019) Sequence analysis and genomic organization of a novel chuvirus, Tàiyuán leafhopper virus. Arch Virol 164:617–20 [PubMed: 30334095]
130. Wang J, Selleck P, Yu M, Ha W, Rootes C, Gales R, Wise T, Crameri S, Chen H, Broz I, Hyatt A, Woods R, Meehan B, McCullough S, Wang L-F (2014) Novel phlebovirus with zoonotic potential isolated from ticks, Australia. Emerg Infect Dis 20:1040–3 [PubMed: 24856477]
131. Wang Y, Hua W, Wang J, Hannoufa A, Xu Z, Wang Z (2013) Deep sequencing of *Lotus corniculatus* L. reveals key enzymes and potential transcription factors related to the flavonoid biosynthesis pathway. Mol Genet Genomics 288:131–9 [PubMed: 23463169]
132. Wanzeller ALM, Martins LC, Diniz Júnior JAP, de Almeida Medeiros DB, Cardoso JF, da Silva DEA, de Oliveira LF, de Vasconcelos JM, Nunes MRT, da S. G Vianez JL Júnior, Vasconcelos PFC (2014) Xiburema virus, a hitherto undescribed virus within the family *Rhabdoviridae* isolated in the Brazilian Amazon Region. Genome Announc 2:e00454–14 [PubMed: 24948755]

133. Willie K, Stewart LR (2017) Complete genome sequence of a new maize-associated cytorhabdovirus. *Genome Announc* 5:e00591–17 [PubMed: 28774968]
134. Winter S, Koerbler M, Shahraeen N, Katul L, Lesemann D-E (2003) Characterization of a new tospovirus species infecting tomato in Iran. *J Plant Dis Prot* 110:74
135. Winton JR, Batts WN, Powers RL, Purcell MK (2019) Complete genome sequences of the index isolates of two genotypes of Pacific salmon paramyxovirus. *Microbiol Resour Announc* 8:e01521–18 [PubMed: 30863823]
136. Wolf YI, Kazlauskas D, Iranzo J, Lucía-Sanz A, Kuhn JH, Krupovic M, Dolja VV, Koonin EV (2018) Origins and evolution of the global RNA virome. *MBio* 9:e02329–18 [PubMed: 30482837]
137. Woyessa AB, Omballa V, Wang D, Lambert A, Waiboci L, Ayele W, Ahmed A, Abera NA, Cao S, Ochieng M, Montgomery JM, Jima D, Fields B (2014) An outbreak of acute febrile illness caused by sandfly fever Sicilian virus in the Afar Region of Ethiopia, 2011. *Am J Trop Med Hyg* 91:1250–3 [PubMed: 25266349]
138. Wu L-P, Yang T, Liu H-W, Postman J, Li R (2018) Molecular characterization of a novel rhabdovirus infecting blackcurrant identified by high-throughput sequencing. *Arch Virol* 163:1363–6 [PubMed: 29368064]
139. Wu Z, Du J, Lu L, Yang L, Dong J, Sun L, Zhu Y, Liu Q, Jin Q (2018) Detection of Hantaviruses and Arenaviruzses [sic] in three-toed jerboas from the Inner Mongolia Autonomous Region, China. *Emerg Microbes Infect* 7:35 [PubMed: 29559618]
140. Wu Z, Lu L, Du J, Yang L, Ren X, Liu B, Jiang J, Yang J, Dong J, Sun L, Zhu Y, Li Y, Zheng D, Zhang C, Su H, Zheng Y, Zhou H, Zhu G, Li H, Chmura A, Yang F, Daszak P, Wang J, Liu Q, Jin Q (2018) Comparative analysis of rodent and small mammal viromes to better understand the wildlife origin of emerging infectious diseases. *Microbiome* 6:178 [PubMed: 30285857]
141. Xu C, Sun X, Taylor A, Jiao C, Xu Y, Cai X, Wang X, Ge C, Pan G, Wang Q, Fei Z, Wang Q (2017) Diversity, distribution, and evolution of tomato viruses in China uncovered by small RNA sequencing. *J Virol* 91:e00173–17 [PubMed: 28331089]
142. Xu FL, Liu DY, Nunes MRT, Da Rosa A, Tesh RB, Xiao SY (2007) Antigenic and genetic relationships among Rift Valley fever virus and other selected members of the genus *Phlebovirus* (*Bunyaviridae*). *Am J Trop Med Hyg* 76:1194–200 [PubMed: 17556635]
143. Xu Y, Lou S-G, Li XL, Zheng Y-X, Wang W-C, Liu Y-T (2013) The complete S RNA and M RNA nucleotide sequences of a hippeastrum chlorotic ringspot virus (HCRV) isolate from *Hymenocallis littoralis* (Jacq.) Salisb in China. *Arch Virol* 158:2597–601 [PubMed: 23812614]
144. Yadav PD, Nyayanit DA, Shete AM, Jain S, Majumdar TP, Chaubal GY, Shil P, Kore PM, Mourya DT (2019) Complete genome sequencing of Kaisodi virus isolated from ticks in India belonging to *Phlebovirus* genus, family *Phenuiviridae*. *Ticks Tick Borne Dis* 10:23–33 [PubMed: 30181094]
145. Yang X-L, Zhang Y-Z, Jiang R-D, Guo H, Zhang W, Li B, Wang N, Wang L, Waruhiu C, Zhou J-H, Li S-Y, Daszak P, Wang L-F, Shi Z-L (2017) Genetically diverse filoviruses in *Rousettus* and *Eonycteris* spp. bats, China, 2009 and 2015. *Emerg Infect Dis* 23:482–6 [PubMed: 28221123]
146. Yang X-L, Tan CW, Anderson DE, Jiang R-D, Li B, Zhang W, Zhu Y, Lim XF, Zhou P, Liu X-L, Guan W, Zhang L, Li S-Y, Zhang Y-Z, Wang L-F, Shi Z-L (2019) Characterization of a filovirus (M nglà virus) from *Rousettus* bats in China. *Nat Microbiol* 4:390–5 [PubMed: 30617348]
147. Yang X, Huang J, Liu C, Chen B, Zhang T, Zhou G (2016) Rice stripe mosaic virus, a novel cytorhabdovirus infecting rice via leafhopper transmission. *Front Microbiol* 7:2140 [PubMed: 28101087]
148. Zhao G, Krishnamurthy S, Cai Z, Popov VL, Travassos da Rosa AP, Guzman H, Cao S, Virgin HW, Tesh RB, Wang D (2013) Identification of novel viruses using VirusHunter - an automated data analysis pipeline. *PLoS One* 8:e78470 [PubMed: 24167629]
149. Бутенко АМ, Громашевский ВЛ, Львов ДК, Попов ВФ (1979) Вирус Кисемайо - представитель антигенной группы Бханджа. *Вопр Вирусол*:661–5
150. Львов ДК, Альховский СВ, Щелканов МЮ, Щетинин АМ, Дерябин ПГ, Аристова ВА, Гительман АК, Самохвалов ЕИ, Ботиков АГ (2014) Генетическая характеристика вирусов Сахалин (SAKV - Sakhalin virus), Парамушир (PMRV - Paramushir virus)

(*Bunyaviridae*, *Nairovirus*, группа Сахалин) и Рукутама (RUKV - Rukutama virus) (*Bunyaviridae*, *Phlebovirus*, группа Укуниеми), изолированных от obligatных паразитов колониальных морских птиц - клещей *Ixodes (Ceratixodes) uriae*, White 1852 и *I. signatus* Birulya, 1895 в бассейнах Охотского и Берингова морей. Вопр Вирусол 59:11–7

151. Львов ДК, Альховский СВ, Щелканов МЮ, Щетинин АМ, Дерябин ПГ, Гительман АК, Самохвалов ЕИ, Ботиков АГ (2014) Генетическая характеристика штаммов вируса Залив Терпения (ZTV - Zaliv Terpeniya virus) (*Bunyaviridae*, *Phlebovirus*, антигенный комплекс Укуниеми), изолированного в высоких широтах Северной Евразии из obligatных эктопаразитов чистиковых птиц (*Alcidae* Leach, 1820) - клещей *Ixodes (Ceratixodes) uriae* White, 1852 и от комаров *Culex modestus* Ficalbi, 1889 в субтропиках Закавказья. Вопр Вирусол 59:12–8

Table 1.

ICTV-accepted taxonomy of the order *Goujianvirales* (*Negarnaviricota*: *Haploviricota*: *Yunchangvirocetes*) as of March 2020.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Yueviridae</i>		
<i>Yuyuevirus</i>	<i>Beihai yuyuevirus</i> [*]	B 海 sesarmid crab virus 3 (BhSCV-3)
	<i>Shahe yuyuevirus</i>	Sh hé yuèvirus-like virus 1 (SHYLV-1)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

^{*} type species

[#]Taxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 2.
ICTV-accepted taxonomy of the order *Jingchuvirales* (*Negarnaviricota*: *Haploviricotina*: *Monjiviricetes*) as of March 2020.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Chuviridae</i>		
<i>Mivirus</i>	<i>Argas mirivirus</i>	Tāchéng tick virus 4 (TcTV-4)
	<i>Barnacle mirivirus*</i>	B īhái barnacle virus 9 (BhBV-9)
	<i>Beetle mirivirus</i>	Húb ī coleoptera virus 3 (HbCV-3)
	<i>Bole mirivirus</i>	Bōlē tick virus 3 (BTV-3)
	<i>Brannich mirivirus</i>	W níng crustacean virus 14 (WICV-14)
	<i>Changping mirivirus</i>	Ch ngping tick virus 2 (CpTV-2)
	<i>Charybdis mirivirus</i>	W nzhu crab virus 3 (WzCV-3)
	<i>Cockroach mirivirus</i>	Witch ng cockroach virus 3 (WcLFV-3)
	<i>Crab mirivirus</i>	W nzhu crab virus 2 (WzCV-2)
	<i>Crustacean mirivirus</i>	W níng crustacean virus 13 (WICV-13)
	<i>Dermacentor mirivirus</i>	Ch ngping tick virus 3 (CpTV-3)
		Tāchéng tick virus 5 (TcTV-5)
	<i>Hermit mirivirus</i>	B īhái hermit crab virus 3 (BhHCV-3)
	<i>Hippoboscid mirivirus</i>	Wúhàn louse fly virus 7 (WhLFV-7)
	<i>Hubei mirivirus</i>	Húb ī chuvirus-like virus 1 (HbCLV-1)
	<i>Hubei odonate mirivirus</i>	Húb ī chuvirus-like virus 3 (HbCLV-3)
	<i>Injiin mirivirus</i>	Injiin River virus 1 (jjRV-1)
	<i>Lacewing mirivirus</i>	Shu ngáo insect virus 5 (SgIV-5)
	<i>Lishi mirivirus</i>	Lishi spider virus 1 (LSSV-1)
	<i>Lonestar mirivirus</i>	Ione star tick chuvirus 1 (LSTCV-1)
	<i>Louse fly mirivirus</i>	Wúhàn louse fly virus 6 (WhLFV-6)
	<i>Mosquito mirivirus</i>	Wúhàn mosquito virus 8 (WhMV-8)
	<i>Myriapod mirivirus</i>	Húb ī myriapoda virus 8 (HbMV-8)
	<i>Odonate mirivirus</i>	Húb ī odonate virus 11 (HbOV-11)
	<i>Saxxia mirivirus</i>	S nxíá atyid shrimp virus 4 (SaASC-4)

Genus	Species [#]	Virus (Abbreviation)&
	<i>Shayang minivirus</i>	Sh yáng fly virus 1 (SyFV-1)
	<i>Suffolk minivirus</i>	Suffolk virus (SFKV)
	<i>Taiyuan minivirus</i>	Tàiyuán leathopper virus (TYLeV)
	<i>Wenling minivirus</i>	W ēlǐng crustacean virus 15 (WCIV-15)
	<i>Wuhan minivirus</i>	Wǔhàn tick virus 2 (WhTV-2)
	<i>Xinzhou minivirus</i>	X īnzh u nematode virus 5 (XzNV-5)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

* type species

[#]Taxon names are always italicized and always begin with a capital letter.

& Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 3.

ICTV-accepted taxonomy of the order *Mononegavirales* (*Negarnaviricota: Haploviricotina: Monjiviricetes*) as of March 2020.

Genus	Species [#]	Virus (Abbreviation) &
Family <i>Arteriviridae</i>		
<i>Hexartovirus</i>	<i>Barnacle hexartovirus</i>	B ihai barnacle virus 8 (BhBV-8)
	<i>Caligiid hexartovirus</i> [*]	Lepeophtheirus salmonis negative-stranded RNA virus 1 (LsNSRV-1)
<i>Peropivirus</i>	<i>Beihai peropivirus</i>	B ihai rhabdo-like virus 1 (BhRLV-1)
	<i>Hubei peropivirus</i>	Hüb i rhabdo-like virus 6 (HbRLV-6)
	<i>Odonate peropivirus</i>	Hüb i rhabdo-like virus 8 (HbRLV-8)
	<i>Pillworm peropivirus</i>	Hüb i rhabdo-like virus 5 (HbRLV-5)
	<i>Pteromalus puparum peropavirus</i> [*]	Pteromalus pupatum negative-strand RNA virus 1 (PpNSRV-1)
	<i>Woodlouse peropivirus</i>	B ihai rhabdo-like virus 2 (BhRLV-2)
Family <i>Bornaviridae</i>		
<i>Carbovirus</i>	<i>Queensland carbovirus</i> [*]	jungle carpet python virus (JCPV)
	<i>Southwest carbovirus</i>	southwest carpet python virus (SWCPV)
<i>Culterivirus</i>	<i>Sharpbelly culterivirus</i> [*]	Wúhàn sharpbelly bornavirus (WhSBV)
<i>Orthobornavirus</i>	<i>Elapid 1 orthobornavirus</i>	Loveridge's garter snake virus 1 (LGSV-1)
	<i>Mammalian 1 orthobornavirus</i> [*]	Borna disease virus 1 (BoDV-1)
	<i>Mammalian 2 orthobornavirus</i>	Borna disease virus 2 (BoDV-2)
		variegated squirrel bornavirus 1 (VSBV-1)
	<i>Passeriform 1 orthobornavirus</i>	canary bornavirus 1 (CnBV-1)
		canary bornavirus 2 (CnBV-2)
		canary bornavirus 3 (CnBV-3)
	<i>Passeriform 2 orthobornavirus</i>	estrildid finch bornavirus 1 (EsBV-1)
	<i>Psittaciform 1 orthobornavirus</i>	parrot bornavirus 1 (PaBV-1)
		parrot bornavirus 2 (PaBV-2)
		parrot bornavirus 3 (PaBV-3)
		parrot bornavirus 4 (PaBV-4)

Genus	Species*	Virus (Abbreviation) &
		parrot bornavirus 7 (PaBV-7)
<i>Psittaciform 2 orthobornavirus</i>		parrot bornavirus 5 (PaBV-5)
<i>Waterbird 1 orthobornavirus</i>		aquatic bird bornavirus 1 (ABBV-1)
		aquatic bird bornavirus 2 (ABBV-2)
Family Filoviridae		
<i>Cuevavirus</i>	<i>Lloviu cuevavirus</i> *	Lloviu virus (LLQV)
<i>Dianlovirus</i>	<i>Mengla dianlovirus</i> *	Mengla virus (MLAV)
<i>Ebolavirus</i>	<i>Bomblai ebolavirus</i>	Bomblai virus (BOMV)
	<i>Bundibugyo ebolavirus</i>	Bundibugyo virus (BDBV)
	<i>Reston ebolavirus</i>	Reston virus (RESTV)
	<i>Sudan ebolavirus</i>	Sudan virus (SUDV)
	<i>Tai Forest ebolavirus</i>	Tai Forest virus (TAFV)
	<i>Zaire ebolavirus</i> *	Ebola virus (EBOV)
<i>Marburgvirus</i>	<i>Marburg marburgvirus</i> *	Marburg virus (MARV)
		Ravn virus (RAVV)
<i>Striavirus</i>	<i>Xilang striavirus</i> *	Xilang virus (XILV)
<i>Thamnovirus</i>	<i>Huangjiao thamnovirus</i> *	Huangjiao virus (HUV)
Family Lispiridae		
<i>Arivirus</i>	<i>Gerrid arivirus</i>	Sinxia water strider virus 4 (SxWSV-4)
	<i>Hubei arivirus</i>	Hubei rhabdo-like virus 3 (HbRLV-3)
	<i>Lishi arivirus</i> *	Lishi spider virus 2 (LsSV-2)
	<i>Odonate arivirus</i>	Hubei odonate virus 10 (HbOV-10)
	<i>Tacheng arivirus</i>	Tacheng tick virus 6 (TcTV-6)
	<i>Wuchang arivirus</i>	Wuchang romanomermis nematode virus 2 (WcrNV-2)
Family Myrnaviridae		
<i>Hubramavirus</i>	<i>Hubei hubramonavirus</i> *	Hubei rhabdo-like virus 4 (HbRLV-4)
	<i>Lentinula hubramonavirus</i>	Lentinula ectodes negative-strand RNA virus 1 (LeNSRV-1)
<i>Sclerotiomavirus</i>	<i>Dadou sclerotiomavirus</i>	soybean leaf-associated negative-stranded RNA virus 3 (SLaNSRV-3)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Drosophila sclerotinnavirus</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 2 (SsNSRV-2)
	<i>Glycine sclerotinnavirus</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 4 (SsNSRV-4)
	<i>Fusarium graminearum</i>	Fusarium graminearum negative-stranded RNA virus 1 (FgNSRV-1)
		soybean leaf-associated negative-stranded RNA virus 1 (SLaNSRV-1)
	<i>Hubei sclerotinnavirus</i> [/]	
	<i>Illinois sclerotinnavirus</i>	soybean leaf-associated negative-stranded RNA virus 2 (SLaNSRV-2)
	<i>Phyllosphere sclerotinnavirus</i>	soybean leaf-associated negative-stranded RNA virus 4 (SLaNSRV-4)
	<i>Sclerotinia sclerotinnavirus</i> [*]	Sclerotinia sclerotiorum negative-stranded RNA virus 1 (SsNSRV-1)
		Sclerotinia sclerotiorum negative-stranded RNA virus 3 (SsNSRV-3)
Family Nyamiviridae		
<i>Berhavirus</i>	<i>Berhai berhavirus</i>	B ihai rhabdo-like virus 4 (BhRLV-4)
	<i>Echinoderm berhavirus</i>	B ihai rhabdo-like virus 5 (BhRLV-5)
	<i>Sipunculid berhavirus</i> [*]	B ihai rhabdo-like virus 3 (BhRLV-3)
<i>Crustavirus</i>	<i>Berhai crustavirus</i>	B ihai rhabdo-like virus 6 (BhRLV-6)
	<i>Wenling crustavirus</i>	W nlng crustacean virus 12 (WC CV-12)
	<i>Wenzhou crustavirus</i> [*]	W nzhu crab virus 1 (WzCV-1)
<i>Nyavirus</i>	<i>Midway nyavirus</i>	Midway virus (MIDVV)
	<i>Nyamanini nyavirus</i> [*]	Nyamanini virus (NYMV)
	<i>Sierra Nevada nyavirus</i>	Sierra Nevada virus (SNVV)
<i>Omnivirus</i>	<i>Orinoco orinovirus</i> [*]	Orinoco virus (ONCV)
<i>Socyvirus</i>	<i>Soybean cyst nematode socyvirus</i> [*]	soybean cyst nematode virus 1 (SbCNV-1)
<i>Tapwovirus</i>	<i>Tapeworm tapwovirus</i> [*]	W nzhu tapeworm virus 1 (WzTWV-1)
Family Paramyxoniviridae		
Subfamily <i>Avulavirinae</i>		
<i>Metavulavirus</i>	<i>Avian metavulavirus 2</i> [*]	avian paramyxovirus 2 (APMV-2)
	<i>Avian metavulavirus 5</i>	avian paramyxovirus 5 (APMV-5)
	<i>Avian metavulavirus 6</i>	avian paramyxovirus 6 (APMV-6)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Avian mettauvulavirus 7</i>	avian paramyxovirus 7 (APMV-7)
	<i>Avian mettauvulavirus 8</i>	avian paramyxovirus 8 (APMV-8)
	<i>Avian mettauvulavirus 10</i>	avian paramyxovirus 10 (APMV-10)
	<i>Avian mettauvulavirus 11</i>	avian paramyxovirus 11 (APMV-11)
	<i>Avian mettauvulavirus 14</i>	avian paramyxovirus 14 (APMV-14)
	<i>Avian mettauvulavirus 15</i>	avian paramyxovirus 15 (APMV-15)
	<i>Avian mettauvulavirus 20</i>	avian paramyxovirus 20 (APMV-20)
<i>Orthoavulavirus</i>	<i>Avian orthoavulavirus 1*</i>	avian paramyxovirus 1 (APMV-1) ²
	<i>Avian orthoavulavirus 9</i>	avian paramyxovirus 9 (APMV-9)
	<i>Avian orthoavulavirus 12</i>	avian paramyxovirus 12 (APMV-12)
	<i>Avian orthoavulavirus 13</i>	avian paramyxovirus 13 (APMV-13)
	<i>Avian orthoavulavirus 16</i>	avian paramyxovirus 16 (APMV-16)
	<i>Avian orthoavulavirus 17</i>	Antarctic penguin virus A (APV-A)
	<i>Avian orthoavulavirus 18</i>	Antarctic penguin virus B (APV-B)
	<i>Avian orthoavulavirus 19</i>	Antarctic penguin virus C (APV-C)
	<i>Avian orthoavulavirus 21</i>	avian paramyxovirus 21 (APMV-21)
	<i>Avian orthoavulavirus 21 [sic]³</i>	
<i>Parauvulavirus</i>	<i>Avian parauvavirus 3*</i>	avian paramyxovirus 3 (APMV-3)
	<i>Avian parauvavirus 4</i>	avian paramyxovirus 4 (APMV-4)
		Subfamily <i>Metaparamyxovirinae</i>
<i>Synodonus</i>	<i>Synodus synodonivirus</i> *	Wuling triplecross lizardfish paramyxovirus (WTLPV)
		Subfamily <i>Orthoparamyxovirinae</i>
<i>Aquaparamyxovirus</i>	<i>Oncorhynchus aquaparamyxovirus</i>	Pacific salmon paramyxovirus (PSPV)
	<i>Salmo aquaparamyxovirus</i> *	Atlantic salmon paramyxovirus (AsaPV)
<i>Ferlavirus</i>	<i>Reptilian ferlavirus</i> *	fer-de-lance virus (FDLV)
<i>Henipavirus</i>	<i>Cedar henipavirus</i>	Cedar virus (CedV)
	<i>Ghananian bat henipavirus</i>	Ghana virus (GhV)

Genus	Species [#]	Virus (Abbreviation) ^{&}
	<i>Hendra henipavirus</i> [*]	Hendra virus (HeV)
	<i>Mojijiang henipavirus</i>	Möji ng virus (MojV)
	<i>Nipah henipavirus</i>	Nipah virus (NiV)
<i>Jeilongvirus</i>	<i>Beilong jeilongvirus</i> [*]	Beilong virus (BeiV)
	<i>Jun jeilongvirus</i>	J virus (JV)
	<i>Lophuromys jeilongvirus 1</i>	Mount Mabu Lophuromys virus 1 (MMLV-1)
	<i>Lophuromys jeilongvirus 2</i>	Mount Mabu Lophuromys virus 2 (MMLV-2)
	<i>Miniopterus jeilongvirus</i>	Shaan virus (ShaV)
	<i>Myodes jeilongvirus</i>	Pohorje Myodes paramyxovirus 1 (PMPV-1)
	<i>Taiwan jeilongvirus</i>	Tailam virus (TaV)
<i>Morbillivirus</i>	<i>Canine morbillivirus</i>	canine distemper virus (CDV)
	<i>Cetacean morbillivirus</i>	cetacean morbillivirus (CeMV)
	<i>Feline morbillivirus</i>	feline morbillivirus (FeMV)
	<i>Measles morbillivirus</i> [*]	measles virus (MeV)
	<i>Phocine morbillivirus</i>	phocine distemper virus (PDV)
	<i>Rinderpest morbillivirus</i>	rinderpest virus (RPV)
	<i>Small ruminant morbillivirus</i>	peste-des-pétis-ruminants virus (PPRV)
<i>Narmovirus</i>	<i>Mossmann narmovirus</i>	Mossmann virus (MosSV)
	<i>Myodes narmovirus</i>	bank vole virus 1 (BaV-1)
	<i>Nariva narmovirus</i> [*]	Nariva virus (NarV)
	<i>Tupaia narmovirus</i>	Tupaia paramyxovirus (TupV)
<i>Respirovirus</i>	<i>Bovine respirovirus 3</i>	bovine parainfluenza virus 3 (BPIV-3)
	<i>Caprine respirovirus 3</i>	caprine parainfluenza virus 3 (CPIV-3)
	<i>Human respirovirus 1</i>	human parainfluenza virus 1 (HPIV-1)
	<i>Human respirovirus 3</i>	human parainfluenza virus 3 (HPIV-3)
	<i>Marine respirovirus</i> [*]	Sendai virus (SeV)
	<i>Porcine respirovirus 1</i>	porcine parainfluenza virus 1 (PPIV-1)
	<i>Squirrel respirovirus</i>	giant squirrel virus (GSqV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
<i>Salemivirus</i>	<i>Salem salemivirus</i> [*]	Salem virus (SaLV)
Subfamily <i>Rubulavirinae</i>		
<i>Orthorubulavirus</i>	<i>Human orthorubulavirus 2</i>	human parainfluenza virus 2 (HPIV-2)
	<i>Human orthorubulavirus 4</i>	human parainfluenza virus 4a (HPIV-4a)
		human parainfluenza virus 4b (HPIV-4b)
	<i>Mammalian orthorubulavirus 5</i>	parainfluenza virus 5 (PIV-5)
	<i>Mammalian orthorubulavirus 6</i>	Alston virus (AlsV)
	<i>Mapuera orthorubulavirus</i>	Mapuera virus (MapV)
	<i>Mumps orthorubulavirus</i> [*]	mumps virus (MuV)
	<i>Porcine orthorubulavirus</i>	La Piedad Michoacan Mexico virus (LPMV)
	<i>Sinian orthorubulavirus</i>	sinian virus 41 (SV-41)
<i>Pararubulavirus</i>	<i>Achimota pararubulavirus 1</i>	Achimota virus 1 (AchPV-1)
	<i>Achimotapararubulavirus 2</i>	Achimota virus 2 (AchPV-2)
	<i>Hervev pararubulavirus</i>	Hervev virus (HerV)
	<i>Menangle pararubulavirus</i> [*]	Menangle virus (MenPV)
	<i>Sosuga pararubulavirus</i>	Sosuga virus (SOSV)
	<i>Teviot pararubulavirus</i>	Teviot virus (TevPV)
	<i>Tioman pararubulavirus</i>	Tioman virus (TiоСV)
	<i>Tuhoko pararubulavirus 1</i>	Tuhoko virus 1 (ThkPV-1)
	<i>Tuhoko pararubulavirus 2</i>	Tuhoko virus 2 (ThkPV-2)
	<i>Tuhoko pararubulavirus 3</i>	Tuhoko virus 3 (ThkPV-3)
	Unassigned (to subfamilies)	
<i>Cynglossovirus</i>	<i>Cynoglossus cynglossovirus</i> [*]	Walling tongueole paramyxovirus (WTSPV)
<i>Hoplichthysvirus</i>	<i>Hoplichthys hoplichthysvirus</i> [*]	Walling hoplichthys paramyxovirus (WHPV)
<i>Scoliodonavirus</i>	<i>Scoliodon scoliodonavirus</i> [*]	Wenzhou pacific spadeno shark paramyxovirus (WPSSPV)
Family <i>Pneumoviridae</i>		
<i>Metapneumovirus</i>	<i>Avian metapneumovirus</i> [*]	avian metapneumovirus (AMPV)
	<i>Human metapneumovirus</i>	human metapneumovirus (HMPV)

Genus	Species [#]	Virus (Abbreviation) &
<i>Orthopneumovirus_s</i>	<i>Bovine orthopneumovirus</i>	bovine respiratory syncytial virus (BRSV)
	<i>Human orthopneumovirus*</i>	human respiratory syncytial virus (HRSV)
	<i>Murine orthopneumovirus</i>	murine pneumonia virus (MPV)
Family <i>Rhabdoviridae</i>		
<i>Almendravirus</i>	<i>Arbovatum almendravirus</i>	Arbovatum virus (ABTV)
	<i>Balka almendravirus</i>	Balka virus (BALV)
	<i>Coot Bay almendravirus</i>	Coot Bay virus (CBV)
	<i>Menghai almendravirus</i>	Menghai virus (MRV)
	<i>Puerto Almendras almendravirus*</i>	Puerto Almendras virus (PTAMV)
	<i>Rio Chico almendravirus</i>	Rio Chico virus (RCHV)
<i>Alphanemahavirus_s</i>	<i>Xingshan alphaneumahavirus*</i>	Xingshan nematode virus 4 (XsNV-4)
	<i>Xinzhou alphaneumahavirus</i>	Xinzhou nematode virus 4 (XzNV-4)
<i>Alphaniucleorhabdovirus</i>	<i>Eggplant mottled dwarf alphaniucleorhabdovirus</i>	eggplant mottled dwarf virus (EMDV)
	<i>Maize Iranian mosaic alphaniucleorhabdovirus</i>	maize Iranian mosaic virus (MIMV)
	<i>Maize mosaic alphaniucleorhabdovirus</i>	maize mosaic virus (MMV)
	<i>Morogoro maize-associated alphaniucleorhabdovirus</i>	Morogoro maize-associated virus (MMaV)
	<i>Physostegia chlorotic mottle alphaniucleorhabdovirus</i>	Physostegia chlorotic mottle virus (PhCMoV)
	<i>Potato yellow dwarf alphaniucleorhabdovirus*</i>	potato yellow dwarf virus (PYDV)
	<i>Rice yellow stunt alphaniucleorhabdovirus</i>	rice yellow stunt virus (RYSV)
		rice transitory yellowing virus (RTYV)
	<i>Taro vein chlorosis alphaniucleorhabdovirus</i>	taro vein chlorosis virus (TaVCV)
	<i>Wheat yellow striate alphaniucleorhabdovirus</i>	wheat yellow striate virus (WYSV)

Genus	Species [#]	Virus (Abbreviation) &
<i>Aarhavirus</i>	<i>Aruac arurhavirus</i> *	Aruac virus (ARUV)
	<i>Inhangapi arurhavirus</i>	Inhangapi virus (INHV)
	<i>Santabarbara arurhavirus</i>	Santa Barbara virus (SBAV)
	<i>Xiburema arurhavirus</i>	Xiburema virus (XIBV)
<i>Barhavirus</i>	<i>Bahia barhavirus</i> *	Bahia Grande virus (BGV)
		Harlingen virus (HARV)
	<i>Muir barhavirus</i>	Muir Springs virus (MSV)
<i>Betanucleorhabdovirus</i>	<i>Alfalfa betanucleorhabdovirus</i>	alfalfa-associated nucleorhabdovirus (AaNV)
	<i>Blackcurrant betanucleorhabdovirus</i>	blackcurrant-associated rhabdovirus (BCaRV)
	<i>Datura yellow vein betanucleorhabdovirus</i>	datura yellow vein virus (DYVV)
	<i>Sonchus yellow net betanucleorhabdovirus</i> *	Sonchus yellow net virus (SYNV)
	<i>Sowthistle yellow vein betanucleorhabdovirus</i>	sowthistle yellow vein virus (SYVV)
	<i>Trefoil betanucleorhabdovirus</i>	birds-foot trefoil-associated virus (BFTV)
<i>Caligivirus</i>	<i>Caligus caliginivirus</i>	Caligus rogercresseyi rhabdovirus (CRogRV)
	<i>Lepophtheirus caligivirus*</i>	Lepophtheirus salmonis rhabdovirus 127 (LSalRV-127)
	<i>Salmonlouse caligivirus</i>	Lepophtheirus salmonis rhabdovirus 9 (LSalRV-9)
<i>Cirivirus</i>	<i>Cirriopropolis curiovirus</i> *	Cirriopolis virus (CURV)
	<i>Irrisi curiovirus</i>	Irrisi virus (IRRV)
	<i>Itacaiunas curiovirus</i>	Itacaiunas virus (ITAV)
	<i>Rochambeau curiovirus</i>	Rochambeau virus (RBUV)
<i>Cytorhabdovirus</i>	<i>Alfalfa dwarf cytorhabdovirus</i>	alfalfa dwarf virus (ADV)
	<i>Barley yellow striate mosaic cytorhabdovirus</i>	barley yellow striate mosaic virus (BYSMV)
	<i>Broccoli necrotic yellows cytorhabdovirus</i>	broccoli necrotic yellows virus (BNYV)
	<i>Cabbage cytorhabdovirus</i>	cabbage cytorhabdovirus 1 (CCyV-1)

Genus	Species [#]	Virus (Abbreviation) ^{&}
	<i>Colocasia</i> <i>bobone disease-associated cytorhabdovirus</i>	Colocasia bobone disease-associated virus (CBDAv)
	<i>Festuca</i> <i>leaf streak cytorhabdovirus</i>	Festuca leaf streak virus (FLSV)
	<i>Lettuce</i> <i>necrotic yellows cytorhabdovirus</i> *	lettuce necrotic yellows virus (LNYV)
	<i>Lettuce</i> <i>yellow mottle cytorhabdovirus</i>	lettuce yellow mottle virus (LYMoV)
	<i>Maize-associated cytorhabdovirus</i>	maize-associated cytorhabdovirus (MaCV)
	<i>Maize</i> <i>yellow striate cytorhabdovirus</i>	maize yellow striate virus (MYSV)
	<i>Northern cereal mosaic cytorhabdovirus</i>	northern cereal mosaic virus (NCMV)
	<i>Papaya</i> <i>cytorhabdovirus</i>	papaya virus E (PpVE)
	<i>Perimnmon</i> <i>cytorhabdovirus</i>	perimnmon virus A (PeVA)
	<i>Raspberry</i> <i>vein chlorosis cytorhabdovirus</i>	raspberry vein chlorosis virus (RVCV)
	<i>Rice</i> <i>stripe mosaic cytorhabdovirus</i>	rice stripe mosaic virus (RSMV)
	<i>Sonchus</i> <i>cytorhabdovirus 1</i>	Sonchus virus (SonV)
	<i>Strawberry</i> <i>crinkle cytorhabdovirus</i>	strawberry crinkle virus (SCV)
	<i>Tomato</i> <i>yellow mottle-associated cytorhabdovirus</i>	tomato yellow mottle-associated virus (TYMaV)
	<i>Wheat</i> <i>American striate mosaic cytorhabdovirus</i>	wheat American striate mosaic virus (WASMV)
	<i>Wuhan 4</i> <i>insect cytorhabdovirus</i>	Wuhan insect virus 4 (WuIV-4)
	<i>Wuhan 5</i> <i>insect cytorhabdovirus</i>	Wuhan insect virus 5 (WuIV-5)
	<i>Wuhan 6</i> <i>insect cytorhabdovirus</i>	Wuhan insect virus 6 (WuIV-6)
	<i>Yerba mate</i> <i>chlorosis-associated cytorhabdovirus</i>	yerba mate chlorosis-associated virus (YmCaV)
<i>Dichorhavirus</i>	<i>Citrus</i> <i>chlorotic spot dichorhavirus</i>	citrus chlorotic spot virus (CiCSV)
	<i>Citrus</i> <i>leprosis N dichorhavirus</i>	citrus leprosis virus N (CiLV-N)
	<i>Clerodendrum</i> <i>chlorotic spot dichorhavirus</i>	clerodendrum chlorotic spot virus (ClCSV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Coffee ringspot dichonhavirus</i>	coffee ringspot virus (CoRS V)
	<i>Orchidfleck dichonhavirus</i> [*]	orchid fleck virus (OFV)
<i>Ephemerovirus</i>	<i>Adelaide River ephemerovirus</i>	Adelaide River virus (ARV)
	<i>Berimah ephemerovirus</i>	Berimah virus (BRMV)
	<i>Bovine fever ephemerovirus</i> [*]	bovine ephemeral fever virus (BEFV)
	<i>Kimberley ephemerovirus</i>	Kimberley virus (KIMV)
	<i>Koolpiyah ephemerovirus</i>	Malakal virus (MALV)
	<i>Kotonkan ephemerovirus</i>	Koolpiyah virus (KOOLV)
	<i>Obodhiang ephemerovirus</i>	kotonkan virus (KOTV)
	<i>Yata ephemerovirus</i>	Obodhiang virus (OBOV)
	<i>Yata ephemerovirus</i>	Yata virus (YATV)
<i>Gammancleorha bdovirus</i>	<i>Maize fine streak gammancleorhabdovirus</i>	maize fine streak virus (MFSV)
<i>Hapavirus</i>	<i>Flanders hapavirus</i> [*]	Flanders virus (FLAV)
	<i>Gray Lodge hapavirus</i>	Gray Lodge virus (GLOV)
	<i>Hart Park hapavirus</i>	Hart Park virus (HPV)
	<i>Holmes hapavirus</i>	Holmes Jungle virus (HOJV)
	<i>Joinjakaka hapavirus</i>	Joinjakaka virus (JOV)
	<i>Kamese hapavirus</i>	Kamese virus (KAMV)
	<i>La Joya hapavirus</i>	La Joya virus (LJV)
	<i>Landjia hapavirus</i>	Landjia virus (LANV = LJAV)
	<i>Manitoba hapavirus</i>	Manitoba virus (MANV = MNTBV)
	<i>Marco hapavirus</i>	Marco virus (MCOV)
	<i>Mosqueiro hapavirus</i>	Mosqueiro virus (MQOV)
	<i>Mossuri hapavirus</i>	Mossuri virus (MOVV)
	<i>Ngaingan hapavirus</i>	Ngaingan virus (NGAV)
	<i>Ord River hapavirus</i>	Ord River virus (ORV)
	<i>Parry Creek hapavirus</i>	Parry Creek virus (PCV)
	<i>Wongabel hapavirus</i>	Wongabel virus (WONV)

Genus	Species [¶]	Virus (Abbreviation) &
<i>Ledantevirus</i>	<i>Banur ledantevirus</i>	Banur virus (BARV)
	<i>Fikirini ledantevirus</i>	Fikirini virus (FKRV)
	<i>Fukuoka ledantevirus</i>	Fukuoka virus (FUKV)
	<i>Kanyawara ledantevirus</i>	Kanyawara virus (KXAV)
	<i>Kern Canyon ledantevirus</i>	Kern Canyon virus (KCV)
	<i>Keuraliba ledantevirus</i>	Keuraliba virus (KEUV)
	<i>Kolene ledantevirus</i>	Kolente virus (KOLEV)
	<i>Kumasi ledantevirus</i>	Kumasi rhabdovirus (KRV)
	<i>Le Dan tec ledantevirus*</i>	Le Dan tec virus (LDV)
	<i>Mount Elgon bat ledantevirus</i>	Mount Elgon bat virus (MEBV)
	<i>Nishimuro ledantevirus</i>	Nishimuro virus (NSV)
	<i>Nkolbisson ledantevirus</i>	Nkolbisson virus (NKOV)
	<i>Oita ledantevirus</i>	Oita virus (OITAV)
	<i>Vaprio ledantevirus</i>	Vaprio virus (VAPV)
	<i>Wuhan ledantevirus</i>	Wuhan louse fly virus 5 (WLFV-5)
	<i>Yongjia ledantevirus</i>	Yongjia tick virus 2 (YTV-2)
<i>Losithavirus</i>	<i>Lonestar zarthavirus**</i>	lone star tick rhabdovirus (LITRV)
<i>Lyssavirus</i>	<i>Aravan lyssavirus</i>	Aravan virus (ARAV)
	<i>Australian bat lyssavirus</i>	Australian bat lyssavirus (ABLV)
	<i>Botakoh bat lyssavirus</i>	Bokeh bat lyssavirus (BBLV)
	<i>Duvenhage lyssavirus</i>	Duvenhage virus (DUVV)
	<i>European bat 1 lyssavirus</i>	European bat lyssavirus 1 (EBLV-1)
	<i>European bat 2 lyssavirus</i>	European bat lyssavirus 2 (EBLV-2)
	<i>Gannoruwa bat lyssavirus</i>	Gannoruwa bat lyssavirus (GBLV)
	<i>Ikoma lyssavirus</i>	Ikoma lyssavirus (IKOV)
	<i>Irkut lyssavirus</i>	Irkut virus (IRKV)
	<i>Khujand lyssavirus</i>	Khujand virus (KHUV)
	<i>Lagos bat lyssavirus</i>	Lagos bat virus (LBV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Lleida bat lyssavirus</i>	Lleida bat lyssavirus (LLEBV)
	<i>Mokola lyssavirus</i>	Mokola virus (MOKV)
	<i>Rabies lyssavirus*</i>	rabies virus (RABV)
	<i>Shimoni bat lyssavirus</i>	Shimoni bat virus (SHIB V)
	<i>Taiwan bat lyssavirus</i>	Taiwan bat lyssavirus (TWBLV)
	<i>West Caucasian bat lyssavirus</i>	West Caucasian bat virus (WCBV)
<i>Moushavirus</i>	<i>Moissa moushavirus*</i>	Moissa virus (MOUV)
<i>Novirhabdovirus</i>	<i>Hirame novirhabdovirus</i>	hirame rhabdovirus (HIRRV = HIRV)
	<i>Piscine novirhabdovirus</i>	viral hemorrhagic septicemia virus (VHSV)
	<i>Salmonid novirhabdovirus*</i>	infectious hematopoietic necrosis virus (IHNV)
	<i>Snakehead novirhabdovirus</i>	snakehead rhabdovirus (SHRV)
<i>Ohlsnavirus</i>	<i>Ohlsdorf ohlsnavirus</i>	Ohlsdorf virus (OHLDV)
	<i>Tongilchon ohlsnavirus</i>	Tongilchon virus 1 (TCHV-1)
	<i>Riverside ohlsnavirus</i>	Riverside virus (RISV)
	<i>Culex ohlsnharavirus</i>	Culex rabdo-like virus (CRLV)
	<i>Northcreek ohlsnavirus</i>	North Creek virus (NORCV)
<i>Perhabdovirus</i>	<i>Anguillid perhabdovirus</i>	eel virus European X (EVEX)
	<i>Perch perhabdovirus*</i>	perch rhabdovirus (PRV)
	<i>Sea trout perhabdovirus</i>	lake trout rhabdovirus (LTRV)
<i>Sawgnavirus</i>	<i>Connecticut sawgnavivirus</i>	Connecticut virus (CNTV)
	<i>Island sawgnavivirus</i>	Long Island tick rhabdovirus (LITRV)
	<i>Minto sawgnavivirus</i>	New Minto virus (NMV)
	<i>Sawgrass sawgnavivirus*</i>	Sawgrass virus (SAWV)
<i>Sigmavirus</i>	<i>Drosophila affinis sigmavirus</i>	Drosophila affinis sigmavirus (DafsSV)
	<i>Drosophila ananassae sigmavirus</i>	Drosophila ananassae sigmavirus (DAnaSV)
	<i>Drosophila immigrans sigmavirus</i>	Drosophila immigrans sigmavirus (DImmSV)
	<i>Drosophila melanogaster sigmavirus*</i>	Drosophila melanogaster sigmavirus (DMelSV)

Genus	Species [¶]	Virus (Abbreviation) &
	<i>Drosophila obscura sigmaivirus</i>	Drosophila obscura sigmaivirus (DObsSV)
	<i>Drosophila tristis sigmaivirus</i>	Drosophila tristis sigmaivirus (DTriSV)
	<i>Muscina stabulans sigmaivirus</i>	Muscina stabulans sigmaivirus (MSlaSV)
<i>Spirivirus</i>	<i>Carp spirivirus</i> [*]	spring viremia of carp virus (SVCV)
	<i>Pike fry spirivirus</i>	grass carp rhabdovirus (GrCRV)
		pike fry rhabdovirus (PFRV)
<i>Sripavirus</i>	<i>Almapiwar sripavirus</i>	tench rhabdovirus (TenRV)
	<i>Chaco sripavirus</i>	Almapiwar virus (ALMV)
		Chaco virus (CHOV)
	<i>Charleville sripavirus</i>	Charleville virus (CHVV)
	<i>Cuahua sripavirus</i>	Cuahua virus (CUIV)
	<i>Hainan sripavirus</i>	Hainan black-spectacled toad rhabdovirus (HnBSTRV)
	<i>Niakha sripavirus</i> [*]	Niakha virus (NIAV)
	<i>Sena Madureira sripavirus</i>	Sena Madureira virus (SMV)
	<i>Sripur sripavirus</i>	Sripur virus (SRIV)
<i>Sumthavirus</i>	<i>Garba sumthavirus</i>	Garba virus (GARV)
	<i>Harrison sumthavirus</i>	Harrison Dam virus (HARDV)
	<i>Kwatta sumthavirus</i>	Kwatta virus (KWAV)
	<i>Oak vale sumthavirus</i>	Oak Vale virus (OVV)
	<i>Sanguru sumthavirus</i> [*]	Sanguru virus (SUJV)
	<i>Walkabout sumthavirus</i>	Walkabout Creek virus (WAKV)
<i>Tibrovirus</i>	<i>Bas Congo tibrovirus</i>	Bas-Congo virus (BASV)
	<i>Bellatrix Hill tibrovirus</i>	Bellatrix Hill virus (BHV)
	<i>Coastal Plains tibrovirus</i>	Coastal Plains virus (CPV)
	<i>Ekpona 1 tibrovirus</i>	Ekpona virus 1 (EKV-1)
	<i>Ekpona 2 tibrovirus</i>	Ekpona virus 2 (EKV-2)
	<i>Sweetwater Branch tibrovirus</i>	Sweetwater Branch virus (SWBV)
	<i>Tibrogargan tibrovirus</i> [*]	Biven's Arm virus (BAV)

Genus	Species [¶]	Virus (Abbreviation) &
		Tibrogargan virus (TBV)
<i>Tupavirus</i>	<i>Durham tupavirus</i> [*]	Durham virus (DURV)
	<i>Klamath tupavirus</i>	Klamath virus (KLAV)
	<i>Tupaiā tupavirus</i>	tupaia rhabdovirus (TUPV)
<i>Varicosavirus</i>	<i>Lettuce big-vein associated varicosavirus</i> [*]	lettuce big-vein associated virus (LBVav)
<i>Vesiculovirus</i>	<i>Alagoas vesiculovirus</i>	vesicular stomatitis Alagoas virus (VSADV)
	<i>American bat vesiculovirus</i>	American bat vesiculovirus (ABVV)
	<i>Carajas vesiculovirus</i>	Carajas virus (CJSV)
	<i>Chandipura vesiculovirus</i>	Chandipura virus (CHPV)
	<i>Cocal vesiculovirus</i>	Cocal virus (COCV)
	<i>Indiana vesiculovirus</i> [*]	vesicular stomatitis Indiana virus (SIV)
	<i>Isfahan vesiculovirus</i>	Isfahan virus (ISFV)
	<i>Jurona vesiculovirus</i>	Jurona virus (JURV)
	<i>Malpais Spring vesiculovirus</i>	Malpais Spring virus (MSPV)
	<i>Maraba vesiculovirus</i>	Maraba virus (MARAV)
	<i>Morreton vesiculovirus</i>	Morreton virus (MORV)
	<i>New Jersey vesiculovirus</i>	vesicular stomatitis New Jersey virus (VSNNJV)
	<i>Perinet vesiculovirus</i>	Perinet virus (PERV)
	<i>Piny vesiculovirus</i>	Piry virus (PIRVY)
	<i>Radi vesiculovirus</i>	Radi virus (RADV)
	<i>Yug Bogdanovac vesiculovirus</i>	Yug Bogdanovac virus (YBV)
<i>Zarhavirus</i>	<i>Zahedan zarhavirus</i> [*]	Zahedan rhabdovirus (ZARV)
		Family <i>Sunviridae</i>
<i>Sunshinevirus</i>	<i>Reptile sunshinevirus I</i> [*]	Sunshine Coast virus (SunCV)
		Family <i>Ximmoniridae</i>
<i>Anphevirus</i>	<i>Bolalun anphevirus</i>	Bolalun virus (BLHV)
		Gambie virus (GAMV)
	<i>Dipierian anphevirus</i>	Hüb 1 diptera virus 11 (HbDV-11)

Genus	Species [#]	Virus (Abbreviation) ^{&}
	<i>Drosophilidae</i> <i>amphelinus</i>	Drosophila unispina virus 1 (DuniV-1)
	<i>Odonata</i> <i>amphelinus</i>	Húb i rhabdo-like virus 7 (HbRLV-7)
	<i>Orthopteran</i> <i>amphelinus</i>	Húb i orthoptera virus 5 (HbOV-5)
	<i>Shuanggao</i> <i>amphelinus</i>	Shu ngao fly virus 2 (SgFV-2)
	<i>Xincheng</i> <i>amphelinus</i> [*]	X nchén mosquito virus (XcmV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa.

^{*} type species

¹ Due to a formal classification mistake this species was not deleted. A proposal to delete this species name will be submitted prior to the next taxonomic proposal submission deadline.

² Includes: Newcastle disease virus (NDV).

³ Due to a formal classification mistake, this species was incorrectly named *Avian orthoavulavirus 2/1* in TaxoProp 2019.014M.A.v1.Avulavirus_Inewsp but correctly named *Avian orthoavulavirus 2/1* in TaxoProp 2019.025M.A.v2.Paramyxoviridae_3gen5pdnspns. Hence as of now, both species names are official. A proposal to correct this mistake will be submitted prior to the next taxonomic proposal submission deadline.

⁴ Due to a formal classification mistake this species was named *Lonestar zothavirus* instead of *Lonestar losthavirus*. A proposal to correct this mistake will be submitted prior to the next taxonomic proposal submission deadline.

[#]Taxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 4.

ICTV-accepted taxonomy of the order *Mavirusales* (*Negarnaviricota: Haploviricotina: Chunqiuviricetes*) as of March 2020.

Genus	Species [#]	Virus (Abbreviation) &
Family <i>Qiniviridae</i>		
<i>Yingvirus</i>	<i>Beihai yingvirus</i>	B ihái sesarmid crab virus 4 (BhSCV-4)
	<i>Charybdis yingvirus</i>	W nzh u qínvirus-like virus 2 (WzQLV-2)
	<i>Hubei yingvirus</i>	Hüb i qínvirus-like virus 1 (HbQLV-1)
	<i>Sanxia yingvirus</i>	S nxíá qínvirus-like virus 1 (SxQLV-1)
	<i>Shalle yingvirus</i>	Sh hé qínvirus-like virus 1 (ShQLV-1)
	<i>Wenzhou yingvirus</i>	W nzh u qínvirus-like virus 1 (WzQLV-1)
	<i>Wuhan yingvirus</i> *	Wǔhàn insect virus 15 (WhIV-15)
	<i>Xinzhou yingvirus</i>	X nzh u nematode virus 3 (XzNV-3)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

* type species

[#]Taxon names are always italicized and always begin with a capital letter.

*C*Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 5.

ICTV-accepted taxonomy of the order *Serpentovirales* (*Negarnaviricota: Haploviricotina: Milneviricetes*) as of March 2020.

Genus	Species [#]	Virus (Abbreviation) &
Family Aspiviridae		
<i>Ophiovirus</i>	<i>Blueberry mosaic associated ophiovirus</i>	blueberry mosaic associated virus (BIMaV)
	<i>Citruspsorosis ophiovirus</i> [*]	citrus psoriasis virus (CPsV)
	<i>Freesia sneak ophiovirus</i>	freesia sneak virus (FrSV)
	<i>Lettuce ring necrosis ophiovirus</i>	lettuce ring necrosis virus (LRNV)
	<i>Mirafiori lettuce big-vein ophiovirus</i>	Miraffiori lettuce big-vein virus (MLBVV)
	<i>Ranunculus white mottle ophiovirus</i>	ranunculus white mottle virus (RWMV)
	<i>Tulip mild mottle mosaic ophiovirus</i>	tulip mild mottle mosaic virus (TMMMV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

* type species

[#]Taxon names are always italicized and always begin with a capital letter.

^{*}Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 6.

ICTV-accepted taxonomy of the order *Articulavirales* (*Negarnaviricota*: *Polyploviricotina*: *Insthoviricetes*) as of March 2020.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Ammoonviridae</i>		
<i>Tilapinevirus</i>	<i>Tilapia tilapinevirus</i> [*]	tilapia lake virus (TLV)
Family <i>Orthomyxoviridae</i>		
<i>Alphainfluenzavirus</i>	<i>Influenza A virus</i> [*]	influenza A virus (FLUAV)
<i>Betainfluenzavirus</i>	<i>Influenza B virus</i> [*]	influenza B virus (FLUBV)
<i>Deltainfluenzavirus</i>	<i>Influenza D virus</i> [*]	influenza D virus (FLUDV)
<i>Gammainfluenzavirus</i>	<i>Influenza C virus</i> [*]	influenza C virus (FLUCV)
<i>Isavirus</i>	<i>Salmon isavirus</i> [*]	infectious salmon anemia virus (ISAV)
<i>Quaranjavirus</i>	<i>Johnston Atoll quaranjavirus</i>	Johnston Atoll virus (JAV)
	<i>Quaranfil quaranjavirus</i> [*]	Quaranfil virus (QRFV)
<i>Thogotivirus</i>	<i>Dhori thogotivirus</i>	Dhori virus (DHOV)
	<i>Thogoto thogotivirus</i> [*]	Thogoto virus (THOV)

* type species

[#]Taxon names are always italicized and always begin with a capital letter.

Table 7.

ICTV-accepted taxonomy of the order Bunyavirales (*Negarnaviricota: Polyphlovinicotina: Ellioviricetes*) as of March 2020.

Genus	Species [#]	Virus (Abbreviation) &
Family Arenaviridae		
<i>Antennavirus</i>	<i>Hairy antennavirus</i>	W _n līng frogfish arenavirus 2 (WFIAV-2)
	<i>Striated antennavirus*</i>	W _n līng frogfish arenavirus 1 (WFIAV-1)
<i>Hartmanivirus</i>	<i>Haartman hartmanivirus*</i>	Haartman Institute snake virus 1 (HHSV-1)
	<i>Muikkunen hartmanivirus</i>	Dante Muikkunen virus 1 (DAMV-1)
	<i>Schoolhouse hartmanivirus</i>	old schoolhouse virus 1 (OScv-1)
	<i>Zurich hartmanivirus</i>	old schoolhouse virus 2 (OScv-2)
		veterinary pathology Zurich virus 1 (VPZV-1)
		veterinary pathology Zurich virus 2 (VPZV-2)
<i>Mammarenavirus</i>	<i>Alphahuayo mammarenavirus</i>	Alphahuayo virus (ALLV)
	<i>Alxa mammarenavirus</i>	Alxa virus (ALXV)
	<i>Argentinian mammarenavirus</i>	Junín virus (JUNV)
	<i>Bear Canyon mammarenavirus</i>	Bear Canyon virus (BCNV)
	<i>Brazilian mammarenavirus</i>	Sabía virus (SBAV)
	<i>Cali mammarenavirus</i>	Pichindé virus (PICHV)
	<i>Chapare mammarenavirus</i>	Chapare virus (CHAPV)
	<i>Chevrier mammarenavirus</i>	Lijiang virus (LJV)
	<i>Cupixí mammarenavirus</i>	Cupixí virus (CUPXV)
	<i>Flexal mammarenavirus</i>	Flexal virus (FLEV)
	<i>Gairo mammarenavirus</i>	Gairo virus (GAIV)
	<i>Guanarito mammarenavirus</i>	Guanarito virus (GTOV)
	<i>Ippy mammarenavirus</i>	Ippy virus (IPPYV)
	<i>Lassa mammarenavirus</i>	Lassa virus (LASV)
	<i>Latino mammarenavirus</i>	Latino virus (LATV)
	<i>Loe River mammarenavirus</i>	Loe' River virus (LORV)
	<i>Lujo mammarenavirus</i>	Lujo virus (LUJV)

Genus	Species	Virus (Abbreviation) &
	<i>Luna mammarenavirus</i>	Luli virus (LULV)
	<i>Luna virus</i> (LUAV)	Luna virus (LUAV)
	<i>Lunk mammarenavirus</i>	Lunk virus (LNKV)
	<i>Lymphocytic choriomeningitis virus</i> [*] <i>mammarenavirus</i>	Dandenong virus (DANV) lymphocytic choriomeningitis virus (LCMV)
	<i>Machupo mammarenavirus</i>	Machufo virus (MACV)
	<i>Mariantal mammarenavirus</i>	Mariantal virus (MRLV)
	<i>Merino Walk mammarenavirus</i>	Merino Walk virus (MRWWV)
	<i>Mobala mammarenavirus</i>	mobala virus (MOBV)
	<i>Mopeia mammarenavirus</i>	Mopeia virus (MPOV)
	<i>Okahandja mammarenavirus</i>	Morogoro virus (MORY)
	<i>Oliveros mammarenavirus</i>	Okahandja virus (OKAV)
	<i>Paraguanay mammarenavirus</i>	Oliveros virus (OLVV)
	<i>Planalto mammarenavirus</i>	Paraná virus (PRAV)
	<i>Pirital mammarenavirus</i>	Apócrá virus (APOV)
	<i>Ryukyu mammarenavirus</i>	Pirital virus (PIRV)
	<i>Serra do Navio mammarenavirus</i>	Ryukyu virus (RYKV)
	<i>Solwezi mammarenavirus</i>	Amapari virus (AMAV)
	<i>Soucis mammarenavirus</i>	Solwezi virus (SOLV)
	<i>Tacaribe mammarenavirus</i>	souris virus (SOUV)
	<i>Tamiami mammarenavirus</i>	Tacaribe virus (TCRV)
	<i>Wenzhou mammarenavirus</i>	Tamiami virus (TMMV)
	<i>Whitewater Arroyo mammarenavirus</i>	Wenzhou virus (WENV)
		Big Brushy Tank virus (BBRTV)
		Catarina virus (CTINV)
		Skinner Tank virus (SKTV)
		Tonto Creek virus (TTCV)
		Whitewater Arroyo virus (WWAV)
	<i>Xapuri mammarenavirus</i>	Xapuri virus (XAPV)

Genus	Species	Virus (Abbreviation) &
<i>Reparenavirus</i>	<i>California reparenavirus</i>	CAS virus (CASV)
	<i>Gießen reparenavirus</i>	University of Giessen virus 1 (UGV-1)
		University of Giessen virus 2 (UGV-2)
		University of Giessen virus 3 (UGV-3)
	<i>Golden reparenavirus</i> *	Golden Gate virus (GOGV)
	<i>Ordinary reparenavirus</i>	tavallinen suomalainen mies virus 2 (TSMV-2)
	<i>Rotterdam reparenavirus</i>	ROUT virus (ROUTV)
		University of Helsinki virus 1 (UHV-1)
Family Cruliviridae		
<i>Lincruvirus</i>	<i>Crustacean linervirus</i> *	W ning crustacean virus 9 (WICV-9)
Family Fimoviridae		
<i>Emaravirus</i>	<i>Actinidia chlorotic ringspot-associated emaravirus</i>	Actinidia chlorotic ringspot-associated virus (AccRaV)
	<i>Blackberry leaf mottle associated emaravirus</i>	blackberry leaf mottle-associated virus (BLMaV)
	<i>European mountain ash ringspot-associated emaravirus</i> *	European mountain ash ringspot-associated virus (EMaRaV)
	<i>Fig mosaic emaravirus</i>	fig mosaic virus (FMV)
	<i>High Plains wheat mosaic emaravirus</i>	High Plains wheat mosaic virus (HPWMoV)
	<i>Pigeonpea sterility mosaic emaravirus 1</i>	pigeonpea sterility mosaic virus 1 (PPSMV-1)
	<i>Pigeonpea sterility mosaic emaravirus 2</i>	pigeonpea sterility mosaic virus 2 (PPSMV-2)
	<i>Pistacia emaravirus B</i>	pistacia virus B (PVb)
	<i>Raspberry leaf blotch emaravirus</i>	raspberry leaf blotch virus (RLBV)
	<i>Redbud yellow ringspot-associated emaravirus</i>	redbud yellow ringspot-associated virus (RYRaV)
	<i>Rose rosette emaravirus</i>	rose rosette virus (RRV)
Family Hantaviridae		
Subfamily <i>Actantavirinae</i>		
<i>Actinovirus</i>	<i>Batfish actinovirus</i> *	W ning minipizza batfish virus (WEMBV)
	<i>Goosefish actinovirus</i>	W ning yellow goosefish virus (WEYGV)
	<i>Spikefish actinovirus</i>	W ning red spikefish virus (WERSV)
	Subfamily <i>Agantavirinae</i>	

Genus	Species ¶	Virus (Abbreviation) &
<i>Agnathovirus</i>	<i>Hagfish agnathovirus</i> *	Wning hagfish virus (WEHV)
		Subfamily <i>Mammantavirinae</i>
<i>Loanvirus</i>	<i>Brun loanvirus</i>	Brun virus (BRNV)
	<i>Longquan loanvirus</i> *	Lóngquán virus (LQNV)
<i>Mobavirius</i>	<i>Láibin mobavirius</i>	Láibin virus (LAIV)
	<i>Nova mobavirius</i> *	Nova virus (NVAV)
	<i>Quezon mobavirius</i>	Quezon virus (QZNV)
<i>Orthohantavirus</i>	<i>Andes orthohantavirus</i>	Andes virus (ANDV)
		Castelo dos Sonhos virus (CASV)
		Lechiguanas virus (LECV = LECHV)
		Orán virus (ORNV)
	<i>Asama orthohantavirus</i>	Asama virus (ASAV)
	<i>Asikkala orthohantavirus</i>	Asikkala virus (ASIV)
	<i>Bayou orthohantavirus</i>	bayou virus (BAYV)
		Catacamas virus (CATV)
	<i>Black Creek Canal orthohantavirus</i>	Black Creek Canal virus (BCCV)
	<i>Bowe orthohantavirus</i>	Bowé virus (BOWV)
	<i>Bruges orthohantavirus</i>	Bruges virus (BRGV)
	<i>Cano Delgadito orthohantavirus</i>	Caño Delgadito virus (CADV)
	<i>Cao Bang orthohantavirus</i>	Cao Bằng virus (CBNV)
		Liánghé virus (LHEV)
	<i>Choclo orthohantavirus</i>	Choclo virus (CHOV)
	<i>Dabieshan orthohantavirus</i>	Dabiésh n virus (DBSV)
	<i>Dobrava-Belgrade orthohantavirus</i>	Dobrava virus (DOBV)
		Kurtkino virus (KURV)
		Saaremaa virus (SAAV)
		Sochi virus (SOCV)
	<i>El Moro Canyon orthohantavirus</i>	Carrizal virus (CARV)

Genus	Species	Virus (Abbreviation) &
		El Moro Canyon virus (ELMCV)
		Huitzilac virus (HUV)
<i>Fugong orthohantavirus</i>		Fúgóng virus (FUGV)
<i>Fusong orthohantavirus</i>		Fús ng virus (FUSV)
<i>Hantaan orthohantavirus</i> *		Amur virus (AMRV)
		Hantaan virus (HTNV)
		Soochong virus (SOOV)
<i>Jeju orthohantavirus</i>		Jeju virus (JUUV)
<i>Kenkeme orthohantavirus</i>		Kenkeme virus (KKMV)
<i>Khabarovsky orthohantavirus</i>		Khabarovsk virus (KHAV)
		Topografov virus (TOPV)
<i>Laguna Negra orthohantavirus</i>		Laguna Negra virus (LANV)
		Marija virus (MARV)
		Rio Mamoré virus (RIOMV)
<i>Luxi orthohantavirus</i>		Lúx virus (LUXV)
<i>Maporal orthohantavirus</i>		Maporal virus (MAPV)
<i>Montano orthohantavirus</i>		Montaño virus (MTNV)
<i>Necoceli orthohantavirus</i>		Necoceli virus (NECV)
<i>Oxbow orthohantavirus</i>		Oxbow virus (OXBV)
<i>Prospect Hill orthohantavirus</i>		Prospect Hill virus (PHV)
<i>Puumala orthohantavirus</i>		Hokkaido virus (HOKV)
		Muji virus (MUJV)
		Puumala virus (PUUV)
<i>Rockport orthohantavirus</i>		Rockport virus (RKPV)
<i>Sangassou orthohantavirus</i>		Sangassou virus (SANGV)
<i>Seewis orthohantavirus</i>		Seewis virus (SWSV)
<i>Seoul orthohantavirus</i>		Seoul virus (SEOV)
<i>Sin Nombre orthohantavirus</i>		New York virus (NYV)

Genus	Species	Virus (Abbreviation) &
		Sin Nombre virus (SNV)
	<i>Thailand orthohantavirus</i>	Anjozorobe virus (ANJZV)
		Serang virus (SERV)
		Thailand virus (THAIV)
	<i>Tigray orthohantavirus</i>	Tigray virus (TIGV)
	<i>Tula orthohantavirus</i>	Adler virus (ADLV)
		Tula virus (TULV)
	<i>Yákeshi orthohantavirus</i>	Yákeshi virus (YKSV)
	<i>Imjin thottivirus</i>	Imjin virus (MJNV)
	<i>Thottapalayam thottivirus</i> *	Thottapalayam virus (TPMV)
		Subfamily <i>Repanavirinae</i>
<i>Reptilovirus</i>	<i>Gecko reptilovirus</i> *	Hainan oriental leaf-toed gecko virus (HOLGV)
		Family <i>Leishnaviridae</i>
<i>Shilevirus</i>	<i>Leptomonas shilevirus</i> *	Leptomonas moramango virus (LEPMV)
		Family <i>Myoporiidae</i>
<i>Hubavirus</i>	<i>Myriapod hubavirus</i> *	Hub i myriapoda virus 5 (HbMV-5)
		Family <i>Nairoviridae</i>
<i>Orthonairovirus</i>	<i>Artashat orthonairovirus</i>	Artashat virus (ARTSV)
	<i>Chim orthonairovirus</i>	Chim virus (CHIMV)
	<i>Crimean-Congo hemorrhagic fever orthonairovirus</i>	Crimean-Congo hemorrhagic fever virus (CCHFV)
	<i>Dera Ghazi Khan orthonairovirus</i>	Dera Ghazi Khan virus (AHV)
		Abu Mina virus (AMV)
		Dera Ghazi Khan virus (DGKV)
		Sapphire II virus (SAPV)
	<i>Dugbe orthonairovirus</i> *	Dugbe virus (DUGV)
		kupe virus (KUPEV)
	<i>Esteroreal orthonairovirus</i>	Esteroreal virus (ERV)
	<i>Hazara orthonairovirus</i>	Hazara virus (HAZV)

Genus	Species ¶	Virus (Abbreviation) &
	<i>Hughes orthornairovirus</i>	Tofla virus (TELV)
		Caspiv virus (CASY)
		Farallon virus (FARV)
		Great Sallee virus (GRS VI)
		Hughes virus (HUGV)
		Punta Salinas virus (PSV)
		Raza virus (RAZAV)
		Soldado virus (SOLV)
		Zirqa virus (ZIRV)
	<i>Kasokero orthornairovirus</i>	Kasokero virus (KASV = KASOV)
		Leopards Hill virus (LPHV)
		Yogue virus (YOGV)
	<i>Keterah orthornairovirus</i>	Gossas virus (GOSV)
		Issyk-kul virus (ISKV)
		Keterah virus (KTRV)
		Uzun-Agach virus (UZAV)
	<i>Nairobi sheep disease orthornairovirus</i>	Nairobi sheep disease virus (NSDV)
	<i>Qalyub orthornairovirus</i>	Bandia virus (BDAV)
		Geran virus (GERV)
		Qalyub virus (QYBV)
	<i>Sakhalin orthornairovirus</i>	Avalon virus (AVAV)
		Clo Mor virus (CMV = CLMV)
		Sakhalin virus (SAKV)
		Taggart virus (TAGV)
		Tillamook virus (TILLV)
	<i>Tamdy orthornairovirus</i>	Burana virus (BURV)
		Huángspí tick virus 1 (HpTV-1)
		Tâchêng tick virus 1 (TctTV-1)
		Tamdy virus (TAMV)

Genus	Species ¶	Virus (Abbreviation) &
	<i>Thiafora orthonaovirus</i>	W nzhu tick virus (WZTV)
	<i>Erve virus</i> (ERVEV)	Erve virus (ERVEV)
	<i>Thiafora virus</i> (TFAV)	Thiafora virus (TFAV)
<i>Shaspinivirus</i>	<i>Spider shaspinivirus</i> *	Sh yang spider virus 1 (SySV-1)
<i>Strivavirus</i>	<i>Strider strivavirus</i> *	S ixia water strider virus 1 (SxWSV-1)
Family <i>Peribunyaviridae</i>		
<i>Herbevirus</i>	<i>Herbert herbevirus</i> *	Herbert virus (HEBV)
	<i>Kibale herbevirus</i>	Kibale virus (KIBV)
	<i>Tai herbevirus</i>	Tai virus (TAIV)
<i>Orthobunyavirus</i>	<i>Acará orthobunyavirus</i>	Acará virus (ACAV)
		Moriche virus (MORV)
	<i>Anio orthobunyavirus</i>	Anio virus (AINOV)
	<i>Akabane orthobunyavirus</i>	Akabane virus (AKAV)
		Tinaroo virus (TINV)
		Yaba-7 virus (Y7V)
	<i>Alajuela orthobunyavirus</i>	Alajuela virus (ALJV)
		San Juan virus (SJV)
	<i>Anadyr orthobunyavirus</i>	Anadyr virus (ANADV)
	<i>Anhembi orthobunyavirus</i>	Anhembi virus (AMBV)
	<i>Anopheles A orthobunyavirus</i>	Anopheles A virus (ANAV)
		Arumatea virus (ARTV = ARMTV)
		Carapé virus (CPEV = CRPV)
		Las Maloyas virus (LMV)
		Lukuni virus (LUKV)
		Trombetas virus (TRMV)
		Tucumí virus (TUCV = TUCRV)
	<i>Anopheles B orthobunyavirus</i>	Anopheles B virus (ANBV)
		Boracéia virus (BORV)

Genus	Species	Virus (Abbreviation) &
	<i>Bakau orthobunyavirus</i>	Bakau virus (BAKV)
		Ketapang virus (KETV)
		Nola virus (NOLAV)
		Tanjong Rabok virus (TRV)
		Telok Forest virus (TFV)
	<i>Batai orthobunyavirus</i>	Batai virus (BATV)
		Batama virus (BMAV)
	<i>Bellavista orthobunyavirus</i>	Bellavista virus (BELLV)
	<i>Benevides orthobunyavirus</i>	Benevides virus (BVSV = BENV)
	<i>Bertioga orthobunyavirus</i>	Bertioga virus (BERV)
		Cananéia virus (CNAV)
		Guararuba virus (GTBV)
		Itimirim virus (ITIV)
		Mirim virus (MIRV)
	<i>Bimini orthobunyavirus</i>	bimini virus (BMV)
	<i>Birao orthobunyavirus</i>	Birao virus (BIRV)
	<i>Bocambo orthobunyavirus</i>	Boitambi virus (BOTV)
	<i>Bozo orthobunyavirus</i>	Bozo virus (BOZOV)
	<i>Bunyaamwera orthobunyavirus</i> *	Bunyaamwera virus (BUNV)
		Germiston virus (GERV)
		Lokem virus (LOKV)
		Mboké virus (MBOV)
		Ngari virus (NRIV)
		Northway virus (NORV)
		Santa Rosa virus (SARV)
		Shokwe virus (SHOV)
		Stanfield virus (STAV)
		Xingu virus (XINV)
	<i>Bushbush orthobunyavirus</i>	Benfica virus (BENV = BNFV)

Genus	Species	Virus (Abbreviation) &
		Bushbrush virus (BSBV)
		Juan Diaz virus (JDV)
<i>Buttonwillow orthobunyavirus</i>		Buttonwillow virus (BUTV)
<i>Bwamba orthobunyavirus</i>		Bwamba virus (BWAV)
		Pongola virus (PGAV)
<i>Cache Valley orthobunyavirus</i>		Cache Valley virus (CVV)
		Cholul virus (CHLV)
		Tlacotalpan virus (TLAV)
<i>Cachoeira Porteira orthobunyavirus</i>		Cachoeira Porteira virus (CPOV)
<i>California encephalitis orthobunyavirus</i>		California encephalitis virus (CEV)
		Morro Bay virus (MBV)
<i>Capin orthobunyavirus</i>		Capin virus (CAPV)
<i>Caraparu orthobunyavirus</i>		Apéu virus (APEUV)
		Bruconha virus (BRUV)
		Caraparu virus (CARV)
		El Huayo virus (EHUV)
		Itaya virus (ITYV)
		Ossa virus (OSSAV)
		Vinces virus (VINV)
<i>Cat Que orthobunyavirus</i>		Cát Quê virus (CQV)
		Oya virus (OYAV)
<i>Catu orthobunyavirus</i>		Catú virus (CATUV)
<i>Enseada orthobunyavirus</i>		ENSEADA virus (EHSV)
<i>Facey's paddock orthobunyavirus</i>		Facey's paddock virus (FPV)
<i>Fort Sherman orthobunyavirus</i>		Fort Sherman virus (FSV)
<i>Gamboa orthobunyavirus</i>		Brus Laguna virus (BLAV)
		Calchaquí virus (CQIV)
		Ganboa virus (GAMV)
		Pueblo Viejo virus (PVV)

Genus	Species	Virus (Abbreviation) &
	<i>Guajara orthobunyavirus</i>	Soberanía virus (SOBV)
	<i>Guama orthobunyavirus</i>	Gujarāt virus (GJAV)
	<i>Ananindeua virus</i> (ANUV)	
	<i>Guamá virus</i> (GMAV)	
	<i>Mahogany Hammock virus</i> (MHV)	
	<i>Moju virus</i> (MOJUV)	
	<i>Guaroa orthobunyavirus</i>	Guaroa virus (GROV)
	<i>Iaco orthobunyavirus</i>	Iaco virus (IACOV)
	<i>Ilesha orthobunyavirus</i>	Ilesha virus (ILEV)
	<i>Ingwavuma orthobunyavirus</i>	Ingwavuma virus (INGV)
	<i>Inkoo virus</i> (INKV)	
	<i>Jamestown Canyon orthobunyavirus</i>	
		Jamestown Canyon virus (JCV)
		Jerry Slough virus (JSV)
		South River virus (SORV)
	<i>Jatobal orthobunyavirus</i>	Jatobal virus (JATV)
	<i>Kaeng Khoi orthobunyavirus</i>	Kaeng Khoi virus (KKV)
	<i>Kairi orthobunyavirus</i>	Kairi virus (KRIV)
	<i>Keystone orthobunyavirus</i>	Keystone virus (KEYV)
	<i>Koongol orthobunyavirus</i>	koongol virus (KOOV)
		wongal virus (WONV)
	<i>La Crosse orthobunyavirus</i>	La Crosse virus (LACV)
	<i>Leanyer orthobunyavirus</i>	Leanyer virus (LEAV)
	<i>Lumbo orthobunyavirus</i>	Lumbo virus (LUMV)
	<i>Macaua orthobunyavirus</i>	Macauá virus (MCAV)
	<i>Madrid orthobunyavirus</i>	Madrid virus (MADV)
	<i>Miguari orthobunyavirus</i>	Miguari virus (MAGV)
		Playas virus (PLAV)
	<i>Main Drain orthobunyavirus</i>	Main Drain virus (MDV)
	<i>Manzanilla orthobunyavirus</i>	Manzanilla virus (MANV)

Genus	Species ^a	Virus (Abbreviation) &
	<i>Inini virus (INIV)</i>	
	<i>Gumbo Limbo virus (GLV)</i>	
	<i>Mariuba virus (MTBV)</i>	
	<i>Murutucá virus (MURV)</i>	
	<i>Nepuyo virus (NEPV)</i>	
	<i>Restan virus (RESV)</i>	
	<i>Zungarococha virus (ZUNV)</i>	
	<i>Melao virus (MELV)</i>	
	<i>Mermet virus (MERV)</i>	
	<i>Minatitlán virus (MNTV)</i>	
	<i>Palestina virus (PLSV)</i>	
	<i>MPoko virus (MPOV)</i>	
	<i>Yába-1 virus (Y1V)</i>	
	<i>Eretmapodites virus (ERETV)</i>	
	<i>Nyando virus (NDV)</i>	
	<i>Bobia virus (BIAV)</i>	
	<i>Mojui dos Campos virus (MDCV)</i>	
	<i>Dabakala virus (DABV)</i>	
	<i>Olifantsvlei orthobunyavirus</i>	
	<i>Oubí virus (OUBIV)</i>	
	<i>Orinoco orthobunyavirus</i>	<i>Itaqui virus (ITQV)</i>
	<i>Oriboca virus (ORIV)</i>	
	<i>Iquitos virus (IQTV)^d</i>	
	<i>Madre de Dios virus (MDDV)</i>	
	<i>Oropouche virus (OROV)</i>	
	<i>Perdões virus (PDEV)</i>	
	<i>Pintupo virus (PINTV)</i>	
	<i>Abras virus (ABRV)</i>	
	<i>Babahoya virus (BABV)</i>	

Genus	Species	Virus (Abbreviation) &
	<i>Pahayokee virus</i> (PAHV)	
	<i>Patois virus</i> (PATV)	
	<i>Shark River virus</i> (SRV)	
	<i>Peaton orthobunyavirus</i>	Peaton virus (PEAV)
	<i>Potosí orthobunyavirus</i>	Potosí virus (POTV)
	<i>Sabo orthobunyavirus</i>	Sabo virus (SABOV)
	<i>San Angelo orthobunyavirus</i>	San Angelo virus (SAV)
	<i>Sango orthobunyavirus</i>	Sango virus (SANV)
	<i>Schmalenberg orthobunyavirus</i>	Douglas virus (DOUV)
		Schmalenberg virus (SBV)
		Shamonda virus (SHAV)
	<i>Serra do Navio orthobunyavirus</i>	Serra do Navio virus (SDNV)
	<i>Shuni orthobunyavirus</i>	Kaikalur virus (KAIV)
		Shuni virus (SHUV)
	<i>Simbu orthobunyavirus</i>	Para virus (PARAV)
	<i>Snowshoe hare orthobunyavirus</i>	Khatanga virus (KHATV) ⁹
		snowshoe hare virus (SSHV)
	<i>Sororoca orthobunyavirus</i>	Sororoca virus (SORV)
	<i>Tacaiuma orthobunyavirus</i>	CoAr 1071 virus (CA1071V)
		CoAr 3627 virus (CA3626V)
		Tacaiuma virus (TCMV)
		Virgin River virus (VRV)
	<i>Tahyna orthobunyavirus</i>	ahy a virus (TAHV)
	<i>Tataguine orthobunyavirus</i>	Tataguine virus (TATV)
	<i>Tensaw orthobunyavirus</i>	Tensaw virus (TENV)
	<i>Tete orthobunyavirus</i>	Bahig virus (BAHV)
		Matruh virus (MTRV)

Genus	Species [#]	Virus (Abbreviation) &	
		Tele virus (TETEV)	
		Tsuruse virus (TSUV)	
		Weldona virus (WELV)	
<i>Thimini orthobunyavirus</i>		Thimini virus (THIV)	
<i>Timboteua orthobunyavirus</i>		Timboteua virus (TBTV)	
<i>Trivittatus orthobunyavirus</i>		Achiote virus (ACHOV)	
		Trivittatus virus (TVTV)	
<i>Turlock orthobunyavirus</i>		Lednica virus (LEDV)	
		Turlock virus (TURV)	
		Umbre virus (UMBV)	
<i>Utinga orthobunyavirus</i>		Utinga virus (UTIV)	
		Wittwatersrand virus (WITV)	
<i>Wolberg orthobunyavirus</i>		Wolberg virus (WBV)	
<i>Wyeomyia orthobunyavirus</i>		Rio Pracupi virus	
		Taiassui virus (TAIAV)	
		Tucunduba virus (TUCV)	
		Wyeomyia virus (WYOV)	
<i>Zegla orthobunyavirus</i>		Zegla virus (ZEGV)	
<i>Pacuvirus</i>	<i>Caimito pacuvirus</i>	Caimito virus (CAIV)	
	<i>Chilibe pacuvirus</i>	Chilibe virus (CHIV)	
	<i>Pacui pacaviru*</i>	Pacui virus (PACV)	
	<i>Rio Preto da Eva pacuvirus</i>	Rio Preto da Eva virus (RPEV)	
	<i>Tapirape pacuvirus</i>	Tapirape virus (TAPV)	
<i>Shangavirus</i>	<i>Insect shangavirus*</i>	Shu ngão insect virus 1 (SgIV-1)	
		<i>Family Phasmatidae</i>	
<i>Feravirus</i>	<i>Ferak feravirus*</i>	Ferak virus (FRKV)	
<i>Jonvirus</i>	<i>Jonchel jonvirus*</i>	jonchel virus (JONV)	
<i>Orthophasmavirus</i> ^s	<i>Anopheles orthophasmavirus</i>	Anopheles triannulatus orthophasmavirus (AtOPV)	

Genus	Species	Virus (Abbreviation) &
	<i>Culex orthophasmavirus</i>	Culex orthophasmavirus (CPLV)
	<i>Ganda orthophasmavirus</i>	Ganda orthophasmavirus (GBEEV)
	<i>Kigluaiphantom orthophasmavirus</i> *	Kigluai phantom virus (KIGV)
	<i>Odonate orthophasmavirus</i>	Odonate orthophasmavirus (HbOV-8)
	<i>Qingling orthophasmavirus</i>	Qingling orthophasmavirus (HbOV-9)
	<i>Wuchang cockroach orthophasmavirus 1</i>	Wūchāng ng cockroach virus 1 (WccV-1)
	<i>Wuhan mosquito orthophasmavirus 1</i>	Wūhān mosquito virus 1 (WhMV-1)
	<i>Wuhan mosquito orthophasmavirus 2</i>	Wūhān mosquito virus 2 (WhMV-2)
<i>Sawasirivirus</i>	<i>Saxvia sawasirivirus</i> *	Sàxiá water strider virus 2 (SxWSV2)
<i>Wuhivirus</i>	<i>Insect wuhivirus*</i>	Wūhān insect virus 2 (WhV-2)
Family <i>Phenuiviridae</i>		
<i>Bandavirus</i>	<i>Bianja bandavirus</i>	Bianja virus (BHAV)
	<i>Dabie bandavirus*</i>	severe fever with thrombocytopenia syndrome virus (SFTSV)
	<i>Guertu bandavirus</i>	Guertu virus (GTIV)
	<i>Heartland bandavirus</i>	Heartland virus (HRTV)
	<i>Hunter Island bandavirus</i>	Hunter Island virus (HUIV)
	<i>Kismayo bandavirus</i>	Kismayo virus (KISV)
	<i>Lone Star bandavirus 1</i>	lone star virus (LSV)
<i>Beidivirus</i>	<i>Dipierian beidivirus*</i>	Hub i diptera virus 3 (HbDV-3)
<i>Cogavirus</i>	<i>Citrus cogavirus*</i>	citrus concave gum-associated virus (CCGaV)
	<i>Cogavirus ethuri</i>	citrus virus A (CIV-A)
<i>Entovirus</i>	<i>Entoleuca entovirus*</i>	Entoleuca phenui-like virus 1 (EnPLV-1)
<i>Goukovirus</i>	<i>Cumuto goukovirus</i>	Cumuto virus (CUMV)
	<i>Gouleako goukovirus*</i>	Gouleako virus (GOLV)
	<i>Yichang insect goukovirus</i>	Yǐchāng ng insect virus (YcIV)
<i>Horwavirus</i>	<i>Horsefly horwavirus*</i>	Wūhān horsefly virus (WhHV)
<i>Hudivirus</i>	<i>Dipieran hudivirus*</i>	Hub i diptera virus 4 (HbDV-4)

Genus	Species ¶	Virus (Abbreviation) &
<i>Hudivirus</i>	<i>Lepidopteran hudivirus</i> *	Hub i lepidoptera virus 1 (HbLV-1)
<i>Ixovirus</i>	<i>Blackleg ixovirus</i> *	blacklegged tick virus 1 (BLTV-1)
	<i>Norway ixovirus</i>	Fairhair virus (FHAV)
	<i>Scapularis ixovirus</i>	blacklegged tick virus 3 (BLTV-3)
<i>Laulavirus</i>	<i>Laurel Lake laulavirus</i> *	Laurel Lake virus (LLV)
<i>Lentivirus</i>	<i>Lentinula lentinivirus</i> *	Lentinula edodes negative-strand RNA virus 2 (LeNSRV-2)
<i>Mobivirus</i>	<i>Mothra mobuvirus</i> *	Mothra virus (MTHV)
<i>Phasivirus</i>	<i>Badu phasivirus</i> *	Badu virus (BADUV)
	<i>Dipteran phasivirus</i>	Hub i diptera virus 5 (HbDV-5)
	<i>Fly phasivirus</i>	Wuhàn fly virus 1 (WhFV-1)
	<i>Phasi Charoen-like phasivirus</i>	Phasi Chaeron-like virus (PCLV)
	<i>Wutai mosquito phasivirus</i>	Wutai mosquito virus (WtMV)
<i>Phlebovirus</i>	<i>Adana phlebovirus</i>	Adana virus (ADAV)
	<i>Aguacate phlebovirus</i>	Aguacate virus (AGUV)
	<i>Atcube phlebovirus</i>	Atcube virus (ACBV)
	<i>Alenquer phlebovirus</i>	Alenquer virus (ALEV)
	<i>Arinhe phlebovirus</i>	Arinhe virus (ABEV)
	<i>Anhangá phlebovirus</i>	Anhangá virus (ANHV)
	<i>Arumowot phlebovirus</i>	Arumowot virus (AMTV)
	<i>Buenaventura phlebovirus</i>	Buenaventura virus (BUJEV)
	<i>Bujaru phlebovirus</i>	Bujaru virus (BUJV)
	<i>Cacao phlebovirus</i>	Cacao virus (CACV)
	<i>Campana phlebovirus</i>	Campana virus (CMAV)
	<i>Candiru phlebovirus</i>	Ariquemes virus (ARQV)
		Candirú virus (CDUV)
		Jacundá virus (JCNV)
		Morumbi virus (MR(MBV))
		Mucura virus (MCRV/MRAV)

Genus	Species	Virus (Abbreviation) &
	<i>Chagres phlebovirus</i>	Serra Norte virus (SRNV)
	<i>Cocle phlebovirus</i>	Chagres virus (CHGV)
	<i>Dashili phlebovirus</i>	Coclé virus (CCLV)
	<i>Durania phlebovirus</i>	D shi virus (DASV)
	<i>Echarate phlebovirus</i>	Durania virus (DRNV)
	<i>Gabek phlebovirus</i>	Echarate virus (ECHV)
	<i>Gordil phlebovirus</i>	Gabek forest virus (GFV)
	<i>Icoaraci phlebovirus</i>	Gordil virus (GORV)
	<i>Itaituba phlebovirus</i>	Icoaraci virus (ICOV)
	<i>Itaporangá phlebovirus</i>	Itaituba virus (ITAV)
	<i>Ixcanal phlebovirus</i>	Itaporanga virus (ITPV)
	<i>Karimabad phlebovirus</i>	Ixcanal virus (IXCV)
	<i>La Gloria phlebovirus</i>	Karimabad virus (KARV)
	<i>Lata phlebovirus</i>	La Gloria virus (LAGV)
	<i>Maldonado phlebovirus</i>	Rio Claro virus (RICV)
	<i>Leticia phlebovirus</i>	Leticia virus (LTCV)
	<i>Mariquita phlebovirus</i>	Maldonado virus (MLOV)
	<i>Massilia phlebovirus</i>	Mariquita virus (MRQV)
	<i>Medjerdha phlebovirus</i>	Massilia virus (MASV)
	<i>Mona Grita phlebovirus</i>	Medjerdha Valley virus (MVV)
	<i>Mukawa phlebovirus</i>	Mona Grita virus (MOGV)
	<i>Munguba phlebovirus</i>	Mukawa virus (MKWV)
	<i>Naples phlebovirus</i>	Munguba virus (MUNV)
		Anfibida virus (ARRV)
		Balkan virus (BALKV)
		Fermo virus (FERV)
		Granada virus (GRV = GRAV)
		Saddaguia virus (SADV)
		sandfly fever Naples virus (SFNV)

Genus	Species [#]	Virus (Abbreviation) &
	<i>Nique phlebovirus</i>	Nique virus (NIQV)
	<i>Nepes phlebovirus</i>	Nepes virus (NTPV)
	<i>Odrenisrou phlebovirus</i>	Odrenisrou virus (ODRV)
	<i>Oriximiná phlebovirus</i>	Oriximiná virus (ORXV)
	<i>Peña Blanca phlebovirus</i>	Peña Blanca virus (PEBV)
	<i>Puníque phlebovirus</i>	Puníque virus (PUNV)
	<i>Punta Toro phlebovirus</i>	Buenaventura virus (BUEV)
		Capira virus (CAPIV)
		Punta Toro virus (PTV)
	<i>Rift Valley fever phlebovirus*</i>	Rift Valley fever virus (RVFV)
	<i>Rio Grande phlebovirus</i>	Rio Grande virus (RGV)
	<i>Saint Floris phlebovirus</i>	Saint-Floris virus (SAFV)
	<i>Salanga phlebovirus</i>	Salanga virus (SLGV)
	<i>Salehabad phlebovirus</i>	Adria virus (ADRV)
		Arbia virus (ARBV)
		Bregalaka virus (BREV)
		Olbia virus (OLBV)
		Salehabad virus (SALV)
		Zaba virus (ZABAV)
	<i>Salobo phlebovirus [sic]²</i>	Salobo virus (SLBOV)
	<i>Sicilian phlebovirus</i>	sandfly fever Sicilian virus (SFSV)
	<i>Tapara phlebovirus</i>	Tapará virus (TPRV)
	<i>Tehran phlebovirus</i>	Tehran virus (THEV)
	<i>Tico phlebovirus [sic]³</i>	Tico virus (TICV)
	<i>Toros phlebovirus</i>	Toros virus (TORV)
	<i>Toscana phlebovirus</i>	Toscana virus (TOSV)
	<i>Tres Almendras phlebovirus</i>	Tres Almendras virus (TRAV)
	<i>Turuna phlebovirus</i>	Turuna virus (TUAV)

Genus	Species ¶	Virus (Abbreviation) &
	<i>Uuriurana phlebovirus</i>	Uuriurana virus (URIV)
	<i>Urucuri phlebovirus</i>	Urucuri virus (URUV)
	<i>Viola phlebovirus</i>	viola virus (VIOV)
	<i>Zerdali phlebovirus</i>	Zerdali virus (ZERV)
<i>Pidchovirus</i>	<i>Pidgey pidchovirus</i> *	Pidgey virus (PGYV)
<i>Rubodivirus</i>	<i>Apple rubodivirus 1</i> *	apple rubbery wood virus 1 (ARWV-1)
	<i>Apple rubodivirus 2</i>	apple rubbery wood virus 2 (ARWV-2)
<i>Tenuivirus</i>	<i>Echinocloa hoja blanca tenuivirus</i>	Echinocloa hoja blanca virus (EHBV)
	<i>Iranian wheat stripe tenuivirus</i>	Iranian wheat stripe virus (IWSV)
	<i>Maize stripe tenuivirus</i>	maize stripe virus (MSV = MSpV)
	<i>Melon tenuivirus</i>	melon chlorotic spot virus (MeCSV)
	<i>Rice grassy stunt tenuivirus</i>	rice grassy stunt virus (RGSV)
	<i>Rice hoja blanca tenuivirus</i>	rice hoja blanca virus (RHBV)
	<i>Rice stripe tenuivirus</i> *	rice stripe virus (RSV = RSV)
	<i>Urochloa hoja blanca tenuivirus</i>	Urochloa hoja blanca virus (UHBV)
<i>Uukavirus</i>	<i>American dog uukavirus</i>	American dog tick virus (ADAV)
	<i>Dabieshan uukavirus</i>	Dabíeshan tick virus (DBSH)
	<i>Grand Arbaud uukavirus</i>	Grand Arbaud virus (GAV)
	<i>Huangpi uukavirus</i>	Huángpí tick virus 2 (HpTV-2)
	<i>Kabuto mountain uukavirus</i>	Kabuto mountain virus (KAMV)
	<i>Kaisodi uukavirus</i>	Kaisodi virus (KASDV)
	<i>Lihán uukavirus</i>	Lihán tick virus (LITV)
	<i>Manawa uukavirus</i>	Manawa virus (MWAV)
	<i>Murre uukavirus</i>	murre virus (MURV)
	<i>Pacific coast uukavirus</i>	Pacific coast tick virus (PACV)
	<i>Precarious Point uukavirus</i>	Precarious Point virus (PPV)
	<i>Rukutama uukavirus</i>	Rukutama virus (RUKV)
	<i>Schmid uukavirus</i>	Nile Warbler virus (NIWV)

Genus	Species ¶	Virus (Abbreviation) &
	<i>Silverwater uukavirus</i>	Silverwater virus (SILV)
	<i>Tacheng uukavirus</i>	Tacheng tick virus 2 (TCGV)
	<i>Uukuniemi uukavirus*</i>	Chizé virus (CHZV)
		Fin V 707 virus (FTNV)
		Oceanside virus (OCV = OCEV)
		Pontevès virus (PTVV)
		St. Abbs Head virus (SAHV)
		Uukuniemi virus (UUUV)
	<i>Yongjia uukavirus</i>	Yongji tick virus (YONV)
	<i>Zaliv Terpeniya uukavirus</i>	Zaliv Terpeniya virus (ZTV)
	<i>Wenivirus</i>	W nzhu shrimp virus 1 (WzSV-1)
Family Tospoviridae		
<i>Orthotospovirus</i>	<i>Astroemeria necrotic streak orthotospovirus</i>	Astroemeria necrotic streak virus (ANSV)
	<i>Astroemeria yellow spot orthotospovirus</i>	Astroemeria yellow spot virus (AYSV)
	<i>Bean necrotic mosaic orthotospovirus</i>	bean necrotic mosaic virus (BeNMV)
	<i>Calla lily chlorotic spot orthotospovirus</i>	calla lily chlorotic spot virus (CCSV)
	<i>Capsicum chlorosis orthotospovirus</i>	Capsicum chlorosis virus (CaCV)
	<i>Chrysanthemum stem necrosis orthotospovirus</i>	Chrysanthemum stem necrosis virus (CSNV)
	<i>Groundnut bud necrosis orthotospovirus</i>	groundnut bud necrosis virus (GBNV)
	<i>Groundnut chlorotic fan spot orthotospovirus</i>	groundnut chlorotic fan-spot virus (GCFSV)
	<i>Groundnut ringspot orthotospovirus</i>	groundnut ringspot virus (GRSV)
	<i>Groundnut yellow spot orthotospovirus</i>	groundnut yellow spot virus (GYSV)
	<i>Hippeastrum chlorotic ringspot orthotospovirus</i>	Hippeastrum chlorotic spot virus (HCRV)
	<i>Impatiens necrotic spot orthotospovirus</i>	impatiens necrotic spot virus (INSV)
	<i>Iris yellow spot orthotospovirus</i>	iris yellow spot virus (IYSV)
	<i>Melon severe mosaic orthotospovirus</i>	melon severe mosaic virus (MSMV)
	<i>Melon yellow spot orthotospovirus</i>	melon yellow spot virus (MYSV)
	<i>Mulberry vein banding associated orthotospovirus</i>	mulberry vein banding-associated virus (MVBaV)
	<i>Pepper chlorotic spot orthotospovirus</i>	pepper chlorotic spot virus (PCSV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Polygonum ringspot orthotospovirus</i>	Polygonum ringspot virus (PoRSV)
	<i>Soybean vein necrosis orthotospovirus</i>	soybean vein necrosis virus (SVNV)
	<i>Tomato chlorotic spot orthotospovirus</i>	tomato chlorotic spot virus (TCSV)
	<i>Tomato spotted wilt orthotospovirus*</i>	tomato spotted wilt virus (TSWV)
	<i>Tomato yellow ring orthotospovirus</i>	tomato yellow ring virus (TYRV)
	<i>Tomato zonate spot orthotospovirus</i>	tomato zonate spot virus (TZSV)
	<i>Watermelon bud necrosis orthotospovirus</i>	watermelon bud necrosis virus (WBNV)
	<i>Watermelon silver mottle orthotospovirus</i>	watermelon silver mottle virus (WSMoV)
	<i>Zucchini lethal chlorosis orthotospovirus</i>	zucchini lethal chlorosis virus (ZLCV)
Family Wipneviridae		
<i>Wumivirus</i>	<i>Millipede wumivirus*</i>	Wuhan millipede virus 2 (WhMV-2)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa.

* type species

[¶] Due to a formal classification mistake this species was named *Lone Star bandavirus* instead of *Lone star bandavirus*. A proposal to correct this mistake will be submitted prior to the next taxonomic proposal submission deadline.

² Due to a formal classification mistake this species was named *Salobo phlebovirus* instead of *Salobo phlebovirus*. A proposal to correct this mistake will be submitted prior to the next taxonomic proposal submission deadline.

³ Due to a formal classification mistake this species was named *Tico phebovirus* instead of *Tico phebovirus*. A proposal to correct this mistake will be submitted prior to the next taxonomic proposal submission deadline.

[¶] Taxon names are always italicized and always begin with a capital letter.

[&] Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.