# **Lawrence Berkeley National Laboratory**

## **Lawrence Berkeley National Laboratory**

#### Title

A Study of the Macrozooplankton within the Samples Taken at the Mobile Site from November 1977 through November 1978:A Data Report of the Lawrence Berkeley Laboratory

### **Permalink**

https://escholarship.org/uc/item/9bx54079

#### **Authors**

Steen, John Gunter, Gordon

### **Publication Date**

1981-11-01

A Study of the Macrozooplankton within the Samples Taken at the Mobile Site from November 1977 through November 1978:

A Data Report of the Lawrence Berkeley Laboratory

LBL/MSG--82-021

DE83 015714

John Steen

and

Gordon Gunter

Gulf Coast Research Laboratory
Ocean Springs, Mississippi 39564

November 1981

This document is
PUBLICLY RELEASABLE

Authorizing Official

Date: 3/27/06

MASILI

This work was done under a subcontract (LBL 4714602) with the Lawrence Berkeley Laboratory. The Lawrence Berkeley Laboratory is operated by the University of California for the U.S. Department of Energy under Contract W-7405-ENG-48.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

#### DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

# **DISCLAIMER**

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

This report brings together the results of a re-examination of zooplankton samples from the Mobile OTEC site (29°N-88°W) in the northern Gulf of Mexico for macrozooplankton larger than 15 mm. Five cruises were made to the Mobile OTEC site aboard the R/V Virginia Key. Cruise dates were:

17-20 November 1977

27 February - 2 March 1978

9-17 June 1978

15-24 August 1978

21 October - 3 November 1978

#### **METHODS**

A metered 0.75m diameter, 202 mesh, closing plankton net and a Niskin double-trip mechanism was used to make each tow. This system allowed samples to be taken at pre-determined depths without contamination from net deployment or retrieval. The depth of each tow was determined by methods of triangulation using the angle and the length of the ship's wire during the tow. Volume of water filtered by the net during each tow was calculated from digital flow meter counts.

Zooplankton samples were collected either with the net being towed from a ship which was underway or vertical hauls were made from a drifting ship. Power for vertical hauls was provided by the ship's winch. Vertical hauls often became oblique hauls depending upon weather and current conditions that often caused the ship to drift during the actual sampling time.

In the laboratory, the contents of each sample was examined under a dissecting microscope and all organisms with a body axis greater than 8mm were removed, identified, and included in the following data set.

Size Classes

Class	mm
10	8.0-8.9
11	9.0-9.9
12	10.0-19.9
13	20.0-29.9
14	30.0-39.9
15	40.0-49.9
16	> 50

MACROZOOPLANKTON

Mobile OTEC Station November 1977-October 1978

Sample	Zooplankton				Volume of water			Siz	e Classe	s*		
No.	Таха	Date	Time	Depth	Filtered -	10	11	12	13	14	15	16
02	Amphipoda (Hyperiid)	11/18/77	0524	81m	365m <sup>3</sup>		.3(1)	1.9(7)				
	Chaetognatha							.5(2)		1.4(5)		
	Decapoda Zoea							.3(1)				
	Euphusiacea					.5(2)		1.5(5)	1.9(7)			
	Fish, larvae and juveniles Leptocephalus larvae			·		.8(3)	.5(2)		.3(1)	.3(1)	.3(1)	.3(1)
	Lucifer faxoni							.3(1)	)			
04	Chaetognatha	11/19/77	0800	15m	268m <sup>3</sup>			270.0(45	5)			6.0(1)
	Fish, larvae and juvenile							6.0(1)	)			
05	Euphusiacea	11/19/77	0935	102m	314m <sup>3</sup>	.6(2)						

imesIndividuals per  $100\text{m}^3$  are given for each size class with actual counts in parentheses.

Sample	Zooplankton				Volume of water			Siz	e Classes*			
No.	Таха	Date	Time	Depth	Filtered		11	12	13	14	15	16
	Chaetognatha							.1(1)	.1(1)			
	Euphusiacea					.7(5)	.3(2)	.3(2)	.1(1)			
	Salpidae								.1(1)			
12	Chaetognatha	3/1/78	0030	80m- 0m	257m <sup>3</sup>			10.1(26)	11.3(29)	.4(1)		
	Decapoda Zoea					1.6(4)		1.9(5)				
	Euphusiacea					15.1(39)	9.7(25)	2.7(7)				
	Fish, larvae and juvenile					5.0(13)		5.0(13)		.4(1)		
	Lucifer faxoni							.4(1)				
	Polychaeta							1.2(3)				
	Siphonophora							3.1(8)	.8(2)	.4(1)		.4(1)
	Thecostomata							.4(1)				

Sample	Zooplankton				Volume of water			Siz	e Classes*	,		
No.	Taxa	Date	Time	Depth			11	12	13	14	15	16
	Chaetognatha			1.1				.3(1)	11.2(36)	.3(1)	.3(1)	
	Decapoda Penaeid							1.5(5)	.3(1)			
	Euphusiacea					3.4(11)	11.5(37)	.5(16)				
	Fish, larvae and juvenile					.9(3)	1.2(4)					.3(1)
	Polychaeta						.3(1)					
	Salpidae							.3(1)	.3(1)			
	Siphonophora							1.9(6)				.3(1)
18	Amphipoda (Hyperiid)	6/14/78	2320	25m	3 188m			.5(1)	.5(1)			
	Chaetognatha							3.2(6)				
	Euphusiacea					8.0(15)	8.0(15)	8.5(16)				
	Fish, larvae and juvenile					1.1(2)		1.6(3)				

Sample	Zooplankton				Volume of water			Size	Classes	<b>k</b>		
No.	Taxa	Date	Time	Depth	Filtered		11	12	13	14	15	16
	Lucifer faxon	i						6.4(12)				
	Siphonophora					1.1(2)		2.1(4)				
	Stomatopoda							.5(1)				
19	Fish, larvae and juvenile	6/15/78	1040	1000m- 800m	454m			.2(1)				
20	Chaetognatha	6/15/78	1215	800m- 200m	308m	1.6(5)		6.7(21)	1.0(3)	.3(1)		
	Decapoda Caridean			,					.3(1)			
	Euphusiacea							1.6(5)				
	Fish, larvae and juvenile							.7(2)				
	Gymnostomata								.3(1)			
	Hydromedusae							.3(1)				
	Lucifer faxoni							.3(1)				

Sample	Zooplankton				Volume of water			Size	Classes	;*		
No.	Taxa	Date	Time	Depth	Filtered	10	11	12	13	14	15	16
	Salpidae							1.0(3)				
21	Chaetognatha	6/15/78	1300	200m- Om	3 191m			114.5(219)	1.6(3)	1.(2)		
	Decapoda Caridean							1.0(2)				
	Euphusiacea							1.6(3)				
	Fish, larvae and juvenile							.5(1)				
	Gymnostomata									.5(1)		
	Lucifer faxoni				1	1.0(2)		.5(1)				
	Mysidacea					.5(1)						
	Salpidae							1.0(2)				
	Stomatopoda							10.5(20)				
22	Chaetognatha	6/15/78	1345	25m	3 249m			4.0(10)				

Sample	Zooplankton				Volume of water			Size	Classes	ţ.		
No.	Таха	Date	Time	Depth	Filtered	10	11	12	13	14	15	16
	Fish, larvae and juvenile							.4(1)				
	Polychaeta							.4(1)				
	Siphonophora					1.2(3)		.4(1)				
24	Amphipoda (Hyperiid)	8/22/78	0215	25m	338m <sup>3</sup>			.7(3)		.3(1)		
	Cephalopoda (juvenile)							33.9(131)	4.4(17)			
	Decapoda Caridean					.3(1)	.3(1)	1.8(7)				
	Fish, larvae and juvenile	-						8.3(32)	.3(1)		.3(1)	
	Gymnostomata							1.3(5)	.3(1)	.3(1)		
	<u>Lucifer</u> <u>faxoni</u>							10.9(42)				
	Polychaeta							.3(1)	.3(1)			

Sample	Zooplankton			•	Volume of water			Size	e Classes	*		ર્સ
No.	Taxa	Date	Time	Depth	Filtered	10	11	12	13	14	15	16
	Fish, larvae and juvenile						.6(1)	•				
	Gymnostomata								.6(1)			
	Lucifer faxoni						.6(1)					
	Salpidae							.6(1)				
	Siphonophora				3	.4(6)		.6(1)				
	Stomatopoda							1.1(2)	1.1(2)			
28	Amiphipoda (Hyperiid)	8/22/78	1330	25m	439m <sup>3</sup>				.2(1)			
	Decapoda Caridean							1.8(8)				
	Fish, larvae and juvenile							1.1(5)				
	Gymnostomata							.7(3)	.7(3)			
	Lucifer faxoni							60.7(267	)			

Sample	Zooplankton	•			Volume of water			Size	· Classes*			
No.	Taxa	Date	Time	Depth	Filtered	10	11	12	13	14	15	16
	Salpidae								2.3(10)	.2(1)		
	Siphonophora	•					•	1.6(7)	.5(2)			
30	Amphipoda (Hyperiid)	10/31/78	2140	25m	306.5m <sup>3</sup>			.3(1)				
	Chaetognatha								.7(2)			
	Decapoda Caridean							.7(2)				
	Euphusiacea			•				6.5(20)				
	Fish, larvae and juvenile							2.3(7)	.3(1)			
	Gymnostomata									.7(2)		
	Leptocephalus larvae							2.9(9)	2.9(9)	.3(1)	.7(2)	
	Lucifer faxoni							3.9(12)				
	Polychaeta							.3(1)				

Sample	Zooplankton	•			Volume of water			Size	Classes	k		
No.	Taxa	Date	Time	Depth	Filtered -	10	11	12	13	14	15	16
	Leptocephalus larvae							.9(2)	.4(1)	.4(1)		
	<u>Lucifer</u> <u>faxoni</u>							.4(1)				
	Siphonophora							.9(2)				
	Stomatopoda							1.3(3)				
33	Chaetognatha	10/31/78	1150	25m	300.2m <sup>3</sup>			.7(2)	.7(2)			
	Fish, larvae and juvenile							1.0(3)				
	Gymnostomata										.3(1)	
	Hyromedusae								.3(1)		•	
	<u>Lucifer</u> <u>faxoni</u>							69.8(21)				
	Salpidae							.3(1)				
	Siphonophora							1.3(4)				
	Stomatopoda							4.7(14)				