

UCLA

UCLA Previously Published Works

Title

Applications of nature-inspired metaheuristic algorithms for tackling optimization problems across disciplines.

Permalink

<https://escholarship.org/uc/item/9qt2p7wk>

Journal

Scientific Reports, 14(1)

Authors

Cui, Elvis

Zhang, Zizhao

Chen, Culsome

et al.

Publication Date

2024-04-24

DOI

10.1038/s41598-024-56670-6

Peer reviewed



OPEN

Applications of nature-inspired metaheuristic algorithms for tackling optimization problems across disciplines

Elvis Han Cui^{1✉}, Zizhao Zhang^{1,2}, Culsome Junwen Chen³ & Weng Kee Wong^{1,4✉}

Nature-inspired metaheuristic algorithms are important components of artificial intelligence, and are increasingly used across disciplines to tackle various types of challenging optimization problems. This paper demonstrates the usefulness of such algorithms for solving a variety of challenging optimization problems in statistics using a nature-inspired metaheuristic algorithm called competitive swarm optimizer with mutated agents (CSO-MA). This algorithm was proposed by one of the authors and its superior performance relative to many of its competitors had been demonstrated in earlier work and again in this paper. The main goal of this paper is to show a typical nature-inspired metaheuristic algorithm, like CSO-MA, is efficient for tackling many different types of optimization problems in statistics. Our applications are new and include finding maximum likelihood estimates of parameters in a single cell generalized trend model to study pseudotime in bioinformatics, estimating parameters in the commonly used Rasch model in education research, finding M-estimates for a Cox regression in a Markov renewal model, performing matrix completion tasks to impute missing data for a two compartment model, and selecting variables optimally in an ecology problem in China. To further demonstrate the flexibility of metaheuristics, we also find an optimal design for a car refueling experiment in the auto industry using a logistic model with multiple interacting factors. In addition, we show that metaheuristics can sometimes outperform optimization algorithms commonly used in statistics.

A reason behind the very successful and ubiquitous applications of AI and machine learning is the rapid development of clever and more effective metaheuristic algorithms for optimization purposes^{1–5}. One such class is the class of nature-inspired metaheuristic algorithms that include genetic algorithm (GA), differential evolution (DE) and particle swarm optimization (PSO), among many others. Each of these algorithms has been widely tested for optimizing different types of complex objective functions successfully across disciplines. The more popular and exemplary ones have many variants, which are modified versions or improvements of the original version. For example, the variant may converge faster, make the original algorithm less prone to premature convergence, or has greater chance of extricating itself from a local optimum. Ease of availability of codes in R, Matlab and Python to run metaheuristics greatly facilitate its use and popularity in practice. For example, the website <https://pyswarms.readthedocs.io/en/latest/> houses a comprehensive set of PSO tools written in Python⁶. More recently,⁷ provided a high-level Python package for selecting machine learning algorithms and their parameters using PSO. Hybridized algorithms that creatively combine suitable algorithms, metaheuristic or not, can also markedly increase the performance of a metaheuristic algorithm; see details and applications in^{8–10}.

There are many applications of nature-inspired metaheuristic algorithm across disciplines. For example, PSO, being an exemplary nature-inspired algorithm, is widely used to tackle problems due to COVID-19^{11–14}. There are many monographs on nature-inspired metaheuristic algorithms at various levels, see, for example,^{15–18}. Some are targeted to specific disciplines; for example, applications in building energy power and storage systems⁴, agriculture¹⁹, chemical engineering²⁰, or for feature selection²¹ with numerous applications in finance and reinforcement learning, to name a few. Overview papers on metaheuristics are plentiful; see for example^{22–24}. A most recent paper that gives a comprehensive overview on metaheuristics is²⁵.

¹Department of Biostatistics, University of California, Los Angeles, CA 90095, USA. ²Alibaba Group, Alibaba, Hangzhou 310099, China. ³Department of Environmental Science, Tsinghua University, Beijing 100084, China. ⁴The Department of Statistics, National Cheng Kung University, Tainan, Taiwan. ✉email: elviscuihan@g.ucla.edu; wkwong@ucla.edu

The motivation of our work comes from our observation that nature-inspired metaheuristic algorithms are very under-utilized in research in the statistical and life sciences. The aim of this paper is to demonstrate the usefulness of such algorithms to optimize very different types of optimization problems in the statistical and life sciences. As an example, we consider a recently proposed metaheuristic algorithm called competitive swarm optimizer with mutating agents (CSO-MA) by one of the coauthors²⁶ and demonstrate its utility to solve different types of optimization problems in bioinformatics psychology, ecology, biostatistics and also in the manufacturing industry.

Nature-inspired metaheuristic algorithms

Nature-inspired metaheuristic algorithms have emerged as a dominant component in the field of optimization^{27,28}. These algorithms have gained significant popularity in solving real, high-dimensional, and complex optimization problems. They have found widespread application in engineering, computer science, and various other disciplines to address challenging optimization problems^{22,29}. Despite their versatility, these algorithms are under-utilized in some disciplines. One of their key strengths is the availability of widely accessible free codes for users to implement. In addition, they are fast, assumptions-free, and serve as general-purpose optimization algorithms. While they do not guarantee the discovery of an optimal solution, they often yield optimal or near-optimal solutions in a timely manner. Recent studies have demonstrated the ability of swarm-based algorithms to effectively search for previously elusive optimal designs that require solving a 3-layer optimization problem³⁰. In the next subsection, we briefly discuss competitive swarm optimization (CSO) and one of its variants.

Competitive swarm optimizer

Competitive swarm optimizer (CSO) swarm-based algorithm proposed by³¹ and has proven its effectiveness for solving different types of optimization problems with various dimensions. For example³², applied CSO to select variables for high-dimensional classification models, and³³ used CSO to study a power system economic dispatch, which is typically a complex nonlinear multivariable strongly coupled optimization problem with equality and inequality constraints.

CSO minimizes a given continuous function $f(\mathbf{x})$ over a user-specified compact space Ω by first randomly generating a set of candidate solutions. They take the form of a swarm of n particles at positions $\mathbf{x}_1, \dots, \mathbf{x}_n$, along with their corresponding random velocities $\mathbf{v}_1, \dots, \mathbf{v}_n$. For tackling design problems, each particle is a candidate design and upon convergence, the solution is the optimal design.

After the initial swarm is generated, at each iteration we randomly divide the swarm into $\lfloor \frac{n}{2} \rfloor$ pairs and compare their objective function values. At iteration t , we identify \mathbf{x}_i^t as the winner and \mathbf{x}_j^t as the loser if $f(\mathbf{x}_i^t) < f(\mathbf{x}_j^t)$. The winner retains the status quo and the loser learns from the winner. The two defining equations for CSO are

$$\mathbf{v}_j^{t+1} = \mathbf{R}_1 \otimes \mathbf{v}_j^t + \mathbf{R}_2 \otimes (\mathbf{x}_i^t - \mathbf{x}_j^t) + \phi \mathbf{R}_3 \otimes (\bar{\mathbf{x}}^t - \mathbf{x}_j^t) \quad (1)$$

$$\text{and } \mathbf{x}_j^{t+1} = \mathbf{x}_j^t + \mathbf{v}_j^{t+1}, \quad (2)$$

where $\mathbf{R}_1, \mathbf{R}_2, \mathbf{R}_3$ are all random vectors whose elements are drawn from $U(0, 1)$. The operation \otimes represents element-wise multiplication and the vector $\bar{\mathbf{x}}^t$ is the swarm center at iteration t . The social factor ϕ controls the influence of the neighboring particles to the loser and a large value is helpful for enhancing swarm diversity (but possibly impacts convergence rate). This process iterates until a pre-specified stopping criterion or criteria are met.

Simulation results have repeatedly shown that CSO either outperforms or is competitive with several state-of-the-art evolutionary and swarm based algorithms, including several enhanced versions of PSO. This conclusion was arrived at after comparing CSO performance with state-of-the-art EAs using a variety of benchmark functions with dimensions up to 5000 and found that CSO was frequently the fastest and with the best quality results^{31,34–36}.

Competitive swarm optimizer with mutated agents

Zhang et al. (2017)³⁷ proposed an improvement on CSO and call the enhanced version, competitive swarm optimizer with mutated agents (CSO-MA). After pairing up the swarm in groups of two at each iteration, the variant randomly chooses a loser particle p as an agent, randomly picks a variable indexed as q and then randomly changes the value of \mathbf{x}_{pq} to either \mathbf{x}_{\max_q} or \mathbf{x}_{\min_q} , where \mathbf{x}_{\max_q} and \mathbf{x}_{\min_q} represent, respectively, the upper bound and lower bound of the q -th variable. If the current optimal value is already close to the global optimum, this change will not hurt since we implement this experiment on a loser particle, which is not leading the movement for the whole swarm; otherwise, this chosen agent restarts a journey from the boundary and has a chance to escape from a local optimum. Figure 1 shows the flowchart of CSO-MA. The mutation step (the box in purple) is a key feature of CSO-MA that differentiates it from the standard CSO. The mutation is intended to increase the diversity of the solutions and prevent premature convergence to a local optimum by allowing particles to explore more distant regions of the search space, see³⁷ for details.

Let n be the swarm size and let D be the dimension of the problem. The computational complexity of CSO is $\mathcal{O}(nD)$ and since our modification only adds one coordinate mutation operation to each particle, its computational complexity is the same as that of CSO. The improved performance of CSO-MA over CSO for finding optimal designs for many complex multi-dimensional benchmark functions has been validated²⁶. In the next section, we apply CSO-MA to different estimation problems and show it can produce better quality solutions than conventional methods.




Figure 1. Flowchart of CSO-MA.

All computations were performed on a MacBook Pro (16-inch, 2021) with an Apple M1 Max chip and 64GB of memory. The operating system was macOS Sonoma version 14.1.1 and the programming languages were Matlab 2023a and Python 3.9.13. Throughout, the hyper-parameter of CSO-MA was set to $\phi = 0.3$ and the rest of its parameters and those for CSO and PSO are all set to default values. The codes for all the computations are available from the first author by request.

In response to a referee’s comment, we show further that CSO-MA is competitive with recently proposed metaheuristic algorithms. As noted in³⁸, there is a continuing plethora of new or slightly modified proposed as nature-inspired metaheuristics and it is desirable to limit the number of them, unless they are competitive. To this end, we further compare performance of CSO-MA with PSO and CSO using 3 more randomly selected CEC static benchmark functions not used for comparison in²⁶ and described in³⁹. These additional three functions have different mathematical and geometric properties: function f_9 is the Weierstrass function (separable), f_{10} is the Quartic function and f_{11} is the Ackley function (non-separable). All three functions have a global minimum of 0, and their optimum were attained at $\mathbf{0}$ for f_9 and f_{11} , and f_{10} achieved its optimum at $\mathbf{1}$. We also tested the 3 algorithms for their ability to optimize a sphere function f_{12} , which is a 2022 CEC dynamic benchmark function. This function was selected at random from the list and is much harder to optimize because it came from a dynamic optimization problem^{40,41}). The dimensions of the four functions selected for additional comparison were $D = 100$ and $D = 500$.

Table 1 displays the comparison results after 30 repeated runs. We observe from the table that CSO-MA found the smallest mean values of the optimum when compared with CSO or PSO for f_9, f_{11}, f_{12} , but not for f_{10} . To test whether there is a significant difference in the medians of the optimal values found by CSO and PSO compared with that from CSO-MA, we applied a Wilcoxon’s non-parametric test. Table 2 reports their p-values and suggest

	D = 100 (5 for f_{12})				D = 500 (10 for f_{12})			
	f_9	f_{10}	f_{11}	f_{12}	f_9	f_{10}	f_{11}	f_{12}
CSO-MA								
Mean	1.21E+01	8.08E-01	1.48E-09	4.31E+02	7.88E+02	4.44E+01	1.56E+01	5.56E+02
SD	0.97E+01	1.09E-01	4.01E-09	4.09E+01	4.04E+01	2.67E+01	5.31E-02	4.52E+01
CSO								
Mean	1.81E+01	8.76E-01	4.98E-08	4.39E+02	8.04E+02	5.08E+02	2.64E+01	6.00E+02
SD	1.91E+01	4.21E-01	1.05E-07	5.03E+01	2.27E+01	5.07E+01	6.43E-02	7.42E+01
PSO								
Mean	5.62E+02	7.53E-02	2.45E-02	5.06E+02	7.97E+02	7.23E+01	1.67E+01	5.81E+02
SD	7.55E+01	1.23E-01	9.19E-02	4.55E+01	2.89E+01	1.05E+01	5.05E-01	3.39E+01

Table 1. Performances of the three algorithms for minimizing 3 CEC2008 benchmark static functions (f_9, f_{10}, f_{11}) and 1 CEC2020 benchmark dynamic function with multiple optima (f_{12}). Significant values are in bold.

	D = 100 (5 for f_{12})				D = 500 (10 for f_{12})			
	f_9	f_{10}	f_{11}	f_{12}	f_9	f_{10}	f_{11}	f_{12}
CSO-MA versus CSO	0.131	0.391	0.014	0.501	0.063	0.000	0.000	0.007
CSO-MA versus PSO	0.000	0.000	0.000	0.000	0.325	0.000	0.000	0.018

Table 2. The p values of the Wilcoxon’s tests for comparing differences in the medians of the optimized values found from the three algorithms for functions in Table 1. They show CSO-MA outperforms 2 PSO and CSO in 2 of the 3 2008CEC benchmark static functions and the 1 2022CEC benchmark dynamic function algorithms.

that CSO-MA tends to perform more similarly with CSO than PSO in low dimensional optimization problems and that CSO-MA outperforms PSO significantly for the two dimensions tested.

Estimation problems

Metaheuristics has been used to find estimates for model parameters and there is work that showed they can outperform those from statistical packages or find them when the latter fail to do so. For example⁴², showed that PSO can find more optimal $L1$ -estimates for some models than those in statistical packages. In what is to follow, we demonstrate the CSO-MA can find more optimal maximum likelihood estimates and also able to find them when some statistical packages cannot. Our applications include finding maximum likelihood estimates for models in bioinformatics and research in education, and M-estimates for a Cox regression in a Markov renewal model.

Single-cell generalized trend model (scGTM)

Cui et al. (2022)⁴³ proposed a model called scGTM to study relationship between pseudotime⁴⁴ and gene expression data. The model assumes that the gene expression has a ‘hill’ trend along the pseudotime and can be modeled using a set of interpretable parameters. Below is a brief description of the model and shows CSO-MA outperforms PSO algorithm for all but one gene in terms of finding the optimal value of the negative loglikelihood function; details in⁴³.

For a hill-shaped gene, the scGTM parameters are $\Theta = (\mu_{\text{mag}}, k_1, k_2, t_0, \phi, \alpha, \beta)^T$ and they are estimated from the observed expression counts $\mathbf{y} = (y_1, \dots, y_C)^T$ and cell pseudotimes $\mathbf{t} = (t_1, \dots, t_C)^T$ using the constrained maximum likelihood method. Here C is the number of cells and the interpretations of the parameters in the model are given in Section 2.1 of⁴³. If $\log L(\Theta | \mathbf{y}, \mathbf{t})$ is the log likelihood function, the optimization problem is:

$$\max_{\Theta} \log L(\Theta | \mathbf{y}, \mathbf{t}) \quad (3)$$

such that

$$\begin{aligned} \min_{c \in \{1, \dots, C\}} \log(y_c + 1) \leq \mu_{\text{mag}} \leq \max_{c \in \{1, \dots, C\}} \log(y_c + 1), \\ k_1, k_2 \geq 0, \quad \min_{c \in \{1, \dots, C\}} t_c \leq t_0 \leq \max_{c \in \{1, \dots, C\}} t_c, \quad \phi \in \mathbb{Z}_+, \end{aligned} \quad (4)$$

where

$$\begin{aligned} \log L(\Theta | \mathbf{y}, \mathbf{t}) &= \log \left[\prod_{c=1}^C \mathbf{P}(Y_c = y_c | t_c) \right] \\ &= \sum_{c=1}^C \log \left[(1 - p_c) f(y_c | t_c) + p_c \mathbb{I}(y_c = 0) \right] \end{aligned} \quad (5)$$

and

$$\begin{aligned} f(y_c | t_c) &= \frac{\tau_c^{y_c}}{y_c!} \frac{\Gamma(\phi + y_c)}{\Gamma(\phi)(\phi + \tau_c)^{y_c}} \frac{1}{\left(1 + \frac{\tau_c}{\phi}\right)^\phi}, \\ \log(\tau_c + 1) &= \begin{cases} b + \mu_{\text{mag}} \exp(-k_1(t_c - t_0)^2) & \text{if } t_c \leq t_0 \\ b + \mu_{\text{mag}} \exp(-k_2(t_c - t_0)^2) & \text{if } t_c > t_0 \end{cases}, \\ \log\left(\frac{p_c}{1 - p_c}\right) &= \alpha \log(\tau_c + 1) + \beta, \end{aligned}$$

which are all functions of Θ . There are two difficulties in the optimization problem (3). First, the likelihood function (5) is neither convex nor concave. Second, the constraint is linear in μ_{mag} , k_1 , k_2 , and t_0 but ϕ is a positive integer-valued variable. Hence, conventional optimization algorithms, like P-IRLS in GAM^{45,46} and L-BFGS in switchDE⁴⁷ are unlikely able to work well. The authors proposed PSO to solve for the constrained MLEs and a Python package is available online. We now apply CSO-MA to the same problem and compare results from the Python package. In addition, we compared CSO-MA's performance with results from two recently proposed metaheuristic algorithms: the prairie dog optimization algorithm (PDO) proposed by⁴⁸ and the Rutta and Kutta optimization (RUN) algorithm proposed by⁴⁹. Table 3 displays the negative log likelihood function values found by CSO-MA and PSO for the 20 exemplary genes in⁵⁰ after 1000 function evaluations of Eq. (5) for the two algorithms and it shows that CSO-MA outperformed PSO and PDO in all but three of the 20 genes. The Wilcoxon test of CSO-MA against the other two algorithms produced p -values less than 0.001 (0.00077 for PSO and 0.00026 for PDO), suggesting that CSO-MA indeed outperformed PSO and PDO in this example.

Figure 2 displays the fitted PAEP gene given by CSO-MA, PSO and PDO. We observe that CSO-MA captures the ‘fast decreasing trend’ when $t \geq 0.8$ better than PSO does, and it reaches the higher peak than PDO does. Figures for other genes also show a consistent pattern.

Parameter estimation for a Rasch model

The Rasch model is one of the most widely used item response models in education and psychology research⁵¹. Estimating the parameters in the Rasch and other item response models can be challenging and there is

Gene	CSO-MA	PSO	PDO	Gene	CSO-MA	PSO	PDO
PLAU	1.1115	1.1291	1.1177	MMP7	1.6562	1.6573	1.6963
THBS1	1.7491	1.7498	1.7569	CADM1	0.9903	0.9907	1.0316
NPAS3	0.4519	0.4598	0.4885	ATP1A1	1.0570	1.0571	1.1407
ANK3	1.0473	1.0501	1.1171	ALPL	0.6232	0.6235	0.6315
TRAK1	0.7759	0.7758	0.7785	SCGB1D2	2.0608	2.0501	2.0952
MT1F	0.7851	0.7907	0.8637	MT1X	0.8060	0.8065	0.9026
MT1E	0.6580	0.6597	0.6735	MT1G	1.1025	1.1414	1.1290
CXCL14	0.7939	0.8512	0.7244	MAOA	0.8094	0.8820	0.8161
DPP4	0.5503	0.5535	.5528	NUPR1	0.7307	0.7854	0.7739
GPX3	1.7413	1.7881	1.7904	PAEP	2.1034	2.3693	2.2036

Table 3. Optimized negative log likelihood (NLL) values (multiplied by 10^5) obtained by CSO-MA, PSO and PDO after 1000 function evaluations. Lowest NLL values among the three algorithms are in bold for each gene and overall results suggest that CSO-MA outperforms PSO and PDO in almost all cases.. Significant values are in bold.




Figure 2. Comparison of CSO-MA, PDO and PSO results for the fitted scGTM with gene PAEP.

continuing interest to estimate them using different methods and studying the various computational issues. For example^{52,53}, reported that there are at least 27 R packages indexed with the word “Rasch” and 11 packages capable of estimating parameters and analysis for the Rasch model.

The expectation-maximization (EM) algorithms is a common method for parameter estimation in statistics^{54–56}. The Bock-Aitkin algorithm is a variant of the EM algorithm and is one of the most popular algorithms for estimating parameters in the Rasch models⁵⁷. Because the Rasch model also has many extensions with applications in agriculture, health care studies and in research in marketing^{58–60}, this subsection compares, for the first time, how metaheuristic algorithms perform relative to the Bock-Aitkin’s method.

We give a brief review of the Rasch model before we compare the estimation results given by CSO-MA, Bock-Aitkin’s (in the R package *ltm*) and two other metaheuristic algorithms CA and PSO in terms of the likelihood values. In a Rasch model, we work with $N \times I$ binary item response data where 1 indicates correct and 0 indicates incorrect responses. The data come from a cognitive assessment (e.g., math or reading) that includes I test items. A group of N students gave their responses to the I items, and their binary answers to each of the N items were scored and analyzed⁵¹. The Rasch model is given by:

$$\text{logit}(\mathbf{P}(Y_{ji} = 1|\theta_j)) = \theta_j - \beta_i, \quad \theta_j \sim N(0, \sigma^2). \quad (6)$$

The item parameter β_i represents the difficulty of item i and parameter θ_j represents the ability of person j . We assume that $\theta_j \sim N(0, \sigma^2)$. This model is called the one-parameter model because it considers one type of item characteristic (difficulty). Let $p_{ji} = \mathbf{P}(Y_{ji} = 1|\theta_j)$ and write the marginal likelihood function for model (6) as

$$L(\Theta) = \prod_{j=1}^N \int \prod_{i=1}^I p_{ji}^{Y_{ji}} (1 - p_{ji})^{1 - Y_{ji}} \pi(\theta) d\theta, \quad (7)$$

where $\Theta = (\beta_1, \dots, \beta_I, \sigma^2)^T$ and $\pi(\theta)$ is the prior of θ .

Metaheuristics has been shown that it can provide superior performance over statistical methods. For instance⁶¹, tackled the challenge of deriving the maximum likelihood estimates for parameters in a mixture of two Weibull distributions with complete and multiple censored data. Their simulation outcomes indicated that the Particle Swarm Optimization (PSO) frequently outperformed the quasi-Newton method and the EM algorithm in terms of bias and root mean square errors.

In this study, we present similar results and show that the nature-inspired metaheuristic algorithm Mutation Algorithm (CSO-MA) can also give more precise maximum likelihood estimates compared to three of its competitors: PSO, the Bock-Aitkin's method, and the Cat Swarm Algorithm (CA). PSO is legendary and an exemplary nature-inspired swarm based algorithm and CA was introduced by⁶², and its effectiveness as an optimizer for a single objective function was demonstrated in⁶³, where they showed its superior competitive edge against several contemporary top-performing algorithms.

We employed the "Verbal Aggression" data set the R Archive⁶⁴ and let NLL denote the minimized value of the negative log-likelihood function. Table 4 displays the NLLs from the 4 algorithms, where a swarm size of 30 was used for the 3 metaheuristic algorithms. The hyper-parameter for CSO-MA, was set to $\phi = 0.3$, and the hyper-parameters for PSO and CA were set to the default values in the R package *metaheuristicOpt*⁶⁵. Evidently, CSO-MA has the smallest NLL value and is the winner. The estimated NLL values from CSO-MA, PSO, and Bock-Aitkin are similar, but that from CA is not, suggesting that CA appears less reliable since its estimated NLLs (gold points and lines on the left panel of the figure) do not come close to the others.

Figure 3 presents a two-panel visualization. The upper panel illustrates the estimated parameters derived from the four algorithms: CSO-MA, Bock-Aitkin, PSO, and CA. Here, the x-axis represents all 24 parameters (encompassing 23 items in addition to the variance parameter) in the model, while the y-axis depicts their estimated values. The lower panel delineates the progression trajectories of the negative log-likelihood functions of the four algorithms, spanning about 100 function evaluations. The left panel shows that except for the CA algorithm, Bock-Aitkin, PSO and CSO-MA give similar parameter estimates; the right panel shows that Bock-Aitkin converges fastest in terms of number of function evaluations while PSO is the slowest. However, CSO-MA has the smallest negative log-likelihood value, or equivalently, the largest log-likelihood value.

M-estimation for Cox regression in a Markov renewal model

In this subsection, we show CSO-MA can solve estimating equations and produce M-estimates for model parameters, that are sometimes more efficient than those from statistical packages. Askin et al. (2017)⁶⁶ correctly noted that metaheuristics is rarely used to solve estimating equations in the statistical community.

Algorithm	CSO-MA	Bock-Aitkin	PSO	CA
NLL	4038.77	4072.93	4041.23	4780.49

Table 4. Negative log likelihood values from the four algorithms with CSO-MA outperforming the other three algorithms..




Figure 3. The left panel shows estimated parameters from the four algorithms: CSO-MA, Bock-Aitkin, PSO and CA. The x-axis refers to all 24 parameters (23 items plus the variance parameter) in the model and the y-axis refers to the estimated parameter values. The right panel shows the trajectories of the negative log likelihood functions of the four algorithms as they evaluate the negative log-likelihood functions about 100 times..

In a survival study, the experience of a patient may be modelled as a process with finite states⁶⁷ and modelling is based on transition probabilities among different states. We take bone marrow transplantation (BMT) as an example. BMT is a primary treatment for leukemia but has major complications, notably Graft-Versus-Host Disease (GVHD), where transplanted marrow’s immune cells react against the recipient’s cells in two forms: Acute (AGVHD) and Chronic (CGVHD). The main treatment failure is death in remission, often seen in patients with AGVHD or both GVHD types, occurring unpredictably before relapse. The term “death in remission” in the context of leukemia refers to the death of a patient who is in remission from leukemia. This means the patient has achieved remission, where there are no detectable leukemia cells in the body, but they died from other causes that are not directly related to the active progression of leukemia. However, both AGVHD and CGVHD reduce leukemia relapse risks. Hence, there’s a five-state model: transplant (TX), AGVHD, and CGVHD are temporary states, while relapse and death in remission are absorbing states⁶⁸. Figure 4 shows the possible transitions among different states (i.e., TX, AGVHD, CGVHD, Relapse and Death).

To model such a process in a mathematically rigorous way, we assume observations on each individual form a Markov renewal process with a finite state, say $\{1, 2, \dots, r\}$ ⁶⁹. That is, we observe a process $(X, T) = \{(X_n, T_n) : n \geq 0\}$ where (for simplicity, we do not consider censoring in this subsection), and $0 = T_0 < T_1 < T_2 < \dots$ are calendar times of entrances into the states $X_0, X_1, \dots, X_n \in \{1, 2, \dots, r\}$. In the BMT example, $r = 5$ and X_n takes values in {TX, AGVHD, CGVHD, Relapse, Death in Remission} and $W_i = T_n - T_{n-1}$ represents the sojourn time staying in the state X_n . We also observe a covariate matrix $\mathbf{Z} = \{\mathbf{Z}_{ij} : i, j = 1, 2, \dots, r\}$ where each \mathbf{Z}_{ij} itself is a vector. In practice, we assume that the sojourn time W_n given $X_{n-1} = i$ and \mathbf{Z} has survival probability⁷⁰

$$P(W_n > x | X_{n-1} = i, \mathbf{Z}) = \exp \left(- \sum_{k=1, k \neq i}^r A_{0,ik}(x) e^{\beta^T \mathbf{Z}_{ik}} \right)$$

and the transition probability is ($i \neq j$)

$$P(X_n = j | X_{n-1} = i, W_n) = \frac{\alpha_{0,ij}(W_n) e^{\beta^T \mathbf{Z}_{ij}}}{\sum_{k \neq i} \alpha_{0,ik}(W_n) e^{\beta^T \mathbf{Z}_{ik}}},$$

where β is the parameter of interest, $A_{0,ik}(x) = \int_0^x \alpha_{0,ik}(s) ds$ is the baseline cumulative hazard from state i to state k and $\alpha_{0,ik}(x)$ is the hazard function from state i to state k ⁷¹. Suppose we observe M iid individuals and suppose the risk process for an individual is given by $Y_i(x) = \sum_{n \geq 1} \mathbb{I}(W_n \geq x, X_{n-1} = i)$. For a fixed x , $Y_i(x)$ counts the number of visits to state i with sojourn time more than x for a particular individual. In the five-state model in Figure 4, since we cannot revisit the states that we have already exited, $Y_i(x)$ is a binary variable. Then from^{68,72,73}, the estimating equation for β is

$$\mathbf{U}(\beta) = \sum_{m=1}^M \sum_{i \neq j}^r \int_0^\infty \left[\mathbf{Z}_{ijm} - \frac{S_{ij}^{(1)}(x, \beta)}{S_{ij}^{(0)}(x, \beta)} \right] dN_{ijm}(x). \tag{8}$$

Here $N_{ijm}(x) = \sum_{n \geq 1} \mathbb{I}(T_n \leq x, X_n = j, X_{n-1} = i)$, $S_{ij}^{(0)}(x, \beta) = \frac{1}{M} \sum_{m=1}^M Y_{im}(x) e^{\beta^T \mathbf{Z}_{ijm}}$ and $S_{ij}^{(1)}(x, \beta)$ is the first partial derivative of $S_{ij}^{(0)}$ with respect to β . The M-estimates of β are obtained by solving $\mathbf{U}(\beta) = 0$. To apply CSO-MA to obtain the estimates, we turn the problem of solving $\mathbf{U}(\beta) = 0$ into a minimization problem as follows:




Figure 4. A five-state Markov renewal model for BMT failure. Reproduced from⁶⁸. TX = Transplant, AGVHD = Acute Graft-Versus-Host Disease, CGVHD = Chronic Graft-Versus-Host Disease, Relapse = Relapse of leukemia, Death in Remission = Death of a patient who is in remission from leukemia.

$$\hat{\beta} = \arg \min_{\beta} \|U(\beta)\|_p \tag{9}$$

where $p \in [1, \infty]$ is a user-selected constant. If the solution exists for $U(\beta) = 0$, then we have $\min \|U(\beta)\|_p = 0$ for any $p \geq 1$. Using metaheuristics to creatively solve the system of nonlinear equations^{74,75}, results from our simulation study suggest that the choice of p does not affect the convergence speed of CSO-MA nor the estimated parameters.

For simulation, we set $p = 2$ and assume $r = 3$, $A_{0,ij}(x) = 0.5x$ for all $i \neq j$, the true parameter vector $\beta = (0.901, 0.759, 0.348)^T$ and elements of the covariance matrix Z are random uniform variates from $[-1, 1]$. In total, we generated $M = 100$ individuals and the left panel of Figure 5 shows one of the realizations. The swarm size for CSO-MA was 20 and we ran it for 100 function evaluations and the right panel of Figure 5 shows the convergence of CSO-MA. The estimated parameter is $\hat{\beta} = (0.908, 0.753, 0.329)^T$, which is close to the true value. The observed vector of biases $(0.007, 0.006, 0.017)^T$ is likely due to both the optimization algorithm and the method of partial likelihood itself. The first issue can be reduced by trying using different initialized values of CSO-MA and the second issue may be solved by having a larger sample size so that consistency of the estimators is guaranteed theoretically. For space consideration, we omit additional simulation results that support the effectiveness of CSO-MA for estimating the true parameters correctly.

To further investigate the scalability of CSO-MA and compare it with other algorithms, we perform another simulation study where the state space of X_i consists of two, i.e., $\{1, 2\}$ and 2 is an absorbing state. Consequently, the Markov renewal model is equivalent to a two-state Markov model or a Cox proportional hazards model⁷¹, the sample size is $M = 10,000$ and the β parameter has is the 100×1 vector with all entries equal to 1. The elements of the covariance matrix Z are again generated uniformly from $[-1, 1]$ to mimic the high-dimensional scenario in statistical applications⁷⁶. The simulation is performed on the Matlab 2023a platform. Instead of minimizing the norm of $U(\beta)$, we minimize the negative partial log-likelihood (NLL) value⁶⁸. We compare CSO-MA with PDO and Runge Kutta optimization (abbreviated as RUN, it is another recently proposed metaheuristics⁴⁹) in terms of their optimum values, stability and running time. The results are given in Table 5. We run each algorithm 30 times to get reasonable statistical results and the number of function evaluation is set to 1000, the swarm size for each algorithm is set to 30. The results suggest that RUN performs the best in terms of NLL and its stability; The CSO-MA has the best performance in terms of average elapsed time and PDO is the slowest among the three algorithms.




Figure 5. Application of CSO-MA to find M -estimates for a Cox regression in a Markov renewal model. The left panel is one of the realizations of 100 individuals; the red dots represent the jump times and the transitions for the pair (X_n, T_n) . The right panel shows the convergence trajectory of CSO-MA.

Algorithm	CSO-MA	PDO	RUN
NLL	1868.51 (248.61)	1825.20 (2.79)	1636.39 (4.34)
Elapsed time	250.10s (10.16s)	472.09s (5.59s)	270.40s (2.41s)

Table 5. Negative log likelihood values from the three algorithms with CSO-MA outperforming the other two recently proposed algorithms.

Matrix completion (missing data imputation) in a two-compartment model

In real studies, such as clinical trials, missing or incomplete data is omnipresent. They occur in computer vision, clinical trials and genomics, just to name a few⁷⁷. Missing data also appear a lot in a recommendation or recommender system, which is defined as a decision making strategy for users under complex information environments⁷⁸; see⁷⁹ for an overview of this emerging area of research to alleviate the problem on information load. The best strategy in dealing with missing data is to avoid having them in the first place. This would require constant monitoring of the data and filling in the missing data as soon as they are discovered. Despite the best efforts, missing data abounds and pose problems in data analysis. Matrix completion is the task of filling in the missing entries of a partially observed matrix that represents the data structure. In many instances, the task is equivalent to performing data imputation in statistics. The leads to matrix completion problems and they occur across disciplines. Ensembled models have also been built based on matrix completion for computational drug repurposing to fight the virus SARS-COV-2⁸⁰.

In this subsection, we apply CSO-MA to a missing data imputation problem in a non-linear Gaussian regression model using simulated data. Missing data is ubiquitous in all research fields. Imputation is one of the most common ways to fill in and analyze missing data⁸¹ and the Expected Maximization (EM) method¹⁵⁴ is a popular choice for imputing multivariate normal data. We briefly describe the problem and the EM algorithm below.

Suppose that $(Y_1, Y_2) \in \mathbb{R}^2$ has a bivariate normal distribution with mean $\mu(\theta) = (\mu_1(x, \theta), \mu_2(x, \theta))^T$ and a known covariance matrix $\Sigma = \begin{pmatrix} \sigma_1^2 & \rho\sigma_1\sigma_2 \\ \rho\sigma_1\sigma_2 & \sigma_2^2 \end{pmatrix}$ where θ is a vector of parameters characterizing μ and x is (possibly) a vector of covariates. We observe n realizations $y_i = (y_{i1}, y_{i2})^T, i = 1, 2, \dots, n$ and y_{ij} contains missing values for some i and j . Let $Y_{(0)}$ and $Y_{(1)}$ denote the observed and missing parts, respectively. On page 250-251 in Little and Rubin (2019)⁸¹, at the $(t + 1)^{th}$ iteration, the E step of the algorithm calculates

$$E\left(\sum_{i=1}^n y_{ij} \mid Y_{(0)}, \theta^{(t)}\right) = \sum_{i=1}^n y_{ij}^{(t+1)}$$

and

$$E\left(\sum_{i=1}^n y_{ij}y_{ik} \mid Y_{(0)}, \theta^{(t)}\right) = \sum_{i=1}^n (y_{ij}^{(t+1)}y_{ik}^{(t+1)} + c_{jki}^{(t+1)})$$

for $j, k = 1, 2, \dots, K$ where

$$y_{ij}^{(t+1)} = \begin{cases} y_{ij} & \text{if } y_{ij} \in Y_{(0)} \\ E(y_{ij} \mid Y_{(0)}, \theta^{(t)}) & \text{if } y_{ij} \in Y_{(1)} \end{cases}$$

and

$$c_{jki}^{(t+1)} = \begin{cases} 0 & \text{if } y_{ij} \text{ or } y_{ik} \text{ is observed.} \\ Cov(y_{ij}, y_{ik} \mid Y_{(0)}, \theta^{(t)}) & \text{if } y_{ij}, y_{ik} \in Y_{(1)}. \end{cases}$$

After the E -step, missing values are replaced by the conditional expectation derived above. Next, for the M -step, we maximize the following conditional log-likelihood with respect to θ using CSO-MA:

$$E\left(l(\theta \mid Y_{(0)}, Y_{(1)}) \mid Y_{(0)}, \theta^{(t)}\right) = -\frac{1}{2} \sum_{i=1}^n (y_i^{(t+1)} - \mu(x_i, \theta))^T \Sigma^{-1} (y_i^{(t+1)} - \mu(x_i, \theta)) + C \quad (10)$$

where $y_i^{(t+1)} = (y_{i1}^{(t+1)}, y_{i2}^{(t+1)})$ and C is a constant independent of θ . Section 8.6 in Wild and Seber (1989)⁸² (page 414) illustrates a two-compartment model with (see also chapter 7 in⁸³)

$$y_{ij} = \mu_j(x_i, \theta) + \epsilon_{ij}, i = 1, 2, \dots, n, j = 1, 2,$$

where x refers to time, $(\epsilon_{i1}, \epsilon_{i2})^T$ are independently drawn from $N_2(0, \Sigma)$, and the two means are

$$\mu_1(x, \theta) = \theta_1 e^{-\theta_2 x} + (1 - \theta_1) e^{-\theta_3 x}, \mu_2(x, \theta) = 1 - (\theta_1 + \theta_4) e^{-\theta_2 x} + (\theta_1 + \theta_4 - 1) e^{-\theta_3 x},$$

where

$$\theta_4 = \frac{(\theta_3 - \theta_2)\theta_1(1 - \theta_1)}{(\theta_3 - \theta_2)\theta_1 + \theta_2}.$$

Suppose at some time point x , the operator failed to record either y_{i1}, y_{i2} or both and we observe $Y_{(0)}$ and $Y_{(1)}$ (n observations in total). To make inference about θ , however, we still want to make use of the partially observed data. In this case, we apply the EM algorithm described above to maximize the conditional likelihood (10).

We analyze a real data set to illustrate this idea. The data set comes from Beauchamp and Corenell (1966)⁸⁴, see also section 11.2 in Wild and Seber (1989)⁸². We randomly mask some of the values of the data in to be missing in Table 6 and denote them by NA.

Using the complete observations, we estimated the covariance Σ to be $\begin{pmatrix} 0.075 & -0.06 \\ -0.06 & 0.06 \end{pmatrix}$ and in the original paper, using full data, the authors' estimated the parameters to be $\hat{\theta} = (0.060, 0.007, 0.093)^T$. For the EM algorithm, we set the initial θ to be $(0.381, 0.021, 0.197)$ and ran CSO-MA for 200 iterations with $\phi = 0.3$. The whole algorithm alternates between computing expression (10) and applying CSO-MA to maximize (10). We ran 10 iterations in total and the imputed results are given in Table 7. We further perform a simulation study (not reported here) with sample size $n = 80$ and 40 missing values in total. The true parameter θ is $(0.4, 0.05, 0.3)^T$ and the initial value for the EM algorithm is $(0.1, 0.1, 0.1)^T$. The algorithm terminates after 5 iterations, with the estimated parameter value $\hat{\theta} = (0.392, 0.056, 0.275)^T$. This shows that CSO-MA performs well in its role as an optimizer.

A variable selection problem in ecology

In addition to numerous applications of metaheuristics in engineering and computer science, metaheuristics has also found applications ranging from addressing substantiability issues⁸⁵ to land use¹⁹ and agriculture⁵⁸. See also⁸⁶, who used metaheuristic algorithms to design placements of the groundwater wells in the Los Angeles Basin.

In this subsection, we apply CSO-MA to a penalized linear regression problem in ecology. Model selection is essential in much of ecology because ecological systems are often too large and slow-moving for our hypotheses to be tested through manipulative experiments at the relevant temporal and spatial scales⁸⁷.

The data comes from a plateau lake in Yunnan, China, and was collected by a group of researchers at the Department of Environmental Engineering, Tsinghua University in 2019. They took water samples in March (Spring), June (Summer), September (Autumn) and December (Winter). At each time, 30 sites were sampled from different parts of the waterway. Due to weather issues at the plateau lake in June, data from 6 sites were not recorded. Therefore, the total number of samples is 114 ($= 30 \times 4 - 6$ records). The outcome variable is CRAP and the goal is to determine if and how 17 key variables affect the outcome. Table 8 lists all the regression variables and for space consideration, we only display in the same table, the first two sets of measurements from the 114×18 data matrix.

Cyanobacteria can form dense and sometimes produce algal toxins. In extreme cases, the cyanobacteria bloom, with high cyanobacterial density or high proportion of cyanobacteria in phytoplankton, can threaten the aquatic ecosystem, fisheries and safety of the water for human drinking. Over the years, the cyanobacterial blooms increase in frequency, magnitude and duration globally⁸⁸. The cyanobacterial bloom is influenced by the surrounding environment. To effectively control and prevent the cyanobacterial bloom, one of the most important scientific questions is how other factors affect CRAP (Cyanobacteria relative abundance in Phytoplankton).

i	x_i (h)	y_{i1}	y_{i2}
1	0.33	NA	0.03
2	2	0.84	0.10
3	3	NA	0.14
4	5	0.64	NA
5	8	0.55	NA
6	12	NA	0.40
7	24	0.27	0.54
8	48	0.12	0.66
9	72	0.06	0.71

Table 6. The dataset from Beauchamp and Corenell (1966)⁸⁴.

Imputed data			
i	x_i (h)	y_{i1}	y_{i2}
1	0.33	0.75	0.03
2	2	0.84	0.10
3	3	0.65	0.14
4	5	0.64	0.21
5	8	0.55	0.28
6	12	0.39	0.40
7	24	0.27	0.54
8	48	0.12	0.66
9	72	0.06	0.71

Table 7. The imputed dataset.

CRAP	Depth	Chi-a	DO	Turbidity	pH
0.6444	0.5	34.29	6.1	4.19	9.36
0.0126	0.5	18.36	6.46	15.4	9.47
NH4-N	NO3-N	TN	TP	TOC	TDS
0.4	0.38	0.96	0.07	22.61	906.7
0.13	0.33	0.96	0.06	22.15	910.4
T	Ca	K	Mg	Na	F
17.3	7.26	11	68.08	191.38	2.23
16.1	5.02	9.906	68.88	223.35	2.83

Table 8. Two samples of measurements for the regression variables in the model: Cyanobacteria relative abundance in Phytoplankton (CRAP), the sampling depth of water (Depth), Chlorophyll abundance (Chi-a), dissolved oxygen (DO), turbidity of water (Turbidity), potential of hydrogen (pH), Ammonium Nitrogen (NH4-N), Nitrate Nitrogen (NO3-N), total concentration of Nitrogen (TN), total Phosphorus (TP), total organic Carbon (TOC), total dissolve solid (TDS), water temperature (T), Calcium (Ca), Potassium (K), Magnesium (Mg), Sodium (Na) and Fluorine (F).

High values of CRAP often indicate cyanobacterial bloom. Therefore, if we can control the key factors that are associated with CRAP, we can improve environmental health dramatically.

Linear regression analysis is a default choice for detecting association and outliers. We expect that many covariates are correlated. For example, NH4-N and NO3-N are highly correlated with TN. Thus, in reality, some measurements are more important than others to ecologists. In statistics, variable selection and penalized regression methods are proposed to address this issue. In what is to follow, we use CSO-MA and a penalized regression method known as smoothly clipped absolute deviation (SCAD)⁸⁹ to selected variables into the model.

Let y be the vector of CRAP responses in the linear model, let X be the covariate matrix containing variables *Depth* to *F* and each column of X is standardize by subtracting its mean and dividing its standard deviation so that each column of X has mean 0 and standard deviation 1. This standardization step is crucial because we want to analyze the relative influence of the variables on CRAP and having different scales can cause confusion. All these variables are listed in Table 8. Let β be the vector of unknown parameters to be estimated by solving the following optimization problem:

$$\min_{\beta} \|y - X\beta\|_2^2 + \rho \left(\sum_{j=1}^p P(\beta_j | \lambda, a) \right), \quad (11)$$

where ρ is the regularization parameter, a, λ are tuning parameters and

$$P(\beta_j | \lambda, a) = \begin{cases} \lambda |\beta_j| & \text{if } |\beta_j| \leq \lambda \\ \frac{a\lambda |\beta_j| - \beta_j^2 - \lambda^2}{a-1} & \text{if } \lambda < |\beta_j| \leq a\lambda \\ \frac{\lambda^2(a+1)}{2} & \text{if } |\beta_j| > a\lambda \end{cases}$$

is a differentiable and non-convex function and is called the SCAD penalty. The parameter ρ controls the degree of shrinkage applied to the coefficients. A larger ρ increases the penalty on the coefficients, driving them toward zero, and thus, helps in preventing overfitting by enforcing sparsity in the model. We set $a = 2.5$ and $\lambda = 1$, apply SCAD regression to the data (X, y) for different choices of ρ (see formula (11)) and optimize it using CSO-MA algorithm. We set 12 different values for ρ , i.e., $10^{-6}, 10^{-5}, 10^{-4}, 10^{-3}, 0.01, 0.025, 0.05, 0.1, 0.2, 0.5, 1, 10, 100$. For each ρ , we record the best particle position found by CSO-MA as our estimation for β . The CSO-MA algorithm is initialized with 25 particles and iterates 100 times (i.e., 100 function evaluations). We run the algorithm 50 times for each ρ to analyze the stability of CSO-MA. For illustration purpose, we demonstrate the average and standard deviation of the 50 runs when $\rho = 0.025$ and the results are shown in Table 9; further, the average minimum of (11) when $\rho = 0.025$ is 0.315 with a standard deviation of 0.0009 (the other ρ 's have similar standard deviation and minimum values), suggesting the stability of CSO-MA algorithm.

Figure 6 illustrates the solution path of SCAD using the CSO-MA algorithm. The x-axis represents the scaled ρ values. When ρ decreases from 100, estimation of *turbidity* (T) deviates from 0 at first. It suggests that turbidity is one of the most important measurements associating with the level of DRAP. One possible reason for such phenomenon is that the turbid water prevents light from penetrating, which in turn indicates a lower amount of the algae carrying out photosynthesis. Further, *temperature* (T) is another variable deviating from 0 at first. The reason is that the optimum temperature for algae growth is $20 + C^\circ$ and the lower the temperature, the less active the metabolism of algaeis. In addition, when ρ decreases from 0.05 to 0.01 (x from 7 to 5), parameter estimation for chemical elements, such as K, Mg, Na, all deviates from 0, suggesting that the concentration of chemical elements has slightly different association of CRAP.

This subsection shows CSO-MA can be usefully applied along with SCAD penalized regression to explore association among different components of water quality and how that affect the outcome CRAP. The interpretation of the solution path is in line with scientific common sense.

Variable	Average	Standard deviation	Variable	Average	Standard deviation
Depth	0.191	0.012	NO3-N	0.128	0.013
Chl-a	- 0.001	0.003	TN	0.000	0.002
DO	0.219	0.015	TP	0.047	0.008
Turbidity	- 0.195	0.016	TOC	- 0.001	0.003
pH	- 0.003	0.012	Ca	0.003	0.007
TDS	0.000	0.002	K	- 0.002	0.009
T	0.499	0.033	Mg	- 0.031	0.027
NH4-N	0.166	0.018	Na	- 0.162	0.025
F	- 0.016	0.028			

Table 9. Average and standard deviation of parameter estimation after 50 times of runs.




Figure 6. Solution path of SCAD using CSO-MA. Each line represents the trajectory of an estimated coefficient for a predictor variable across the ordered values of the regularization parameter ρ . The y-axis denotes the estimated coefficient values. The x-axis corresponds to the ordinal position of each ρ value in the set $10^{-6}, 10^{-5}, \dots, 100$, which have been rescaled to 1, 2, ..., for clarity of presentation.

Design problems

Design problems are important because experimental costs are always increasing and a well designed study can provide maximum statistical inference precision at minimal cost. Given a design region, a regression model with several factors or independent variables, a design criterion and the total number of observations allowed, an optimal design problem involves finding the optimal number of design points, the optimal combination of factor levels and the proportions of observations to take at the design points. Sometimes the proportions are called weights (w_i) and they sum to unity. By working with weights and a convex design criterion, the optimal design problem can be formulated as a convex optimization problem, where theoretical tools are available to confirm whether a solution is optimal. In particular, an equivalence theorem, one for each convex criterion, can be derived using convex analysis results. A by-product is also a design efficiency lower bound that assesses the proximity of a design to the theoretical optimum without knowing the latter. In general, design efficiency is some ratio between 0 and 1 of the criterion value of a design relative to that of the optimum and designs with high efficiencies are sought. If a design has an efficiency of 0.5 or 50%, this means that the design has to be replicated twice to provide the same level of information as the optimal design⁹⁰ and⁹¹ provide the technical details.

There are algorithms in the statistics literature for finding optimal experimental designs and even though some of them can be proven to converge mathematically to the optimum^{92,93}. However, they may not work well in practice when the model is nonlinear and has several interacting factors. As some of the references below indicated, metaheuristics can outperform traditional algorithms or solve optimization problems that they cannot⁹⁴. For example,³⁰ solved a standardized maximin optimal design problem and⁹⁵ found a minimax optimal design for a random effects hierarchical linear model. Both involved optimizing a non-differentiable objective function and some require multiple nested layers of optimization.

Below is a new application that shows CSO-MA can find a locally D -optimal design to estimate all parameters in a logistic model with 10 factors and 3 pairwise interaction terms. D -optimal designs are popular because when errors are normally distributed, they minimize the volume of the confidence ellipsoid of the parameters and hence the parameters are accurately estimated. Previous attempts using other metaheuristic algorithms to solve this design problem were less successful because of the large dimension of the optimization problem. For example,⁹⁶ applied GA, PSO, CSO to find locally D -optimal designs for the Poisson model and logistic model with 5 factors

and all pairwise interaction terms⁹⁷ used quantum PSO (QPSO) and modified the codes to also find locally *D*-optimal designs. The modified code d-QPSO found a locally *D*-optimal design for a 10-factor logistic model but interactions were not allowed. Likewise,⁹⁸ applied differential evolution to find locally *D*-optimal designs for the same model with 5 pairwise interaction terms. However, optimality of their design could not be confirmed but its proximity to the optimum (without knowing the optimum) was assessed using a *D*-efficiency lower bound⁹⁰. The reported design has at least 95% *D*-efficiency, suggesting they it is close enough to the optimum (without knowing what the optimum is) and likely suffice for most practical purposes.

Car refueling experiment

⁹⁹ described an experiment, based on the logistic model, for testing a vision-based car refueling system with the question that whether a computer-controlled nozzle was able to insert itself into the gas pipe correctly or not⁹⁷. The experiment includes four binary explanatory factors ($x_1 \sim x_4$ numerically taking -1 or 1): ring type (white paper or reflective), lighting (room lighting or 2 flood lights and room lights), sharpening (without or with), smoothing (without or with); six continuous factors ($x_5 \sim x_{10}$): lightning angle (50 to 90 degrees), gas-cap angle 1 (30 to 55 degrees), gas-cap angle 2 (0 to 10 degrees), can distance (18 to 48 inches), reflective ring thickness (0.125 to 0.425 inches) and threshold step value (5 to 15). Experts' opinions suggest that the model should include five specific interaction terms in the model and they are the pairwise interactions terms between ring type and reflective ring thickness, interactions between lighting and lightning angle, interaction between smoothing and car distance, along with 2 3-order interaction terms. To test CSO-MA's potential for finding a locally *D*-optimal design for a more likely realistic model, we include selected interaction terms, namely three two-factor interaction terms and two three-factor interaction terms. Table 10 lists all the terms in the model.

The full model has 10 factors and 16 parameters⁹⁷. Assumed a set of nominal parameter values and found a locally *D*-optimal design using a swarm-based algorithm called Quantum-Behaved PSO (d-QPSO). On average, the runtime for finding the optimal design for the additive linear part of the model without interaction terms, was 140 seconds. They did not report the locally *D*-optimal design for the full model.

We applied CSO-MA to search for locally *D*-optimal designs for both models with and without interaction terms. Since not all factors are likely to interact, we choose to include, as an example, 3 two-factor interaction terms and 2 three-factor interaction terms. We set $k = 20$, which is the initial guess of the number of design points required of the optimal design. We set the number of particles in the algorithm to be $n = 200$ and the stopping criterion is whether the fitness value change is within the pre-specified tolerance value of 10^{-5} . We ran the algorithm 10 times independently and on average, CSO-MA took 24 seconds to find the same locally *D*-optimal design for the no-interaction model, which is significantly shorter than that required by the d-QPSO employed in⁹⁷. For the model with the interaction terms, CSO-MA was also able to find a locally *D*-optimal design shown in Table 11 with 17 design points and the corresponding weights are in the last column. It has 17 design points, the criterion value is 7.256 and a direct calculation shows its *D*-efficiency lower bound is 97%. It is not possible to easily confirm optimality of a design for a multi-factor model because it is difficult to visually appreciate the fine features in a high dimensional plot; see^{97,98}. Additional numerical checks similar to that described in⁹⁶ support that the design found by CSO-MA has all the required features in the equivalence theorem.

Conclusions

Nature-inspired metaheuristic algorithms are general-purpose optimization tools and they require virtually no assumption for them to work reasonably well. While they are typically used when all other known optimization methods fail, we note that

Variable	Notation	Type	Range
Ring type	x_1	Binary	- 1 or - 1
Lightning	x_2	Binary	- 1 or - 1
Sharpening	x_3	Binary	- 1 or - 1
Smoothing	x_4	Binary	- 1 or - 1
Lightning Angle	x_5	Continuous	[50, 90]
Gas-cap Angle 1	x_6	Continuous	[30, 55]
Gas-cap Angle 2	x_7	Continuous	[0, 10]
Can Distance	x_8	Continuous	[18, 48]
Reflective Ring Thickness	x_9	Continuous	[0.125, 0.425]
Threshold Step Value	x_{10}	Continuous	[5, 15]
P-Interaction 1	x_1x_9	-	-
P-Interaction 2	x_2x_5	-	-
P-Interaction 3	x_4x_8	-	-
T-Interaction 1	$x_6x_7x_8$	-	-
T-Interaction 2	$x_3x_4x_{10}$	-	-

Table 10. All the model terms in the car refueling study.

x_1	x_2	x_3	x_4	x_5	x_6	x_7	x_8	x_9	x_{10}	w
1.000	-1.000	-1.000	-1.000	50.000	30.000	0.026	31.494	0.125	5.000	0.062
1.000	-1.000	1.000	-1.000	90.000	30.000	0.285	18.000	0.425	5.000	0.063
1.000	-1.000	1.000	-1.000	90.000	37.342	0.000	47.999	0.425	15.000	0.061
1.000	-1.000	1.000	1.000	68.511	55.000	0.209	29.239	0.425	15.000	0.062
1.000	1.000	-1.000	-1.000	90.000	30.000	0.085	28.026	0.125	15.000	0.062
1.000	1.000	-1.000	-1.000	90.000	31.591	0.000	34.269	0.425	5.000	0.062
1.000	1.000	1.000	-1.000	50.000	55.000	0.000	33.014	0.125	5.000	0.062
-1.000	-1.000	-1.000	-1.000	50.000	36.649	0.000	48.000	0.425	15.000	0.061
-1.000	-1.000	-1.000	-1.000	90.000	55.000	0.025	48.000	0.425	5.000	0.062
-1.000	-1.000	-1.000	-1.000	90.000	55.000	0.091	36.073	0.125	15.000	0.061
-1.000	-1.000	-1.000	1.000	75.860	30.000	0.363	18.000	0.125	15.000	0.063
-1.000	-1.000	1.000	-1.000	50.000	55.000	0.007	36.516	0.125	15.000	0.062
-1.000	-1.000	1.000	-1.000	90.000	30.000	0.029	38.137	0.425	15.000	0.020
-1.000	-1.000	1.000	-1.000	90.000	30.000	0.000	45.986	0.125	5.000	0.060
-1.000	1.000	-1.000	-1.000	50.000	30.000	0.000	34.471	0.125	15.000	0.057
-1.000	1.000	-1.000	1.000	67.477	30.000	0.070	48.000	0.125	15.000	0.063
-1.000	1.000	1.000	-1.000	50.000	30.000	0.011	18.361	0.425	15.000	0.056

Table 11. A CSO-MA generated locally D -optimal design with 17 design points for the 10-factor model with selected interaction terms in the car refueling experiment. The nominal set of values for the model parameters is $\theta^T = (3.0, 0.5, 0.75, 1.25, 0.8, 0.5, 0.8, -0.4, -1.00, 2.65, 0.65, 1.1, -0.2, 0.9, -0.36, 1.07)$.

- improved metaheuristics, such as CSO-MA, can outperform earlier metaheuristic algorithms; this was the case for optimizing parameter estimation in the single-cell generalized trend model, where CSO-MA produced significantly more optimal values than those from two recently proposed metaheuristics;
- they can also produce better quality solutions than those obtained from traditional methods or via commercial statistical packages; this was the case in Table 2 where we observe that the negative likelihood function from the deterministic Bock-Aitkin's algorithm has a larger value than that from PSO and CSO-MA, suggesting metaheuristics outperformed the Bock-Aitkin's procedure;
- the ecological application also demonstrated that results from CSO-MA can have smaller deviations than other estimates, suggesting more stable results from the CSO-MA algorithm compared with standard methods like using CRAP or SCAD;
- improved metaheuristics, such as CSO-MA, can solve optimization problems that were deemed problematic before; such is the case for the car design problem where this paper considers several interacting factors more than earlier papers with a handful of factors in interaction terms.

We close by returning to the question posed in the title of the paper. Based on the current work and other optimization work we have done using metaheuristics, our cumulative experience suggests that they are able to explore and exploit complex optimization problems in statistics and arrive at an optimal solution, or close to the optimum¹⁰⁰. More interestingly, there are increasing examples that show metaheuristics can outperform statistical optimization methods with theoretical convergence properties in terms of speed or quality of the solution. An example is the frequently used Fedorov's type of algorithms commonly used to generate an optimal design by adding one design point at each iteration, and then periodically collapsing nearby points to a single point heuristically. For this reason, we believe that metaheuristics offers exciting and fertile ground for theoretical and applied researchers and can potentially revolutionize the world of optimization.

Data availability

The datasets for this paper are available from the corresponding author upon request.

Received: 15 October 2023; Accepted: 8 March 2024

Published online: 24 April 2024

References

1. Thampi, S. M. *et al.* Machine learning and metaheuristics algorithms, and applications. In *Second Symposium, SoMMA 2020 Chennai, India, October 14–17, 2020*, vol. 1366 (Communications in Computer and Information Science, 2021).
2. Talbi, E.-G. Machine learning for metaheuristics—state of the art and perspectives. In *2019 11th International Conference on Knowledge and Smart Technology (KST)*, XXIII–XXIII, <https://doi.org/10.1109/KST.2019.8687812> (2019).
3. Oliva, D., Houssein, E. H. & Hinojosa, S. E. *Metaheuristics in Machine Learning: Theory and Applications* (Springer, New York, 2021).
4. Ikeda, S. & Nagai, T. A novel optimization method combining metaheuristics and machine learning for daily optimal operations in building energy and storage systems. *Appl. Energy* **289**, 116716 (2021).
5. Valdivia, S., Soto, R., Crawford, B., Olivares, R. & Caselli, N. A self-adaptive Cuckoo search algorithm using a machine learning technique. *Mathematics* **9**, 261–280. <https://doi.org/10.3390/math9161840> (2021).

6. Miranda, L. J. Pyswarms: A research toolkit for particle swarm optimization in python. *J. Open Source Softw.* **3**, 433 (2018).
7. Haidar, A., Field, M., Sykes, J., Carolan, M. & Holloway, L. PPSO: A package for parameters selection using particle swarm optimization. *SoftwareX* **16**, 100706 (2021).
8. Blum, C., Puchinger, J., Raidl, G. R. & Roli, A. Hybrid metaheuristics in combinatorial optimization: A survey. *Appl. Soft Comput.* **11**, 4135–4151 (2011).
9. Blum, C. & Raidl, G. R. *Hybrid Metaheuristics: Powerful Tools for Optimization* (Springer, New York, 2016).
10. Calvet, L., de Armas, J., Masip, D. & Juan, A. A. Learn heuristics: Hybridizing metaheuristics with machine learning for optimization with dynamic inputs. *Open Math.* **15**, 261–280 (2017).
11. Ding, C., Chen, Y., Liu, Z. & Liu, T. Prediction on transmission trajectory of COVID-19 based on particle swarm optimization algorithm. *Pattern Recogn. Lett.* **152**, 70–78 (2021).
12. Haouari, M. & Mhiri, M. A particle swarm optimization approach for predicting the number of covid-19 deaths. *Sci. Rep.* **11**, 16587 (2022).
13. Yuan, Y. *et al.* Coronavirus mask protection algorithm: A new-bioinspired optimization algorithm and its applications. *J. Bionic Eng.* <https://doi.org/10.1007/s42235-023-00359-5> (2023).
14. Ma, B. *et al.* Parameter estimation of the COVID-19 transmission model using an improved quantum-behaved particle swarm optimization algorithm. *Digit. Signal Process.* **127**, 103577 (2022).
15. Yang, X. S. *Engineering Optimization: An Introduction with Metaheuristic Applications* (Wiley, New York, 2010).
16. Yang, X. S., Chien, S. F. & Ting, T. O. Computational intelligence and metaheuristic algorithms with applications. *Sci. World J.* <https://doi.org/10.1155/2014/425853> (2014).
17. Siarry, P. E. *Metaheuristics* (Springer, New York, 2016).
18. Yang, X.-S. *Artificial Intelligence, Evolutionary Computing and Metaheuristics: In the Footsteps of Alan Turing* Vol. 427 (Springer, New York, 2012).
19. Mendes, J. M., Oliveira, P. M., dos Santos, F. N. & Morais dos Santos, R. Nature inspired metaheuristics and their applications in agriculture: A short review. In *EPIA Conference on Artificial Intelligence*, 167–179 (Springer, 2019).
20. Alkabbani, H., Ahmadian, A., Zhu, Q. & Elkamel, A. Machine learning and metaheuristic methods for renewable power forecasting: A recent review. *Front. Chem. Eng.* **3**, 14. <https://doi.org/10.3389/fceng.2021.665415> (2021).
21. Sharma, M. & Kaur, P. A comprehensive analysis of nature-inspired meta-heuristic techniques for feature selection problem. *Arch. Comput. Methods Eng.* **28**, 1103–1127 (2021).
22. Korani, W. & Mouhoub, M. Review on nature-inspired algorithms. *SN Oper. Res. Forum* <https://doi.org/10.1007/s43069-021-00068-x> (2021).
23. Talbi, E.-G. Machine learning into metaheuristics: A survey and taxonomy. *ACM Comput. Surv.* **54**, 1–32. <https://doi.org/10.1145/3459664> (2021).
24. Chiong, R. Nature-inspired metaheuristic optimisation. In *Studies in Computational Intelligence 193 (Ed.)* (Springer, 2016).
25. Kumar, A., Nadeem, M. & Banka, H. Nature inspired optimization algorithms: A comprehensive overview. *Evol. Syst.* **14**, 141–156 (2023).
26. Zhang, Z., Wong, W. K. & Tan, K. C. Competitive swarm optimizer with mutated agents for finding optimal designs for nonlinear regression models with multiple interacting factors. *Memet. Comput.* **12**, 219–233 (2020).
27. Whitacre, J. M. Recent trends indicate rapid growth of nature-inspired optimization in academia and industry. *Computing* **93**, 121–133 (2011).
28. Whitacre, J. M. Survival of the flexible: Explaining the recent dominance of nature-inspired optimization within a rapidly evolving world. *Computing* **93**, 135–146 (2011).
29. Ezugwu, A. E. *et al.* Metaheuristics: A comprehensive overview and classification along with bibliometric analysis. *Artif. Intell. Rev.* **54**, 4237–4316 (2021).
30. Chen, P.-Y., Chen, R.-B., Tung, H.-C. & Wong, W. K. Standardized maximim d-optimal designs for enzyme kinetic inhibition models. *Chemom. Intell. Lab. Syst.* **169**, 79–86 (2017).
31. Cheng, R. & Jin, Y. A competitive swarm optimizer for large scale optimization. *IEEE Trans. Cybern.* **45**, 191–204 (2015).
32. Gu, S., Cheng, R. & Jin, Y. Feature selection for high-dimensional classification using a competitive swarm optimizer. *Soft. Comput.* **22**, 811–822 (2018).
33. Xiong, G. & Shi, D. Orthogonal learning competitive swarm optimizer for economic dispatch problems. *Appl. Soft Comput.* **66**, 134–148 (2018).
34. Mohapatra, P., Das, K. N. & Roy, S. A modified competitive swarm optimizer for large scale optimization problems. *Appl. Soft Comput.* **59**, 340–362 (2017).
35. Sun, C., Ding, J., Zeng, J. & Jin, Y. A fitness approximation assisted competitive swarm optimizer for large scale expensive optimization problems. *Memet. Comput.* **10**, 123–134 (2018).
36. Zhang, W. X., Chen, W. N. & Zhang, J. A dynamic competitive swarm optimizer based-on entropy for large scale optimization. In *Advanced Computational Intelligence (ICACI), 2016 Eighth International Conference on*, 365–371 (IEEE, 2016).
37. Zhang, Q., Cheng, H., Ye, Z. & Wang, Z. A competitive swarm optimizer integrated with Cauchy and gaussian mutation for large scale optimization. In *Control Conference (CCC), 2017 36th Chinese*, 9829–9834 (IEEE, 2017).
38. Aranha, C., Camacho Villalón, C., Campelo, F. E. A., the elephant in the room. Metaphor-based metaheuristics, a call for action. *Swarm Intell.* **16**, 1–6 (2022).
39. Jamil, M., Yang, X.-S. & Zepernick, H.-J. Test functions for global optimization: A comprehensive survey. In *Swarm Intelligence and Bio-Inspired Computation* 193–222 (2013).
40. Li, C. *et al.* *Benchmark generator for CEC 2009 competition on dynamic optimization* (Tech. Rep, 2008).
41. Luo, W., Lin, X., Li, C., Yang, S. & Shi, Y. Benchmark functions for CEC 2022 competition on seeking multiple optima in dynamic environments. arXiv preprint [arXiv:2201.00523](https://arxiv.org/abs/2201.00523) (2022).
42. Cheng, S., Chun Zhao, C., Wu, J. & Shi, Y. Particle swarm optimization in regression analysis: A case study. In *Conference Paper in Lecture Notes in Computer Science*. <https://doi.org/10.1007/978-3-642-38703-66> (2015).
43. Cui, E. H., Song, D., Wong, W. K. & Li, J. J. Single-cell generalized trend model (SCGTM): A flexible and interpretable model of gene expression trend along cell pseudotime. *Bioinformatics* **38**, 3927–3934 (2022).
44. Trapnell, C. *et al.* The dynamics and regulators of cell fate decisions are revealed by pseudotemporal ordering of single cells. *Nat. Biotechnol.* **32**, 381–386 (2014).
45. Wood, S. N. Fast stable restricted maximum likelihood and marginal likelihood estimation of semiparametric generalized linear models. *J. R. Stat. Soc. Ser. B (Stat. Methodol.)* **73**, 3–36 (2011).
46. Wood, S. N., Boca Raton. *Generalized Additive Models: An Introduction with R* (CRC Press, 2017).
47. Campbell, K. R. & Yau, C. switchde: Inference of switch-like differential expression along single-cell trajectories. *Bioinformatics* **33**, 1241–1242 (2017).
48. Ezugwu, A. E., Agushaka, J. O., Abualigah, L., Mirjalili, S. & Gandomi, A. H. Prairie dog optimization algorithm. *Neural Comput. Appl.* **34**, 20017–20065 (2022).
49. Ahmadianfar, I., Heidari, A. A., Gandomi, A. H., Chu, X. & Chen, H. RUN beyond the metaphor: An efficient optimization algorithm based on Runge Kutta method. *Expert Syst. Appl.* **181**, 115079 (2021).

50. Wang, W. *et al.* Single-cell transcriptomic atlas of the human endometrium during the menstrual cycle. *Nat. Med.* **26**, 1644–1653 (2020).
51. Embretson, S. E. & Reise, S. P. *Item Response Theory* (Psychology Press, Palo Alto, 2013).
52. Linacre, J. M. R statistics: Survey and review of packages for the estimation of Rasch models. *Int. J. Med. Educ.* **13**, 171–175 (2022).
53. Robitzsch, A. A comprehensive simulation study of estimation methods for the Rasch model. *Stats* **4**, 814–836 (2021).
54. Dempster, A. P., Laird, N. M. & Rubin, D. B. Maximum likelihood from incomplete data via the EM algorithm. *J. R. Stat. Soc. Ser. B (Methodol.)* **39**, 1–22 (1977).
55. Baker, F. B. & Kim, S.-H. *Item Response Theory: Parameter Estimation Techniques* (CRC Press, Boca Raton, 2004).
56. Liu, Y., Magnus, B., O'Connor, H. & Thissen, D. Multidimensional item response theory. In *The Wiley Handbook of Psychometric Testing: A Multidisciplinary Reference on Survey, Scale and Test Development* 445–493 (2018).
57. Bock, R. D. & Aitkin, M. Marginal maximum likelihood estimation of item parameters: Application of an EM algorithm. *Psychometrika* **46**, 443–459 (1981).
58. Mendes, J. M., Oliveira, P. M., Filipe Neves, F. N. & dos Santos, R. M. Nature inspired metaheuristics and their applications in agriculture: A short review. In *EPIA Conference on Artificial Intelligence EPIA 2019: Progress in Artificial Intelligence* 167–179 (2020).
59. Bezruczko, N. *Rasch Measurement in Health Sciences* (Maple Grove, 2005).
60. Bechtel, G. G. Generalizing the Rasch model for consumer rating scales. *Mark. Sci. Inst. Oper. Res. Manag. Sci. (INFORMS)* **4**, 62–73 (1985).
61. Wang, F.-K. & Huang, P.-R. Implementing particle swarm optimization algorithm to estimate the mixture of two Weibull parameters with censored data. *J. Stat. Comput. Simul.* **84**, 283–300 (2014).
62. Chu, S. C. & Tsai, P. W. Computational intelligence based on the behavior of cats. *Int. J. Innov. Comput. Inf. Control* **3**, 163–173 (2007).
63. Bahrami, M., Bozorg-Haddad, O. & Chu, X. Cat swarm optimization (CSO) algorithm. In *Advanced Optimization by Nature-Inspired Algorithms*, 9–18 (Springer, 2018).
64. Bates, D. M. *lme4: Mixed-effects modeling with R* (2010).
65. Riza, L. S. *et al.* Metaheuristicopt: A R package for optimisation based on meta-heuristics algorithms. *Pertanika J. Sci. Technol.* **26**, 15 (2018).
66. Askin, O. E., Inan, D. & Buyuklu, A. H. Parameter estimation of shared frailty models based on particle swarm optimization. *Int. J. Stat. Probab.* **6**, 48–58 (2017).
67. Meira-Machado, L., de Uña-Álvarez, J., Cadarso-Suárez, C. & Andersen, P. K. Multi-state models for the analysis of time-to-event data. *Stat. Methods Med. Res.* **18**, 195–222 (2009).
68. Dabrowska, D. M., Sun, G.-W. & Horowitz, M. M. Cox regression in a Markov renewal model: An application to the analysis of bone marrow transplant data. *J. Am. Stat. Assoc.* **89**, 867–877 (1994).
69. Dabrowska, D. M. Estimation in a semi-Markov transformation model. *Int. J. Biostat.* **8** (2012).
70. Jacod, J. Multivariate point processes: Predictable projection, Radon-Nikodym derivatives, representation of martingales. *Z. Wahr. Verwandte Gebiete* **31**, 235–253 (1975).
71. Cox, D. R. Regression models and life-tables. *J. R. Stat. Soc. Ser. B (Methodol.)* **34**, 187–202 (1972).
72. Cook, R. J. *et al.* *The Statistical Analysis of Recurrent Events* (Springer, New York, 2007).
73. Andersen, P. K., Borgan, O., Gill, R. D. & Keiding, N. *Statistical Models Based on Counting Processes* (Springer, New York, 2012).
74. Li, Y., Wei, Y. & Chu, Y. Research on solving systems of nonlinear equations based on improved PSO. *Math. Probl. Eng.* **2015**, 1–10 (2015).
75. Pant, S., Kumar, A. & Ram, M. Solution of nonlinear systems of equations via metaheuristics. *Int. J. Math. Eng. Manag. Sci.* **4**, 1108–1126. <https://doi.org/10.33889/IJMEMS.2019.4.5-088> (2019).
76. Tibshirani, R. J. Univariate shrinkage in the Cox model for high dimensional data. *Stat. Appl. Genet. Mol. Biol.* **8** (2009).
77. Radhakrishnan, A., Stefanakis, G., Belkin, M. & Uhler, C. Simple, fast, and flexible framework for matrix completion with infinite width neural networks. *PNAS* **119**, 16e2115064119 (2022).
78. Isinkaye, F., Folajimi, Y. & Ojokoh, B. Recommendation systems: Principles, methods and evaluation. *Egypt. Inform. J.* **16**, 261–273 (2015).
79. Rashid, A. *et al.* Getting to know you: learning new user preferences in recommender systems. In *Proceedings of the 7th International Conference on Intelligent User Interfaces* 127–134 (2002).
80. Li, W., Wang, S. & Xu, J. An ensemble matrix completion model for predicting potential drugs against SARS-CoV-2. *Front. Microbiol.* <https://doi.org/10.3389/fmicb.2021.694534> (2021).
81. Little, R. J. & Rubin, D. B. *Statistical Analysis with Missing Data* Vol. 793 (Wiley, New York, 2019).
82. Wild, C. & Seber, G. *Nonlinear Regression* Vol. 46, 86–88 (Wiley, New York, 1989).
83. Fedorov, V. V. & Leonov, S. L. *Optimal Design for Nonlinear Response Models* (CRC Press, Boca Raton, 2013).
84. Beauchamp, J. J. & Cornell, R. G. Simultaneous nonlinear estimation. *Technometrics* **8**, 319–326 (1966).
85. Oliveira, P. M., Solteiro Pires, E. J., Boaventura-Cunha, J. & Pinho, T. M. Review of nature and biologically inspired metaheuristics for greenhouse environment control. *Trans. Inst. Meas. Control* **42**, 2338–2358 (2020).
86. Ushijima, T., Yeh, W. & Wong, W. K. Constructing robust and efficient experimental designs in groundwater modeling using a Galerkin method, proper orthogonal decomposition and metaheuristic algorithms. *PLoS ONE* <https://doi.org/10.1371/journal.pone.0254620> (2021).
87. Tredennick, A. T., Hooker, G., Ellner, S. P. & Adler, P. B. A practical guide to selecting models for exploration, inference, and prediction in ecology. *Ecology* **102**, e03336 (2021).
88. Huisman, J. *et al.* Cyanobacterial blooms. *Nat. Rev. Microbiol.* **16**, 471–483 (2018).
89. Fan, J. & Li, R. Variable selection via nonconcave penalized likelihood and its oracle properties. *J. Am. Stat. Assoc.* **96**, 1348–1360 (2001).
90. Pazman, A. *Foundations of Optimum Experiments*. Springer Part of the book series: Mathematics and its Applications (MAEE, volume 14) (1986).
91. Berger, M. P. & Wong, W.-K. *An Introduction to Optimal Designs for Social and Biomedical Research* Vol. 83 (Wiley, New York, 2009).
92. Fedorov, V. V. *Theory of Optimal Experiments* (Elsevier, New York, 1972).
93. Kiefer, J. General equivalence theory for optimum design (approximate theory). *Ann. Stat.* **2**, 849–879 (1974).
94. Cui, E. H. D-optimal approximate design for binary regression and quantal response in toxicology studies. arXiv preprint [arXiv:2209.13191](https://arxiv.org/abs/2209.13191) (2022).
95. Liu, X., Yue, R. X., Zhang, Z. & Wong, W. K. G-optimal designs for hierarchical linear models: An equivalence theorem and a nature-inspired meta-heuristic algorithm. *Soft. Comput.* **5**, 13549–13565 (2021).
96. Shi, Y., Zhang, Z. & Wong, W. K. Particle swarm based algorithms for finding locally and Bayesian D-optimal designs. *J. Stat. Distrib. Appl.* **6**, 1–17 (2019).
97. Lukemire, J., Mandal, A. & Wong, W. K. d-QPSO: A quantum-behaved particle swarm technique for finding D-optimal designs with discrete and continuous factors and a binary response. *Technometrics* **61**, 77–87 (2019).

98. Xu, W., Wong, W. K., Tan, K. C. & Xu, J. X. Finding high-dimensional D-optimal designs for logistic models via differential evolution. *IEEE Access* 7, 7133–7146 (2019).
99. Grimshaw, S. D., Collings, B. J., Larsen, W. A. & Hurt, C. R. Eliciting factor importance in a designed experiment. *Technometrics* 43, 133–146 (2001).
100. Gilli, M. & Schumann, E. Optimization cultures. *Wiley Interdisciplinary Reviews: Computational Statistics*, Vol. 6, 352–358 (2014).

Acknowledgements

Drs. Wong and Zhang were partially supported by a grant from the National Institute of General Medical Sciences of the National Institutes of Health under Award Number R01GM107639. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health. The research of Wong was also partially supported by a Yushan Fellowship from the Ministry of Education in Taiwan.

Author contributions

E.H.C. conceived and worked out Table 1 and all the examples in estimation problems, Z.Z. developed the codes for CSO-MA and provided the car refueling experiment example, C.J. C. contributed to the variable selection problem in ecology, and W. K. W. supervised the development of the entire paper, contributed to the literature review, organized the paper, and edited the whole paper. All authors reviewed the manuscript.

Competing interests

The authors declare no competing interests.

Additional information

Correspondence and requests for materials should be addressed to E.H.C. or W.K.W.

Reprints and permissions information is available at www.nature.com/reprints.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2024