Lawrence Berkeley National Laboratory

Recent Work

Title

PARAMAGNETIC RESONANCE OF THE TRIPOSITIVE CURIUM ION IN ETHYLSULFATE AND TRICHLORIDE CRYSTALS

Permalink

<https://escholarship.org/uc/item/9r33k56n>

Authors

Abraham, Marvin

Judd, B.R.

Wickman, H.H.

Publication Date

1962-11-01

University of California

Ernest O. Lawrence
Radiation Laboratory

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy
which may be borrowed for two weeks.
For a personal retention copy, call
Tech. Info. Division, Ext. 5545*

**PARAMAGNETIC RESONANCE OF THE TRIPOSITIVE
CURIUM ION IN ETHYLSULFATE AND TRICHLORIDE
CRYSTALS**

Berkeley, California

DISCLAIMER

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.

To be submitted to Phys. Rev. Letters

UCRL-10567

UNIVERSITY OF CALIFORNIA

Lawrence Radiation Laboratory
Berkeley, California

Contract No. W-7405-eng-48

PARAMAGNETIC RESONANCE OF THE TRIPOSITIVE CURIUM
ION IN ETHYLSULFATE AND TRICHLORIDE CRYSTALS

Marvin Abraham, B. R. Judd, and H. H. Wickman

November 1962

PARAMAGNETIC RESONANCE OF THE TRIPOSITIVE CURIUM
ION IN ETHYLSULFATE AND TRICHLORIDE CRYSTALS*Marvin Abraham,[†] B.R. Judd,[‡] and H.H. WickmanLawrence Radiation Laboratory
University of California
Berkeley, California

November 1962

A few years ago, the paramagnetic resonance spectrum of Cm^{3+} substituted for La^{3+} in the crystal LaCl_3 was reported by a group at Berkeley¹ and, with apparently greater precision, by a group at the Argonne National Laboratory.² Seven lines were observed, characteristic of a level with a total angular momentum, J , of $7/2$, and a Landé g value of 1.991. These results received a ready explanation. The ground state of Cm^{3+} was expected to be $5f^7 \ ^8S_{7/2}$, and the spectrum of the rare-earth analog, $\text{Gd}^{3+} \ 4f^7 \ ^8S_{7/2}$, had already been found to comprise seven lines for which $g = 1.991$.³ From the spread of the seven lines with respect to the external magnetic field, it was concluded that the zero-field splitting of $^8S_{7/2}$ of Cm^{3+} was very similar to that of $^8S_{7/2}$ of Gd^{3+} , though the Argonne group stated that the two spectra were sufficiently dissimilar to be easily distinguished.²

As our knowledge of the actinides has increased, the similarity between the reported spectrum of Cm^{3+} and that of Gd^{3+} has become increasingly embarrassing. The extent of the breakdown of Russell-Saunders coupling should be greater than that for $\text{AmI} \ 5f^7 \ ^8S_{7/2}$, for which $g = 1.937$.⁴ It should be less than that calculated by Runciman for Cm^{3+} ,⁵ since the recent work of Lämmermann and Conway on PuI indicates that Runciman probably over-estimated the spin-orbit coupling constant.⁶ From Runciman's eigenfunctions, we calculate $g = 1.913$, and hence we would expect the g -value of the ground

level of Cm^{3+} to satisfy the inequality $1.937 > g > 1.913$.

The similarity between the reported zero-field splittings of the ground levels of Gd^{3+} and Cm^{3+} is equally puzzling. Making use of Runciman's eigenfunctions, we find that the ground state of Cm^{3+} comprises only 72% of the pure state $^8\text{S}_{7/2}$, and we should expect it to show the minute zero-field splitting characteristic of the ground level of Gd^{3+} only if a highly fortuitous cancellation of the mechanisms that give rise to the splitting occurs.

With these difficulties in mind, experiments were set up to observe (at 9 kmc.) the paramagnetic resonance spectrum of Cm^{3+} substituted in small amounts for La^{3+} in lanthanum ethylsulfate and in lanthanum trichloride. In all, five ethylsulfate and two trichloride crystals were grown with varying concentrations of Cm^{3+} . After the experiments, the crystals were assayed to determine the Cm^{3+} concentration, which was found to vary between 1 microgram and 20 micrograms. For the ethylsulfate crystals, a single line was observed at helium temperatures, characterized by $g_{||} = 1.925 \pm 0.002$ and $g_{\perp} = 7.73 \pm 0.02$. A similar line was observed in the trichloride crystals, the parameters being $g_{||} = 1.925 \pm 0.002$ and $g_{\perp} = 7.67 \pm 0.02$. No trace was seen of the seven lines previously reported,^{1,2} and it appears quite certain that the spectrum measured earlier was that of Gd^{3+} , not Cm^{3+} .

It is remarkable that two groups, working independently, should have made the same erroneous identification.

The observed spectra receive an immediate explanation if the zero-field splitting of the ground level of Cm^{3+} is supposed to be large compared with the energy of the microwave quantum. The single line observed in all crystals corresponds to transitions between the components of the lowest doublet. If this doublet corresponds to $J_z = \pm \frac{1}{2}$, it is easy to show that $g_{\parallel} = g$ and $g_{\perp} = 4g$. The value of $g_{\parallel}$ is independent of interactions with higher components of the ground level, and we can immediately conclude that $g = 1.925$ for the ground level of Cm^{3+} . This result is consistent with the theory. The values of $g_{\perp}$ are very near the theoretical value of $4g$, the slightly lower value for the trichloride possibly being due to the influence of the doublet for which $J_z = \pm \frac{3}{2}$. Such an effect suggests that the splitting of the ground level of Cm^{3+} is smaller in the trichloride than in the ethylsulfate, a result analogous to that for Gd^{3+} in the two crystals.³ This is also suggested by a number of weak, highly anisotropic, lines in the spectrum of the trichloride, some of which may arise from transitions between higher components of the ground level. These are now being investigated.

The present work, by showing the spurious nature of the earlier observations, eliminates what had become a serious difficulty in the theory; at the same time, it provides an

important datum, namely the Landé g value of the ground level of Cm^{3+} , that should be valuable in fixing the degree of intermediate coupling both for Cm^{3+} and, by extrapolation, for later members of the actinide series.

We wish to thank Dr. M. Klein for his help in the experimental work, Miss A. Tryon for growing the trichloride crystals, and Dr. J. C. Wellman and Professor B. B. Cunningham for their advice and encouragement.

* Work done under the auspices of the U. S. Atomic Energy Commission.

† Temporary Address: Institute of Physics, San Carlos de Bariloche, Rio Negro, Argentina.

‡ Present Address: Laboratoires de Bellevue, Bellevue (S. et O.), France.

1. M. Abraham, B. B. Cunningham, C. D. Jeffries, R. W. Kedzie, and J. C. Wellman, Bull. Am. Phys. Soc. [2] 1, 396 (1956).
2. P. Fields, A. Friedman, B. Smaller, and W. Low, Phys. Rev. 105, 757 (1957).
3. C. A. Hutchison, B. R. Judd, and D. F. D. Pope, Proc. Phys. Soc. (London) B70, 514 (1957).
4. R. Marrus, W. A. Nierenberg, and J. Winocur, Phys. Rev. 120, 1429 (1960).
5. W. A. Runciman, J. Chem. Phys. 36, 1481 (1962).
6. H. Lämmermann, and J. G. Conway, University of California Lawrence Radiation Laboratory Report UCRL-10257 (1962).

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.