Title

Search for Higgs bosons decaying to aa in the μμττ final state in pp collisions at s=8 TeV with the ATLAS experiment

Authors

Aad, G
Abbott, B
Abdallah, J
et al.

Peer reviewed

Search for Higgs bosons decaying to aa in the $\mu\mu\tau\tau$ final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS experiment

G. Aad *et al.*[*]

(The ATLAS Collaboration)

A search for the decay to a pair of new particles of either the 125 GeV Higgs boson (h) or a second charge parity (CP)-even Higgs boson (H) is presented. The data set corresponds to an integrated luminosity of 20.3 fb^{-1} of pp collisions at $\sqrt{s} = 8$ TeV recorded by the ATLAS experiment at the LHC in 2012. The search was done in the context of the next-to-minimal supersymmetric standard model, in which the new particles are the lightest neutral pseudoscalar Higgs bosons (a). One of the two a bosons is required to decay to two muons while the other is required to decay to two τ leptons. No significant excess is observed above the expected backgrounds in the dimuon invariant mass range from 3.7 to 50 GeV. Upper limits are placed on the production of $h \to aa$ relative to the standard model $gg \to h$ production, assuming no coupling of the a boson to quarks. The most stringent limit is placed at 3.5% for $m_a = 3.75$ GeV. Upper limits are also placed on the production cross section of $H \to aa$ from 2.33 to 0.72 pb, for fixed $m_a = 5$ GeV with m_H ranging from 100 to 500 GeV.

I. INTRODUCTION

Since its introduction, the standard model (SM) has successfully predicted several new particles, culminating in the discovery of the Higgs boson (h) in July, 2012 [1,2]. The h boson discovered by ATLAS and CMS appears to have properties consistent with that predicted by the SM within current experimental uncertainties [3,4]. While the many achievements of the SM are remarkable, several unanswered questions remain, such as the hierarchy problem [5–8] and the nature of the observed dark-matter abundance in the Universe. By introducing an additional symmetry between fermions and bosons, supersymmetric extensions [9–17] of the SM are able to address both of these issues.

The minimal supersymmetric SM (MSSM) [18–22] is the simplest extension to the SM that incorporates supersymmetry. It predicts four additional Higgs bosons, generally assumed to be heavier than the h boson: two neutral states, the H and A bosons, as well as two charged states, the $H^{\pm}$ charged bosons. However, the recent discovery of only an h boson and several null-result searches for the associated enhancements in Higgs boson decay rates [23–25] have made the model less attractive. Specifically, the measured mass of the Higgs boson [4,26] close to 125 GeV results in the reintroduction of a small hierarchy problem in the MSSM, which is removed in the next-to-MSSM (NMSSM) [27,28] by allowing for additional contributions to the mass

of the Higgs boson from new scalar particles. In particular, the NMSSM contains an additional pseudoscalar Higgs boson (a), generally assumed to have a mass lower than the h boson since its mass is protected by a Peccei-Quinn symmetry [29]. The 95% confidence level (CL) upper limit on the branching ratio (BR) of the h boson decaying to non-SM particles is independently set by the ATLAS and CMS experiments to be 37% and 49% respectively [4,30].

The analysis presented in this paper targets the $H \to aa$ decay for a boson masses above the τ-lepton pair-production threshold. The current lower limit on m_H for such decays was set by the ALEPH experiment at LEP to be $m_H > 107$ GeV for BR($H \to aa$) = 1, under the assumption that the H boson couples to the Z boson with SM-strength Zh coupling [31]. The DØ experiment at the Tevatron also set limits on $H \to aa$ in this m_a range in the $\mu\mu\tau\tau$ channel [32]. At the LHC, the CMS experiment looked for direct a boson production with $a \to \mu\mu$, with m_a between 5.5 and 14 GeV [33]. Another search for the a boson below the τ-lepton pair-production threshold has been performed by the CMS experiment, which looked for the 4μ final state [34].

This analysis uses data corresponding to an integrated luminosity of 20.3 fb^{-1} of pp collisions at $\sqrt{s} = 8$ TeV recorded by the ATLAS detector at the LHC in 2012. A search is performed for events consistent with the $H \to aa$ process, where one a boson decays to two muons and the other decays to a pair of τ leptons with at least one τ lepton decaying to an electron or muon. The search is performed in a range of m_a values from 3.7 to 50 GeV, with m_H set to 125 GeV to be consistent with the measured mass of the h boson, m_h [4,26]. A range of m_H values from 100 to 500 GeV, with m_a set to 5 GeV, is also considered. For the purposes of this analysis, the assumption is made that there

---

[*]Full author list given at end of the article.

TABLE I. Simulated signal and background samples. The background simulation is used to understand the background composition and $\mu\mu$ invariant mass distribution. The term "tune" refers to the choice of parameters used for the underlying-event generation. Limits are set on the signal cross section, so the entry here is listed as '$\cdots$'.

Process	Generator	Cross section	Tune	PDF set
$H \to aa$	PYTHIA8 [38]	$\cdots$	AU2 [39]	CTEQ6L1 [40]
$t\bar{t}$	POWHEG [41,42] + PYTHIA8	NNLO + NNLL [43–48]	PERUGIA2011C [49]	CT10 [50]
Z/γ^* + jets	ALPGEN [51] + PYTHIA6 [52]	NLO	PERUGIA2011C	CTEQ6L1
$b\bar{b}$	PYTHIA8	LO	AU2	CTEQ6L1
tW	POWHEG + PYTHIA8	NNLO + NNLL [53]	PERUGIA2011C	CT10
WW, WZ	HERWIG [54]	NLO	AUET2 [55]	CTEQ6L1
ZZ	POWHEG + PYTHIA8	NLO	AU2	CT10
$h \to ZZ$	POWHEG + PYTHIA8	NNLO + NNLL [56]	AU2	CT10

is no coupling of the a boson to quarks, and the event selection has been optimized for sensitivity to $m_a \lesssim 10$ GeV (approximately the $b\bar{b}$ production threshold), for which the decay products of either a boson are likely to overlap. In this range, restricting the decays of one a boson to a pair of muons (rather than allowing for both to decay to pairs of τ leptons) reduces the total production rate of the signal by a factor of approximately 100. This decrease in signal efficiency is accepted in exchange for a very high trigger efficiency, a larger signal-to-background ratio, and an expected narrow resonance in the dimuon invariant mass ($m_{\mu\mu}$) spectrum. The latter is used to discriminate between background and signal hypotheses based on templates derived in both data and simulation.

II. ATLAS DETECTOR

The ATLAS experiment [35] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle.[1] It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A hadron (iron/scintillator-tile) calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The end cap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy

measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large air-core toroid superconducting magnets with eight coils each. Its bending power is in the range from 2.0 to 7.5 T m. It includes a system of precision tracking chambers and fast detectors for triggering. A three-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to reduce the accepted rate to at most 75 kHz. This is followed by two software-based trigger levels that together reduce the accepted event rate to 400 Hz on average depending on the data-taking conditions during 2012.

III. MONTE CARLO SIMULATION

Monte Carlo (MC) simulations are used in this analysis to model the $H \to aa$ signal process and to roughly estimate the composition of the SM background, which is then fitted to the data, with the exception of the low-mass SM resonances (J/ψ, ψ', Υ_{1S}, Υ_{2S}, and Υ_{3S}). All MC simulated samples are obtained with the full ATLAS detector simulation [36] in which the particle propagation through the detector is modeled with GEANT4 [37]. The effect of multiple proton-proton collisions from the same or nearby beam bunch crossings (in-time and out-of-time pileup, respectively) is incorporated into the simulation by overlaying additional minimum-bias events generated with the PYTHIA8 generator [38] onto events with a hard scattering. Simulated events are weighted to match the distribution of the average number of interactions per bunch crossing observed in data, but are otherwise reconstructed in the same manner as data. The event generators, cross sections, underlying-event parameter tunes, and the parton distribution function (PDF) sets used for simulating the SM background processes are summarized in Table I.

In each simulated $H \to aa$ signal event, a scalar H boson is produced via gluon fusion and is then forced to always decay to two pseudoscalar a bosons. Both the scalar H and pseudoscalar a bosons are expected to have narrow widths, which are negligible when compared to the detector

---

[1]ATLAS uses a right-hand coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z axis along the beam pipe. The x axis points from the IP to the center of the LHC ring, and the y axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln\tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

resolution. The *H* width is set to the value for a SM Higgs boson with the same mass and the *a* boson width is set to 1 MeV [33]. This analysis searches for a resonance in the $m_{\mu\mu}$ spectrum and is therefore insensitive to the resolution for m_H. The *a* bosons are each allowed to decay only to either two muons or two *τ* leptons. The decay rate of $a \to \mu\mu$ is expected to depend on the mass of the *a* boson as well as the muon and *τ*-lepton masses [29]:

$$\frac{\Gamma(a \to \mu\mu)}{\Gamma(a \to \tau\tau)} = \frac{m_\mu^2}{m_\tau^2 \sqrt{1 - (2m_\tau/m_a)^2}}. \qquad (1)$$

The width values calculated from this equation are used by Pythia to generate signal events, under the assumption that $BR(a \to \mu\mu) = 1 - BR(a \to \tau\tau)$. $BR(a \to \mu\mu)$ ranges from 1.25% for $m_a = 3.7$ GeV down to 0.35% for $m_a = 50$ GeV.

IV. EVENT SELECTION

The data used for this analysis were collected using a combination of a single-muon trigger and an asymmetric dimuon trigger. The transverse momentum (p_T) threshold for the single-muon trigger is 36 GeV, while the dimuon trigger thresholds for the highest p_T (leading) and the second-highest p_T (subleading) muons are 18 and 8 GeV, respectively [57]. Muons are reconstructed by combining tracks in the inner detector (ID) with those in the muon spectrometer (MS) [58] and are selected if they satisfy the following criteria: each muon must have a $p_T > 16$ GeV, $|\eta| < 2.5$, projected longitudinal impact parameter $|z_0 \sin\theta| < 0.4$ mm, the ratio of the transverse impact parameter d_0 to its estimated uncertainty σ_{d_0} such that $|d_0|/\sigma_{d_0} < 3$, and a track isolation requirement. The transverse and longitudinal impact parameters are defined with respect to the primary vertex, defined as the vertex with the largest $\sum p_T^2$ of the associated tracks. The track isolation of each muon is defined as the scalar sum of the p_T of all tracks with $p_T > 1$ GeV, in a surrounding $\Delta R = 0.3$ cone, excluding those tracks associated with either muon. The track isolation is required to be less than 12% of the muon p_T. The selected muons are organized into oppositely charged pairs, which are then ordered by the vector sum of the p_T of the constituent muons. The leading pair is identified as the $a \to \mu\mu$ candidate. Events are required to have an $a \to \mu\mu$ candidate with $p_T > 40$ GeV.

A. Signal regions

Two signal regions (SR) are designed to select $H \to aa$ events where one *a* boson directly decays to a pair of muons, and the other to a pair of *τ* leptons. The regions are optimized for the scenario where one *τ* lepton decays to either a muon or an electron and the

other *τ* lepton is identified by selecting one to three additional tracks.[2]

Each signal event must have an $a \to \mu\mu$ candidate with a dimuon invariant mass between 2.8 and 70 GeV.[3] Additionally, the event must contain a third lepton (muon or electron), with the flavor indicated in the SR name (i.e. SR*μ* or SR*e*). In the case where the third lepton is a reconstructed muon, it must have $p_T > 7$ GeV and $|\eta| < 2.5$. If the third lepton is a reconstructed electron, it is required to satisfy identification requirements optimized for good efficiency extending to low p_T [59], and must have $p_T > 7$ GeV and $|\eta| < 2.47$. Electrons in the transition region between the barrel and end cap EM calorimeters ($1.37 < |\eta| < 1.55$) are rejected. The two *a* bosons are expected to be produced back to back in the transverse plane. This topology is enhanced by requiring the azimuthal separation between the tagged $a \to \mu\mu$ candidate and the third lepton to be greater than 1 rad. Furthermore, the two *τ* leptons from the decay of the *a* boson tend to be highly collimated for low values of m_a. Therefore, the third lepton (muon or electron) is required to have one, two, or three tracks, in a cone of $\Delta R = 0.4$, not including the track of the lepton itself. Tracks are reconstructed in the ID and are required to have $p_T > 1$ GeV, $|\eta| < 2.5$, transverse and longitudinal impact parameters, $|d_0|$ and $|z_0|$, less than 1 mm, at least seven hits in the two silicon tracking detectors, and one hit in the innermost layer of the pixel detector if such a hit is expected. The leading p_T track within the $\Delta R = 0.4$ cone around the third lepton, but not matched to the lepton itself, is denoted the lead track. It is used to approximate the axis of the second *τ* lepton from the $a \to \tau\tau$ decay. The $\Delta R = 0.2$ cone, centered on this axis, may have no more than three tracks, not including the track of the third lepton. The charge of the lead track is taken to be the same as its *τ*-lepton ancestor and is required to be opposite to that of the lepton. Finally, the third lepton is required to pass a cut on its track isolation, defined as the scalar sum of the p_T of the tracks that are within a cone of $\Delta R = 0.4$. The lead track is excluded from this calculation. The track isolation is required to be less than 12% of the lepton's p_T.

If the event has more than one candidate to be the third lepton, the leading muon is used to define the signal region.

---

[2]The signal region has been designed to select events in which the charged decay product(s) of the second *τ* lepton is either an electron, a muon, a single charged hadron or three charged hadrons; each decay product is identified as a selected track. For the signals targeted by this analysis, one or more of the tracks in the last case can have p_T insufficient to be selected. This results in final states with less than three reconstructed tracks.

[3]The mass range used to define the two signal regions (2.8 to 70 GeV), and ultimately used to fit the observed $m_{\mu\mu}$ spectra, is wider than the range of signal hypotheses (3.7 to 50 GeV) in order to be able to increase the stability of the fit when considering the low-mass SM resonances and the low-end tail of the SM *Z* resonance.

TABLE II. Relative efficiency for each selection step for a signal simulated with $m_a = 5$ GeV and $m_H = m_h = 125$ GeV. The first entry is a generator-level selection relative to the number of generated $h \rightarrow aa \rightarrow \mu\mu\tau\tau$ events.[a] The top section of the table shows the efficiency for selecting $a \rightarrow \mu\mu$ candidates while the bottom part is for the selection of events in the two signal regions.

Selection	Relative efficiency (%)	
Generator level	82.7 ± 0.0	
Pass trigger	67.6 ± 0.3	
Two selected muons	77.8 ± 0.3	
Opposite charge (μ, μ)	100.0 ± 0.0	
$p_T(\mu\mu) > 40$ GeV	98.1 ± 0.1	
2.8 GeV $< m_{\mu\mu} < 70$ GeV	100.0 ± 0.0	
	SRμ (%)	SRe (%)
Third lepton	18.2 ± 0.3	7.8 ± 0.2
$\Delta\phi(\mu\mu, \ell)$	95.5 ± 0.4	93.7 ± 0.7
One, two or three nearby tracks	91.4 ± 0.5	82.8 ± 1.1
Opposite charge $(\ell, \text{lead track})$	91.2 ± 0.9	88.1 ± 1.1
Lepton isolation	75.5 ± 0.9	84.6 ± 1.3

[a]The generator-level selection requires at least two muons with p_T above 15 GeV and $|\eta| < 2.5$. Generator-level events are further required to have a pair of such muons that have opposite charge and have $p_T(\mu\mu) > 30$ GeV. Only 0.5% of generated events have a $\mu\mu\tau\tau$ final state due to the small rate of $a \rightarrow \mu\mu$. As discussed in Sec. V, a small number of events with four τ leptons is also accepted, but the rate is too small to impact the efficiency reported in this table.

If no third muon is identified, the leading electron is used. Events with muon as well as electron candidates are classified as SRμ events in order to maximize the signal-to-background ratio. No veto is applied to events with more than three leptons in order to maintain signal selection efficiency for events where both τ leptons decay to muons or electrons. In these cases, the additional lepton may be selected as the lead track. Table II shows the selection efficiency for a signal simulated with $m_a = 5$ GeV and $m_H = m_h = 125$ GeV.

B. Validation and control regions

Two validation regions (VR) are used to test the methods of the analysis in a signal-free environment. The background in the signal region is expected to be dominated by events with jets that pass the $a \rightarrow \tau\tau$ selection outlined above. Furthermore, the charges of the reconstructed lepton and lead track in such events are not correlated. Events in the validation regions are therefore selected with the same criteria as signal events, with the sole exception that the lepton and lead track are required to have the same charge. The signal yield in the validation regions is expected to be less than 5% (10%) of that in the muon (electron) signal region, as determined in simulation. As done on the signal region, the two regions are denoted VRμ and VRe based on the flavor of the third lepton.

Two control regions (CR) are used in this analysis to constrain the SM background, one light-flavor-dominated

region CRj and one heavy-flavor-dominated region CRb. Events in each control region are required to have an $a \rightarrow \mu\mu$ candidate with a mass between 2.8 (15) and 70 GeV for CRj (CRb).[4] The two regions are further defined by imposing requirements on jets in the event. The light-flavor-dominated region is used to measure the nonresonant Drell-Yan background as well as the low-mass SM resonances. It is defined by requiring at least one selected jet and exactly zero b-jets. The heavy-flavor-dominated region must have at least two b-jets and is used to measure the $t\bar{t}$ background. All events in the signal regions are explicitly removed from the control regions.

Jets are reconstructed using the anti-k_t algorithm [60] and radius parameter $R = 0.4$ with three-dimensional energy clusters, measured in the calorimeter [61], as input. The calibration of the clusters is performed by applying different weights to the energy deposits arising from the electromagnetic and hadronic components of the showers. The final calibration of the jet energy corrects the response of the calorimeter to match the particle-level jet energy [62,63]. Corrections are first determined in simulation and then improved and validated using data. Additional corrections for pileup from other pp interactions in the same or neighboring bunch crossings are applied as well [64]. Jets are required to have $p_T > 40$ GeV and $|\eta| < 2.5$. Jets with p_T between 40 and 50 GeV are further required to pass a cut on the jet vertex fraction (JVF), which is defined as the p_T-weighted fraction of tracks inside the jet that are determined to originate from the primary vertex of the event. The JVF is required to be greater than 0.25, but is not applied to jets that have no tracks. Jets can be tagged as containing a b-hadron using a multivariate b-tagging algorithm, and then denoted b-jets. The algorithm is based on the impact parameters of tracks and information from reconstructed secondary vertices [65]. The operating point chosen for the b-tagging algorithm corresponds to a true b-jet efficiency of 60% and purity of 95%, as determined in $t\bar{t}$ simulation.

V. SIGNAL AND BACKGROUND MODELS

An unbinned, log-likelihood fit is performed on the observed dimuon invariant mass spectra in the signal regions (SRμ and SRe) to a combination of background and signal models, the details of which are described in this section.

A. Signal model

A double-sided crystal ball (CB) function [66,67] is used for the signal model; it was found to be the simplest function that was robust enough to describe the shape of the simulated signal resonances and the

---

[4]The 15 GeV lower $m_{\mu\mu}$ limit for CRb is chosen such that the region is dominated by the $t\bar{t}$ background.

observed SM resonances.[5] The crystal ball function is composed of a Gaussian (GA) core, with mean μ_{CB} and width σ_{CB}, and power-law distributions of orders 2.5 and 10 for the low-end and high-end tails. The threshold parameter α_{CB}, which is in units of σ_{CB}, determines the point of transition from the core to either tail. The mean of the crystal ball function is assumed to be proportional to m_a, with slope a_μ, while its width is assumed to be linearly dependent on both m_a and m_H with slopes a_σ and b_σ respectively.

The crystal ball function is used to model the line shape of the $a \to \mu\mu$ resonance. A small contribution from $a \to \tau\tau \to \mu\mu + 4\nu$ is included as a Gaussian distribution, which, due to the kinematics of the $\tau \to \mu + 2\nu$ decay, is expected to have a lower mean and worse resolution than the $a \to \mu\mu$ resonance. The mean, $\mu_{\tau\tau}$, and width, $\sigma_{\tau\tau}$, are set proportional to the corresponding parameters of the crystal ball function with the parameters $k_\mu < 1$ and $k_\sigma > 1$. The fraction of $a \to \tau\tau \to \mu\mu + 4\nu$ in the total signal is given by $f_{\tau\tau}$. The full signal model is

$$P_a = \mathrm{CB}(m_{\mu\mu}|\mu_{CB}, \sigma_{CB}) + f_{\tau\tau}\mathrm{GA}(m_{\mu\mu}|\mu_{\tau\tau}, \sigma_{\tau\tau}),$$

$$\mu_{CB} = a_\mu \cdot m_a, \qquad \mu_{\tau\tau} = k_\mu \cdot \mu_{CB}, \qquad \sigma_{\tau\tau} = k_\sigma \cdot a_\sigma \cdot m_a,$$

$$\sigma_{CB} = a_\sigma \cdot m_a + b_\sigma \cdot (m_H - 100 \text{ GeV}). \tag{3}$$

The values of the parameters b_σ, k_μ, k_σ, and $f_{\tau\tau}$ are determined by fitting the signal simulation, while the parameters α_{CB}, a_μ, and a_σ are measured in data following the procedure described in the Sec. V B, and are found to be consistent with simulation. Figure 1 shows the result of a simultaneous fit of both signal regions to all simulated signal samples, projected into SRμ for one benchmark mass point with $m_a = 5$ GeV and $m_H = m_h = 125$ GeV.

B. Background model

The full background model consists of several pieces: six SM resonances ($J/\psi, \psi', \Upsilon_{1S}, \Upsilon_{2S}, \Upsilon_{3S}, Z$), a $t\bar{t}$ component, and one piece for the nonresonant continuum

---

[5]For a given resonance X, the double-sided crystal ball function has been simplified to remove those parameters that are common to all resonances. The expression $\mathrm{CB}(\mu_X, \sigma_X, \alpha_L = \alpha_{CB}, \alpha_H = \alpha_{CB}, n_L = 2.5, n_H = 10)$ has been shortened to $\mathrm{CB}(\mu_X, \sigma_X)$.

$$\mathrm{CB}(m_{\mu\mu}|\mu, \sigma, \alpha_L, \alpha_H, n_L, n_H)$$

$$= \begin{cases} e^{-\frac{(m_{\mu\mu}-\mu)^2}{2\sigma^2}}, & \text{for } -\alpha_L < \frac{m_{\mu\mu}-\mu}{\sigma} < \alpha_H \\ A_L \cdot (B_L - \frac{m_{\mu\mu}-\mu}{\sigma})^{-n_L}, & \text{for } \frac{m_{\mu\mu}-\mu}{\sigma} \leq -\alpha_L \\ A_H \cdot (B_H - \frac{m_{\mu\mu}-\mu}{\sigma})^{-n_H}, & \text{for } \frac{m_{\mu\mu}-\mu}{\sigma} \geq \alpha_H \end{cases}$$

$$A_i = \left(\frac{n_i}{|\alpha_i|}\right)^{n_i} \cdot e^{-\frac{\alpha_i^2}{2}} \qquad B_i = \frac{n_i}{|\alpha_i|} - |\alpha_i| \tag{2}$$


FIG. 1 (color online). Simulated dimuon invariant mass ($m_{\mu\mu}$) distribution and the result of the simultaneous fit projected into SRμ for one benchmark mass point with $m_a = 5$ GeV and $m_H = m_h = 125$ GeV. The best fit of the $\mu\mu$ resonance model to the $h \to aa$ signal simulation in SRμ is shown in blue with its uncertainty as a yellow band. Also shown are the forced $\pm 1\sigma$ systematic uncertainty variations, defined in Sec. VII, in α_{CB} and $f_{\tau\tau}$ (dashed magenta). The top plot shows the simulation and fits on a linear scale, the middle on a logarithmic scale, and the % residual of each fit is shown at the bottom. The errors on the signal simulation are statistical only.

background (dominated by low-mass Drell-Yan events). Each SM resonance is modeled by the same double-sided crystal ball function used for the signal $a \to \mu\mu$ resonance (see Sec. I), with the offset b_σ set to zero. The mean, μ_X, and width, σ_X, of each resonance X are assumed to be linearly dependent on its mass (m_X) with the same slopes as in the signal model. The measured value of the mass of each resonance is found to be consistent with the PDG best-fit value [68] and are therefore constrained to the PDG value and its associated uncertainty. The low-mass resonances are combined into two composite models, ψ and Υ, by adding the resonances of the higher spin states with fractions $f_{\psi'}$, $f_{\Upsilon_{2S}}$, and $f_{\Upsilon_{3S}}$, as shown in Eqs. (4)–(5).

The background from $t\bar{t}$ production is modeled with a Rayleigh distribution [69], defined by multiplying $m_{\mu\mu}$ by a Gaussian distribution with mean set to zero and width, $\sigma_{t\bar{t}}$. The mostly Drell-Yan continuum background is modeled by an exponential decay function, with parameter $\alpha_{\gamma^*} < 0$,

multiplied by $m_{\mu\mu}$ raised to the power n_{γ^*}. The full expression for the continuum background is $m_{\mu\mu}^{n_{\gamma^*}} e^{\alpha_{\gamma^*} m_{\mu\mu}}$.

A contribution to the background from $b\bar{b}$ production followed by two semileptonic decays of b-hadrons to muons was also considered and found to be small in the signal region, with a $m_{\mu\mu}$ shape similar to the Drell-Yan component but with a rate about 1% as large. This is expected since dimuon events from $b\bar{b}$ are highly suppressed after applying the muon isolation requirements, the muon p_T cuts, and the dimuon p_T cut. Events from double semileptonic b-hadron decays ($b \to c\mu + X \to \mu\mu + X$) are found to contribute as well, but only for $m_{\mu\mu} < 3.5$ GeV (which is below the signal region) at a rate of about 10% that of Drell-Yan events.

Lastly, the full model in each region (CRj, CRb, SRμ or SRe) is defined by adding four background models: one each for the ψ and Υ resonances, one for the $t\bar{t}$ component, and one for the Drell-Yan component. The shape parameters of each component, the fractional contribution of higher spin states, and the relative contribution of Z boson to the total Drell-Yan production (f_Z) are constrained by simultaneously fitting the control regions as described in Sec. VI. These parameters are therefore assumed to be the same in the control and signal regions. The relative contributions of each of the four background components (quantified by the independent parameters $f_{t\bar{t}}$, f_Υ, and f_{Res}) are expected to vary between the regions and are therefore measured in the fit to the signal regions (SRμ and SRe). The complete background model is shown in Eq. (6):

$$P_\psi = \text{CB}(m_{\mu\mu}|\mu_{J/\psi}, \sigma_{J/\psi}) + f_{\psi'}\text{CB}(m_{\mu\mu}|\mu_{\psi'}, \sigma_{\psi'}), \quad (4)$$

$$P_\Upsilon = \text{CB}(m_{\mu\mu}|\mu_{\Upsilon_{1S}}, \sigma_{\Upsilon_{1S}}) + f_{\Upsilon_{2S}}(\text{CB}(m_{\mu\mu}|\mu_{\Upsilon_{2S}}, \sigma_{\Upsilon_{2S}})$$
$$+ f_{\Upsilon_{3S}}\text{CB}(m_{\mu\mu}|\mu_{\Upsilon_{3S}}, \sigma_{\Upsilon_{3S}})), \quad (5)$$

$$P_b = m_{\mu\mu}^{n_{\gamma^*}} e^{\alpha_{\gamma^*} m_{\mu\mu}} + f_Z\text{CB}(m_{\mu\mu}|\mu_Z, \sigma_Z) + f_{t\bar{t}}\text{R}(m_{\mu\mu}|\sigma_{t\bar{t}})$$
$$+ f_{\text{Res}}(P_\psi + f_\Upsilon P_\Upsilon),$$

$$\mu_X = a_\mu \cdot m_X; \qquad \sigma_X = a_\sigma \cdot m_X;$$

$$X = \{J/\psi, \psi', \Upsilon_{1S}, \Upsilon_{2S}, \Upsilon_{3S}, Z\}. \quad (6)$$

VI. BACKGROUND MEASUREMENT

A simultaneous fit of the full background model is performed on the $m_{\mu\mu}$ data in the two control regions (CRj and CRb), with $m_{\mu\mu}$ in the range from 2.8 (15) to 70 GeV, for CRj (CRb). The results of the fit are used to constrain the dependent parameters of the four background components as described in Sec. V B. The fitted values and uncertainties of the relevant parameters are reported in Table III and the fitted $m_{\mu\mu}$ spectra in the two regions are shown in Fig. 2. A large correlation is found between a_μ, a_σ, and α_{CB} while a large anticorrelation is found between $\sigma_{t\bar{t}}$ and f_Z. The figure also includes a comparison with

TABLE III. Measured values and uncertainties for the SM background model's parameters, which are constrained by a simultaneous fit to the control regions. The errors on the fit parameters are statistical only.

Parameter	Value	Parameter	Value
a_μ	$(99.86 \pm 0.01)\%$	$\sigma_{t\bar{t}}$	(60.7 ± 3.8) GeV
a_σ	$(1.68 \pm 0.02)\%$	$f_Z[\frac{Z}{\gamma^*+Z}]$	$(23.4 \pm 0.5)\%$
α_{CB}	1.49 ± 0.03	$f_{\psi'}[\frac{2S}{1S+2S}]$	$(6.3 \pm 0.3)\%$
a_{γ^*}	(-31 ± 3) TeV^{-1}	$f_{\Upsilon_{3S}}[\frac{3S}{2S+3S}]$	$(46.8 \pm 1.4)\%$
n_{γ^*}	-0.75 ± 0.02	$f_{\Upsilon_{2S}}[\frac{2S+3S}{1S+2S+3S}]$	$(49.9 \pm 0.6)\%$

Drell-Yan and $t\bar{t}$ simulation normalized to the data.[6] In both control regions, the data are well described by the background model, as indicated by the small residuals shown in the figure and by the good agreement with simulation. The large number of events in the control regions provides a tight constraint on the parameters of the model. The small shift of the resonance mean masses to $(99.86 \pm 0.01)\%$ of their PDG values [68] is consistent with the $O(0.1\%)$ systematic uncertainty on the muon energy scale. The fractional mass resolution, a_σ, is found to be $(1.68 \pm 0.02)\%$, corresponding to an (84 ± 1) MeV width for a 5 GeV dimuon resonance.

VII. SYSTEMATIC UNCERTAINTIES

A. Signal model

In the signal model for the $a \to \mu\mu$ resonance, the parameters α_{CB}, a_μ, and a_σ are limited by the experimental resolution, and are thus assumed to be 100% correlated with the corresponding parameters of the fits to the SM resonances and are measured in the observed CRj data. To account for the extrapolation uncertainty from parameters for the SM resonances to those for signal, an additional uncertainty is assigned to the crystal ball function's threshold parameter, α_{CB}. Due to the large correlation between the three parameters, this additional uncertainty assigned to α_{CB} covers the uncertainty of the other two. The uncertainty is determined by fitting the signal model in each simulated signal sample separately and taking the maximum difference between them. Another assumption in the signal model is that the parameter, b_σ, and the Gaussian description of the $a \to \tau\tau \to \mu\mu + 4\nu$ tail, parametrized by k_μ, k_σ, and $f_{\tau\tau}$, are properly described in the simulation. The systematic uncertainty on α_{CB} covers the uncertainty on b_σ, since it is strongly correlated with α_{CB}, a_μ, and a_σ. The other three parameters are similarly correlated with one another and, thus, only one additional systematic uncertainty is introduced. The final results of the analysis are

---

[6]The Drell-Yan simulation has only been produced with $m_{\mu\mu}$ above 10 GeV, so is only valid for comparing to the data in that region.

FIG. 2 (color online).   Observed $m_{\mu\mu}$ distribution in CRj (top) and CRb (bottom) and the SM background model after a simultaneous fit. The Z/γ^* component of the fit is the combination of the Z boson resonance and the γ^* continuum models. The % residual of the fit is shown below each plot. Simulated SM backgrounds are shown in the stack, with the Z/γ^* sample only valid above $m_{\mu\mu} > 10$ GeV. The two insets show magnified versions of the J/ψ and Υ resonances.

found to have little sensitivity to the amount of $a \to \tau\tau \to \mu\mu$, so a conservative 50% systematic uncertainty is assigned to $f_{\tau\tau}$.

B. Signal normalization

The dominant source of systematic uncertainty on the signal normalization is found to be the theoretical uncertainty on the rate of SM $gg \to h/H$ production. In the m_H range relevant for this analysis (from 100 to 500 GeV) the total uncertainty varies from 10% to 11% and is determined from the spread of the cross-section predictions using different PDF sets and their associated uncertainties, as well as from varying the factorization and renormalization

scales [56]. A constant 11% is used in this analysis. The next largest systematic uncertainty is on the p_T resolution of the lead track and is found to be 5%. This uncertainty on the signal normalization is determined by varying the p_T of each track by a conservative $\pm 2\%$, and propagating the effect through the full analysis. Additional sources of systematic uncertainty include those on the trigger efficiency, the lepton reconstruction efficiency, the lepton energy scale and resolution, and the charge of the track. All of these sources were found to contribute a negligible amount to the total uncertainty on the normalization of the signal.

C. Background model

The results of the background measurement reported in Sec. VI are fitted values and associated uncertainties of the dependent parameters of the four background components—Drell Yan, $t\bar{t}$, ψ, and Υ. In the fit to the signal regions, each parameter is constrained by a Gaussian prior with a mean equal to its fitted value from the background measurement and width equal to the corresponding uncertainty.

Two general assumptions are made in the construction of the background model. First, the chosen functional form accurately describes the background in the signal regions. Second, the dependent parameters are the same in each region. Both of these assumptions introduce a potential bias in the final result, whereby a nonzero signal may be observed incorrectly. The tolerance of the background model for such a spurious signal is measured for values of m_a and m_H corresponding to each simulated signal point. The measurement is performed using a large sample of signal-free events. Simulated $t\bar{t}$ events with an identified $a \to \mu\mu$ candidate are used as a large sample of events for the $t\bar{t}$ background component. In lieu of simulation, the observed data in the light-flavor-dominated control region are used for the Drell-Yan component. The simulated $t\bar{t}$ events are then weighted and combined with the data such that the relative contribution of $t\bar{t}$ matches the simulation-based expectation in the signal region with $m_{\mu\mu}$ between 20 and 60 GeV.[7] Finally, the resulting sample is scaled to the expected normalization of the signal region. The combined signal and background model is fit to the large sample of events. The potential bias is taken to be the measured rate of spurious signal + 1σ and is found to be between 0.2% and 3.2% of the signal rate normalized to the SM $gg \to h$ production rate with BR($h \to aa$) = 100%, with a maximum at $m_a = 20$ GeV and $m_H = m_h = 125$ GeV. The measured bias is taken as an additional uncertainty on the signal normalization.

---

[7]For the spurious signal calculation, a narrower $m_{\mu\mu}$ range (20 to 60 GeV instead of 2.8 to 70 GeV) is used to scale the $t\bar{t}$ simulation because it is the range in which the $t\bar{t}$ background is expected to dominate.

VIII. VALIDATION OF METHODS

To test the methods of the analysis, two validation regions, VRμ and VRe (as defined in Sec. IV B), are used in place of SRμ and SRe. The validation regions are designed to have properties similar to the signal regions and to also test the robustness of the method against variations in the background composition, since no *a priori* assumptions are made about the relative contributions from $t\bar{t}$, Drell Yan, J/ψ or Υ. Furthermore, the validation checks for non-negligible backgrounds with dimuon invariant mass distributions that are unaccounted for in the background model. The results of the simultaneous fit of the full

background model (including all relevant systematic uncertainties) to the validation regions are shown in Fig. 3. In the fit, all region-independent parameters are constrained by the results of the fit to the control regions (reported in Table III). The strong correlations between some of the region-independent parameters, which are reported in Sec. VI, are not explicitly accounted for in the fit to the two validation regions. This simplification is found to have a negligible effect on the results of the fit. The consistency with the background-only model is evaluated by scanning the local p-value as a function of $m_{\mu\mu}$ from 3.7 to 50 GeV,


FIG. 3 (color online). Observed $m_{\mu\mu}$ distribution in VRμ (top) and VRe (bottom) and the background-only fit. The Z/γ^* component of the fit is the combination of the Z boson resonance and the γ^* continuum models. The % residuals are shown below each plot. Bins below 4 GeV are 200 MeV wide, between 4 and 15 GeV they are 500 MeV wide, and above 15 GeV they are 2 GeV wide. Simulated SM backgrounds are shown in the stack, with the Z/γ^* sample only valid above $m_{\mu\mu} > 10$ GeV.

FIG. 4 (color online). Observed $m_{\mu\mu}$ distribution in SRμ (top) and SRe (bottom) and the background-only fit. The Z/γ^* component of the fit is the combination of the Z boson resonance and the γ^* continuum models. The % residuals are shown below each plot. Bins below 4 GeV are 200 MeV wide, between 4 GeV and 15 GeV they are 500 MeV wide, and above 15 GeV they are 2 GeV wide. The expected distribution from a signal with BR($h \to aa$) = 10% is shown for three different m_a hypotheses (5, 10, and 20 GeV). Simulated SM backgrounds are shown in the stack, with the Z/γ^* sample only valid above $m_{\mu\mu} > 10$ GeV.

TABLE IV. Measured values and uncertainties of region-dependent parameters. The $m_{\mu\mu}$ distribution is fit between 2.8 and 70 GeV for all regions, except for CRb, which has a lower bound at 15 GeV. There is no contribution to the total background from the ψ or Υ resonances.

Parameter	$f_{\Upsilon}\left[\frac{\Upsilon}{\psi+\Upsilon}\right]$ (%)	$f_{\mathrm{Res}}\left[\frac{\psi+\Upsilon}{\mathrm{Total}}\right]$ (%)	$f_{t\bar{t}}\left[\frac{t\bar{t}}{\mathrm{Total}}\right]$ (%)
CRj	32.6 ± 0.3	14.7 ± 0.1	6.1 ± 0.9
CRb	N/A	N/A	87.2 ± 5.1
VRμ	35.8 ± 6.0	18.8 ± 2.3	28.2 ± 3.2
VRe	36.3 ± 9.2	12.2 ± 2.3	34.2 ± 3.6
SRμ	25.8 ± 4.9	15.2 ± 1.6	20.4 ± 4.1
SRe	24.5 ± 6.6	11.8 ± 1.6	23.5 ± 5.0

calculated using frequentist hypothesis tests based on the profile-log-likelihood ratio test statistic and approximated with the asymptotic formulas [70]. The p-values are evaluated in 50 MeV intervals below 15 GeV, then 100 MeV intervals up to 30 GeV, and 200 MeV intervals up to $m_{\mu\mu} = 50$ GeV. The minimum local p-value is found for $m_{\mu\mu} = 47.4$ GeV to be 0.0074, corresponding to a local significance of 2.44σ. Correcting for the look-elsewhere effect [71] gives a global p-value of 0.31, indicating that at least one excess of this magnitude, or larger, is expected from background fluctuations in at least 31% of experiments.

IX. RESULTS

A simultaneous fit of the full background model is performed on the $m_{\mu\mu}$ spectra in the two signal regions (SRμ and SRe), with $m_{\mu\mu}$ in the range from 2.8 to 70 GeV. The observed $m_{\mu\mu}$ distribution and the background-only fit are shown in Fig. 4; the data are well described by the fit. In the fit, all region-independent parameters are constrained by the results of the fit to the control regions, reported in

Table III. The strong correlations between some of the region-independent parameters, which are reported in Sec. VI, are not explicitly accounted for in the fit to the two signal regions. This simplification is found to have a negligible effect on the results of the fit. The fitted values and uncertainties of the remaining parameters, as well as the corresponding values from the fits to the control and validation regions, are shown in Table IV. No significant correlations are found between the parameters listed in Table IV. The consistency with the background-only model is evaluated by scanning the local p-value as a function of $m_{\mu\mu}$ from 3.7 to 50 GeV, using the same calculation, m_a


FIG. 6 (color online). Observed (solid red) and expected (dashed black) limits with the expected $\pm 1\sigma$ and $\pm 2\sigma$ bands shown in green and yellow respectively. The top figure shows the expected and observed limits on the rate ($\sigma(gg \to h) \times \mathrm{BR}(h \to aa)$) relative to the SM Higgs boson gluon-gluon fusion production cross section (σ_{SM}) as a function of m_a with m_H set to 125 GeV. The limits are evaluated in 50 MeV intervals below 15 GeV, then 100 MeV intervals up to 30 GeV, and 200 MeV intervals up to $m_a = 50$ GeV. Shown in the bottom figure is the total rate ($\sigma(gg \to H) \times \mathrm{BR}(H \to aa)$) as a function of m_H with m_a set to 5 GeV, evaluated at 50 GeV intervals from $m_H = 100$ GeV to 500 GeV and at $m_H = m_h = 125$ GeV. The width of the black band in the bottom figure indicates the theoretical uncertainty on the SM $gg \to H$ cross section [56]. In both figures, the observed and expected limits have been scaled by an $O(1)$ parameter, $\mathrm{BR}(a \to \tau\tau)^2$, to account for the branching ratios assumed in this analysis, and facilitate reinterpretation of the results.

FIG. 5 (color online). Observed p-value as a function of $m_{\mu\mu}$, with downward fluctuations of the data represented by a p-value of 0.5. The p-values are evaluated in 50 MeV intervals below 15 GeV, then 100 MeV intervals up to 30 GeV, and 200 MeV intervals up to $m_{\mu\mu} = 50$ GeV. The p-values shown have not been corrected for the look-elsewhere effect.

range, and intervals used in the scan of the validation region. The results of this scan are reported in Fig. 5. The minimum local p-value is found for $m_{\mu\mu} = 8.65$ GeV to be 0.0223, corresponding to a local significance of 2.01σ. Correcting for the look-elsewhere effect [71] gives a global p-value > 0.5, indicating that at least one excess of this magnitude, or larger, is expected from background fluctuations in at least 50% of experiments.

With no evidence to support the NMSSM hypothesis, a 95% CL limit can be set using the CL_s prescription [72]. Figure 6 shows the observed and expected limits on the rate $(\sigma(gg \to h) \times \text{BR}(h \to aa))$ relative to the SM Higgs boson gluon-gluon fusion production cross section (σ_{SM}), calculated at NLO + NNLL precision [56], as a function of m_a with m_H set to 125 GeV. The limits are evaluated in the same intervals used for the p-value scan. Also shown in the figure is the total rate $(\sigma(gg \to H) \times \text{BR}(H \to aa))$ as a function of m_H with m_a set to 5 GeV, evaluated at 50 GeV intervals from $m_H = 100$ GeV to 500 GeV and at $m_H = m_h = 125$ GeV. In both panels of Fig. 6, the observed and expected limits have been scaled by $\text{BR}(a \to \tau\tau)^2$ to explicitly account for the branching ratios assumed in this analysis and facilitate reinterpretation of the results.

X. CONCLUSION

A search for the decay of a scalar Higgs boson to two pseudoscalar a Higgs bosons ($H \to aa$) in the context of the NMSSM is presented with LHC data corresponding to an integrated luminosity of 20.3 fb^{-1} of pp collisions at $\sqrt{s} = 8$ TeV, collected in 2012 by the ATLAS experiment. Final states are considered with two muons consistent with the decay of one a boson as well as a third lepton (e or μ) and tracks, consistent with collimated τ leptons from the other a boson. A scan of the dimuon invariant mass distribution from 3.7 to 50 GeV shows no significant excess of data over SM backgrounds. Limits are set assuming no coupling of the a boson to quarks. The observed 95% CL upper limits on the production rate, $\sigma(gg \to H) \times \text{BR}(H \to aa)$, are consistent with the expected limit and are determined to be from 2.33 to

0.72 pb, for m_H between 100 and 500 GeV (and $m_a = 5$ GeV). A 95% CL upper limit for the production of the h boson and its decay rate to two pseudoscalar a bosons is set for m_a from 3.7 to 50 GeV, with the most stringent limit placed at 3.5% for $m_a = 3.75$ GeV.

[1] ATLAS Collaboration, Phys. Lett. B **716**, 1 (2012).
[2] CMS Collaboration, Phys. Lett. B **716**, 30 (2012).
[3] ATLAS Collaboration, CERN Report No. ATLAS-CONF-2015-007, 2015, https://cds.cern.ch/record/2002212.
[4] CMS Collaboration, Eur. Phys. J. C **75**, 212 (2015).
[5] S. Weinberg, Phys. Rev. D **13**, 974 (1976).
[6] E. Gildener, Phys. Rev. D **14**, 1667 (1976).
[7] S. Weinberg, Phys. Rev. D **19**, 1277 (1979).
[8] L. Susskind, Phys. Rev. D **20**, 2619 (1979).
[9] H. Miyazawa, Prog. Theor. Phys. **36**, 1266 (1966).
[10] P. Ramond, Phys. Rev. D **3**, 2415 (1971).
[11] Y. A. Gol'fand and E. P. Likhtman, JETP Lett. **13**, 323 (1971).
[12] A. Neveu and J. H. Schwarz, Nucl. Phys. **B31**, 86 (1971).
[13] A. Neveu and J. H. Schwarz, Phys. Rev. D **4**, 1109 (1971).
[14] J. L. Gervais and B. Sakita, Nucl. Phys. **B34**, 632 (1971).

[15] D. V. Volkov and V. P. Akulov, Phys. Lett. **46B**, 109 (1973).

[16] J. Wess and B. Zumino, Phys. Lett. **49B**, 52 (1974).

[17] J. Wess and B. Zumino, Nucl. Phys. **B70**, 39 (1974).

[18] P. Fayet, Phys. Lett. **64B**, 159 (1976).

[19] P. Fayet, Phys. Lett. **69B**, 489 (1977).

[20] G. R. Farrar and P. Fayet, Phys. Lett. **76B**, 575 (1978).

[21] P. Fayet, Phys. Lett. **84B**, 416 (1979).

[22] S. Dimopoulos and H. Georgi, Nucl. Phys. **B193**, 150 (1981).

[23] ATLAS Collaboration, J. High Energy Phys. 11 (2014) 56.

[24] ATLAS Collaboration, J. High Energy Phys. 03 (2015) 088.

[25] CMS Collaboration, J. High Energy Phys. 10 (2014) 160.

[26] ATLAS Collaboration, Phys. Rev. D **90**, 052004 (2014).

[27] U. Ellwanger, J. F. Gunion, and C. Hugonie, arXiv:hep-ph/0111179.

[28] D. Curtin et al., Phys. Rev. D **90**, 075004 (2014).

[29] M. Lisanti and J. G. Wacker, Phys. Rev. D **79**, 115006 (2009).

[30] ATLAS Collaboration, Report No. ATLAS-CONF-2014-010, 2014, http://cdsweb.cern.ch/record/1670531.

[31] S. Schael et al. (A. Collaboration), J. High Energy Phys. 05 (2010) 49.

[32] V. M. Abazov et al. (D. Collaboration), Phys. Rev. Lett. **103**, 061801 (2009).

[33] CMS Collaboration, Phys. Rev. Lett. **109**, 121801 (2012).

[34] CMS Collaboration, Phys. Lett. B **726**, 564 (2013).

[35] ATLAS Collaboration, JINST **3**, S08003 (2008).

[36] ATLAS Collaboration, Eur. Phys. J. C **70**, 823 (2010).

[37] S. Agostinelli et al. (G. Collaboration), Nucl. Instrum. Methods Phys. Res., Sect. A **506**, 250 (2003).

[38] T. Sjöstrand, S. Mrenna, and P. Z. Skands, Comput. Phys. Commun. **178**, 852 (2008).

[39] ATLAS Collaboration, Report No. ATL-PHYS-PUB-2012-003, http://cdsweb.cern.ch/record/1474107.

[40] J. Pumplin, D. R. Stump, J. Huston, H.-L. Lai, P. Nadolsky, and Wu-Ki Tung, J. High Energy Phys. 07 (2002) 012.

[41] P. Nason, J. High Energy Phys. 11 (2004) 040.

[42] S. Frixione, P. Nason, and C. Oleari, J. High Energy Phys. 11 (2007) 070.

[43] M. Cacciari, M. Czakon, M. L. Mangano, A. Mitov, and P. Nason, Phys. Lett. B **710**, 612 (2012).

[44] P. Baernreuther, M. Czakon, and A. Mitov, Phys. Rev. Lett. **109**, 132001 (2012).

[45] M. Czakon and A. Mitov, J. High Energy Phys. 12 (2012) 054.

[46] M. Czakon and A. Mitov, J. High Energy Phys. 01 (2013) 080.

[47] M. Czakon, P. Fiedler, and A. Mitov, Phys. Rev. Lett. **110**, 252004 (2013).

[48] M. Czakon and A. Mitov, Comput. Phys. Commun. **185**, 2930 (2014).

[49] P. Z. Skands, Phys. Rev. D **82**, 074018 (2010).

[50] H.-L. Lai, M. Guzzi, J. Huston, Z. Li, P. M. Nadolsky, J. Pumplin, and C.-P. Yuan, Phys. Rev. D **82**, 074024 (2010).

[51] M. L. Mangano, M. Moretti, F. Piccinini, R. Pittau, and A. D. Polosa, J. High Energy Phys. 07 (2003) 001.

[52] T. Sjöstrand, S. Mrenna, and P. Z. Skands, J. High Energy Phys. 05 (2006) 026.

[53] N. Kidonakis, Phys. Rev. D **82**, 054018 (2010).

[54] G. Corcella, I. G Knowles, G. Marchesini, S. Moretti, K. Odagiri, P. Richardson, M. H. Seymour, and B. R Webber, J. High Energy Phys. 01 (2001) 010.

[55] ATLAS Collaboration, Report No. ATL-PHYS-PUB-2011-009, http://cdsweb.cern.ch/record/1363300.

[56] S. Heinemeyer et al., arXiv:1307.1347.

[57] ATLAS Collaboration, Eur. Phys. J. C **75**, 120 (2015).

[58] ATLAS Collaboration, Eur. Phys. J. C **74**, 3130 (2014).

[59] ATLAS Collaboration, Report No. ATLAS-CONF-2014-032, http://cds.cern.ch/record/1706245.

[60] M. Cacciari, G. P. Salam, and G. Soyez, J. High Energy Phys. 04 (2008) 063.

[61] W. Lampl et al., Report No. ATL-LARG-PUB-2008-002, http://cdsweb.cern.ch/record/1099735.

[62] ATLAS Collaboration, Eur. Phys. J. C **73**, 2304 (2013).

[63] ATLAS Collaboration, Eur. Phys. J. C **75**, 17 (2015).

[64] ATLAS Collaboration, Report No. ATLAS-CONF-2013-083, http://cdsweb.cern.ch/record/1570994.

[65] ATLAS Collaboration, Report No. ATLAS-CONF-2011-102, http://cdsweb.cern.ch/record/1369219.

[66] M. Oreglia, Ph.D. thesis, University of Stanford, 1980.

[67] ATLAS Collaboration, Report No. ATLAS-CONF-2014-031, http://cds.cern.ch/record/1706244.

[68] K. A. Olive et al. (P. D. Group), Chin. Phys. C **38**, 090001 (2014).

[69] A. Papoulis, *Probability, Random Variables, and Stochastic Processes*, 4th ed. (McGraw-Hill, Boston, 2002).

[70] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, Eur. Phys. J. C **71**, 1554 (2011).

[71] E. Gross and O. Vitells, Eur. Phys. J. C **70**, 525 (2010).

[72] A. L. Read, J. Phys. G **28**, 2693 (2002).

G. Aad,[85] B. Abbott,[113] J. Abdallah,[151] O. Abdinov,[11] R. Aben,[107] M. Abolins,[90] O. S. AbouZeid,[158] H. Abramowicz,[153] H. Abreu,[152] R. Abreu,[30] Y. Abulaiti,[146a,146b] B. S. Acharya,[164a,164b,b] L. Adamczyk,[38a] D. L. Adams,[25] J. Adelman,[108] S. Adomeit,[100] T. Adye,[131] A. A. Affolder,[74] T. Agatonovic-Jovin,[13] J. A. Aguilar-Saavedra,[126a,126f] S. P. Ahlen,[22] F. Ahmadov,[65,c] G. Aielli,[133a,133b] H. Akerstedt,[146a,146b] T. P. A. Åkesson,[81] G. Akimoto,[155] A. V. Akimov,[96] G. L. Alberghi,[20a,20b] J. Albert,[169] S. Albrand,[55] M. J. Alconada Verzini,[71] M. Aleksa,[30] I. N. Aleksandrov,[65] C. Alexa,[26a] G. Alexander,[153] T. Alexopoulos,[10] M. Alhroob,[113] G. Alimonti,[91a] L. Alio,[85] J. Alison,[31] S. P. Alkire,[35] B. M. M. Allbrooke,[18] P. P. Allport,[74] A. Aloisio,[104a,104b] A. Alonso,[36] F. Alonso,[71] C. Alpigiani,[76] A. Altheimer,[35] B. Alvarez Gonzalez,[30] D. Álvarez Piqueras,[167] M. G. Alviggi,[104a,104b] B. T. Amadio,[15] K. Amako,[66] Y. Amaral Coutinho,[24a]

C. Amelung,[23] D. Amidei,[89] S. P. Amor Dos Santos,[126a,126c] A. Amorim,[126a,126b] S. Amoroso,[48] N. Amram,[153] G. Amundsen,[23] C. Anastopoulos,[139] L. S. Ancu,[49] N. Andari,[30] T. Andeen,[35] C. F. Anders,[58b] G. Anders,[30] J. K. Anders,[74] K. J. Anderson,[31] A. Andreazza,[91a,91b] V. Andrei,[58a] S. Angelidakis,[9] I. Angelozzi,[107] P. Anger,[44] A. Angerami,[35] F. Anghinolfi,[30] A. V. Anisenkov,[109,d] N. Anjos,[12] A. Annovi,[124a,124b] M. Antonelli,[47] A. Antonov,[98] J. Antos,[144b] F. Anulli,[132a] M. Aoki,[66] L. Aperio Bella,[18] G. Arabidze,[90] Y. Arai,[66] J. P. Araque,[126a] A. T. H. Arce,[45] F. A. Arduh,[71] J-F. Arguin,[95] S. Argyropoulos,[42] M. Arik,[19a] A. J. Armbruster,[30] O. Arnaez,[30] V. Arnal,[82] H. Arnold,[48] M. Arratia,[28] O. Arslan,[21] A. Artamonov,[97] G. Artoni,[23] S. Asai,[155] N. Asbah,[42] A. Ashkenazi,[153] B. Åsman,[146a,146b] L. Asquith,[149] K. Assamagan,[25] R. Astalos,[144a] M. Atkinson,[165] N. B. Atlay,[141] B. Auerbach,[6] K. Augsten,[128] M. Aurousseau,[145b] G. Avolio,[30] B. Axen,[15] M. K. Ayoub,[117] G. Azuelos,[95,e] M. A. Baak,[30] A. E. Baas,[58a] C. Bacci,[134a,134b] H. Bachacou,[136] K. Bachas,[154] M. Backes,[30] M. Backhaus,[30] E. Badescu,[26a] P. Bagiacchi,[132a,132b] P. Bagnaia,[132a,132b] Y. Bai,[33a] T. Bain,[35] J. T. Baines,[131] O. K. Baker,[176] P. Balek,[129] T. Balestri,[148] F. Balli,[84] E. Banas,[39] Sw. Banerjee,[173] A. A. E. Bannoura,[175] H. S. Bansil,[18] L. Barak,[30] S. P. Baranov,[96] E. L. Barberio,[88] D. Barberis,[50a,50b] M. Barbero,[85] T. Barillari,[101] M. Barisonzi,[164a,164b] T. Barklow,[143] N. Barlow,[28] S. L. Barnes,[84] B. M. Barnett,[131] R. M. Barnett,[15] Z. Barnovska,[5] A. Baroncelli,[134a] G. Barone,[49] A. J. Barr,[120] F. Barreiro,[82] J. Barreiro Guimarães da Costa,[57] R. Bartoldus,[143] A. E. Barton,[72] P. Bartos,[144a] A. Bassalat,[117] A. Basye,[165] R. L. Bates,[53] S. J. Batista,[158] J. R. Batley,[28] M. Battaglia,[137] M. Bauce,[132a,132b] F. Bauer,[136] H. S. Bawa,[143,f] J. B. Beacham,[111] M. D. Beattie,[72] T. Beau,[80] P. H. Beauchemin,[161] R. Beccherle,[124a,124b] P. Bechtle,[21] H. P. Beck,[17,g] K. Becker,[120] M. Becker,[83] S. Becker,[100] M. Beckingham,[170] C. Becot,[117] A. J. Beddall,[19c] A. Beddall,[19c] V. A. Bednyakov,[65] C. P. Bee,[148] L. J. Beemster,[107] T. A. Beermann,[175] M. Begel,[25] J. K. Behr,[120] C. Belanger-Champagne,[87] P. J. Bell,[49] W. H. Bell,[49] G. Bella,[153] L. Bellagamba,[20a] A. Bellerive,[29] M. Bellomo,[86] K. Belotskiy,[98] O. Beltramello,[30] O. Benary,[153] D. Benchekroun,[135a] M. Bender,[100] K. Bendtz,[146a,146b] N. Benekos,[10] Y. Benhammou,[153] E. Benhar Noccioli,[49] J. A. Benitez Garcia,[159b] D. P. Benjamin,[45] J. R. Bensinger,[23] S. Bentvelsen,[107] L. Beresford,[120] M. Beretta,[47] D. Berge,[107] E. Bergeaas Kuutmann,[166] N. Berger,[5] F. Berghaus,[169] J. Beringer,[15] C. Bernard,[22] N. R. Bernard,[86] C. Bernius,[110] F. U. Bernlochner,[21] T. Berry,[77] P. Berta,[129] C. Bertella,[83] G. Bertoli,[146a,146b] F. Bertolucci,[124a,124b] C. Bertsche,[113] D. Bertsche,[113] M. I. Besana,[91a] G. J. Besjes,[106] O. Bessidskaia Bylund,[146a,146b] M. Bessner,[42] N. Besson,[136] C. Betancourt,[48] S. Bethke,[101] A. J. Bevan,[76] W. Bhimji,[46] R. M. Bianchi,[125] L. Bianchini,[23] M. Bianco,[30] O. Biebel,[100] S. P. Bieniek,[78] M. Biglietti,[134a] J. Bilbao De Mendizabal,[49] H. Bilokon,[47] M. Bindi,[54] S. Binet,[117] A. Bingul,[19c] C. Bini,[132a,132b] C. W. Black,[150] J. E. Black,[143] K. M. Black,[22] D. Blackburn,[138] R. E. Blair,[6] J.-B. Blanchard,[136] J. E. Blanco,[77] T. Blazek,[144a] I. Bloch,[42] C. Blocker,[23] W. Blum,[83,a] U. Blumenschein,[54] G. J. Bobbink,[107] V. S. Bobrovnikov,[109,d] S. S. Bocchetta,[81] A. Bocci,[45] C. Bock,[100] M. Boehler,[48] J. A. Bogaerts,[30] A. G. Bogdanchikov,[109] C. Bohm,[146a] V. Boisvert,[77] T. Bold,[38a] V. Boldea,[26a] A. S. Boldyrev,[99] M. Bomben,[80] M. Bona,[76] M. Boonekamp,[136] A. Borisov,[130] G. Borissov,[72] S. Borroni,[42] J. Bortfeldt,[100] V. Bortolotto,[60a,60b,60c] K. Bos,[107] D. Boscherini,[20a] M. Bosman,[12] J. Boudreau,[125] J. Bouffard,[2] E. V. Bouhova-Thacker,[72] D. Boumediene,[34] C. Bourdarios,[117] N. Bousson,[114] A. Boveia,[30] J. Boyd,[30] I. R. Boyko,[65] I. Bozic,[13] J. Bracinik,[18] A. Brandt,[8] G. Brandt,[54] O. Brandt,[58a] U. Bratzler,[156] B. Brau,[86] J. E. Brau,[116] H. M. Braun,[175,a] S. F. Brazzale,[164a,164c] K. Brendlinger,[122] A. J. Brennan,[88] L. Brenner,[107] R. Brenner,[166] S. Bressler,[172] K. Bristow,[145c] T. M. Bristow,[46] D. Britton,[53] D. Britzger,[42] F. M. Brochu,[28] I. Brock,[21] R. Brock,[90] J. Bronner,[101] G. Brooijmans,[35] T. Brooks,[77] W. K. Brooks,[32b] J. Brosamer,[15] E. Brost,[116] J. Brown,[55] P. A. Bruckman de Renstrom,[39] D. Bruncko,[144b] R. Bruneliere,[48] A. Bruni,[20a] G. Bruni,[20a] M. Bruschi,[20a] L. Bryngemark,[81] T. Buanes,[14] Q. Buat,[142] P. Buchholz,[141] A. G. Buckley,[53] S. I. Buda,[26a] I. A. Budagov,[65] F. Buehrer,[48] L. Bugge,[119] M. K. Bugge,[119] O. Bulekov,[98] D. Bullock,[8] H. Burckhart,[30] S. Burdin,[74] B. Burghgrave,[108] S. Burke,[131] I. Burmeister,[43] E. Busato,[34] D. Büscher,[48] V. Büscher,[83] P. Bussey,[53] C. P. Buszello,[166] J. M. Butler,[22] A. I. Butt,[3] C. M. Buttar,[53] J. M. Butterworth,[78] P. Butti,[107] W. Buttinger,[25] A. Buzatu,[53] R. Buzykaev,[109,d] S. Cabrera Urbán,[167] D. Caforio,[128] V. M. Cairo,[37a,37b] O. Cakir,[4a] P. Calafiura,[15] A. Calandri,[136] G. Calderini,[80] P. Calfayan,[100] L. P. Caloba,[24a] D. Calvet,[34] S. Calvet,[34] R. Camacho Toro,[49] S. Camarda,[42] P. Camarri,[133a,133b] D. Cameron,[119] L. M. Caminada,[15] R. Caminal Armadans,[12] S. Campana,[30] M. Campanelli,[78] A. Campoverde,[148] V. Canale,[104a,104b] A. Canepa,[159a] M. Cano Bret,[76] J. Cantero,[82] R. Cantrill,[126a] T. Cao,[40] M. D. M. Capeans Garrido,[30] I. Caprini,[26a] M. Caprini,[26a] M. Capua,[37a,37b] R. Caputo,[83] R. Cardarelli,[133a] T. Carli,[30] G. Carlino,[104a] L. Carminati,[91a,91b] S. Caron,[106] E. Carquin,[32a] G. D. Carrillo-Montoya,[8] J. R. Carter,[28] J. Carvalho,[126a,126c] D. Casadei,[78] M. P. Casado,[12] M. Casolino,[12] E. Castaneda-Miranda,[145b] A. Castelli,[107] V. Castillo Gimenez,[167] N. F. Castro,[126a,h] P. Catastini,[57] A. Catinaccio,[30] J. R. Catmore,[119] A. Cattai,[30] J. Caudron,[83] V. Cavaliere,[165] D. Cavalli,[91a] M. Cavalli-Sforza,[12] V. Cavasinni,[124a,124b]

F. Ceradini,[134a,134b] B. C. Cerio,[45] K. Cerny,[129] A. S. Cerqueira,[24b] A. Cerri,[149] L. Cerrito,[76] F. Cerutti,[15] M. Cerv,[30] A. Cervelli,[17] S. A. Cetin,[19b] A. Chafaq,[135a] D. Chakraborty,[108] I. Chalupkova,[129] P. Chang,[165] B. Chapleau,[87] J. D. Chapman,[28] D. G. Charlton,[18] C. C. Chau,[158] C. A. Chavez Barajas,[149] S. Cheatham,[152] A. Chegwidden,[90] S. Chekanov,[6] S. V. Chekulaev,[159a] G. A. Chelkov,[65,i] M. A. Chelstowska,[89] C. Chen,[64] H. Chen,[25] K. Chen,[148] L. Chen,[33d,j] S. Chen,[33c] X. Chen,[33f] Y. Chen,[67] H. C. Cheng,[89] Y. Cheng,[31] A. Cheplakov,[65] E. Cheremushkina,[130] R. Cherkaoui El Moursli,[135e] V. Chernyatin,[25,a] E. Cheu,[7] L. Chevalier,[136] V. Chiarella,[47] J. T. Childers,[6] G. Chiodini,[73a] A. S. Chisholm,[18] R. T. Chislett,[78] A. Chitan,[26a] M. V. Chizhov,[65] K. Choi,[61] S. Chouridou,[9] B. K. B. Chow,[100] V. Christodoulou,[78] D. Chromek-Burckhart,[30] M. L. Chu,[151] J. Chudoba,[127] A. J. Chuinard,[87] J. J. Chwastowski,[39] L. Chytka,[115] G. Ciapetti,[132a,132b] A. K. Ciftci,[4a] D. Cinca,[53] V. Cindro,[75] I. A. Cioara,[21] A. Ciocio,[15] Z. H. Citron,[172] M. Ciubancan,[26a] A. Clark,[49] B. L. Clark,[57] P. J. Clark,[46] R. N. Clarke,[15] W. Cleland,[125] C. Clement,[146a,146b] Y. Coadou,[85] M. Cobal,[164a,164c] A. Coccaro,[138] J. Cochran,[64] L. Coffey,[23] J. G. Cogan,[143] B. Cole,[35] S. Cole,[108] A. P. Colijn,[107] J. Collot,[55] T. Colombo,[58c] G. Compostella,[101] P. Conde Muiño,[126a,126b] E. Coniavitis,[48] S. H. Connell,[145b] I. A. Connelly,[77] S. M. Consonni,[91a,91b] V. Consorti,[48] S. Constantinescu,[26a] C. Conta,[121a,121b] G. Conti,[30] F. Conventi,[104a,k] M. Cooke,[15] B. D. Cooper,[78] A. M. Cooper-Sarkar,[120] T. Cornelissen,[175] M. Corradi,[20a] F. Corriveau,[87,l] A. Corso-Radu,[163] A. Cortes-Gonzalez,[12] G. Cortiana,[101] G. Costa,[91a] M. J. Costa,[167] D. Costanzo,[139] D. Côté,[8] G. Cottin,[28] G. Cowan,[77] B. E. Cox,[84] K. Cranmer,[110] G. Cree,[29] S. Crépé-Renaudin,[55] F. Crescioli,[80] W. A. Cribbs,[146a,146b] M. Crispin Ortuzar,[120] M. Cristinziani,[21] V. Croft,[106] G. Crosetti,[37a,37b] T. Cuhadar Donszelmann,[139] J. Cummings,[176] M. Curatolo,[47] C. Cuthbert,[150] H. Czirr,[141] P. Czodrowski,[3] S. D'Auria,[53] M. D'Onofrio,[74] M. J. Da Cunha Sargedas De Sousa,[126a,126b] C. Da Via,[84] W. Dabrowski,[38a] A. Dafinca,[120] T. Dai,[89] O. Dale,[14] F. Dallaire,[95] C. Dallapiccola,[86] M. Dam,[36] J. R. Dandoy,[31] N. P. Dang,[48] A. C. Daniells,[18] M. Danninger,[168] M. Dano Hoffmann,[136] V. Dao,[48] G. Darbo,[50a] S. Darmora,[8] J. Dassoulas,[3] A. Dattagupta,[61] W. Davey,[21] C. David,[169] T. Davidek,[129] E. Davies,[120,m] M. Davies,[153] P. Davison,[78] Y. Davygora,[58a] E. Dawe,[88] I. Dawson,[139] R. K. Daya-Ishmukhametova,[86] K. De,[8] R. de Asmundis,[104a] S. De Castro,[20a,20b] S. De Cecco,[80] N. De Groot,[106] P. de Jong,[107] H. De la Torre,[82] F. De Lorenzi,[64] L. De Nooij,[107] D. De Pedis,[132a] A. De Salvo,[132a] U. De Sanctis,[149] A. De Santo,[149] J. B. De Vivie De Regie,[117] W. J. Dearnaley,[72] R. Debbe,[25] C. Debenedetti,[137] D. V. Dedovich,[65] I. Deigaard,[107] J. Del Peso,[82] T. Del Prete,[124a,124b] D. Delgove,[117] F. Deliot,[136] C. M. Delitzsch,[49] M. Deliyergiyev,[75] A. Dell'Acqua,[30] L. Dell'Asta,[22] M. Dell'Orso,[124a,124b] M. Della Pietra,[104a,k] D. della Volpe,[49] M. Delmastro,[5] P. A. Delsart,[55] C. Deluca,[107] D. A. DeMarco,[158] S. Demers,[176] M. Demichev,[65] A. Demilly,[80] S. P. Denisov,[130] D. Derendarz,[39] J. E. Derkaoui,[135d] F. Derue,[80] P. Dervan,[74] K. Desch,[21] C. Deterre,[42] P. O. Deviveiros,[30] A. Dewhurst,[131] S. Dhaliwal,[107] A. Di Ciaccio,[133a,133b] L. Di Ciaccio,[5] A. Di Domenico,[132a,132b] C. Di Donato,[104a,104b] A. Di Girolamo,[30] B. Di Girolamo,[30] A. Di Mattia,[152] B. Di Micco,[134a,134b] R. Di Nardo,[47] A. Di Simone,[48] R. Di Sipio,[158] D. Di Valentino,[29] C. Diaconu,[85] M. Diamond,[158] F. A. Dias,[46] M. A. Diaz,[32a] E. B. Diehl,[89] J. Dietrich,[16] S. Diglio,[85] A. Dimitrievska,[13] J. Dingfelder,[21] F. Dittus,[30] F. Djama,[85] T. Djobava,[51b] J. I. Djuvsland,[58a] M. A. B. do Vale,[24c] D. Dobos,[30] M. Dobre,[26a] C. Doglioni,[49] T. Dohmae,[155] J. Dolejsi,[129] Z. Dolezal,[129] B. A. Dolgoshein,[98,a] M. Donadelli,[24d] S. Donati,[124a,124b] P. Dondero,[121a,121b] J. Donini,[34] J. Dopke,[131] A. Doria,[104a] M. T. Dova,[71] A. T. Doyle,[53] E. Drechsler,[54] M. Dris,[10] E. Dubreuil,[34] E. Duchovni,[172] G. Duckeck,[100] O. A. Ducu,[26a,85] D. Duda,[175] A. Dudarev,[30] L. Duflot,[117] L. Duguid,[77] M. Dührssen,[30] M. Dunford,[58a] H. Duran Yildiz,[4a] M. Düren,[52] A. Durglishvili,[51b] D. Duschinger,[44] M. Dyndal,[38a] C. Eckardt,[42] K. M. Ecker,[101] R. C. Edgar,[89] W. Edson,[2] N. C. Edwards,[46] W. Ehrenfeld,[21] T. Eifert,[30] G. Eigen,[14] K. Einsweiler,[15] T. Ekelof,[166] M. El Kacimi,[135c] M. Ellert,[166] S. Elles,[5] F. Ellinghaus,[83] A. A. Elliot,[169] N. Ellis,[30] J. Elmsheuser,[100] M. Elsing,[30] D. Emeliyanov,[131] Y. Enari,[155] O. C. Endner,[83] M. Endo,[118] R. Engelmann,[148] J. Erdmann,[43] A. Ereditato,[17] G. Ernis,[175] J. Ernst,[2] M. Ernst,[25] S. Errede,[165] E. Ertel,[83] M. Escalier,[117] H. Esch,[43] C. Escobar,[125] B. Esposito,[47] A. I. Etienvre,[136] E. Etzion,[153] H. Evans,[61] A. Ezhilov,[123] L. Fabbri,[20a,20b] G. Facini,[31] R. M. Fakhrutdinov,[130] S. Falciano,[132a] R. J. Falla,[78] J. Faltova,[129] Y. Fang,[33a] M. Fanti,[91a,91b] A. Farbin,[8] A. Farilla,[134a] T. Farooque,[12] S. Farrell,[15] S. M. Farrington,[170] P. Farthouat,[30] F. Fassi,[135e] P. Fassnacht,[30] D. Fassouliotis,[9] M. Faucci Giannelli,[77] A. Favareto,[50a,50b] L. Fayard,[117] P. Federic,[144a] O. L. Fedin,[123,n] W. Fedorko,[168] S. Feigl,[30] L. Feligioni,[85] C. Feng,[33d] E. J. Feng,[6] H. Feng,[89] A. B. Fenyuk,[130] P. Fernandez Martinez,[167] S. Fernandez Perez,[30] S. Ferrag,[53] J. Ferrando,[53] A. Ferrari,[166] P. Ferrari,[107] R. Ferrari,[121a] D. E. Ferreira de Lima,[53] A. Ferrer,[167] D. Ferrere,[49] C. Ferretti,[89] A. Ferretto Parodi,[50a,50b] M. Fiascaris,[31] F. Fiedler,[83] A. Filipčič,[75] M. Filipuzzi,[42] F. Filthaut,[106] M. Fincke-Keeler,[169] K. D. Finelli,[150] M. C. N. Fiolhais,[126a,126c] L. Fiorini,[167] A. Firan,[40] A. Fischer,[2] C. Fischer,[12] J. Fischer,[175] W. C. Fisher,[90] E. A. Fitzgerald,[23] M. Flechl,[48] I. Fleck,[141] P. Fleischmann,[89] S. Fleischmann,[175] G. T. Fletcher,[139] G. Fletcher,[76] T. Flick,[175] A. Floderus,[81] L. R. Flores Castillo,[60a]

M. J. Flowerdew,[101] A. Formica,[136] A. Forti,[84] D. Fournier,[117] H. Fox,[72] S. Fracchia,[12] P. Francavilla,[80] M. Franchini,[20a,20b] D. Francis,[30] L. Franconi,[119] M. Franklin,[57] M. Fraternali,[121a,121b] D. Freeborn,[78] S. T. French,[28] F. Friedrich,[44] D. Froidevaux,[30] J. A. Frost,[120] C. Fukunaga,[156] E. Fullana Torregrosa,[83] B. G. Fulsom,[143] J. Fuster,[167] C. Gabaldon,[55] O. Gabizon,[175] A. Gabrielli,[20a,20b] A. Gabrielli,[132a,132b] S. Gadatsch,[107] S. Gadomski,[49] G. Gagliardi,[50a,50b] P. Gagnon,[61] C. Galea,[106] B. Galhardo,[126a,126c] E. J. Gallas,[120] B. J. Gallop,[131] P. Gallus,[128] G. Galster,[36] K. K. Gan,[111] J. Gao,[33b,85] Y. Gao,[46] Y. S. Gao,[143,f] F. M. Garay Walls,[46] F. Garberson,[176] C. García,[167] J. E. García Navarro,[167] M. Garcia-Sciveres,[15] R. W. Gardner,[31] N. Garelli,[143] V. Garonne,[119] C. Gatti,[47] A. Gaudiello,[50a,50b] G. Gaudio,[121a] B. Gaur,[141] L. Gauthier,[95] P. Gauzzi,[132a,132b] I. L. Gavrilenko,[96] C. Gay,[168] G. Gaycken,[21] E. N. Gazis,[10] P. Ge,[33d] Z. Gecse,[168] C. N. P. Gee,[131] D. A. A. Geerts,[107] Ch. Geich-Gimbel,[21] M. P. Geisler,[58a] C. Gemme,[50a] M. H. Genest,[55] S. Gentile,[132a,132b] M. George,[54] S. George,[77] D. Gerbaudo,[163] A. Gershon,[153] H. Ghazlane,[135b] B. Giacobbe,[20a] S. Giagu,[132a,132b] V. Giangiobbe,[12] P. Giannetti,[124a,124b] B. Gibbard,[25] S. M. Gibson,[77] M. Gilchriese,[15] T. P. S. Gillam,[28] D. Gillberg,[30] G. Gilles,[34] D. M. Gingrich,[3,e] N. Giokaris,[9] M. P. Giordani,[164a,164c] F. M. Giorgi,[20a] F. M. Giorgi,[16] P. F. Giraud,[136] P. Giromini,[47] D. Giugni,[91a] C. Giuliani,[48] M. Giulini,[58b] B. K. Gjelsten,[119] S. Gkaitatzis,[154] I. Gkialas,[154] E. L. Gkougkousis,[117] L. K. Gladilin,[99] C. Glasman,[82] J. Glatzer,[30] P. C. F. Glaysher,[46] A. Glazov,[42] M. Goblirsch-Kolb,[101] J. R. Goddard,[76] J. Godlewski,[39] S. Goldfarb,[89] T. Golling,[49] D. Golubkov,[130] A. Gomes,[126a,126b,126d] R. Gonçalo,[126a] J. Goncalves Pinto Firmino Da Costa,[136] L. Gonella,[21] S. González de la Hoz,[167] G. Gonzalez Parra,[12] S. Gonzalez-Sevilla,[49] L. Goossens,[30] P. A. Gorbounov,[97] H. A. Gordon,[25] I. Gorelov,[105] B. Gorini,[30] E. Gorini,[73a,73b] A. Gorišek,[75] E. Gornicki,[39] A. T. Goshaw,[45] C. Gössling,[43] M. I. Gostkin,[65] D. Goujdami,[135c] A. G. Goussiou,[138] N. Govender,[145b] H. M. X. Grabas,[137] L. Graber,[54] I. Grabowska-Bold,[38a] P. Grafström,[20a,20b] K-J. Grahn,[42] J. Gramling,[49] E. Gramstad,[119] S. Grancagnolo,[16] V. Grassi,[148] V. Gratchev,[123] H. M. Gray,[30] E. Graziani,[134a] Z. D. Greenwood,[79,o] K. Gregersen,[78] I. M. Gregor,[42] P. Grenier,[143] J. Griffiths,[8] A. A. Grillo,[137] K. Grimm,[72] S. Grinstein,[12,p] Ph. Gris,[34] J.-F. Grivaz,[117] J. P. Grohs,[44] A. Grohsjean,[42] E. Gross,[172] J. Grosse-Knetter,[54] G. C. Grossi,[79] Z. J. Grout,[149] L. Guan,[33b] J. Guenther,[128] F. Guescini,[49] D. Guest,[176] O. Gueta,[153] E. Guido,[50a,50b] T. Guillemin,[117] S. Guindon,[2] U. Gul,[53] C. Gumpert,[44] J. Guo,[33e] S. Gupta,[120] P. Gutierrez,[113] N. G. Gutierrez Ortiz,[53] C. Gutschow,[44] C. Guyot,[136] C. Gwenlan,[120] C. B. Gwilliam,[74] A. Haas,[110] C. Haber,[15] H. K. Hadavand,[8] N. Haddad,[135e] P. Haefner,[21] S. Hageböck,[21] Z. Hajduk,[39] H. Hakobyan,[177] M. Haleem,[42] J. Haley,[114] D. Hall,[120] G. Halladjian,[90] G. D. Hallewell,[85] K. Hamacher,[175] P. Hamal,[115] K. Hamano,[169] M. Hamer,[54] A. Hamilton,[145a] S. Hamilton,[161] G. N. Hamity,[145c] P. G. Hamnett,[42] L. Han,[33b] K. Hanagaki,[118] K. Hanawa,[155] M. Hance,[15] P. Hanke,[58a] R. Hanna,[136] J. B. Hansen,[36] J. D. Hansen,[36] M. C. Hansen,[21] P. H. Hansen,[36] K. Hara,[160] A. S. Hard,[173] T. Harenberg,[175] F. Hariri,[117] S. Harkusha,[92] R. D. Harrington,[46] P. F. Harrison,[170] F. Hartjes,[107] M. Hasegawa,[67] S. Hasegawa,[103] Y. Hasegawa,[140] A. Hasib,[113] S. Hassani,[136] S. Haug,[17] R. Hauser,[90] L. Hauswald,[44] M. Havranek,[127] C. M. Hawkes,[18] R. J. Hawkings,[30] A. D. Hawkins,[81] T. Hayashi,[160] D. Hayden,[90] C. P. Hays,[120] J. M. Hays,[76] H. S. Hayward,[74] S. J. Haywood,[131] S. J. Head,[18] T. Heck,[83] V. Hedberg,[81] L. Heelan,[8] S. Heim,[122] T. Heim,[175] B. Heinemann,[15] L. Heinrich,[110] J. Hejbal,[127] L. Helary,[22] S. Hellman,[146a,146b] D. Hellmich,[21] C. Helsens,[30] J. Henderson,[120] R. C. W. Henderson,[72] Y. Heng,[173] C. Hengler,[42] A. Henrichs,[176] A. M. Henriques Correia,[30] S. Henrot-Versille,[117] G. H. Herbert,[16] Y. Hernández Jiménez,[167] R. Herrberg-Schubert,[16] G. Herten,[48] R. Hertenberger,[100] L. Hervas,[30] G. G. Hesketh,[78] N. P. Hessey,[107] J. W. Hetherly,[40] R. Hickling,[76] E. Higón-Rodriguez,[167] E. Hill,[169] J. C. Hill,[28] K. H. Hiller,[42] S. J. Hillier,[18] I. Hinchliffe,[15] E. Hines,[122] R. R. Hinman,[15] M. Hirose,[157] D. Hirschbuehl,[175] J. Hobbs,[148] N. Hod,[107] M. C. Hodgkinson,[139] P. Hodgson,[139] A. Hoecker,[30] M. R. Hoeferkamp,[105] F. Hoenig,[100] M. Hohlfeld,[83] D. Hohn,[21] T. R. Holmes,[15] T. M. Hong,[122] L. Hooft van Huysduynen,[110] W. H. Hopkins,[116] Y. Horii,[103] A. J. Horton,[142] J-Y. Hostachy,[55] S. Hou,[151] A. Hoummada,[135a] J. Howard,[120] J. Howarth,[42] M. Hrabovsky,[115] I. Hristova,[16] J. Hrivnac,[117] T. Hryn'ova,[5] A. Hrynevich,[93] C. Hsu,[145c] P. J. Hsu,[151,q] S.-C. Hsu,[138] D. Hu,[35] Q. Hu,[33b] X. Hu,[89] Y. Huang,[42] Z. Hubacek,[30] F. Hubaut,[85] F. Huegging,[21] T. B. Huffman,[120] E. W. Hughes,[35] G. Hughes,[72] M. Huhtinen,[30] T. A. Hülsing,[83] N. Huseynov,[65,c] J. Huston,[90] J. Huth,[57] G. Iacobucci,[49] G. Iakovidis,[25] I. Ibragimov,[141] L. Iconomidou-Fayard,[117] E. Ideal,[176] Z. Idrissi,[135e] P. Iengo,[30] O. Igonkina,[107] T. Iizawa,[171] Y. Ikegami,[66] K. Ikematsu,[141] M. Ikeno,[66] Y. Ilchenko,[31,r] D. Iliadis,[154] N. Ilic,[158] Y. Inamaru,[67] T. Ince,[101] P. Ioannou,[9] M. Iodice,[134a] K. Iordanidou,[35] V. Ippolito,[57] A. Irles Quiles,[167] C. Isaksson,[166] M. Ishino,[68] M. Ishitsuka,[157] R. Ishmukhametov,[111] C. Issever,[120] S. Istin,[19a] J. M. Iturbe Ponce,[84] R. Iuppa,[133a,133b] J. Ivarsson,[81] W. Iwanski,[39] H. Iwasaki,[66] J. M. Izen,[41] V. Izzo,[104a] S. Jabbar,[3] B. Jackson,[122] M. Jackson,[74] P. Jackson,[1] M. R. Jaekel,[30] V. Jain,[2] K. Jakobs,[48] S. Jakobsen,[30] T. Jakoubek,[127] J. Jakubek,[128] D. O. Jamin,[151] D. K. Jana,[79] E. Jansen,[78] R. W. Jansky,[62] J. Janssen,[21] M. Janus,[170] G. Jarlskog,[81] N. Javadov,[65,c] T. Javůrek,[48] L. Jeanty,[15] J. Jejelava,[51a,s]

G.-Y. Jeng,[150] D. Jennens,[88] P. Jenni,[48,t] J. Jentzsch,[43] C. Jeske,[170] S. Jézéquel,[5] H. Ji,[173] J. Jia,[148] Y. Jiang,[33b] S. Jiggins,[78] J. Jimenez Pena,[167] S. Jin,[33a] A. Jinaru,[26a] O. Jinnouchi,[157] M. D. Joergensen,[36] P. Johansson,[139] K. A. Johns,[7] K. Jon-And,[146a,146b] G. Jones,[170] R. W. L. Jones,[72] T. J. Jones,[74] J. Jongmanns,[58a] P. M. Jorge,[126a,126b] K. D. Joshi,[84] J. Jovicevic,[159a] X. Ju,[173] C. A. Jung,[43] P. Jussel,[62] A. Juste Rozas,[12,p] M. Kaci,[167] A. Kaczmarska,[39] M. Kado,[117] H. Kagan,[111] M. Kagan,[143] S. J. Kahn,[85] E. Kajomovitz,[45] C. W. Kalderon,[120] S. Kama,[40] A. Kamenshchikov,[130] N. Kanaya,[155] M. Kaneda,[30] S. Kaneti,[28] V. A. Kantserov,[98] J. Kanzaki,[66] B. Kaplan,[110] A. Kapliy,[31] D. Kar,[53] K. Karakostas,[10] A. Karamaoun,[3] N. Karastathis,[10,107] M. J. Kareem,[54] M. Karnevskiy,[83] S. N. Karpov,[65] Z. M. Karpova,[65] K. Karthik,[110] V. Kartvelishvili,[72] A. N. Karyukhin,[130] L. Kashif,[173] R. D. Kass,[111] A. Kastanas,[14] Y. Kataoka,[155] A. Katre,[49] J. Katzy,[42] K. Kawagoe,[70] T. Kawamoto,[155] G. Kawamura,[54] S. Kazama,[155] V. F. Kazanin,[109,d] M. Y. Kazarinov,[65] R. Keeler,[169] R. Kehoe,[40] J. S. Keller,[42] J. J. Kempster,[77] H. Keoshkerian,[84] O. Kepka,[127] B. P. Kerševan,[75] S. Kersten,[175] R. A. Keyes,[87] F. Khalil-zada,[11] H. Khandanyan,[146a,146b] A. Khanov,[114] A. G. Kharlamov,[109,d] T. J. Khoo,[28] V. Khovanskiy,[97] E. Khramov,[65] J. Khubua,[51b,u] H. Y. Kim,[8] H. Kim,[146a,146b] S. H. Kim,[160] Y. Kim,[31] N. Kimura,[154] O. M. Kind,[16] B. T. King,[74] M. King,[167] R. S. B. King,[120] S. B. King,[168] J. Kirk,[131] A. E. Kiryunin,[101] T. Kishimoto,[67] D. Kisielewska,[38a] F. Kiss,[48] K. Kiuchi,[160] O. Kivernyk,[136] E. Kladiva,[144b] M. H. Klein,[35] M. Klein,[74] U. Klein,[74] K. Kleinknecht,[83] P. Klimek,[146a,146b] A. Klimentov,[25] R. Klingenberg,[43] J. A. Klinger,[84] T. Klioutchnikova,[30] P. F. Klok,[106] E.-E. Kluge,[58a] P. Kluit,[107] S. Kluth,[101] E. Kneringer,[62] E. B. F. G. Knoops,[85] A. Knue,[53] A. Kobayashi,[155] D. Kobayashi,[157] T. Kobayashi,[155] M. Kobel,[44] M. Kocian,[143] P. Kodys,[129] T. Koffas,[29] E. Koffeman,[107] L. A. Kogan,[120] S. Kohlmann,[175] Z. Kohout,[128] T. Kohriki,[66] T. Koi,[143] H. Kolanoski,[16] I. Koletsou,[5] A. A. Komar,[96,a] Y. Komori,[155] T. Kondo,[66] N. Kondrashova,[42] K. Köneke,[48] A. C. König,[106] S. König,[83] T. Kono,[66,v] R. Konoplich,[110,w] N. Konstantinidis,[78] R. Kopeliansky,[152] S. Koperny,[38a] L. Köpke,[83] A. K. Kopp,[48] K. Korcyl,[39] K. Kordas,[154] A. Korn,[78] A. A. Korol,[109,d] I. Korolkov,[12] E. V. Korolkova,[139] O. Kortner,[101] S. Kortner,[101] T. Kosek,[129] V. V. Kostyukhin,[21] V. M. Kotov,[65] A. Kotwal,[45] A. Kourkoumeli-Charalampidi,[154] C. Kourkoumelis,[9] V. Kouskoura,[25] A. Koutsman,[159a] R. Kowalewski,[169] T. Z. Kowalski,[38a] W. Kozanecki,[136] A. S. Kozhin,[130] V. A. Kramarenko,[99] G. Kramberger,[75] D. Krasnopevtsev,[98] M. W. Krasny,[80] A. Krasznahorkay,[30] J. K. Kraus,[21] A. Kravchenko,[25] S. Kreiss,[110] M. Kretz,[58c] J. Kretzschmar,[74] K. Kreutzfeldt,[52] P. Krieger,[158] K. Krizka,[31] K. Kroeninger,[43] H. Kroha,[101] J. Kroll,[122] J. Kroseberg,[21] J. Krstic,[13] U. Kruchonak,[65] H. Krüger,[21] N. Krumnack,[64] Z. V. Krumshteyn,[65] A. Kruse,[173] M. C. Kruse,[45] M. Kruskal,[22] T. Kubota,[88] H. Kucuk,[78] S. Kuday,[4b] S. Kuehn,[48] A. Kugel,[58c] F. Kuger,[174] A. Kuhl,[137] T. Kuhl,[42] V. Kukhtin,[65] Y. Kulchitsky,[92] S. Kuleshov,[32b] M. Kuna,[132a,132b] T. Kunigo,[68] A. Kupco,[127] H. Kurashige,[67] Y. A. Kurochkin,[92] R. Kurumida,[67] V. Kus,[127] E. S. Kuwertz,[169] M. Kuze,[157] J. Kvita,[115] T. Kwan,[169] D. Kyriazopoulos,[139] A. La Rosa,[49] J. L. La Rosa Navarro,[24d] L. La Rotonda,[37a,37b] C. Lacasta,[167] F. Lacava,[132a,132b] J. Lacey,[29] H. Lacker,[16] D. Lacour,[80] V. R. Lacuesta,[167] E. Ladygin,[65] R. Lafaye,[5] B. Laforge,[80] T. Lagouri,[176] S. Lai,[48] L. Lambourne,[78] S. Lammers,[61] C. L. Lampen,[7] W. Lampl,[7] E. Lançon,[136] U. Landgraf,[48] M. P. J. Landon,[76] V. S. Lang,[58a] J. C. Lange,[12] A. J. Lankford,[163] F. Lanni,[25] K. Lantzsch,[30] S. Laplace,[80] C. Lapoire,[30] J. F. Laporte,[136] T. Lari,[91a] F. Lasagni Manghi,[20a,20b] M. Lassnig,[30] P. Laurelli,[47] W. Lavrijsen,[15] A. T. Law,[137] P. Laycock,[74] O. Le Dortz,[80] E. Le Guirriec,[85] E. Le Menedeu,[12] M. LeBlanc,[169] T. LeCompte,[6] F. Ledroit-Guillon,[55] C. A. Lee,[145b] S. C. Lee,[151] L. Lee,[1] G. Lefebvre,[80] M. Lefebvre,[169] F. Legger,[100] C. Leggett,[15] A. Lehan,[74] G. Lehmann Miotto,[30] X. Lei,[7] W. A. Leight,[29] A. Leisos,[154] A. G. Leister,[176] M. A. L. Leite,[24d] R. Leitner,[129] D. Lellouch,[172] B. Lemmer,[54] K. J. C. Leney,[78] T. Lenz,[21] B. Lenzi,[30] R. Leone,[7] S. Leone,[124a,124b] C. Leonidopoulos,[46] S. Leontsinis,[10] C. Leroy,[95] C. G. Lester,[28] M. Levchenko,[123] J. Levêque,[5] D. Levin,[89] L. J. Levinson,[172] M. Levy,[18] A. Lewis,[120] A. M. Leyko,[21] M. Leyton,[41] B. Li,[33b,x] H. Li,[148] H. L. Li,[31] L. Li,[45] L. Li,[33e] S. Li,[45] Y. Li,[33c,y] Z. Liang,[137] H. Liao,[34] B. Liberti,[133a] A. Liblong,[158] P. Lichard,[30] K. Lie,[165] J. Liebal,[21] W. Liebig,[14] C. Limbach,[21] A. Limosani,[150] S. C. Lin,[151,z] T. H. Lin,[83] F. Linde,[107] B. E. Lindquist,[148] J. T. Linnemann,[90] E. Lipeles,[122] A. Lipniacka,[14] M. Lisovyi,[42] T. M. Liss,[165] D. Lissauer,[25] A. Lister,[168] A. M. Litke,[137] B. Liu,[151,aa] D. Liu,[151] J. Liu,[85] J. B. Liu,[33b] K. Liu,[85] L. Liu,[165] M. Liu,[45] M. Liu,[33b] Y. Liu,[33b] M. Livan,[121a,121b] A. Lleres,[55] J. Llorente Merino,[82] S. L. Lloyd,[76] F. Lo Sterzo,[151] E. Lobodzinska,[42] P. Loch,[7] W. S. Lockman,[137] F. K. Loebinger,[84] A. E. Loevschall-Jensen,[36] A. Loginov,[176] T. Lohse,[16] K. Lohwasser,[42] M. Lokajicek,[127] B. A. Long,[22] J. D. Long,[89] R. E. Long,[72] K. A. Looper,[111] L. Lopes,[126a] D. Lopez Mateos,[57] B. Lopez Paredes,[139] I. Lopez Paz,[12] J. Lorenz,[100] N. Lorenzo Martinez,[61] M. Losada,[162] P. Loscutoff,[15] P. J. Lösel,[100] X. Lou,[33a] A. Lounis,[117] J. Love,[6] P. A. Love,[72] N. Lu,[89] H. J. Lubatti,[138] C. Luci,[132a,132b] A. Lucotte,[55] F. Luehring,[61] W. Lukas,[62] L. Luminari,[132a] O. Lundberg,[146a,146b] B. Lund-Jensen,[147] D. Lynn,[25] R. Lysak,[127] E. Lytken,[81] H. Ma,[25] L. L. Ma,[33d] G. Maccarrone,[47] A. Macchiolo,[101] C. M. Macdonald,[139] J. Machado Miguens,[122,126b] D. Macina,[30]

D. Madaffari,[85] R. Madar,[34] H. J. Maddocks,[72] W. F. Mader,[44] A. Madsen,[166] S. Maeland,[14] T. Maeno,[25] A. Maevskiy,[99] E. Magradze,[54] K. Mahboubi,[48] J. Mahlstedt,[107] C. Maiani,[136] C. Maidantchik,[24a] A. A. Maier,[101] T. Maier,[100] A. Maio,[126a,126b,126d] S. Majewski,[116] Y. Makida,[66] N. Makovec,[117] B. Malaescu,[80] Pa. Malecki,[39] V. P. Maleev,[123] F. Malek,[55] U. Mallik,[63] D. Malon,[6] C. Malone,[143] S. Maltezos,[10] V. M. Malyshev,[109] S. Malyukov,[30] J. Mamuzic,[42] G. Mancini,[47] B. Mandelli,[30] L. Mandelli,[91a] I. Mandić,[75] R. Mandrysch,[63] J. Maneira,[126a,126b] A. Manfredini,[101] L. Manhaes de Andrade Filho,[24b] J. Manjarres Ramos,[159b] A. Mann,[100] P. M. Manning,[137] A. Manousakis-Katsikakis,[9] B. Mansoulie,[136] R. Mantifel,[87] M. Mantoani,[54] L. Mapelli,[30] L. March,[145c] G. Marchiori,[80] M. Marcisovsky,[127] C. P. Marino,[169] M. Marjanovic,[13] F. Marroquim,[24a] S. P. Marsden,[84] Z. Marshall,[15] L. F. Marti,[17] S. Marti-Garcia,[167] B. Martin,[90] T. A. Martin,[170] V. J. Martin,[46] B. Martin dit Latour,[14] M. Martinez,[12,p] S. Martin-Haugh,[131] V. S. Martoiu,[26a] A. C. Martyniuk,[78] M. Marx,[138] F. Marzano,[132a] A. Marzin,[30] L. Masetti,[83] T. Mashimo,[155] R. Mashinistov,[96] J. Masik,[84] A. L. Maslennikov,[109,d] I. Massa,[20a,20b] L. Massa,[20a,20b] N. Massol,[5] P. Mastrandrea,[148] A. Mastroberardino,[37a,37b] T. Masubuchi,[155] P. Mättig,[175] J. Mattmann,[83] J. Maurer,[26a] S. J. Maxfield,[74] D. A. Maximov,[109,d] R. Mazini,[151] S. M. Mazza,[91a,91b] L. Mazzaferro,[133a,133b] G. Mc Goldrick,[158] S. P. Mc Kee,[89] A. McCarn,[89] R. L. McCarthy,[148] T. G. McCarthy,[29] N. A. McCubbin,[131] K. W. McFarlane,[56,a] J. A. Mcfayden,[78] G. Mchedlidze,[54] S. J. McMahon,[131] R. A. McPherson,[169,l] M. Medinnis,[42] S. Meehan,[145a] S. Mehlhase,[100] A. Mehta,[74] K. Meier,[58a] C. Meineck,[100] B. Meirose,[41] B. R. Mellado Garcia,[145c] F. Meloni,[17] A. Mengarelli,[20a,20b] S. Menke,[101] E. Meoni,[161] K. M. Mercurio,[57] S. Mergelmeyer,[21] P. Mermod,[49] L. Merola,[104a,104b] C. Meroni,[91a] F. S. Merritt,[31] A. Messina,[132a,132b] J. Metcalfe,[25] A. S. Mete,[163] C. Meyer,[83] C. Meyer,[122] J-P. Meyer,[136] J. Meyer,[107] R. P. Middleton,[131] S. Miglioranzi,[164a,164c] L. Mijović,[21] G. Mikenberg,[172] M. Mikestikova,[127] M. Mikuž,[75] M. Milesi,[88] A. Milic,[30] D. W. Miller,[31] C. Mills,[46] A. Milov,[172] D. A. Milstead,[146a,146b] A. A. Minaenko,[130] Y. Minami,[155] I. A. Minashvili,[65] A. I. Mincer,[110] B. Mindur,[38a] M. Mineev,[65] Y. Ming,[173] L. M. Mir,[12] T. Mitani,[171] J. Mitrevski,[100] V. A. Mitsou,[167] A. Miucci,[49] P. S. Miyagawa,[139] J. U. Mjörnmark,[81] T. Moa,[146a,146b] K. Mochizuki,[85] S. Mohapatra,[35] W. Mohr,[48] S. Molander,[146a,146b] R. Moles-Valls,[167] K. Mönig,[42] C. Monini,[55] J. Monk,[36] E. Monnier,[85] J. Montejo Berlingen,[12] F. Monticelli,[71] S. Monzani,[132a,132b] R. W. Moore,[3] N. Morange,[117] D. Moreno,[162] M. Moreno Llácer,[54] P. Morettini,[50a] M. Morgenstern,[44] M. Morii,[57] M. Morinaga,[155] V. Morisbak,[119] S. Moritz,[83] A. K. Morley,[147] G. Mornacchi,[30] J. D. Morris,[76] S. S. Mortensen,[36] A. Morton,[53] L. Morvaj,[103] H. G. Moser,[101] M. Mosidze,[51b] J. Moss,[111] K. Motohashi,[157] R. Mount,[143] E. Mountricha,[25] S. V. Mouraviev,[96,a] E. J. W. Moyse,[86] S. Muanza,[85] R. D. Mudd,[18] F. Mueller,[101] J. Mueller,[125] K. Mueller,[21] R. S. P. Mueller,[100] T. Mueller,[28] D. Muenstermann,[49] P. Mullen,[53] Y. Munwes,[153] J. A. Murillo Quijada,[18] W. J. Murray,[170,131] H. Musheghyan,[54] E. Musto,[152] A. G. Myagkov,[130,bb] M. Myska,[128] O. Nackenhorst,[54] J. Nadal,[54] K. Nagai,[120] R. Nagai,[157] Y. Nagai,[85] K. Nagano,[66] A. Nagarkar,[111] Y. Nagasaka,[59] K. Nagata,[160] M. Nagel,[101] E. Nagy,[85] A. M. Nairz,[30] Y. Nakahama,[30] K. Nakamura,[66] T. Nakamura,[155] I. Nakano,[112] H. Namasivayam,[41] R. F. Naranjo Garcia,[42] R. Narayan,[31] T. Naumann,[42] G. Navarro,[162] R. Nayyar,[7] H. A. Neal,[89] P. Yu. Nechaeva,[96] T. J. Neep,[84] P. D. Nef,[143] A. Negri,[121a,121b] M. Negrini,[20a] S. Nektarijevic,[106] C. Nellist,[117] A. Nelson,[163] S. Nemecek,[127] P. Nemethy,[110] A. A. Nepomuceno,[24a] M. Nessi,[30,cc] M. S. Neubauer,[165] M. Neumann,[175] R. M. Neves,[110] P. Nevski,[25] P. R. Newman,[18] D. H. Nguyen,[6] R. B. Nickerson,[120] R. Nicolaidou,[136] B. Nicquevert,[30] J. Nielsen,[137] N. Nikiforou,[35] A. Nikiforov,[16] V. Nikolaenko,[130,bb] I. Nikolic-Audit,[80] K. Nikolopoulos,[18] J. K. Nilsen,[119] P. Nilsson,[25] Y. Ninomiya,[155] A. Nisati,[132a] R. Nisius,[101] T. Nobe,[157] M. Nomachi,[118] I. Nomidis,[29] T. Nooney,[76] S. Norberg,[113] M. Nordberg,[30] O. Novgorodova,[44] S. Nowak,[101] M. Nozaki,[66] L. Nozka,[115] K. Ntekas,[10] G. Nunes Hanninger,[88] T. Nunnemann,[100] E. Nurse,[78] F. Nuti,[88] B. J. O'Brien,[46] F. O'grady,[7] D. C. O'Neil,[142] V. O'Shea,[53] F. G. Oakham,[29,e] H. Oberlack,[101] T. Obermann,[21] J. Ocariz,[80] A. Ochi,[67] I. Ochoa,[78] S. Oda,[70] S. Odaka,[66] H. Ogren,[61] A. Oh,[84] S. H. Oh,[45] C. C. Ohm,[15] H. Ohman,[166] H. Oide,[30] W. Okamura,[118] H. Okawa,[160] Y. Okumura,[31] T. Okuyama,[155] A. Olariu,[26a] S. A. Olivares Pino,[46] D. Oliveira Damazio,[25] E. Oliver Garcia,[167] A. Olszewski,[39] J. Olszowska,[39] A. Onofre,[126a,126e] P. U. E. Onyisi,[31,r] C. J. Oram,[159a] M. J. Oreglia,[31] Y. Oren,[153] D. Orestano,[134a,134b] N. Orlando,[154] C. Oropeza Barrera,[53] R. S. Orr,[158] B. Osculati,[50a,50b] R. Ospanov,[84] G. Otero y Garzon,[27] H. Otono,[70] M. Ouchrif,[135d] E. A. Ouellette,[169] F. Ould-Saada,[119] A. Ouraou,[136] K. P. Oussoren,[107] Q. Ouyang,[33a] A. Ovcharova,[15] M. Owen,[53] R. E. Owen,[18] V. E. Ozcan,[19a] N. Ozturk,[8] K. Pachal,[142] A. Pacheco Pages,[12] C. Padilla Aranda,[12] M. Pagáčová,[48] S. Pagan Griso,[15] E. Paganis,[139] C. Pahl,[101] F. Paige,[25] P. Pais,[86] K. Pajchel,[119] G. Palacino,[159b] S. Palestini,[30] M. Palka,[38b] D. Pallin,[34] A. Palma,[126a,126b] Y. B. Pan,[173] E. Panagiotopoulou,[10] C. E. Pandini,[80] J. G. Panduro Vazquez,[77] P. Pani,[146a,146b] S. Panitkin,[25] L. Paolozzi,[49] Th. D. Papadopoulou,[10] K. Papageorgiou,[154] A. Paramonov,[6] D. Paredes Hernandez,[154] M. A. Parker,[28] K. A. Parker,[139] F. Parodi,[50a,50b] J. A. Parsons,[35] U. Parzefall,[48] E. Pasqualucci,[132a] S. Passaggio,[50a]

F. Pastore,[134a,134b,a] Fr. Pastore,[77] G. Pásztor,[29] S. Pataraia,[175] N. D. Patel,[150] J. R. Pater,[84] T. Pauly,[30] J. Pearce,[169] B. Pearson,[113] L. E. Pedersen,[36] M. Pedersen,[119] S. Pedraza Lopez,[167] R. Pedro,[126a,126b] S. V. Peleganchuk,[109] D. Pelikan,[166] H. Peng,[33b] B. Penning,[31] J. Penwell,[61] D. V. Perepelitsa,[25] E. Perez Codina,[159a] M. T. Pérez García-Estañ,[167] L. Perini,[91a,91b] H. Pernegger,[30] S. Perrella,[104a,104b] R. Peschke,[42] V. D. Peshekhonov,[65] K. Peters,[30] R. F. Y. Peters,[84] B. A. Petersen,[30] T. C. Petersen,[36] E. Petit,[42] A. Petridis,[146a,146b] C. Petridou,[154] E. Petrolo,[132a] F. Petrucci,[134a,134b] N. E. Pettersson,[157] R. Pezoa,[32b] P. W. Phillips,[131] G. Piacquadio,[143] E. Pianori,[170] A. Picazio,[49] E. Piccaro,[76] M. Piccinini,[20a,20b] M. A. Pickering,[120] R. Piegaia,[27] D. T. Pignotti,[111] J. E. Pilcher,[31] A. D. Pilkington,[84] J. Pina,[126a,126b,126d] M. Pinamonti,[164a,164c,dd] J. L. Pinfold,[3] A. Pingel,[36] B. Pinto,[126a] S. Pires,[80] M. Pitt,[172] C. Pizio,[91a,91b] L. Plazak,[144a] M.-A. Pleier,[25] V. Pleskot,[129] E. Plotnikova,[65] P. Plucinski,[146a,146b] D. Pluth,[64] R. Poettgen,[83] L. Poggioli,[117] D. Pohl,[21] G. Polesello,[121a] A. Policicchio,[37a,37b] R. Polifka,[158] A. Polini,[20a] C. S. Pollard,[53] V. Polychronakos,[25] K. Pommès,[30] L. Pontecorvo,[132a] B. G. Pope,[90] G. A. Popeneciu,[26b] D. S. Popovic,[13] A. Poppleton,[30] S. Pospisil,[128] K. Potamianos,[15] I. N. Potrap,[65] C. J. Potter,[149] C. T. Potter,[116] G. Poulard,[30] J. Poveda,[30] V. Pozdnyakov,[65] P. Pralavorio,[85] A. Pranko,[15] S. Prasad,[30] S. Prell,[64] D. Price,[84] L. E. Price,[6] M. Primavera,[73a] S. Prince,[87] M. Proissl,[46] K. Prokofiev,[60c] F. Prokoshin,[32b] E. Protopapadaki,[136] S. Protopopescu,[25] J. Proudfoot,[6] M. Przybycien,[38a] E. Ptacek,[116] D. Puddu,[134a,134b] E. Pueschel,[86] D. Puldon,[148] M. Purohit,[25,ee] P. Puzo,[117] J. Qian,[89] G. Qin,[53] Y. Qin,[84] A. Quadt,[54] D. R. Quarrie,[15] W. B. Quayle,[164a,164b] M. Queitsch-Maitland,[84] D. Quilty,[53] S. Raddum,[119] V. Radeka,[25] V. Radescu,[42] S. K. Radhakrishnan,[148] P. Radloff,[116] P. Rados,[88] F. Ragusa,[91a,91b] G. Rahal,[178] S. Rajagopalan,[25] M. Rammensee,[30] C. Rangel-Smith,[166] F. Rauscher,[100] S. Rave,[83] T. Ravenscroft,[53] M. Raymond,[30] A. L. Read,[119] N. P. Readioff,[74] D. M. Rebuzzi,[121a,121b] A. Redelbach,[174] G. Redlinger,[25] R. Reece,[137] K. Reeves,[41] L. Rehnisch,[16] H. Reisin,[27] M. Relich,[163] C. Rembser,[30] H. Ren,[33a] A. Renaud,[117] M. Rescigno,[132a] S. Resconi,[91a] O. L. Rezanova,[109,d] P. Reznicek,[129] R. Rezvani,[95] R. Richter,[101] S. Richter,[78] E. Richter-Was,[38b] O. Ricken,[21] M. Ridel,[80] P. Rieck,[16] C. J. Riegel,[175] J. Rieger,[54] M. Rijssenbeek,[148] A. Rimoldi,[121a,121b] L. Rinaldi,[20a] B. Ristić,[49] E. Ritsch,[62] I. Riu,[12] F. Rizatdinova,[114] E. Rizvi,[76] S. H. Robertson,[87,l] A. Robichaud-Veronneau,[87] D. Robinson,[28] J. E. M. Robinson,[84] A. Robson,[53] C. Roda,[124a,124b] S. Roe,[30] O. Røhne,[119] S. Rolli,[161] A. Romaniouk,[98] M. Romano,[20a,20b] S. M. Romano Saez,[34] E. Romero Adam,[167] N. Rompotis,[138] M. Ronzani,[48] L. Roos,[80] E. Ros,[167] S. Rosati,[132a] K. Rosbach,[48] P. Rose,[137] P. L. Rosendahl,[14] O. Rosenthal,[141] V. Rossetti,[146a,146b] E. Rossi,[104a,104b] L. P. Rossi,[50a] R. Rosten,[138] M. Rotaru,[26a] I. Roth,[172] J. Rothberg,[138] D. Rousseau,[117] C. R. Royon,[136] A. Rozanov,[85] Y. Rozen,[152] X. Ruan,[145c] F. Rubbo,[143] I. Rubinskiy,[42] V. I. Rud,[99] C. Rudolph,[44] M. S. Rudolph,[158] F. Rühr,[48] A. Ruiz-Martinez,[30] Z. Rurikova,[48] N. A. Rusakovich,[65] A. Ruschke,[100] H. L. Russell,[138] J. P. Rutherfoord,[7] N. Ruthmann,[48] Y. F. Ryabov,[123] M. Rybar,[129] G. Rybkin,[117] N. C. Ryder,[120] A. F. Saavedra,[150] G. Sabato,[107] S. Sacerdoti,[27] A. Saddique,[3] H. F-W. Sadrozinski,[137] R. Sadykov,[65] F. Safai Tehrani,[132a] M. Saimpert,[136] H. Sakamoto,[155] Y. Sakurai,[171] G. Salamanna,[134a,134b] A. Salamon,[133a] M. Saleem,[113] D. Salek,[107] P. H. Sales De Bruin,[138] D. Salihagic,[101] A. Salnikov,[143] J. Salt,[167] D. Salvatore,[37a,37b] F. Salvatore,[149] A. Salvucci,[106] A. Salzburger,[30] D. Sampsonidis,[154] A. Sanchez,[104a,104b] J. Sánchez,[167] V. Sanchez Martinez,[167] H. Sandaker,[14] R. L. Sandbach,[76] H. G. Sander,[83] M. P. Sanders,[100] M. Sandhoff,[175] C. Sandoval,[162] R. Sandstroem,[101] D. P. C. Sankey,[131] M. Sannino,[50a,50b] A. Sansoni,[47] C. Santoni,[34] R. Santonico,[133a,133b] H. Santos,[126a] I. Santoyo Castillo,[149] K. Sapp,[125] A. Sapronov,[65] J. G. Saraiva,[126a,126d] B. Sarrazin,[21] O. Sasaki,[66] Y. Sasaki,[155] K. Sato,[160] G. Sauvage,[5,a] E. Sauvan,[5] G. Savage,[77] P. Savard,[158,e] C. Sawyer,[120] L. Sawyer,[79,o] J. Saxon,[31] C. Sbarra,[20a] A. Sbrizzi,[20a,20b] T. Scanlon,[78] D. A. Scannicchio,[163] M. Scarcella,[150] V. Scarfone,[37a,37b] J. Schaarschmidt,[172] P. Schacht,[101] D. Schaefer,[30] R. Schaefer,[42] J. Schaeffer,[83] S. Schaepe,[21] S. Schaetzel,[58b] U. Schäfer,[83] A. C. Schaffer,[117] D. Schaile,[100] R. D. Schamberger,[148] V. Scharf,[58a] V. A. Schegelsky,[123] D. Scheirich,[129] M. Schernau,[163] C. Schiavi,[50a,50b] C. Schillo,[48] M. Schioppa,[37a,37b] S. Schlenker,[30] E. Schmidt,[48] K. Schmieden,[30] C. Schmitt,[83] S. Schmitt,[58b] S. Schmitt,[42] B. Schneider,[159a] Y. J. Schnellbach,[74] U. Schnoor,[44] L. Schoeffel,[136] A. Schoening,[58b] B. D. Schoenrock,[90] E. Schopf,[21] A. L. S. Schorlemmer,[54] M. Schott,[83] D. Schouten,[159a] J. Schovancova,[8] S. Schramm,[158] M. Schreyer,[174] C. Schroeder,[83] N. Schuh,[83] M. J. Schultens,[21] H.-C. Schultz-Coulon,[58a] H. Schulz,[16] M. Schumacher,[48] B. A. Schumm,[137] Ph. Schune,[136] C. Schwanenberger,[84] A. Schwartzman,[143] T. A. Schwarz,[89] Ph. Schwegler,[101] Ph. Schwemling,[136] R. Schwienhorst,[90] J. Schwindling,[136] T. Schwindt,[21] M. Schwoerer,[5] F. G. Sciacca,[17] E. Scifo,[117] G. Sciolla,[23] F. Scuri,[124a,124b] F. Scutti,[21] J. Searcy,[89] G. Sedov,[42] E. Sedykh,[123] P. Seema,[21] S. C. Seidel,[105] A. Seiden,[137] F. Seifert,[128] J. M. Seixas,[24a] G. Sekhniaidze,[104a] K. Sekhon,[89] S. J. Sekula,[40] K. E. Selbach,[46] D. M. Seliverstov,[123,a] N. Semprini-Cesari,[20a,20b] C. Serfon,[30] L. Serin,[117] L. Serkin,[164a,164b] T. Serre,[85] M. Sessa,[134a,134b] R. Seuster,[159a] H. Severini,[113] T. Sfiligoj,[75] F. Sforza,[101] A. Sfyrla,[30] E. Shabalina,[54] M. Shamim,[116] L. Y. Shan,[33a] R. Shang,[165] J. T. Shank,[22] M. Shapiro,[15]

P. B. Shatalov,[97] K. Shaw,[164a,164b] S. M. Shaw,[84] A. Shcherbakova,[146a,146b] C. Y. Shehu,[149] P. Sherwood,[78] L. Shi,[151,ff] S. Shimizu,[67] C. O. Shimmin,[163] M. Shimojima,[102] M. Shiyakova,[65] A. Shmeleva,[96] D. Shoaleh Saadi,[95] M. J. Shochet,[31] S. Shojaii,[91a,91b] S. Shrestha,[111] E. Shulga,[98] M. A. Shupe,[7] S. Shushkevich,[42] P. Sicho,[127] O. Sidiropoulou,[174] D. Sidorov,[114] A. Sidoti,[20a,20b] F. Siegert,[44] Dj. Sijacki,[13] J. Silva,[126a,126d] Y. Silver,[153] S. B. Silverstein,[146a] V. Simak,[128] O. Simard,[5] Lj. Simic,[13] S. Simion,[117] E. Simioni,[83] B. Simmons,[78] D. Simon,[34] R. Simoniello,[91a,91b] P. Sinervo,[158] N. B. Sinev,[116] G. Siragusa,[174] A. N. Sisakyan,[65,a] S. Yu. Sivoklokov,[99] J. Sjölin,[146a,146b] T. B. Sjursen,[14] M. B. Skinner,[72] H. P. Skottowe,[57] P. Skubic,[113] M. Slater,[18] T. Slavicek,[128] M. Slawinska,[107] K. Sliwa,[161] V. Smakhtin,[172] B. H. Smart,[46] L. Smestad,[14] S. Yu. Smirnov,[98] Y. Smirnov,[98] L. N. Smirnova,[99,gg] O. Smirnova,[81] M. N. K. Smith,[35] M. Smizanska,[72] K. Smolek,[128] A. A. Snesarev,[96] G. Snidero,[76] S. Snyder,[25] R. Sobie,[169,l] F. Socher,[44] A. Soffer,[153] D. A. Soh,[151,ff] C. A. Solans,[30] M. Solar,[128] J. Solc,[128] E. Yu. Soldatov,[98] U. Soldevila,[167] A. A. Solodkov,[130] A. Soloshenko,[65] O. V. Solovyanov,[130] V. Solovyev,[123] P. Sommer,[48] H. Y. Song,[33b] N. Soni,[1] A. Sood,[15] A. Sopczak,[128] B. Sopko,[128] V. Sopko,[128] V. Sorin,[12] D. Sosa,[58b] M. Sosebee,[8] C. L. Sotiropoulou,[124a,124b] R. Soualah,[164a,164c] P. Soueid,[95] A. M. Soukharev,[109,d] D. South,[42] S. Spagnolo,[73a,73b] M. Spalla,[124a,124b] F. Spanò,[77] W. R. Spearman,[57] F. Spettel,[101] R. Spighi,[20a] G. Spigo,[30] L. A. Spiller,[88] M. Spousta,[129] T. Spreitzer,[158] R. D. St. Denis,[53,a] S. Staerz,[44] J. Stahlman,[122] R. Stamen,[58a] S. Stamm,[16] E. Stanecka,[39] C. Stanescu,[134a] M. Stanescu-Bellu,[42] M. M. Stanitzki,[42] S. Stapnes,[119] E. A. Starchenko,[130] J. Stark,[55] P. Staroba,[127] P. Starovoitov,[42] R. Staszewski,[39] P. Stavina,[144a,a] P. Steinberg,[25] B. Stelzer,[142] H. J. Stelzer,[30] O. Stelzer-Chilton,[159a] H. Stenzel,[52] S. Stern,[101] G. A. Stewart,[53] J. A. Stillings,[21] M. C. Stockton,[87] M. Stoebe,[87] G. Stoicea,[26a] P. Stolte,[54] S. Stonjek,[101] A. R. Stradling,[8] A. Straessner,[44] M. E. Stramaglia,[17] J. Strandberg,[147] S. Strandberg,[146a,146b] A. Strandlie,[119] E. Strauss,[143] M. Strauss,[113] P. Strizenec,[144b] R. Ströhmer,[174] D. M. Strom,[116] R. Stroynowski,[40] A. Strubig,[106] S. A. Stucci,[17] B. Stugu,[14] N. A. Styles,[42] D. Su,[143] J. Su,[125] R. Subramaniam,[79] A. Succurro,[12] Y. Sugaya,[118] C. Suhr,[108] M. Suk,[128] V. V. Sulin,[96] S. Sultansoy,[4c] T. Sumida,[68] S. Sun,[57] X. Sun,[33a] J. E. Sundermann,[48] K. Suruliz,[149] G. Susinno,[37a,37b] M. R. Sutton,[149] S. Suzuki,[66] Y. Suzuki,[66] M. Svatos,[127] S. Swedish,[168] M. Swiatlowski,[143] I. Sykora,[144a] T. Sykora,[129] D. Ta,[90] C. Taccini,[134a,134b] K. Tackmann,[42] J. Taenzer,[158] A. Taffard,[163] R. Tafirout,[159a] N. Taiblum,[153] H. Takai,[25] R. Takashima,[69] H. Takeda,[67] T. Takeshita,[140] Y. Takubo,[66] M. Talby,[85] A. A. Talyshev,[109,d] J. Y. C. Tam,[174] K. G. Tan,[88] J. Tanaka,[155] R. Tanaka,[117] S. Tanaka,[66] B. B. Tannenwald,[111] N. Tannoury,[21] S. Tapprogge,[83] S. Tarem,[152] F. Tarrade,[29] G. F. Tartarelli,[91a] P. Tas,[129] M. Tasevsky,[127] T. Tashiro,[68] E. Tassi,[37a,37b] A. Tavares Delgado,[126a,126b] Y. Tayalati,[135d] F. E. Taylor,[94] G. N. Taylor,[88] W. Taylor,[159b] F. A. Teischinger,[30] M. Teixeira Dias Castanheira,[76] P. Teixeira-Dias,[77] K. K. Temming,[48] H. Ten Kate,[30] P. K. Teng,[151] J. J. Teoh,[118] F. Tepel,[175] S. Terada,[66] K. Terashi,[155] J. Terron,[82] S. Terzo,[101] M. Testa,[47] R. J. Teuscher,[158,l] J. Therhaag,[21] T. Theveneaux-Pelzer,[34] J. P. Thomas,[18] J. Thomas-Wilsker,[77] E. N. Thompson,[35] P. D. Thompson,[18] R. J. Thompson,[84] A. S. Thompson,[53] L. A. Thomsen,[36] E. Thomson,[122] M. Thomson,[28] R. P. Thun,[89,a] M. J. Tibbetts,[15] R. E. Ticse Torres,[85] V. O. Tikhomirov,[96,hh] Yu. A. Tikhonov,[109,d] S. Timoshenko,[98] E. Tiouchichine,[85] P. Tipton,[176] S. Tisserant,[85] T. Todorov,[5,a] S. Todorova-Nova,[129] J. Tojo,[70] S. Tokár,[144a] K. Tokushuku,[66] K. Tollefson,[90] E. Tolley,[57] L. Tomlinson,[84] M. Tomoto,[103] L. Tompkins,[143,ii] K. Toms,[105] E. Torrence,[116] H. Torres,[142] E. Torró Pastor,[167] J. Toth,[85,jj] F. Touchard,[85] D. R. Tovey,[139] T. Trefzger,[174] L. Tremblet,[30] A. Tricoli,[30] I. M. Trigger,[159a] S. Trincaz-Duvoid,[80] M. F. Tripiana,[12] W. Trischuk,[158] B. Trocmé,[55] C. Troncon,[91a] M. Trottier-McDonald,[15] M. Trovatelli,[134a,134b] P. True,[90] L. Truong,[164a,164c] M. Trzebinski,[39] A. Trzupek,[39] C. Tsarouchas,[30] J. C-L. Tseng,[120] P. V. Tsiareshka,[92] D. Tsionou,[154] G. Tsipolitis,[10] N. Tsirintanis,[9] S. Tsiskaridze,[12] V. Tsiskaridze,[48] E. G. Tskhadadze,[51a] I. I. Tsukerman,[97] V. Tsulaia,[15] S. Tsuno,[66] D. Tsybychev,[148] A. Tudorache,[26a] V. Tudorache,[26a] A. N. Tuna,[122] S. A. Tupputi,[20a,20b] S. Turchikhin,[99,gg] D. Turecek,[128] R. Turra,[91a,91b] A. J. Turvey,[40] P. M. Tuts,[35] A. Tykhonov,[49] M. Tylmad,[146a,146b] M. Tyndel,[131] I. Ueda,[155] R. Ueno,[29] M. Ughetto,[146a,146b] M. Ugland,[14] M. Uhlenbrock,[21] F. Ukegawa,[160] G. Unal,[30] A. Undrus,[25] G. Unel,[163] F. C. Ungaro,[48] Y. Unno,[66] C. Unverdorben,[100] J. Urban,[144b] P. Urquijo,[88] P. Urrejola,[83] G. Usai,[8] A. Usanova,[62] L. Vacavant,[85] V. Vacek,[128] B. Vachon,[87] C. Valderanis,[83] N. Valencic,[107] S. Valentinetti,[20a,20b] A. Valero,[167] L. Valery,[12] S. Valkar,[129] E. Valladolid Gallego,[167] S. Vallecorsa,[49] J. A. Valls Ferrer,[167] W. Van Den Wollenberg,[107] P. C. Van Der Deijl,[107] R. van der Geer,[107] H. van der Graaf,[107] R. Van Der Leeuw,[107] N. van Eldik,[152] P. van Gemmeren,[6] J. Van Nieuwkoop,[142] I. van Vulpen,[107] M. C. van Woerden,[30] M. Vanadia,[132a,132b] W. Vandelli,[30] R. Vanguri,[122] A. Vaniachine,[6] F. Vannucci,[80] G. Vardanyan,[177] R. Vari,[132a] E. W. Varnes,[7] T. Varol,[40] D. Varouchas,[80] A. Vartapetian,[8] K. E. Varvell,[150] F. Vazeille,[34] T. Vazquez Schroeder,[87] J. Veatch,[7] F. Veloso,[126a,126c] T. Velz,[21] S. Veneziano,[132a] A. Ventura,[73a,73b] D. Ventura,[86] M. Venturi,[169] N. Venturi,[158] A. Venturini,[23] V. Vercesi,[121a] M. Verducci,[132a,132b] W. Verkerke,[107] J. C. Vermeulen,[107] A. Vest,[44] M. C. Vetterli,[142,e] O. Viazlo,[81] I. Vichou,[165]

T. Vickey,[139] O. E. Vickey Boeriu,[139] G. H. A. Viehhauser,[120] S. Viel,[15] R. Vigne,[30] M. Villa,[20a,20b] M. Villaplana Perez,[91a,91b] E. Vilucchi,[47] M. G. Vincter,[29] V. B. Vinogradov,[65] I. Vivarelli,[149] F. Vives Vaque,[3] S. Vlachos,[10] D. Vladoiu,[100] M. Vlasak,[128] M. Vogel,[32a] P. Vokac,[128] G. Volpi,[124a,124b] M. Volpi,[88] H. von der Schmitt,[101] H. von Radziewski,[48] E. von Toerne,[21] V. Vorobel,[129] K. Vorobev,[98] M. Vos,[167] R. Voss,[30] J. H. Vossebeld,[74] N. Vranjes,[13] M. Vranjes Milosavljevic,[13] V. Vrba,[127] M. Vreeswijk,[107] R. Vuillermet,[30] I. Vukotic,[31] Z. Vykydal,[128] P. Wagner,[21] W. Wagner,[175] H. Wahlberg,[71] S. Wahrmund,[44] J. Wakabayashi,[103] J. Walder,[72] R. Walker,[100] W. Walkowiak,[141] C. Wang,[33c] F. Wang,[173] H. Wang,[15] H. Wang,[40] J. Wang,[42] J. Wang,[33a] K. Wang,[87] R. Wang,[6] S. M. Wang,[151] T. Wang,[21] X. Wang,[176] C. Wanotayaroj,[116] A. Warburton,[87] C. P. Ward,[28] D. R. Wardrope,[78] M. Warsinsky,[48] A. Washbrook,[46] C. Wasicki,[42] P. M. Watkins,[18] A. T. Watson,[18] I. J. Watson,[150] M. F. Watson,[18] G. Watts,[138] S. Watts,[84] B. M. Waugh,[78] S. Webb,[84] M. S. Weber,[17] S. W. Weber,[174] J. S. Webster,[31] A. R. Weidberg,[120] B. Weinert,[61] J. Weingarten,[54] C. Weiser,[48] H. Weits,[107] P. S. Wells,[30] T. Wenaus,[25] T. Wengler,[30] S. Wenig,[30] N. Wermes,[21] M. Werner,[48] P. Werner,[30] M. Wessels,[58a] J. Wetter,[161] K. Whalen,[29] A. M. Wharton,[72] A. White,[8] M. J. White,[1] R. White,[32b] S. White,[124a,124b] D. Whiteson,[163] F. J. Wickens,[131] W. Wiedenmann,[173] M. Wielers,[131] P. Wienemann,[21] C. Wiglesworth,[36] L. A. M. Wiik-Fuchs,[21] A. Wildauer,[101] H. G. Wilkens,[30] H. H. Williams,[122] S. Williams,[107] C. Willis,[90] S. Willocq,[86] A. Wilson,[89] J. A. Wilson,[18] I. Wingerter-Seez,[5] F. Winklmeier,[116] B. T. Winter,[21] M. Wittgen,[143] J. Wittkowski,[100] S. J. Wollstadt,[83] M. W. Wolter,[39] H. Wolters,[126a,126c] B. K. Wosiek,[39] J. Wotschack,[30] M. J. Woudstra,[84] K. W. Wozniak,[39] M. Wu,[55] M. Wu,[31] S. L. Wu,[173] X. Wu,[49] Y. Wu,[89] T. R. Wyatt,[84] B. M. Wynne,[46] S. Xella,[36] D. Xu,[33a] L. Xu,[33b,kk] B. Yabsley,[150] S. Yacoob,[145b,ll] R. Yakabe,[67] M. Yamada,[66] Y. Yamaguchi,[118] A. Yamamoto,[66] S. Yamamoto,[155] T. Yamanaka,[155] K. Yamauchi,[103] Y. Yamazaki,[67] Z. Yan,[22] H. Yang,[33e] H. Yang,[173] Y. Yang,[151] L. Yao,[33a] W-M. Yao,[15] Y. Yasu,[66] E. Yatsenko,[5] K. H. Yau Wong,[21] J. Ye,[40] S. Ye,[25] I. Yeletskikh,[65] A. L. Yen,[57] E. Yildirim,[42] K. Yorita,[171] R. Yoshida,[6] K. Yoshihara,[122] C. Young,[143] C. J. S. Young,[30] S. Youssef,[22] D. R. Yu,[15] J. Yu,[8] J. M. Yu,[89] J. Yu,[114] L. Yuan,[67] A. Yurkewicz,[108] I. Yusuff,[28,mm] B. Zabinski,[39] R. Zaidan,[63] A. M. Zaitsev,[130,bb] J. Zalieckas,[14] A. Zaman,[148] S. Zambito,[57] L. Zanello,[132a,132b] D. Zanzi,[88] C. Zeitnitz,[175] M. Zeman,[128] A. Zemla,[38a] K. Zengel,[23] O. Zenin,[130] T. Ženiš,[144a] D. Zerwas,[117] D. Zhang,[89] F. Zhang,[173] J. Zhang,[6] L. Zhang,[48] R. Zhang,[33b] X. Zhang,[33d] Z. Zhang,[117] X. Zhao,[40] Y. Zhao,[33d,117] Z. Zhao,[33b] A. Zhemchugov,[65] J. Zhong,[120] B. Zhou,[89] C. Zhou,[45] L. Zhou,[35] L. Zhou,[40] N. Zhou,[163] C. G. Zhu,[33d] H. Zhu,[33a] J. Zhu,[89] Y. Zhu,[33b] X. Zhuang,[33a] K. Zhukov,[96] A. Zibell,[174] D. Zieminska,[61] N. I. Zimine,[65] C. Zimmermann,[83] S. Zimmermann,[48] Z. Zinonos,[54] M. Zinser,[83] M. Ziolkowski,[141] L. Živković,[13] G. Zobernig,[173] A. Zoccoli,[20a,20b] M. zur Nedden,[16] G. Zurzolo,[104a,104b] and L. Zwalinski[30]

(The ATLAS Collaboration)

[1]*Department of Physics, University of Adelaide, Adelaide, Australia*
[2]*Physics Department, SUNY Albany, Albany, New York, USA*
[3]*Department of Physics, University of Alberta, Edmonton, Alberta, Canada*
[4a]*Department of Physics, Ankara University, Ankara, Turkey*
[4b]*Istanbul Aydin University, Istanbul, Turkey*
[4c]*Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey*
[5]*LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France*
[6]*High Energy Physics Division, Argonne National Laboratory, Argonne Illinois, USA*
[7]*Department of Physics, University of Arizona, Tucson, Arizona, USA*
[8]*Department of Physics, The University of Texas at Arlington, Arlington Texas, USA*
[9]*Physics Department, University of Athens, Athens, Greece*
[10]*Physics Department, National Technical University of Athens, Zografou, Greece*
[11]*Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan*
[12]*Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain*
[13]*Institute of Physics, University of Belgrade, Belgrade, Serbia*
[14]*Department for Physics and Technology, University of Bergen, Bergen, Norway*
[15]*Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, California, USA*
[16]*Department of Physics, Humboldt University, Berlin, Germany*
[17]*Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland*

[18]*School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom*
[19a]*Department of Physics, Bogazici University, Istanbul, Turkey*
[19b]*Department of Physics, Dogus University, Istanbul, Turkey*
[19c]*Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey*
[20a]*INFN Sezione di Bologna, Bologna, Italy*
[20b]*Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy*
[21]*Physikalisches Institut, University of Bonn, Bonn, Germany*
[22]*Department of Physics, Boston University, Boston, Massachusetts, USA*
[23]*Department of Physics, Brandeis University, Waltham, Massachusetts, USA*
[24a]*Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil*
[24b]*Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora, Brazil*
[24c]*Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei, Brazil*
[24d]*Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil*
[25]*Physics Department, Brookhaven National Laboratory, Upton, New York, USA*
[26a]*National Institute of Physics and Nuclear Engineering, Bucharest, Romania*
[26b]*National Institute for Research and Development of Isotopic and Molecular Technologies,
Physics Department, Cluj Napoca, Romania*
[26c]*University Politehnica Bucharest, Bucharest, Romania*
[26d]*West University in Timisoara, Timisoara, Romania*
[27]*Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina*
[28]*Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*
[29]*Department of Physics, Carleton University, Ottawa, Ontario, Canada*
[30]*CERN, Geneva, Switzerland*
[31]*Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA*
[32a]*Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile*
[32b]*Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*
[33a]*Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China*
[33b]*Department of Modern Physics, University of Science and Technology of China, Anhui, China*
[33c]*Department of Physics, Nanjing University, Jiangsu, China*
[33d]*School of Physics, Shandong University, Shandong, China*
[33e]*Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology,
Shanghai Jiao Tong University, Shanghai, China*
[33f]*Physics Department, Tsinghua University, Beijing 100084, China*
[34]*Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal
and CNRS/IN2P3, Clermont-Ferrand, France*
[35]*Nevis Laboratory, Columbia University, Irvington, New York, USA*
[36]*Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark*
[37a]*INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy*
[37b]*Dipartimento di Fisica, Università della Calabria, Rende, Italy*
[38a]*Faculty of Physics and Applied Computer Science, AGH University of Science and Technology,
Krakow, Poland*
[38b]*Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Krakow, Poland*
[39]*Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*
[40]*Physics Department, Southern Methodist University, Dallas, Texas, USA*
[41]*Physics Department, University of Texas at Dallas, Richardson, Texas, USA*
[42]*DESY, Hamburg and Zeuthen, Germany*
[43]*Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany*
[44]*Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany*
[45]*Department of Physics, Duke University, Durham, North Carolina, USA*
[46]*SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom*
[47]*INFN Laboratori Nazionali di Frascati, Frascati, Italy*
[48]*Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany*
[49]*Section de Physique, Université de Genève, Geneva, Switzerland*
[50a]*INFN Sezione di Genova, Genova, Italy*
[50b]*Dipartimento di Fisica, Università di Genova, Genova, Italy*
[51a]*E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia*
[51b]*High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia*
[52]*II Physikalisches Institut Justus-Liebig-Universität Giessen, Giessen, Germany*
[53]*SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom*
[54]*II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany*

[55]Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

[56]Department of Physics, Hampton University, Hampton Virginia, USA

[57]Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA

[58a]Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[58b]Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[58c]ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

[59]Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

[60a]Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China

[60b]Department of Physics, The University of Hong Kong, Hong Kong, China

[60c]Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

[61]Department of Physics, Indiana University, Bloomington Indiana, USA

[62]Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

[63]University of Iowa, Iowa City, Iowa, USA

[64]Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA

[65]Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

[66]KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

[67]Graduate School of Science, Kobe University, Kobe, Japan

[68]Faculty of Science, Kyoto University, Kyoto, Japan

[69]Kyoto University of Education, Kyoto, Japan

[70]Department of Physics, Kyushu University, Fukuoka, Japan

[71]Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina

[72]Physics Department, Lancaster University, Lancaster, United Kingdom

[73a]INFN Sezione di Lecce, Lecce, Italy

[73b]Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy

[74]Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom

[75]Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia

[76]School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom

[77]Department of Physics, Royal Holloway University of London, Surrey, United Kingdom

[78]Department of Physics and Astronomy, University College London, London, United Kingdom

[79]Louisiana Tech University, Ruston, Louisiana, USA

[80]Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France

[81]Fysiska institutionen, Lunds universitet, Lund, Sweden

[82]Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain

[83]Institut für Physik, Universität Mainz, Mainz, Germany

[84]School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom

[85]CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

[86]Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA

[87]Department of Physics, McGill University, Montreal, Quebec, Canada

[88]School of Physics, University of Melbourne, Victoria, Australia

[89]Department of Physics, The University of Michigan, Ann Arbor, Michigan, USA

[90]Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan, USA

[91a]INFN Sezione di Milano, Milano, Italy

[91b]Dipartimento di Fisica, Università di Milano, Milano, Italy

[92]B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus

[93]National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus

[94]Department of Physics, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA

[95]Group of Particle Physics, University of Montreal, Montreal, Quebec, Canada

[96]P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia

[97]Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia

[98]National Research Nuclear University MEPhI, Moscow, Russia

[99]D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia

[100]Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany

[101]Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany

[102]Nagasaki Institute of Applied Science, Nagasaki, Japan

[103]Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan

[104a]INFN Sezione di Napoli, Napoli, Italy

[104b]Dipartimento di Fisica, Università di Napoli, Napoli, Italy

[105]Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA

[106]Institute for Mathematics, Astrophysics and Particle Physics,
Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands

[107]Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands

[108]Department of Physics, Northern Illinois University, DeKalb, Illinois, USA

[109]Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia

[110]Department of Physics, New York University, New York, New York, USA

[111]Ohio State University, Columbus, Ohio, USA

[112]Faculty of Science, Okayama University, Okayama, Japan

[113]Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma,
Norman, Oklahoma, USA

[114]Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA

[115]Palacký University, RCPTM, Olomouc, Czech Republic

[116]Center for High Energy Physics, University of Oregon, Eugene, Oregon, USA

[117]LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France

[118]Graduate School of Science, Osaka University, Osaka, Japan

[119]Department of Physics, University of Oslo, Oslo, Norway

[120]Department of Physics, Oxford University, Oxford, United Kingdom

[121a]INFN Sezione di Pavia, Italy

[121b]Dipartimento di Fisica, Università di Pavia, Pavia, Italy

[122]Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA

[123]Petersburg Nuclear Physics Institute, Gatchina, Russia

[124a]INFN Sezione di Pisa, Italy

[124b]Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

[125]Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA

[126a]Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal

[126b]Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal

[126c]Department of Physics, University of Coimbra, Coimbra, Portugal

[126d]Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal

[126e]Departamento de Fisica, Universidade do Minho, Braga, Portugal

[126f]Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain

[126g]Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa,
Caparica, Portugal

[127]Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic

[128]Czech Technical University in Prague, Praha, Czech Republic

[129]Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic

[130]State Research Center Institute for High Energy Physics, Protvino, Russia

[131]Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

[132a]INFN Sezione di Roma, Italy

[132b]Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy

[133a]INFN Sezione di Roma Tor Vergata, Italy

[133b]Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

[134a]INFN Sezione di Roma Tre, Roma, Italy

[134b]Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

[135a]Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université
Hassan II, Casablanca, Morocco

[135b]Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat, Morocco

[135c]Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco

[135d]Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda, Morocco

[135e]Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco

[136]DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers),
CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives),
Gif-sur-Yvette, France

[137]Santa Cruz Institute for Particle Physics, University of California Santa Cruz,
Santa Cruz, California, USA

[138]Department of Physics, University of Washington, Seattle, Washington, USA

[139]Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

[140]Department of Physics, Shinshu University, Nagano, Japan

[141]Fachbereich Physik, Universität Siegen, Siegen, Germany

[142]Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada

[143]SLAC National Accelerator Laboratory, Stanford, California, USA

[144a]Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic

[144b]Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

[145a]Department of Physics, University of Cape Town, Cape Town, South Africa

[145b]Department of Physics, University of Johannesburg, Johannesburg, South Africa

[145c]School of Physics, University of the Witwatersrand, Johannesburg, South Africa

[146a]Department of Physics, Stockholm University, Sweden

[146b]The Oskar Klein Centre, Stockholm, Sweden

[147]Physics Department, Royal Institute of Technology, Stockholm, Sweden

[148]Departments of Physics and Astronomy and Chemistry, Stony Brook University, Stony Brook, New York, USA

[149]Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

[150]School of Physics, University of Sydney, Sydney, Australia

[151]Institute of Physics, Academia Sinica, Taipei, Taiwan

[152]Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel

[153]Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel

[154]Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

[155]International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan

[156]Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan

[157]Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

[158]Department of Physics, University of Toronto, Toronto, Ontario, Canada

[159a]TRIUMF, Vancouver, British Columbia, Canada

[159b]Department of Physics and Astronomy, York University, Toronto, Ontario, Canada

[160]Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan

[161]Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA

[162]Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

[163]Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA

[164a]INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy

[164b]ICTP, Trieste, Italy

[164c]Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy

[165]Department of Physics, University of Illinois, Urbana, Illinois, USA

[166]Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden

[167]Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain

[168]Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada

[169]Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada

[170]Department of Physics, University of Warwick, Coventry, United Kingdom

[171]Waseda University, Tokyo, Japan

[172]Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel

[173]Department of Physics, University of Wisconsin, Madison, Wisconsin, USA

[174]Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany

[175]Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany

[176]Department of Physics, Yale University, New Haven, Connecticut, USA

[177]Yerevan Physics Institute, Yerevan, Armenia

[178]Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

[a]Deceased.

[b]Also at Department of Physics, King's College London, London, United Kingdom.

[c]Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

[d]Also at Novosibirsk State University, Novosibirsk, Russia.

[e]Also at TRIUMF, Vancouver, British Columbia, Canada.

[f]Also at Department of Physics, California State University, Fresno, California, USA.

[g]Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

[h]Also at Departamento de Fisica e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

[i]Also at Tomsk State University, Tomsk, Russia.

[j]Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

[k]Also at Università di Napoli Parthenope, Napoli, Italy.

[l]Also at Institute of Particle Physics (IPP), Canada.

[m]Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

[n]Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

[o]Also at Louisiana Tech University, Ruston, Louisiana, USA.

[p]Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

[q]Also at Department of Physics, National Tsing Hua University, Taiwan.

[r]Also at Department of Physics, The University of Texas at Austin, Austin, Texas, USA.

[s]Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

[t]Also at CERN, Geneva, Switzerland.

[u]Also at Georgian Technical University (GTU), Tbilisi, Georgia.

[v]Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.

[w]Also at Manhattan College, New York, New York, USA.

[x]Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

[y]Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.

[z]Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

[aa]Also at School of Physics, Shandong University, Shandong, China.

[bb]Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

[cc]Also at Section de Physique, Université de Genève, Geneva, Switzerland.

[dd]Also at International School for Advanced Studies (SISSA), Trieste, Italy.

[ee]Also at Department of Physics and Astronomy, University of South Carolina, Columbia, South Carolina, USA.

[ff]Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

[gg]Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.

[hh]Also at National Research Nuclear University MEPhI, Moscow, Russia.

[ii]Also at Department of Physics, Stanford University, Stanford, California, USA.

[jj]Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

[kk]Also at Department of Physics, The University of Michigan, Ann Arbor, Michigan, USA.

[ll]Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.

[mm]Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.