

# Lawrence Berkeley National Laboratory

## Recent Work

### Title

DOPPLER BROADENING OF THE 6.322-MeV  $\gamma$ -RAY FROM  $^{15}\text{N}$  FOLLOWING  $h^+$  CAPTURE IN  $^{16}\text{O}$

### Permalink

<https://escholarship.org/uc/item/9xm879w9>

### Authors

Kaplan, S.N.  
Pyle, R.V.  
Temple, L.E.  
et al.

### Publication Date

1969-09-01

Proceedings of the Third International  
Conference on High Energy Physics and  
Nuclear Structure, Argonne, Illinois,  
May 5-7, 1969

UCRL-19348  
Preprint

*ey. Z*

DOPPLER BROADENING OF THE 6.322-MeV  $\gamma$ -RAY FROM  $^{15}\text{N}$   
FOLLOWING  $\mu^-$  CAPTURE IN  $^{16}\text{O}$

S. N. Kaplan, R. V. Pyle, L. E. Temple, and G. F. Valby

September 1969

RECEIVED  
LAWRENCE  
RADIATION LABORATORY

OCT 6 1969

LIBRARY AND  
DOCUMENTS SECTION

AEC Contract No. W-7405-eng-48

TWO-WEEK LOAN COPY

*This is a Library Circulating Copy  
which may be borrowed for two weeks.  
For a personal retention copy, call  
Tech. Info. Division, Ext. 5545*

LAWRENCE RADIATION LABORATORY  
UNIVERSITY of CALIFORNIA BERKELEY

UCRL-19348

*ey. Z*

## **DISCLAIMER**

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor the Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or the Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or the Regents of the University of California.


DOPPLER BROADENING OF THE 6.322-MeV  $\gamma$ -RAY FROM  $^{15}\text{N}$   
 FOLLOWING  $\mu^-$  CAPTURE IN  $^{16}\text{O}$

S. N. Kaplan, R. V. Pyle, L. E. Temple, and  
 G. F. Valby

Lawrence Radiation Laboratory

University of California, Berkeley, California 94720

The very broad, 6.322-MeV  $^{15}\text{N}$  line observed<sup>1</sup> following  $\mu^-$  capture in  $^{16}\text{O}$  can be fitted with a simple kinematic model by using the neutron energy spectra predicted in the resonance-capture calculation of Raphael, Uberall, and Werntz.<sup>2</sup> If we assume complete isotropy in the reaction sequence



and define  $\vec{\beta}_1$  as the recoil velocity of the  $^{16}\text{N}^*$  from  $^{16}\text{O}$ ,  $\vec{\beta}_2$  as the recoil velocity of the  $^{15}\text{N}^*$  from  $^{16}\text{N}$ , and  $E_0$  as the  $\gamma$ -ray energy in the  $^{15}\text{N}^*$  rest frame, we can easily show that for monoenergetic neutron emission the  $\gamma$  ray will have the trapezoidal line shape shown in Fig. 1.

Summing over the neutron line spectrum of Ref. 2 and folding in detector resolution (12 keV or 2 PHA channels), we obtain the curve in Fig. 2.

The experimental data points can also be fitted by assuming the recoil of a monoenergetic neutron. The quality of this fit as a function of neutron energy ( $E_n$ ) is indicated in the table.




Fig. 1. Calculated line shape for monoenergetic neutron emission.




Fig. 2. Experimental data fitted with neutron spectrum of Ref. 2.

$E_n$ (MeV)	$\chi^2/d$	Confidence level (CL) (%)	$E_n$ (MeV)	$\chi^2/d$	Confidence level (CL) (%)
1	70/30	< 0.01	5	25.5/30	> 50
2	47/30	6	6	31.5/30	40
3	28/30	> 50	7	40.8/30	10
4	23.6/30	> 50	8	55.5/30	0.4

The data can, therefore, be well fitted ( $CL \geq 50\%$ ) with any spectrum of neutrons principally in the energy range of 3 to 6 MeV. However, a significant fraction of lower- or higher-energy neutrons would spoil this fit.

These limits imposed on neutron recoil energies are consistent both with the predictions of the resonance model and the  $\mu^-$  capture

UNIVERSITY OF CALIFORNIA  
Lawrence Radiation Laboratory  
Berkeley, California  
AEC Contract No. W-7405-eng-48

November 7, 1969

ERRATUM

TO: All recipients of UCRL-19348

FROM: Technical Information Division

Subject: UCRL-19348 "Doppler Broadening of the 6, 322-MeV  
 $\gamma$ -Ray from  $^{15}\text{N}$  Following  $\mu^-$  Capture in  $^{16}\text{O}$ " by  
S. N. Kaplan, R. V. Pyle, L. E. Temple, and  
G. F. Valby, September 1969

Please change citation at upper left on cover to read:

"Proceedings of the Third International Conference on High Energy  
Physics and Nuclear Structure, New York, September 8-12, 1969."

neutron spectrum measurements reported by Evseev et al.<sup>3</sup>

It should be pointed out that the assumed isotropy does constitute an oversimplification because of correlation between the nuclear spin axis and the direction of neutrino emission. Therefore some modification of the above result can be expected if detailed account is taken of possible angular correlations.

References:

1. S. N. Kaplan, R. V. Pyle, L. E. Temple, and G. F. Valby, Phys. Rev. Letters 22, 795 (1969).
2. R. Raphael, H. Uberall and C. Werntz, Physics Letters 24B, 15 (1967).
3. Y. Evseev, T. Kozlowski, V. Roganov, and J. Woitkowska (these Proceedings).

LEGAL NOTICE

*This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:*

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or*
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.*

*As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.*



TECHNICAL INFORMATION DIVISION  
LAWRENCE RADIATION LABORATORY  
UNIVERSITY OF CALIFORNIA  
BERKELEY, CALIFORNIA 94720