

UC Irvine

UC Irvine Previously Published Works

Title

Corrigendum to "Hippocampus and amygdala volumes from magnetic resonance images in children: Assessing accuracy of FreeSurfer and FSL against manual segmentation"[NeuroImage 129 (2016) 1-14]

Permalink

<https://escholarship.org/uc/item/9xx3w9ch>

Authors

Schoemaker, Dorothee
Buss, Claudia
Head, Kevin
[et al.](#)

Publication Date

2018-06-01


DOI

10.1016/j.neuroimage.2018.02.009

Copyright Information

This work is made available under the terms of a Creative Commons Attribution License, available at <https://creativecommons.org/licenses/by/4.0/>

Peer reviewed



Corrigendum

Corrigendum to “Hippocampus and amygdala volumes from magnetic resonance images in children: Assessing accuracy of FreeSurfer and FSL against manual segmentation” [NeuroImage 129 (2016) 1–14]



Dorothee Schoemaker^{a,b}, Claudia Buss^{c,d}, Kevin Head^c, Curt A. Sandman^c, Elysia P. Davis^{c,e}, M. Mallar Chakravarty^{b,f}, Serge Gauthier^a, Jens C. Pruessner^{a,b,*}

^a McGill Centre for Studies in Aging, McGill University, Montreal, QC, Canada

^b Douglas Hospital Research Centre, Psychiatry Department, McGill University, Montreal, QC, Canada

^c University of California at Irvine, CA, USA

^d Charité, Berlin, Germany

^e University of Denver, CO, USA

^f Biomedical Engineering Department, McGill University, Montreal, QC, Canada

The authors discovered an error in Fig. 4 of the published manuscript. The graphs displayed in Fig. 4-B correspond to a replication of those presented in Fig. 4-A. While the graphs in Fig. 4-A are accurate, the graphs in Fig. 4-B should instead be showing correlations between manual segmentation and FSL-FIRST volumes (not FreeSurfer as in the

previously published version). Please find here the rectified Fig. 4. The correlation coefficients presented in the results section of the manuscript are accurate and thus, the manuscript itself remains unaffected by this error.

LEGEND (unchanged)

DOI of original article: <https://doi.org/10.1016/j.neuroimage.2016.01.038>.

* Corresponding author. McGill Centre for Studies in Aging, 6825 Boulevard LaSalle, Montreal, QC, H4H1R3, Canada.

E-mail address: jens.pruessner@mcgill.ca (J.C. Pruessner).

<https://doi.org/10.1016/j.neuroimage.2018.02.009>

Available online 21 February 2018

1053-8119




Fig. 4. Pearson correlations between volumes obtained with manual segmentation and with FreeSurfer (A) and FSL-FIRST (B). Plots are presented separately for i-right hippocampus ii-left hippocampus, iii-right amygdala, iv-left amygdala. r — pearson correlation coefficient. Outliers, defined using the magnitude of the residuals, are circled in red and identified in a red rectangle.

The authors would like to apologise for any inconvenience caused.