Lawrence Berkeley National Laboratory

Lawrence Berkeley National Laboratory

Title

Surface metrology of off-axis paraboloids with a Zygo phase-measuring interferometer

Permalink https://escholarship.org/uc/item/7c63f42d

Author Artemiev, Nikolay

Publication Date 2013-08-29

Surface metrology of off-axis paraboloids with a Zygo phase-measuring interferometer

Wayne R. McKinney, Nikolay Artemiev, Gregory Morrison, Valeriy V. Yashchuk, and Howard Padmore

Lawrence Berkeley National Laboratory, Berkeley, California, 94720

Corresponding Author: Wayne R. McKinney

Affiliation: Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA Mailing address: Lawrence Berkeley National Laboratory, 1 Cyclotron Road, M/S 15R0317 Berkeley, CA 94720-8238, USA Telephone number: +1-510-486-4395 Fax number: +1-510-486-4385 Email address: <u>WRMcKinney@lbl.gov</u>

Presentation preference: Oral Presentation

Abstract text:

Increased brightness of updated 3rd generation synchrotron sources and FELs leading to smaller focused spots of x-rays has led optical designers to consider more and different methods of manufacture, and more and different figures for optical surfaces [Opt. Express. 17(20), 18271-18278, 2009]. The desire to achieve higher resolving powers for Resonant Inelastic X-ray Scattering (RIXS) also drives the interest in shapes which can focus to a point in monochromator designs. As a run up to potential future requirements in soft x-ray optical metrology, we investigate here the surface quality of off-axis paraboloids fabricated by diamond-turning. A novel method to measure off-axis parabolic optics is based on using gold microspheres as a diffraction limited back reflector in a double-bounce auto collimating geometry [SPIE Proc. 7102, 71020X (2008)]. We also discuss two other minor modifications to this experimental approach and compare them with the one using a diffraction limited ball to measure off-axis parabolic optics. Such methods may be extended, we propose, to ellipsoidally figured optics using converging rather than parallel light emerging from the interferometer.

100 word version

Brightness of 3rd generation synchrotrons and FELs leading to smaller spots of x-rays leads designers to different figures for optical surfaces. Desire to achieve higher resolving powers also drives interest in shapes which can focus to a point. To anticipate future requirements in soft x-ray metrology, we investigate off-axis diamond-turned paraboloids. A method to measure off-axis paraboloids is based on gold microspheres as diffraction limited back reflectors in a double-bounce, auto-collimating geometry. We discuss two other modifications to this approach, comparing them to the original. Such methods may be extended to ellipsoidal optics using converging light emerging from the interferometer.

<u>Keywords:</u> off-axis parabolic mirror, x-rays, x-ray optics, synchrotron radiation, synchrotron beamline, optical metrology, phase measuring interferometer

Abstract submitted to SPIE Optics and Photonics 2013, Conference OP312: Advances in X-Ray/EUV Optics and Components VIII, San Diego, August 25-29, 2013

Acknowledgements

The Advanced Light Source is supported by the Director, Office of Science, Office of Basic Energy Sciences, Material Science Division, of the U.S. Department of Energy and by the DOE Laboratory Directed Research and Development Program under Contract No. DE-AC02-05CH11231 at Lawrence Berkeley National Laboratory.

Disclaimer

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California.

Principle author's biography:

Wayne R. McKinney received his PhD in physics and ultraviolet astronomy from The Johns Hopkins University in 1974. Following a post-doctoral appointment in molecular biology in the Biology Department of Brookhaven National Laboratory he designed optical systems for the NSLS. In 1979 he joined the research staff of the Richardson Grating Lab in Rochester New York, becoming Manager of Diffraction Grating R&D in 1981. In 1987 he became a staff scientist in the Center for X-Ray Optics at Lawrence Berkeley National Laboratory working on water cooled optical components and monochromator designs for the ALS. He won local and national Tech Transfer Awards, leading to Fellow status in the OSA. He now works directly for the Advanced Light Source where he built the first infrared beamlines, and the first ALS spherical grating monochromator. Currently his responsibilities are in optical metrology, particularly the adjustment of bendable x-ray optics

Author: Nikolay Artemiev

Affiliation: Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA Mailing address: Lawrence Berkeley National Laboratory, 1 Cyclotron Road, M/S 15R0317 Berkeley, CA 94720-8238, USA Telephone number: +1-510-495-2159 Fax number: +1-510-486-7696 Email address: NArtemiev@lbl.gov

Author: Gregory Morrison

Affiliation: Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA Mailing address: Lawrence Berkeley National Laboratory, 1 Cyclotron Road, M/S 2R0400 Berkeley, CA 94720-8199, USA Telephone number: +1-510-495-4066 Fax number: +1-510-486-7696 Email address: <u>GYMorrison@lbl.gov</u>

Author: Valeriy V. Yashchuk

Affiliation: Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA Mailing address: Lawrence Berkeley National Laboratory, 1 Cyclotron Road, M/S 15R0317 Berkeley, CA 94720-8238, USA Telephone number: +1-510-486-2592 Fax number: +1-510-486-7696 Email address: VVYashchuk@lbl.gov Author: Howard A. Padmore

Affiliation: Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA Mailing address: Lawrence Berkeley National Laboratory, 1 Cyclotron Road, M/S 2R0400 Berkeley, CA 94720-8199, USA Telephone number: +1-510-486-5787 Fax number: +1-510-486-7696 Email address: <u>HAPadmore@lbl.gov</u>