

# UC Irvine

## UC Irvine Previously Published Works

### Title

Horizon scanning for South African biodiversity: A need for social engagement as well as science

### Permalink

<https://escholarship.org/uc/item/3d24t0m1>

### Journal

Ambio, 49(6)

### ISSN

0044-7447

### Authors

Seymour, Colleen L  
Gillson, Lindsey  
Child, Matthew F  
[et al.](#)

### Publication Date

2020-06-01

### DOI














10.1007/s13280-019-01252-4

Peer reviewed



RESEARCH ARTICLE

# Horizon scanning for South African biodiversity: A need for social engagement as well as science

Colleen L. Seymour , Lindsey Gillson , Matthew F. Child ,  
Krystal A. Tolley , Jock C. Curie , Jessica M. da Silva ,  
Graham J. Alexander , Pippin Anderson, Colleen T. Downs ,  
Benis N. Egoh, David A. Ehlers Smith , Yvette C. Ehlers Smith ,  
Karen J. Esler , Patrick J. O'Farrell , Andrew L. Skowno,  
Essa Suleman, Ruan Veldtman 

Received: 16 June 2019/Revised: 16 August 2019/Accepted: 26 August 2019/Published online: 28 September 2019

**Abstract** A horizon scan was conducted to identify emerging and intensifying issues for biodiversity conservation in South Africa over the next 5–10 years. South African biodiversity experts submitted 63 issues of which ten were identified as priorities using the Delphi method. These priority issues were then plotted along axes of social agreement and scientific certainty, to ascertain whether issues might be “simple” (amenable to solutions from science alone), “complicated” (socially agreed upon but technically complicated), “complex” (scientifically challenging and significant levels of social disagreement) or “chaotic” (high social disagreement and highly scientifically challenging). Only three of the issues were likely to be resolved by improved science alone, while the remainder require engagement with social, economic and political factors. Fortunately, none of the issues were considered chaotic. Nevertheless, strategic communication, education and engagement with the populace and policy makers were considered vital for addressing emerging issues.

**Keywords** Biodiversity futures · Consensus and scientific knowledge · Delphi approach · Future scenarios · Step changes · Threats and opportunities

## INTRODUCTION

Conservation biology is viewed as a “crisis discipline” where rapid decisions are needed before all the facts are known (Soulé 1985). Recently, proactive methods have shifted this paradigm, with approaches including horizon scanning (Sutherland et al. 2010; Brown et al. 2016), scenario planning (Mitchell et al. 2015), identification of priority actions (Souza and Bernard 2019), research questions

(Fleishman et al. 2011) and possibilities presented by new methods or technologies (Arts et al. 2015). This allows some degree of anticipation and planning, that can complement or even pre-empt crisis approaches.

Horizon scanning sets out to identify emerging issues that have yet to become highly visible, but may have serious positive or negative effects on biodiversity conservation in the near future (5–10 years). It can inform policy makers, funders and scientists (Sutherland et al. 2011b), directing research and enabling better preparation for impacts and exploration of potential scenarios, responses and solutions. Global horizon scanning for biodiversity has been conducted annually for over a decade (e.g. Sutherland et al. 2019a, 2010, 2011a, 2014, 2018). A recent review of the earliest horizon scan found that of the 15 issues identified in 2010 (Sutherland et al. 2010), five had become major global issues and another six had increased in importance (Sutherland et al. 2019b), suggesting that the horizon scan reliably identified future issues for conservation.


The issues highlighted during global scans inevitably vary in intensity and impact by region, and individual countries differ in the degree of control over actions in response. There is value, therefore, in conducting horizon scans at regional, national or local scales to prioritise context-specific interventions. To this end, some countries have conducted their own horizon scans: for example, the UK (Sutherland et al. 2008) and Israel (Kark et al. 2016). There have also been exercises to prioritise research questions [e.g. the USA (Fleishman et al. 2011), Canada (Rudd et al. 2011), Ecuador (Arturo Izurieta et al. 2018) and South Africa (Allsopp et al. 2019)], actions (Souza and Bernard 2019) or educational needs (Shackleton et al. 2011) in support of biodiversity conservation. Here, we present a horizon scan for South Africa, performed by a

broad group of biodiversity practitioners and researchers representing a wide array of conservation fields and experience. This study focuses on upcoming issues for biodiversity conservation that are either new or undergoing a marked increase in intensity (i.e. a “step change”). We are unaware of such exercises for any other countries within the African continent.

South Africa shares many traits with other developing countries. There is an exceptionally rich biodiversity, supporting much of the tourism industry, which contributes substantially to employment and GDP (Maia et al. 2011). Challenges include poaching of rare and threatened species by local and international syndicates, and growing human population and urbanisation: between 2007 and 2017, the percentage of people living in cities increased from 60.6 to 65.8%<sup>1</sup>. These factors are linked with declines in biodiversity (Faeth et al. 2012), placing pressure on natural resources and making the effects of environmental disasters pronounced in terms of intensity and the number of people affected. The country’s Gini coefficient, a measure of how much an economy deviates from equal distribution of wealth, is currently one of the highest in the world (Sulla and Zikhali 2018), which may exacerbate socio-ecological challenges. Thus in South Africa, there is a confluence of environmental, economic and socio-political challenges, which frame the context of horizon scan issues and our responses to them.

Uncertainty is inevitable in complex scenarios where the impacts of environmental change have political, socio-economic and ecological dimensions. However, horizon scanning exercises must consider these contexts if they are to guide future responses. Therefore, once we identified key issues, we also assessed the type of response that might inform future scenario planning and pre-emptive management. Specifically, we sought to identify issues that might be solved using science alone and those requiring collaboration across disciplines and stakeholder groups. We did this by categorising issues according to their level of certainty and social agreement, using a modification of Patton’s (2011) framework, and adopting the terminology used in that framework (Fig. 1).

For “simple” and “technically complicated” problems, cause and effect are repeatable, with little controversy about the desired outcomes of management options. These “knowable” problems are amenable to evidence-based responses, with recommendations for good practice (Gillson et al. 2019). Most conservation issues are embedded within complex socio-ecological contexts, however, and have economic, social and political dimensions. In “complex” issues, outcomes may be unpredictable owing to



**Fig. 1** The axes of certainty of knowledge and agreement among scientists, managers, policy makers and communities can help to identify whether these issues are “simple”, “complicated”, “complex” or “chaotic”, and may help inform appropriate responses Reproduced with permission from Patton (2011)

emergent properties or shifts in social or ecological states, and stakeholders may differ regarding what constitutes a preferred outcome. In these cases, science alone cannot provide complete responses to emerging issues, and strategies including social, economic and political considerations alongside scientific approaches are needed. Identifying where issues fall on the axes of knowledge and agreement helps inform scenario planning exercises, identifying where engagement beyond science is necessary for policy makers, managers, landowners and other communities. These engagements also allow for inclusion of debate alongside scientific knowledge and encourage transdisciplinary approaches. A state of “chaos” ensues when there is neither consensus nor knowledge.

Our aims were to (1) identify horizon issues for biodiversity in South Africa, either new issues or “step changes” (defined as an increase in intensity) and (2) categorise issues in terms of social “agreement” and the need for scientific “certainty”, to assess the level of complexity and the types of engagement required in response.

## MATERIALS AND METHODS

A group of 17 biodiversity professionals gathered issues considered as arising in the next 5–10 years that might have positive or negative impacts for biodiversity conservation in South Africa specifically, but perhaps also regionally and globally. The group included members of non-governmental organisations, academia, and government

<sup>1</sup> <https://www.statista.com/statistics/455931/urbanization-in-south-africa/>.

departments and organisations, with a wide array of experience.

Each participant, by either consulting their networks or independently, identified 3 to 5 new or intensifying issues, resulting in 63 issues that were circulated to all participants. To avoid bias, four versions of the list were generated by shuffling the sequence of issues so that they did not appear consistently at the beginning, end or middle across the different versions. Each participant received one version of the list and scored each issue out of 1000, with issues that were well known and not important scoring low and those that were either poorly known or about to undergo a “step change”, and crucially important for biodiversity, scoring highly. No issues were to be allocated the same score. Respondents also indicated whether they had heard of an issue. Scores were converted into ranks that were summed to identify the top 32 issues. Participants were allowed to clarify any issues they felt had been misunderstood or to propose new issues they felt were vital for inclusion.

An approach based on the Delphi method (Dalkey and Helmer 1963) was applied to identify a final list of issues, as has been successfully done elsewhere (e.g. Sutherland et al. 2010, 2019a). The Delphi method is an inclusive structured technique that reduces social pressure among participants (Mukherjee et al. 2015). Using this method, the 32 issues, plus one new issue, were discussed at a meeting in Cape Town, South Africa, in October 2018. Before the meeting, each issue was allocated to two participants, neither of whom had proposed the issue, who acted as “cynics” (i.e. to provide a more in-depth assessment). Cynics and the original authors of issues remained anonymous. After timed discussion on each issue, each participant again scored the 33 issues out of 1000. New rankings were calculated, and the 11 highest-scoring issues were identified. Of these, two were coalesced, as there was considerable overlap between them, yielding ten issues.

We assessed the final ten issues as to whether they could be considered “simple”, “complicated”, “complex” or “chaotic” on our framework of knowledge and consensus. Each participant provided a score out of 10 each for “consensus” and “scientific knowledge”. Consensus scores (e.g. degree of agreement between and within various stakeholder groups) were rated such that zero represented relatively little controversy about the desired outcome or way forward, and 10 represented high controversy. Scientific scores were similarly low where the science was considered well known and practicable, or the system relatively simple, with higher scores for technically complicated issues, and very high scores (> 7) for issues considered technically untested or with potentially unanticipated tipping points that could produce surprising consequences. These were used to generate a mean score for

each axis and standard error around that mean, plotted on the two axes of agreement and scientific certainty.

## RESULTS

We provide a synopsis for each issue, grouped according to common themes, and not according to the rank order.

### Issues

#### *Risk of growing populism threatening conservation objectives*

Populism is a political approach used to gain support of people who feel their concerns are disregarded by established elites. Populism is on the rise across the globe (Inglehart and Norris 2016), and a recent poll of 23 countries<sup>2</sup> placed South Africa second after Brazil in proportion of respondents who expressed populist beliefs<sup>3</sup>. Populist rhetoric sometimes portrays environmental concerns as opposing the needs of the wider populace for job opportunities, access to resources and growth in gross domestic product. In Europe, this plays out through beliefs about climate change: a third of populist groups refute or are sceptical of anthropogenic climate change (Schaller and Carius 2010). The conflict between environmental concerns and populism could be particularly marked in South Africa, given its struggling economy and high unemployment rate (currently > 25%). However, the large rural populace is directly dependent on ecosystem services and could also be powerful advocates for the environment.

#### *Disaster management leads to short-term decisions where biodiversity is disregarded*

South Africa has progressive environmental spatial planning capability, products and legislation. When disasters occur, however, and emergency legislation and decision-making are triggered, environmental considerations may be circumvented (SA National Disaster Management Framework 2005), with unintended and severe consequences for the environment. For example, in the Western Cape Province, severe and prolonged drought spurred drilling for groundwater that threatened unique biodiversity<sup>4</sup>. Fortunately, water management authorities worked with

<sup>2</sup> <https://www.theguardian.com/world/2019/may/01/populism-what-is-yougov-cambridge-globalism-project-methodology>.

<sup>3</sup> <https://www.theguardian.com/world/2019/may/01/revealed-populists-more-likely-believe-conspiracy-theories-vaccines>.

<sup>4</sup> <https://www.groundup.org.za/article/rush-drill-water-could-threaten-our-future-water-supply/>.

scientists to reassess initial drilling plans, ultimately siting boreholes in less-sensitive areas<sup>5</sup>, but such cooperation may not always occur. Although rushed responses to disasters are not new, disasters are expected to escalate in frequency and magnitude, given extreme weather events linked to climate change predictions (Hewitson and Crane 2006; IPCC 2013). Proactive environmentally aware responses to disasters are crucial for building resilience to extreme events, while ensuring the ability of ecosystems to deliver services for future generations.

#### *Acceleration of land reform and land-use change*

Land reform (equitable access to land, security of tenure and restitution) is an incendiary issue in South Africa. Because much biodiversity lies in privately owned land (Gallo et al. 2009), land reform could present threats and opportunities for biodiversity conservation (Kepe et al. 2005). Land reform could reverse recent gains in biodiversity conservation if private conservation areas are transformed to agricultural production. Alternatively, urbanisation and associated land abandonment<sup>6</sup> could present an opportunity to increase conservation on private and public land, enabling community conservation projects, wildlife areas, land rehabilitation and rewilding, with benefits for biodiversity and associated ecosystem services (Stafford et al. 2017). At present, it is difficult to assess how land reform may influence the conservation of biodiversity, although it is likely to have some effect.

#### *Foreign global development goals could threaten local biodiversity*

Growing populations and unemployment rates, poorly performing economies and financial inequality put many developing nations under pressure to industrialise and exploit resources. At the same time, global powers aim to boost their trade and access to minerals across new economic and geographic frontiers (Lee 2006; Carmody 2016). Development banks have proliferated in recent years, supporting large infrastructure projects; much of this development may happen at a cost to the environment (Alexander 2014). The G20 estimate that infrastructure capacity required for the world by 2030 will cost US\$ 60–70 trillion (Alexander 2014), pointing to an impending infrastructure explosion. Rapid development in richly biodiverse, less-developed regions, including parts

of South Africa (e.g. Pondoland<sup>7</sup>), could spell disaster for biodiversity in a step-change fashion.

#### *Domestication and commodification of wildlife could lead to loss of ecosystem functioning*

The game industry generates approximately R7 billion (~ US\$ 488 million) annually in South Africa from approximately 17 million hectares of privately owned land (Taylor et al. 2016). The South African government aims to further unlock the economic benefits of biodiversity to redress poverty, unemployment and inequality. A pledge of a further R600 million (~ US\$ 42 million) over the next three years for game farming activities (e.g. stocking, trading, breeding and hunting; Department of Environmental Affairs 2018) signals support from government, and potentially a step change in the scale of the industry and its biodiversity consequences. Although adding a monetary value to wildlife may benefit biodiversity in certain cases (Di Minin et al. 2016), commodification of high value species without consideration of population and ecosystem impacts pose numerous threats to biodiversity (Cousins et al. 2010; Ripple et al. 2016; Child et al. 2019). Management practices to enhance the commercial value of populations include selective breeding to produce desired traits (e.g. horn length), introduction of species outside their native range and cross-breeding with extra-limital ecotypes or subspecies. Landscape-level interventions include electric fencing, persecution of predators, and habitat alteration to enhance focal species production. These interventions disconnect populations from ecosystems, fragment the landscape, and homogenise ecological communities. The future scale and duration of this issue is uncertain. However, given that widespread breeding of high value species and variants has increased supply, and thus reduced their value<sup>8</sup>, game farming may be less attractive to landowners.

#### *Large increase in impermeable and lethal fencing poses threats to biodiversity*

South Africa's burgeoning wildlife ranching industry, lucrative tourism and hunting sectors, stock and crop theft, predation on domestic stock and high contact-crime rate (Taylor et al. 2016; Crime Stats SA 2018) have driven an increase in impermeable fencing throughout urban, agricultural, rural and protected landscapes (Whittington-Jones

<sup>5</sup> <https://www.groundup.org.za/article/uct-scientists-convince-city-be-more-cautious-table-mountain-group-aquifer/>.

<sup>6</sup> <https://irr.org.za/media/articles-authored-by-the-institute/pressing-hunger-for-land-the-stats-show-something-different>.

<sup>7</sup> <https://www.dailymaverick.co.za/article/2019-03-26-china-the-pondo-king-and-namaqualand-in-pursuit-of-the-disney-playground-deal/>.

<sup>8</sup> <https://mg.co.za/article/2019-01-11-00-the-exotic-game-market-goes-bang>.



and Retief 2017). The estimated 6 million km of fencing in the country prevents wildlife migration, dispersal, foraging and mating. Furthermore, fencing technology (i.e. electric fencing and multiple strands of razor and/or barbed wire) is responsible for considerable wildlife mortality, particularly of reptiles, larger bird species and mammals (Beck 2009; Whittington-Jones and Retief 2017). The drivers of fence construction are likely to be sustained or increase. The threats presented by impermeable fencing are not new, but are likely undergoing a step change in South Africa and other countries, within this region. Alterations to fence design could ameliorate mortality risks (Beck 2009; Pietersen et al. 2011) and merit further research.

#### *Extinction of experience and loss of engagement with nature*

Two major characteristics of the Anthropocene are the shift in the human population towards towns and cities (Elmqvist et al. 2013) and the rise of information technology. Globally, 55% of people live in urban areas (United Nations 2018), with the most dramatic changes occurring in the developing world. Rapid urbanisation, at a rate of 1.36% per year since the 2000s, has occurred in sub-Saharan Africa. Shifts to urban lifestyles and values and a loss of biodiversity knowledge have increased the disconnect between urbanising populations and the natural world (Balmford and Cowling 2006). At the same time, social media and interactive platforms create an interface that could either increase or decrease the gulf between nature and people (Büscher 2016). Virtual experiences (e.g. virtual hiking trails on Google Earth) could either supplant physical engagement with nature (Arts et al. 2015), or encourage an interest and concern about environmental problems. While the extinction of experience is globally relevant and not novel, a step change is proposed for South Africa and the region driven by increasing urbanisation and access to information technologies.

#### *Using nudging to change behaviour to the benefit of conservation of resources and biodiversity*

“Nudging”—the use of positive reinforcement to influence people’s decision-making—is widely used in marketing, but remains unexplored for use in advancing biodiversity conservation (Reddy et al. 2017). Incentivising pro-environmental behaviour through green consumerism, regulation or rational argument, may not always bring about desired changes in behaviour. People inherently avoid making difficult decisions, so nudging them towards choices most beneficial to biodiversity or sustainability can reduce the cognitive “cost” of behaviour change. During the drought of 2015–2018, the City of Cape Town used

several “nudges” to reduce water consumption. These included online resources such as a water-level dashboard and an interactive map that identified compliant and non-compliant neighbourhoods and households. Publicly recognising households for water conservation or appealing to certain high-use households to act in the public interest were the most effective nudges (Brick et al. 2018). In Canada, nudging is used to make individuals aware of their carbon footprint and encourages them to make lower carbon choices (Murray and Rivers 2015; Guzman and Clapp 2017). Nudging in the form of interactive dashboards on mobile apps and gamification could transform consumer behaviours in South Africa for various conservation concerns.

#### *Technological advances for monitoring invertebrates and informing their conservation*

Recent research has sparked concern about the possible global decline of insects (Hallmann et al. 2017; Leather 2018; Sánchez-Bayo and Wyckhuys 2019). Such losses will have severe consequences for ecosystems because of the central role of insects in food webs and ecological functions (Losey and Vaughan 2006). Monitoring insects using new technology could allow assessment of insect distributions and abundances over time, generating much-needed data to inform and galvanise conservation strategies. Radar and LIDAR are two examples of methods to detect insects remotely (Chapman et al. 2004; Brydegaard et al. 2016; Bombi et al. 2019). Specifically, data from weather radar scans, in which invertebrates appear as “white noise”, could be used to detect flying insects and has the potential to generate time-series data on insect abundances and distributions. Research is already underway, in a collaboration between physicists and biologists, to use weather radar in this way<sup>9</sup>.

#### *A One Health approach to minimise the risks of infectious diseases for biodiversity conservation*


In South Africa, wildlife-based activities such as eco-tourism, game breeding, translocation and hunting have grown in popularity (Bekker et al. 2012). This increases interactions between wildlife, domestic or agricultural animals and humans, raising the risk of infectious diseases spreading among species. There have been several cases of emerging infectious diseases (EIDs) including anthrax, botulism, brucellosis, rabies, toxoplasmosis, and tuberculosis in several species of wildlife in South Africa (Bekker et al. 2012). The likelihood of unexpected outbreaks

<sup>9</sup> <https://ncas.ac.uk/en/18-news/3012-using-weather-radar-to-monitor-insect-decline-around-the-world>.

increases with declining scavenger populations (O'Bryan et al. 2018) and climate change, which alters the distributions of disease vectors (Thomson et al. 2018). A One Health Program has been established in South Africa and aims to reduce morbidity and mortality in humans as well as animals. The One Health approach will improve wildlife disease diagnostic assays and establish robust programmes for monitoring, surveillance (Miller et al. 2017) and epidemiology of infectious wildlife diseases.

### Position of issues along axes of scientific knowledge and social agreement

Most of the final issues emerged as “complex”, when mapped on to axes of scientific certainty and social agreement (Fig. 2), i.e. scientific knowledge is incomplete or uncertain, and there are relatively low levels of social agreement. Exceptions to this were nudging and use of weather radar to monitor (WRM) invertebrates. For these two, social agreement was high, but in the case of WRM, the level of scientific expertise required was also high. Fortunately, no issues were considered truly chaotic.



**Fig. 2** Mapping of shortlisted issues onto axes of agreement and scientific certainty. We positioned issues along the axes guided by scores between 0 and 10, where 10 represents very little consensus on an issue and high uncertainty in the science. The issues are mapped with the centre of the ovals as the mean score, and the x and y values for the ovals are based on the standard errors along two axes. The issues are abbreviated as follows: *C, D W* commodification and domestication of wildlife, *DM* disaster management, *EE* extinction of experience, *FDG* foreign development goals, *IF* impermeable fencing, *LR* land reform, *N* nudging, *OH* a One Health approach to disease management, *P* rising populism, *WRM* Weather Radar Monitoring to assess invertebrate distributions and population dynamics

## DISCUSSION

This is the first horizon scan for biodiversity conservation in South Africa, and to our knowledge, for the African continent. Many of the issues are relevant to other countries in the region, if not the continent, given the shared socio-economic and biodiversity characteristics of many African countries. An innovation on previous horizon scans is the categorisation of horizon issues along axes of scientific certainty and social agreement, with the aim of guiding appropriate responses. Almost all of the issues fell between medium to high levels for one or both of scientific certainty or social lack of agreement, meaning that most were “complex” (Fig. 2). This suggests that science alone will not be sufficient to address the issues, but that social, economic, educational and political factors will be needed.

Figures 1 and 2 are used to provide guidance on how issues should be tackled. Issues that fall into the bottom left of the figures can be tackled with current knowledge, those in the top left quadrant require more consensus before action is taken, those in the bottom right require more scientific evidence before formulating an intervention, and those in the top right quadrant require both research and consensus and thus cannot be acted on immediately. Our horizon scan identified no issues that can be acted on with existing knowledge as yet, two which require some additional scientific research, and eight that will require more technical research as well as social agreement (Fig. 2). The issues differ in the degree of importance of technical versus social agreement, and none of the issues falls into the top right corner (“chaos”), where little is known and agreement is almost non-existent.

Of the ten shortlisted issues, four highlight the key role for technological advances, notably detection, diagnosis and monitoring of emerging infectious diseases, improved monitoring of declining invertebrate populations (using WRM), and enhanced fencing technology to reduce wildlife mortality associated with impermeable fencing. The fourth, growing populism, also scored highly from a scientific uncertainty view, likely because its development and unanticipated effects for conservation of biodiversity are difficult to predict.

For issues with fairly good social consensus (invertebrate monitoring and infectious wildlife diseases), solutions are primarily technical and can be resolved chiefly by advances in scientific research and technology. New technology is already being developed to address these issues, and this horizon scan can raise awareness about the availability of these technologies, stimulate further advances and perhaps encourage further innovation, funding, and collaboration between disciplines. Consensus is high for these two issues, possibly because invertebrate decline is now recognised globally (e.g. Hallmann et al.

2017; Lister and Garcia 2018; Sánchez-Bayo and Wyckhuys 2019), and of particular concern in megadiverse countries such as South Africa. Technologies to address wildlife disease are applicable worldwide, although there is sometimes conflict around wildlife being viewed as a possible reservoir for disease, despite disease often originating from humans or livestock (e.g. De Garine-Wichatitsky et al. 2017).

Most (seven of ten) issues had relatively low social agreement, highlighting the future importance of social engagement, and interdisciplinary and transdisciplinary approaches for addressing their biodiversity impacts. In addition to land reform, the global juggernauts of populism and foreign development goals are associated with high levels of social disagreement. Our uncertainty about these is also reflected in the relatively high standard errors for these issues (Fig. 2). Science may play a relatively minor role in the courses of these issues. In the case of populism, policy makers, scientists or the proponents of international conventions may be construed as an elite group with agendas far from the concerns of ordinary people. Likewise, the potential economic and social benefits of foreign investment, in a region wracked by poverty and unemployment, could easily overwhelm environmental concerns. Similarly, disaster management can place immediate needs of affected communities first, with little regard given to long-term negative implications for biodiversity and ecosystem services. Robust science can inform the environmental impacts of certain choices, but improved management will require collaboration across fields, including politics, education and communication.

Extinction of experience and commodification of wildlife have strong roles for science but also little consensus. Sensationalising nature could devalue the real experience of biodiversity. A loss or an increase in direct engagement with nature is also socially complicated. Although increasing direct engagement with nature may enhance opportunities for education, recreation and tourism revenue, it can also lead to damage to biodiversity if poorly managed. Nudging emerged with the greatest social agreement and scientific knowledge. High social agreement may be because nudging is already widely used in other fields (e.g. marketing and public health). From a scientific research point of view, however, there remains considerable room for further studies on how nudging might best be used to achieve positive conservation outcomes, particularly in collaboration with researchers from other fields (e.g. psychology and marketing).

Horizon scans are driven by a consensus between group members as to the issues most relevant to conservation of biodiversity at the time of the scan. These scans do not seek to systematically address all ecosystem types and fields of study, but we took care to ensure that participants in this

scan included representatives from various sectors working across diverse topics and ecosystems, to capture as wide a range of issues as possible. A different team might have identified a different list of issues, but it is likely that many issues on this list would have emerged, regardless. It is possible that issues may have moved on the agreement/certainty axes had the placement of issues along those axes also been subjected to a Delphi approach. We did not use a Delphi approach for this part of the exercise, because we wanted to capture the degree of uncertainty within the group about these two axes of scientific certainty and social consensus. Future horizon scans assessing issues along these axes could consider using both approaches to see whether more issues move out of the “complexity” (middle) zone into other parts of the framework as consensus is reached using the Delphi approach.

As a way forward, we suggest that strategic scenario planning exercises are used to identify the best responses to the issues highlighted. This will bring together diverse stakeholder groups to explore possible alternative pathways, enhancing social agreement. Furthermore, the identified issues highlight areas that require capacity development and planning. Some of the topics are borrowed from other fields (e.g. nudging), but may offer exciting opportunities if adapted to local conservation science. The novelty of our approach has been the attempt to distinguish issues that can primarily be resolved using science and technology from those that require collaboration between science and other sectors. Our findings highlight that science alone will rarely be the sole means for addressing biodiversity challenges and opportunities. That most of the horizon issues fell within the domain of complexity, where outcomes are uncertain and social disagreement is high, means that strategic communication, education and engagement with public and policy makers will need to be prioritised.

**Acknowledgements** We would like to thank Harry Biggs, Ian Little, Peter Lukey, Tlou Masehela, Christy Bragg, Galen Hosack and Kristin Hagan for their contribution of issues for the horizon scan. We also thank Nancy Job for comments on the disaster management section. The South African National Biodiversity Institute provided funding to carry out the Horizon Scan meeting.

## REFERENCES

- Alexander, N. 2014. *The emerging multi-polar world order: Its unprecedented consensus on a new model for financing infrastructure investment and development, The November 2014 G20 Summit: Part II*. Washington: Heinrich Böll Foundation.
- Allsopp, N., J.A. Slingsby, and K.J. Esler. 2019. Research questions for the conservation of the Cape Floristic region. *South African Journal of Science*. <https://doi.org/10.17159/sajs.2019/5889>.



- Arts, K., R. van der Wal, and W.M. Adams. 2015. Digital technology and the conservation of nature. *Ambio* 44: 661–673. <https://doi.org/10.1007/s13280-015-0705-1>.
- Balmford, A., and R.M. Cowling. 2006. Fusion or failure? The future of conservation biology. *Conservation Biology* 20: 692–695.
- Beck, A. 2009. *Electric fence induced mortality in South Africa*. MSc thesis. University of Witwatersrand.
- Bekker, J.L., L.C. Hoffman, and P.J. Jooste. 2012. Wildlife associated zoonotic diseases in some southern African countries in relation to game meat safety: A review. *Onderstepoort Journal of Veterinary Research* 79: 422.
- Brick K, S. Demartino, and M. Visser. 2018. *Behavioural nudges for water conservation: Experimental evidence from Cape Town*, Draft Paper, University of Cape Town, <https://doi.org/10.13140/rg.2.2.25430.75848>
- Brown, M.J.F., L.V. Dicks, R.J. Paxton, K.C.R. Baldock, A.B. Barron, M.-P. Chauzat, B.M. Freitas, D. Goulson, et al. 2016. A horizon scan of future threats and opportunities for pollinators and pollination. *PeerJ* 4: e2249. <https://doi.org/10.7717/peerj.2249>.
- Bombi, P., V. Gnetti, E. D'Andrea, B. De Cinti, A.V. Taglianti, M.A. Bologna, and G. Matteucci. 2019. Identifying priority sites for insect conservation in forest ecosystems at high resolution: The potential of LiDAR data. *Journal of Insect Conservation* 23: 689–698. <https://doi.org/10.1007/s10841-019-00162-w>.
- Brydegaard, M., A. Gebru, C. Kirkeby, S. Åkesson, and H. Smith. 2016. Daily evolution of the insect biomass spectrum in an agricultural landscape accessed with LIDAR. *EPJ Web of Conferences*. <https://doi.org/10.1051/epjconf/201611922004>.
- Büscher, B. 2016. Nature 2.0: Exploring and theorizing the links between new media and nature conservation. *New Media and Society* 18: 726–743.
- Carmody, P. 2016. *The new scramble for Africa*, 2nd ed. Cambridge: Polity Press.
- Chapman, J.W., D.R. Reynolds, and A.D. Smith. 2004. Migratory and foraging movements in beneficial insects: A review of radar monitoring and tracking methods. *International Journal of Pest Management* 50: 225–232.
- Child, M.F., S.A.J. Selier, F.G.T. Radloff, W.A. Taylor, M. Hoffmann, L. Nel, R.J. Power, C. Birss, et al. 2019. A framework to measure the wildness of managed large vertebrate populations. *Conservation Biology* 33: 1106–1119. <https://doi.org/10.1111/cobi.13299>.
- Cousins, J.A., J.P. Sadler, and J. Evans. 2010. The challenge of regulating private wildlife ranches for conservation in South Africa. *Ecology and Society* 15: 28. <https://doi.org/10.5751/ES-03349-150228>.
- Crime Stats SA (2018). *National Crime Statistics for South Africa*. Retrieved from <http://www.crimestatssa.com/national.php>. Accessed 20 Mar 2019.
- Dalkey, N., and O. Helmer. 1963. An experimental application of the Delphi method to the use of experts. *Management Science* 9: 458–467.
- De Garine-Wichatitsky, M., A. Caron, R. Kock, R. Tschopp, M. Munyeme, M. Hofmeyr, and A. Michel. 2017. A review of bovine tuberculosis at the wildlife–livestock–human interface in sub-Saharan Africa. *Epidemiology and Infection* 141: 1342–1356. <https://doi.org/10.1017/S0950268813000708>.
- Department of Environmental Affairs (2018). Developments within the biodiversity economy. <https://www.wrsa.co.za/wp-content/uploads/2018/04/14H00-WRSA-Conference-presentation-on-Biodiversity-Economy-CD-presentation-updated.pdf>. Accessed 10 Dec 2018.
- Di Minin, E., N. Leader-Williams, and C.J.A. Bradshaw. 2016. Banning trophy hunting will exacerbate biodiversity loss. *Trends in Ecology & Evolution* 31: 99–102.
- Elmqvist, T., M. Fragkias, J. Goodness, B. Güneralp, P.J. Marcotullio, R.I. McDonald, S. Parnell, M. Schewenius, M. Sendstad, K.C. Seto, and C. Wilkinson (eds.). 2013. *Urbanization, biodiversity and ecosystem services: Challenges and opportunities*. Dordrecht Heidelberg New York London: Springer.
- Faeth, S. H., S. Saari, and C. Bang. 2012. *Urban biodiversity: Patterns, processes and implications for conservation*. In: eLS. Wiley: Chichester. <https://doi.org/10.1002/9780470015902.a0023572>.
- Fleishman, E., D.E. Blockstein, J.A. Hall, M.B. Mascia, M.A. Rudd, J.M. Scott, W.J. Sutherland, A.M. Bartuska, et al. 2011. Top 40 priorities for science to inform US conservation and management policy. *BioScience* 61: 290–300. <https://doi.org/10.1525/bio.2011.61.4.9>.
- Gallo, J.A., L. Pasquini, B. Reyers, and R.M. Cowling. 2009. The role of private conservation areas in biodiversity representation and target achievement within the Little Karoo region, South Africa. *Biological Conservation* 142: 446–454.
- Gillson, L., H. Biggs, I.P.J. Smit, M. Virah-Sawmy, and K. Rogers. 2019. Finding common ground between adaptive management and evidence-based approaches to biodiversity conservation. *Trends in Ecology & Evolution* 34: 31–44. <https://doi.org/10.1016/j.tree.2018.10.003>.
- Guzman, L.I., and A. Clapp. 2017. Applying personal carbon trading: A proposed ‘carbon, health and savings system’ for British Columbia, Canada. *Climate Policy* 17: 616–633.
- Hallmann, C.A., M. Sorg, E. Jongejans, H. Siepel, N. Hofland, H. Schwan, W. Stenmans, A. Müller, et al. 2017. More than 75 percent decline over 27 years in total flying insect biomass in protected areas. *PLoS ONE* 12: 18–22. <https://doi.org/10.1371/journal.pone.0185809>.
- Hewitson, B., and R.G. Crane. 2006. Consensus between GCM climate change projections with empirical downscaling: Precipitation downscaling over South Africa. *International Journal of Climatology* 26: 1315–1337.
- Inglehart, R., and P. Norris. 2016. *Trump, brexit, and the rise of populism: Economic have-nots and cultural backlash*. Harvard Kennedy School Faculty Research Working Paper Series. <https://doi.org/10.2139/ssrn.2818659>.
- Izurietta, A., B. Delgado, N. Moity, M. Calvopiña, Y. Cedeno, G. Banda-Cruz, E. Cruz, M. Aguas, et al. 2018. A collaboratively derived environmental research agenda for Galápagos. *Pacific Conservation Biology* 24: 168–177.
- IPCC. 2013. *Climate change 2013: The physical science basis*. 1535 pp. In *Contribution of Working Group I to the fifth assessment report of the intergovernmental panel on climate change*, eds. TF Stocker, Qin, D, Plattner, G-K, Tignor, M, Allen, SK, Boschung, J, Nauels, A, Xia, Y, Bex, V, Midgley, PM. Cambridge/New York: Cambridge University Press/IPCC.
- Kark, S., W.J. Sutherland, U. Shanas, K. Klass, H. Achisar, T. Dayan, Y. Gavrieli, R. Justo-Hanani, et al. 2016. Priority questions and horizon scanning for conservation: A comparative study. *PLoS ONE* 11: 1–29. <https://doi.org/10.1371/journal.pone.0145978>.
- Kepe, T., R. Wynberg, and W. Ellis. 2005. Land reform and biodiversity conservation in South Africa: Complementary or in conflict? *The International Journal of Biodiversity Science and Management* 1: 3–16.
- Leather, S.R. 2018. “Ecological Armageddon”—more evidence for the drastic decline in insect numbers. *Annals of Applied Biology* 172: 1–3.
- Lee, M.C. 2006. The 21st century scramble for Africa. *Journal of Contemporary African Studies* 24: 303–330. <https://doi.org/10.1080/02589000600976570>.
- Lister, B.C., and A. Garcia. 2018. Climate-driven declines in arthropod abundance restructure a rainforest food web.

- Proceedings of the National Academy of Sciences* 115: E10397–E10406. <https://doi.org/10.1073/pnas.1722477115>.
- Losey, J.E., and M. Vaughan. 2006. The economic value of ecological services provided by insects. *BioScience* 56: 311–323.
- Maia J, J. Giordano, N. Kelder, G. Bardien, M. Bodibe, P. Du Plooy, X. Jafta, D. Jarvis et al. 2011. *Green jobs: An estimate of the direct employment potential of a greening South African economy*. Pretoria, South Africa: Industrial Development Corporation, Development Bank of South Africa, Trade and Industrial Policy Strategies.
- Miller, M., A. Michel, P. van Helden, and P. Buss. 2017. Tuberculosis in rhinoceros: An under-recognized threat? *Transboundary and Emerging Diseases* 64: 1071–1078. <https://doi.org/10.1111/tbed.12489>.
- Mitchell, M., M. Lockwood, S.A. Moore, and S. Clement. 2015. Scenario analysis for biodiversity conservation: A social-ecological system approach in the Australian Alps. *Journal of Environmental Management* 150: 69–80.
- Mukherjee, N., J. Hugé, W.J. Sutherland, J. Mcneill, M. Van Opstal, F. Dahdouh-Guebas, and N. Koedam. 2015. The Delphi technique in ecology and biological conservation: Applications and guidelines. *Methods in Ecology and Evolution* 6: 1097–1109. <https://doi.org/10.1111/2041-210X.12387>.
- Murray, B., and N. Rivers. 2015. British Columbia's revenue-neutral carbon tax: A review of the latest "grand experiment" in environmental policy. *Energy Policy* 86: 674–683.
- O'Bryan, C.J., A.R. Braczkowski, H.L. Beyer, N.H. Carter, J.E.M. Watson, and E. McDonald-Madden. 2018. The contribution of predators and scavengers to human well-being. *Nature Ecology and Evolution* 2: 229–236. <https://doi.org/10.1038/s41559-017-0421-2>.
- Patton, M.Q. 2011. *Developmental evaluation: Applying complexity concepts to enhance innovation and use*. New York: Guilford Press.
- Pietersen, D.W., A.E. McKechnie, and R. Jansen. 2011. A review of the anthropogenic threats faced by Temminck's Ground Pangolin, *Smutsia Temminckii*, in Southern Africa. *South African Journal of Wildlife Research* 44: 167–178.
- Reddy, S.M.W., J. Montambault, Y.J. Masuda, E. Keenan, W. Butler, J.R.B. Fisher, S.T. Asah, and A. Gneezy. 2017. Advancing conservation by understanding and influencing human behaviour. *Conservation Letters* 10: 248–256.
- Ripple, W.J., T.M. Newsome, and G.I.H. Kerley. 2016. Does trophy hunting support biodiversity? A response to Di Minin et al. *Trends in Ecology & Evolution* 31: 495–496.
- Rudd, M.A., K.F. Beazley, S.J. Cooke, E. Fleishman, D.E. Lane, M.B. Mascia, R. Roth, G. Tabor, et al. 2011. Generation of priority research questions to inform conservation policy and management at a national level. *Conservation Biology* 25: 476–484. <https://doi.org/10.1111/j.1523-1739.2010.01625.x>.
- SA National Disaster Management Framework. 2005. <https://www.westerncape.gov.za/text/2013/July/sa-national-disaster-management-framework-2005.pdf>. Accessed 9 July 2019.
- Sánchez-Bayo, F., and K.A.G. Wyckhuys. 2019. Worldwide decline of the entomofauna: A review of its drivers. *Biological Conservation* 232: 8–27. <https://doi.org/10.1016/j.biocon.2019.01.020>.
- Schaller, S., and A. Carius. 2010. *Convenient truths: Mapping climate agendas of right-wing populist parties in Europe*. Berlin: Adelphi.
- Shackleton, C.M., B.J. Scholes, C. Vogel, R. Wynberg, T. Abrahamse, S.E. Shackleton, F. Ellery, and J. Gambiza. 2011. The next decade of environmental science in South Africa: A horizon scan. *South African Geographical Journal* 93: 1–14. <https://doi.org/10.1080/03736245.2011.563064>.
- Soulé, M.E. 1985. What is conservation biology? *BioScience* 35: 727–734.
- Souza, E.C.A., and E. Bernard. 2019. Setting priorities in biodiversity conservation: An exercise with students, recent graduates, and environmental managers in Brazil. *Ambio* 48: 879–889. <https://doi.org/10.1007/s13280-018-1116-x>.
- Stafford, W., C. Birch, H. Etter, R. Blanchard, S. Mudavanhu, P. Angelstam, J. Blignaut, L. Ferreira, and C. Marais. 2017. The economics of landscape restoration: Benefits of controlling bush encroachment and invasive plant species in South Africa and Namibia. *Ecosystem Services* 27: 193–202.
- Sulla, V., and P. Zikhali. 2018. *Overcoming poverty and inequality in South Africa: An assessment of drivers, constraints and opportunities*. Pretoria: International Bank for Reconstruction and Development/The World Bank.
- Sutherland, W.J., M.J. Bailey, I.P. Bainbridge, T. Brereton, J.T.A. Dick, J. Drewitt, N.K. Dulvy, N.R. Dusic, et al. 2008. Future novel threats and opportunities facing UK biodiversity identified by horizon scanning. *Journal of Applied Ecology* 45: 821–833. <https://doi.org/10.1111/j.1365-2664.2008.01474.x>.
- Sutherland, W.J., M. Clout, I.M. Côté, P. Daszak, M.H. Depledge, L. Fellman, E. Fleishman, R. Garthwaite, et al. 2010. A horizon scan of global conservation issues for 2010. *Trends in Ecology & Evolution* 25: 1–7. <https://doi.org/10.1016/j.tree.2015.11.007>.
- Sutherland, W.J., S. Bardsley, L. Bennun, M. Clout, I.M. Côté, M.H. Depledge, L.V. Dicks, A.P. Dobson, et al. 2011a. Horizon scan of global conservation issues for 2011. *Trends in Ecology & Evolution* 26: 10–16. <https://doi.org/10.1016/j.tree.2010.11.002>.
- Sutherland, W.J., E. Fleishman, M.B. Mascia, J. Pretty, and M.A. Rudd. 2011b. Methods for collaboratively identifying research priorities and emerging issues in science and policy. *Methods in Ecology and Evolution* 2: 238–247. <https://doi.org/10.1111/j.2041-210X.2010.00083.x>.
- Sutherland, W.J., R. Aveling, T.M. Brooks, M. Clout, L.V. Dicks, L. Fellman, E. Fleishman, D.W. Gibbons, et al. 2014. A horizon scan of global conservation issues for 2014. *Trends in Ecology & Evolution* 29: 15–22. <https://doi.org/10.1016/j.tree.2013.11.004>.
- Sutherland, W.J., S.H.M. Butchart, B. Connor, C. Culshaw, L.V. Dicks, J. Dinsdale, H. Doran, A.C. Entwistle, et al. 2018. A 2018 horizon scan of emerging issues for global conservation and biological diversity. *Trends in Ecology & Evolution* 33: 47–58.
- Sutherland, W.J., S. Broad, S.H.M. Butchart, S.J. Clarke, A.M. Collins, L.V. Dicks, H. Doran, N. Esmail, et al. 2019a. A horizon scan of emerging issues for global conservation in 2019. *Trends in Ecology & Evolution* 34: 83–94.
- Sutherland, W.J., E. Fleishman, M. Clout, D.W. Gibbons, F. Lickorish, L.S. Peck, J. Pretty, M. Spalding, et al. 2019b. Ten years on: A review of the first global conservation horizon scan. *Trends in Ecology & Evolution* 34: 139–153.
- Taylor, A.N., P.A. Lindsey, H.A. Davies-Mostert, and P.E. Goodman. 2016. *An assessment of the economic, social and conservation value of the wildlife ranching industry and its potential to support the green economy in South Africa*. Johannesburg: The Endangered Wildlife Trust.
- Thomson, M.C., Á.G. Muñoz, R. Cousin, and J. Shumake-Guillemot. 2018. Climate drivers of vector-borne diseases in Africa and their relevance to control programmes. *Infectious Diseases of Poverty* 7: 1–22. <https://doi.org/10.1186/s40249-018-0460-1>.
- United Nations 2018. World urbanization prospects: The 2018 Revision. <https://population.un.org/wup/Publications/Files/WUP2018-KeyFacts.pdf>. Accessed 19 Dec 2018.
- Whittington-Jones, C., and E. Retief. 2017. *Fences as a hazard for birds in South Africa*. Presented to the Combined Entomological and Zoological Society of Southern Africa Conference 2017.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

## AUTHOR BIOGRAPHIES

**Colleen L. Seymour** (✉) is a principal scientist at the South African National Biodiversity Institute (SANBI). Her research interests include community ecology in ecosystem services, specifically pollination, rangeland ecology and future influences on ecosystems and biodiversity.

*Address:* South African National Biodiversity Institute, Kirstenbosch Research Centre, Private Bag X7, Claremont 7735, South Africa.

*Address:* FitzPatrick Institute of African Ornithology, DST/NRF Centre of Excellence, Department of Biological Sciences, University of Cape Town, Rondebosch 7701, South Africa.

e-mail: c.seymour@sanbi.org.za

**Lindsey Gillson** is an associate professor at the Plant Conservation Unit, University of Cape Town. Her interests include landscape ecology, theoretical ecology, conservation biology and applied palaeoecology. Her research focuses on long-term ecosystem dynamics, and the implications for conservation, sustainability and ecosystem services. She has a focus on African ecosystems, especially savannas, and is interested in multidisciplinary studies of these complex socio-ecological systems.

*Address:* Plant Conservation Unit, Department of Biological Sciences, University of Cape Town, private Bag X3, Rondebosch 7701, South Africa.

e-mail: lindsey.gillson@uct.ac.za

**Matthew F. Child** is the project coordinator for Biodiversity Informatics at the South African National Biodiversity Institute. He is interested in mainstreaming biodiversity information into decision-making across Africa. His research interests include the relationship between management intensity and conservation value and exploring steady-state bioregional economies.

*Address:* South African National Biodiversity Institute, Kirstenbosch Research Centre, Private Bag X7, Claremont 7735, South Africa.

*Address:* Mammal Research Institute, University of Pretoria, Private Bag X20 Hatfield, Pretoria 0028, South Africa.

e-mail: m.child@sanbi.org.za

**Krystal A. Tolley** is a professor at the South African National Biodiversity Institute. Her focus is conservation and biogeography of African herpetofauna. Her work informs national and international policy and regulations around terrestrial biodiversity.

*Address:* South African National Biodiversity Institute, Kirstenbosch Research Centre, Private Bag X7, Claremont 7735, South Africa.

*Address:* Department of Zoology, Centre for Ecological Genomics and Wildlife Conservation, University of Johannesburg, P.O. Box 524, Auckland Park 2000, South Africa.

e-mail: k.tolley@sanbi.org.za

**Jock C. Currie** is a postdoctoral fellow at Nelson Mandela University and the South African National Biodiversity Institute. His focus is on marine ecology and fisheries, although he has broad interests that include biological oceanography and spatial patterns in regional marine datasets.

*Address:* South African National Biodiversity Institute, Kirstenbosch Research Centre, Private Bag X7, Claremont 7735, South Africa.

*Address:* Institute for Coastal and Marine Research, Nelson Mandela University, PO Box 77000, Port Elizabeth 6031, South Africa.

e-mail: jockcurrie@gmail.com

**Jessica M. da Silva** is a postdoctoral fellow at the South African National Biodiversity Institute. Her research is centred around population and conservation genetics of threatened taxa, with a particular emphasis on genetic monitoring.

*Address:* South African National Biodiversity Institute, Kirstenbosch Research Centre, Private Bag X7, Claremont 7735, South Africa.

*Address:* Department of Botany & Zoology, Stellenbosch University, Private Bag x1, Matieland 7602, South Africa.

e-mail: j.dasilva@sanbi.org.za

**Graham J. Alexander** is a professor of Herpetology in the School of Animal, Plant and Environmental Sciences at the University of the Witwatersrand. His research interests are focused on squamate biology and include aspects of conservation, biogeography, ecology, morphology and evolution.

*Address:* School of Animal, Plant and Environmental Sciences, University of the Witwatersrand, Johannesburg 2050, South Africa.

e-mail: graham.alexander@wits.ac.za

**Pippin Anderson** is a senior lecturer at the University of Cape Town. She is a plant ecologist who is interested in socially informed ecologies and in recent years has focussed her research in the ecology in and of cities.

*Address:* Department of Environmental and Geographical Science, University of Cape Town, Private Bag X3, Rondebosch 7701, South Africa.

e-mail: pippin.anderson@uct.ac.za

**Colleen T. Downs** is a professor in the School of Life Sciences, University of KwaZulu-Natal, Pietermaritzburg campus, South Africa, and holds an NRF SARCHI Research Chair in Ecosystem Health and Biodiversity in KwaZulu-Natal and the Eastern Cape. She focuses on how land-use and climate change influence the physiology, ecology, behaviour and conservation of birds, reptiles and mammals.

*Address:* Centre for Functional Biodiversity, School of Life Sciences, University of KwaZulu-Natal, Private Bag X01, Scottsville, Pietermaritzburg 3209, South Africa.

e-mail: downs@ukzn.ac.za

**Benis N. Egoh** is an assistant professor at the University of California, Irvine. She was a principal researcher at the CSIR, South Africa, before moving to the USA. Her research focus is on the mapping of ecosystem services and investigating relationships with biodiversity for policy support. Her primary research study area is South Africa.

*Address:* Department of Earth System Science, University of California, Irvine, CA 92697, USA.

e-mail: begoh@uci.edu

**David A. Ehlers Smith** is a postdoctoral research fellow at the University of KwaZulu-Natal. His research interests include forest ecology, a functional approach to landscape ecology, and the influence of anthropogenic disturbance on ecosystem functionality.

*Address:* Centre for Functional Biodiversity, School of Life Sciences, University of KwaZulu-Natal, Private Bag X01, Scottsville, Pietermaritzburg 3209, South Africa.

e-mail: ehlerssmithd@ukzn.ac.za

**Yvette C. Ehlers Smith** is a postdoctoral research fellow at the University of KwaZulu-Natal. Her research interests are interdisciplinary and encompass humanistic aspects of conservation, including human-wildlife conflict, indigenous knowledge and cultural perspectives on biodiversity.

*Address:* Centre for Functional Biodiversity, School of Life Sciences,

University of KwaZulu-Natal, Private Bag X01, Scottsville, Pietermaritzburg 3209, South Africa.  
e-mail: yvettehlers@hotmail.com

**Karen J. Esler** is a professor and departmental head at the Department of Conservation Ecology & Entomology at Stellenbosch University. In her research, Karen simultaneously navigates disciplinary depths in ecology to work across disciplines, allowing her to contribute to interdisciplinary and applied spaces, particularly in the fields of ecosystem management, ecological restoration and conservation.

*Address:* Centre for Invasion Biology and Department of Conservation Ecology & Entomology, Stellenbosch University, Private Bag x1, Matieland 7602, South Africa.  
e-mail: kje@sun.ac.za

**Patrick J. O'Farrell** is a principal researcher and research group leader at the Council for Scientific and Industrial Research in Stellenbosch. His work is focussed on understanding social–ecological systems within a development context. This has involved interdisciplinary engagements, developing spatially explicit models and scenarios that capture social–ecological processes and dynamics, towards understanding human well-being.

*Address:* Council for Scientific and Industrial Research, PO Box 320, Stellenbosch 7599, South Africa.

*Address:* FitzPatrick Institute of African Ornithology, DST/NRF Centre of Excellence, Department of Biological Sciences, University of Cape Town, Rondebosch 7701, South Africa.  
e-mail: pofarrell@csir.co.za

**Andrew L. Skowno** is the leader of the National Biodiversity Assessment Unit at the South African National Biodiversity Institute. He is an honorary research associate (HRA) at the University of Cape Town's Department of Biological Sciences. His research covers a broad spectrum of biodiversity and ecology-related fields including

land-cover change, Red List of Ecosystems, land degradation and savanna ecology.

*Address:* South African National Biodiversity Institute, Kirstenbosch Research Centre, Private Bag X7, Claremont 7735, South Africa.

*Address:* Plant Conservation Unit, Department of Biological Sciences, University of Cape Town, private Bag X3, Rondebosch 7701, South Africa.  
e-mail: a.skowno@sanbi.org.za

**Essa Suleman** is a senior researcher in Molecular Diagnostics at the Council for Scientific and Industrial Research (CSIR) and a research associate at the National Zoological Garden, South African National Biodiversity Institute (NZG SANBI). His research focuses on development of molecular diagnostics for detection, surveillance and epidemiology of infectious, zoonotic and parasitic diseases which threaten human and animal (including wildlife) health in South Africa.

*Address:* NextGen Health Cluster, Council for Scientific and Industrial Research, P.O. Box 395, Pretoria 0001, South Africa.

*Address:* National Zoological Garden, South African National Biodiversity Institute (SANBI), 232 Boom Street, Pretoria 0001, South Africa.  
e-mail: esuleman@csir.co.za

**Ruan Veldtman** is a senior scientist at the South African National Biodiversity Institute and a research associate at the department of Conservation Ecology and Entomology at Stellenbosch University. His research deals with those entomological aspects linked to services provided by ecosystems and the impact of biological invasions.

*Address:* South African National Biodiversity Institute, Kirstenbosch Research Centre, Private Bag X7, Claremont 7735, South Africa.

*Address:* Department of Conservation Ecology & Entomology, Stellenbosch University, Private Bag x1, Matieland 7602, South Africa.  
e-mail: r.veldtman@sanbi.org.za